

# CybOX™ Version 2.1.1. Part 57: Unix Process Object

## Committee Specification Draft 01 / Public Review Draft 01

### 20 June 2016

#### **Specification URIs**

#### This version:

http://docs.oasis-open.org/cti/cybox/v2.1.1/csprd01/part57-unix-process/cybox-v2.1.1-csprd01-part57-unix-process.docx (Authoritative)

http://docs.oasis-open.org/cti/cybox/v2.1.1/csprd01/part57-unix-process/cybox-v2.1.1-csprd01-part57-unix-process.html

http://docs.oasis-open.org/cti/cybox/v2.1.1/csprd01/part57-unix-process/cybox-v2.1.1-csprd01-part57-unix-process.pdf

#### **Previous version:**

N/A

#### Latest version:

http://docs.oasis-open.org/cti/cybox/v2.1.1/part57-unix-process/cybox-v2.1.1-part57-unix-process.docx (Authoritative)

http://docs.oasis-open.org/cti/cybox/v2.1.1/part57-unix-process/cybox-v2.1.1-part57-unix-process.html

http://docs.oasis-open.org/cti/cybox/v2.1.1/part57-unix-process/cybox-v2.1.1-part57-unix-process.pdf

#### **Technical Committee:**

OASIS Cyber Threat Intelligence (CTI) TC

#### Chair:

Richard Struse (Richard.Struse@HQ.DHS.GOV), DHS Office of Cybersecurity and Communications (CS&C)

#### **Editors:**

Desiree Beck (dbeck@mitre.org), MITRE Corporation Trey Darley (trey@kingfisherops.com), Individual member Ivan Kirillov (ikirillov@mitre.org), MITRE Corporation Rich Piazza (rpiazza@mitre.org), MITRE Corporation

#### Additional artifacts:

This prose specification is one component of a Work Product whose components are listed in http://docs.oasis-open.org/cti/cybox/v2.1.1/csprd01/cybox-v2.1.1-csprd01-additional-artifacts.html.

#### Related work:

This specification is related to:

 STIX™ Version 1.2.1. Edited by Sean Barnum, Desiree Beck, Aharon Chernin, and Rich Piazza. 05 May 2016. OASIS Committee Specification 01. http://docs.oasisopen.org/cti/stix/v1.2.1/cs01/part1-overview/stix-v1.2.1-cs01-part1-overview.html.

#### **Abstract:**

The Cyber Observable Expression (CybOX) is a standardized language for encoding and communicating high-fidelity information about cyber observables, whether dynamic events or stateful measures that are observable in the operational cyber domain. By specifying a common structured schematic mechanism for these cyber observables, the intent is to enable the potential for detailed automatable sharing, mapping, detection and analysis heuristics. This specification document defines the Unix Process Object data model, which is one of the Object data models for CybOX content.

#### Status:

This document was last revised or approved by the OASIS Cyber Threat Intelligence (CTI) TC on the above date. The level of approval is also listed above. Check the "Latest version" location noted above for possible later revisions of this document. Any other numbered Versions and other technical work produced by the Technical Committee (TC) are listed at https://www.oasis-open.org/committees/tc\_home.php?wg\_abbrev=cti#technical.

TC members should send comments on this specification to the TC's email list. Others should send comments to the TC's public comment list, after subscribing to it by following the instructions at the "Send A Comment" button on the TC's web page at https://www.oasis-open.org/committees/cti/.

For information on whether any patents have been disclosed that may be essential to implementing this specification, and any offers of patent licensing terms, please refer to the Intellectual Property Rights section of the TC's web page (https://www.oasisopen.org/committees/cti/ipr.php).

#### **Citation format:**

When referencing this specification the following citation format should be used:

#### [CybOX-v2.1.1-unix-process]

CybOX™ Version 2.1.1. Part 57: Unix Process Object. Edited by Desiree Beck, Trey Darley, Ivan Kirillov, and Rich Piazza. 20 June 2016. OASIS Committee Specification Draft 01 / Public Review Draft 01. http://docs.oasis-open.org/cti/cybox/v2.1.1/csprd01/part57-unix-process/cybox-v2.1.1-csprd01-part57-unix-process.html. Latest version: http://docs.oasis-open.org/cti/cybox/v2.1.1/part57-unix-process/cybox-v2.1.1-part57-unix-process.html.

## **Notices**

Copyright © OASIS Open 2016. All Rights Reserved.

All capitalized terms in the following text have the meanings assigned to them in the OASIS Intellectual Property Rights Policy (the "OASIS IPR Policy"). The full Policy may be found at the OASIS website.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to OASIS, except as needed for the purpose of developing any document or deliverable produced by an OASIS Technical Committee (in which case the rules applicable to copyrights, as set forth in the OASIS IPR Policy, must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

OASIS requests that any OASIS Party or any other party that believes it has patent claims that would necessarily be infringed by implementations of this OASIS Committee Specification or OASIS Standard, to notify OASIS TC Administrator and provide an indication of its willingness to grant patent licenses to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this specification.

OASIS invites any party to contact the OASIS TC Administrator if it is aware of a claim of ownership of any patent claims that would necessarily be infringed by implementations of this specification by a patent holder that is not willing to provide a license to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this specification. OASIS may include such claims on its website, but disclaims any obligation to do so.

OASIS takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this document or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on OASIS' procedures with respect to rights in any document or deliverable produced by an OASIS Technical Committee can be found on the OASIS website. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this OASIS Committee Specification or OASIS Standard, can be obtained from the OASIS TC Administrator. OASIS makes no representation that any information or list of intellectual property rights will at any time be complete, or that any claims in such list are, in fact, Essential Claims.

The name "OASIS" is a trademark of OASIS, the owner and developer of this specification, and should be used only to refer to the organization and its official outputs. OASIS welcomes reference to, and implementation and use of, specifications, while reserving the right to enforce its marks against misleading uses. Please see <a href="https://www.oasis-open.org/policies-guidelines/trademark">https://www.oasis-open.org/policies-guidelines/trademark</a> for above guidance.

Portions copyright © United States Government 2012-2016. All Rights Reserved.

STIX™, TAXII™, AND CybOX™ (STANDARD OR STANDARDS) AND THEIR COMPONENT PARTS ARE PROVIDED "AS IS" WITHOUT ANY WARRANTY OF ANY KIND, EITHER EXPRESSED, IMPLIED, OR STATUTORY, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTY THAT THESE STANDARDS OR ANY OF THEIR COMPONENT PARTS WILL CONFORM TO SPECIFICATIONS, ANY IMPLIED

WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR FREEDOM FROM INFRINGEMENT, ANY WARRANTY THAT THE STANDARDS OR THEIR COMPONENT PARTS WILL BE ERROR FREE. OR ANY WARRANTY THAT THE DOCUMENTATION. IF PROVIDED. WILL CONFORM TO THE STANDARDS OR THEIR COMPONENT PARTS. IN NO EVENT SHALL THE UNITED STATES GOVERNMENT OR ITS CONTRACTORS OR SUBCONTRACTORS BE LIABLE FOR ANY DAMAGES, INCLUDING, BUT NOT LIMITED TO, DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES, ARISING OUT OF, RESULTING FROM, OR IN ANY WAY CONNECTED WITH THESE STANDARDS OR THEIR COMPONENT PARTS OR ANY PROVIDED DOCUMENTATION, WHETHER OR NOT BASED UPON WARRANTY, CONTRACT, TORT, OR OTHERWISE, WHETHER OR NOT INJURY WAS SUSTAINED BY PERSONS OR PROPERTY OR OTHERWISE, AND WHETHER OR NOT LOSS WAS SUSTAINED FROM, OR AROSE OUT OF THE RESULTS OF, OR USE OF, THE STANDARDS, THEIR COMPONENT PARTS, AND ANY PROVIDED DOCUMENTATION. THE UNITED STATES GOVERNMENT DISCLAIMS ALL WARRANTIES AND LIABILITIES REGARDING THE STANDARDS OR THEIR COMPONENT PARTS ATTRIBUTABLE TO ANY THIRD PARTY. IF PRESENT IN THE STANDARDS OR THEIR COMPONENT PARTS AND DISTRIBUTES IT OR THEM "AS IS."

## **Table of Contents**

1	Intro	duction	6
	1.1	CybOX <sup>™</sup> Specification Documents	6
	1.2	Document Conventions	6
	1.2.1	Fonts	6
	1.2.2	UML Package References	7
	1.2.3	UML Diagrams	7
	1.2.4	Property Table Notation	8
	1.2.5	Property and Class Descriptions	8
	1.3	Terminology	9
	1.4	Normative References	9
2	Back	ground Information	10
	2.1	Cyber Observables	10
	2.2	Objects	10
3	Data	Model	11
	3.1	UnixProcessObjectType Class	11
	3.2	UnixProcessStatusType Class	12
	3.3	FileDescriptorListType Class	13
	3.4	UnixProcessStateType Data Type	13
	3.5	UnixProcessStateEnum Enumeration	13
4	Conf	ormance	15
Αį	ppendix	A. Acknowledgments	16
Αı	opendix	B. Revision History	20

## 1 Introduction

[All text is normative unless otherwise labeled]

The Cyber Observable Expression (CybOX<sup>TM</sup>) provides a common structure for representing cyber observables across and among the operational areas of enterprise cyber security. CybOX improves the consistency, efficiency, and interoperability of deployed tools and processes, and it increases overall situational awareness by enabling the potential for detailed automatable sharing, mapping, detection, and analysis heuristics.

This document serves as the specification for the CybOX Unix Process Object Version 2.1.1 data model, which is one of eighty-eight CybOX Object data models.

In Section 1.1 we discuss additional specification documents, in Section 1.2 we provide document conventions, and in Section 1.3 we provide terminology. References are given in Section 1.4. In Section 2, we give background information necessary to fully understand the Unix Process Object data model. We present the Unix Process Object data model specification details in Section 3 and conformance information in Section 4.

## 1.1 CybOX<sup>™</sup> Specification Documents

The CybOX specification consists of a formal UML model and a set of textual specification documents that explain the UML model. Specification documents have been written for each of the individual data models that compose the full CybOX UML model.

CybOX has a modular design comprising two fundamental data models and a collection of Object data models. The fundamental data models – CybOX Core and CybOX Common – provide essential CybOX structure and functionality. The CybOX Objects, defined in individual data models, are precise characterizations of particular types of observable cyber entities (e.g., HTTP session, Windows registry key, DNS query).

Use of the CybOX Core and Common data models is required; however, use of the CybOX Object data models is purely optional: users select and use only those Objects and corresponding data models that are needed. Importing the entire CybOX suite of data models is not necessary.

The *CybOX Version 2.1.1 Part 1: Overview* document provides a comprehensive overview of the full set of CybOX data models, which in addition to the Core, Common, and numerous Object data models, includes various extension data models and a vocabularies data model, which contains a set of default controlled vocabularies. *CybOX Version 2.1.1 Part 1: Overview* also summarizes the relationship of CybOX to other languages, and outlines general CybOX data model conventions.

#### 1.2 Document Conventions

The following conventions are used in this document.

#### **1.2.1 Fonts**

The following font and font style conventions are used in the document:

Capitalization is used for CybOX high level concepts, which are defined in CybOX Version 2.1.1
Part 1: Overview.

Examples: Action, Object, Event, Property

• The Courier New font is used for writing UML objects.

**Examples**: ActionType, cyboxCommon:BaseObjectPropertyType

Note that all high level concepts have a corresponding UML object. For example, the Action high level concept is associated with a UML class named, ActionType.

• The '*italic*' font (with single quotes) is used for noting actual, explicit values for CybOX Language properties. The *italic* font (without quotes) is used for noting example values.

Example: 'HashNameVocab-1.0,' high, medium, low

#### 1.2.2 UML Package References

Each CybOX data model is captured in a different UML package (e.g., Core package) where the packages together compose the full CybOX UML model. To refer to a particular class of a specific package, we use the format package\_prefix:class, where package\_prefix corresponds to the appropriate UML package.

The package\_prefix for the Unix Process data model is UnixProcessObj. Note that in this specification document, we do not explicitly specify the package prefix for any classes that originate from the Unix Process Object data model.

#### 1.2.3 UML Diagrams

This specification makes use of UML diagrams to visually depict relationships between CybOX Language constructs. Note that the diagrams have been extracted directly from the full UML model for CybOX; they have not been constructed purely for inclusion in the specification documents. Typically, diagrams are included for the primary class of a data model, and for any other class where the visualization of its relationships between other classes would be useful. This implies that there will be very few diagrams for classes whose only properties are either a data type or a class from the CybOX Common data model. Other diagrams that are included correspond to classes that specialize a superclass and abstract or generalized classes that are extended by one or more subclasses.

In UML diagrams, classes are often presented with their attributes elided, to avoid clutter. The fully described class can usually be found in a related diagram. A class presented with an empty section at the bottom of the icon indicates that there are no attributes other than those that are visualized using associations.

#### 1.2.3.1 Class Properties

Generally, a class property can be shown in a UML diagram as either an attribute or an association (i.e., the distinction between attributes and associations is somewhat subjective). In order to make the size of UML diagrams in the specifications manageable, we have chosen to capture most properties as attributes and to capture only higher level properties as associations, especially in the main top-level component diagrams. In particular, we will always capture properties of UML data types as attributes.

#### 1.2.3.2 Diagram Icons and Arrow Types

Diagram icons are used in a UML diagram to indicate whether a shape is a class, enumeration, or a data type, and decorative icons are used to indicate whether an element is an attribute of a class or an enumeration literal. In addition, two different arrow styles indicate either a directed association relationship (regular arrowhead) or a generalization relationship (triangle-shaped arrowhead). The icons and arrow styles we use are shown and described in **Table 1-1** 

Table 1-1. UML diagram icons

Icon	Description	
	This diagram icon indicates a class. If the name is in italics, it is an abstract class.	
Œ	This diagram icon indicates an enumeration.	
<d></d>	This diagram icon indicates a data type.	
<b>F</b>	This decorator icon indicates an attribute of a class. The green circle means its visibility is public. If the circle is red or yellow, it means its visibility is private or protected.	
	This decorator icon indicates an enumeration literal.	
	This arrow type indicates a directed association relationship.	
<b>─</b>	This arrow type indicates a generalization relationship.	

#### 1.2.4 Property Table Notation

Throughout Section 3, tables are used to describe the properties of each data model class. Each property table consists of a column of names to identify the property, a type column to reflect the datatype of the property, a multiplicity column to reflect the allowed number of occurrences of the property, and a description column that describes the property. Package prefixes are provided for classes outside of the Unix Process Object data model (see Section 1.2.2).

Note that if a class is a specialization of a superclass, only the properties that constitute the specialization are shown in the property table (i.e., properties of the superclass will not be shown). However, details of the superclass may be shown in the UML diagram.

## 1.2.5 Property and Class Descriptions

Each class and property defined in CybOX is described using the format, "The X property <u>verb</u> Y." For example, in the specification for the CybOX Core data model, we write, "The id property <u>specifies</u> a globally unique identifier for the Action." In fact, the verb "specifies" could have been replaced by any number of alternatives: "defines," "describes," "contains," "references," etc.

However, we thought that using a wide variety of verb phrases might confuse a reader of a specification document because the meaning of each verb could be interpreted slightly differently. On the other hand, we didn't want to use a single, generic verb, such as "describes," because although the different verb choices may or may not be meaningful from an implementation standpoint, a distinction could be useful to those interested in the modeling aspect of CybOX.

Consequently, we have preferred to use the three verbs, defined as follows, in class and property descriptions:

Verb	CybOX Definition
<u>captures</u>	Used to record and preserve information without implying anything about the structure of a class or property. Often used for properties that encompass general content. This is the least precise of the three verbs.
	Examples:
	The <code>Observable_Source</code> property characterizes the source of the Observable information. Examples of details <code>captured</code> include identifying characteristics, time-related attributes, and a list of the tools used to collect the information.
	The Description property <u>captures</u> a textual description of the Action.
<u>characterizes</u>	Describes the distinctive nature or features of a class or property. Often used to describe classes and properties that themselves comprise one or more other properties.
	Examples:
	The Action property characterizes a cyber observable Action.
	The Obfuscation_Technique property characterizes a technique an attacker could potentially leverage to obfuscate the Observable.
specifies	Used to clearly and precisely identify particular instances or values associated with a property. Often used for properties that are defined by a controlled vocabulary or enumeration; typically used for properties that take on only a single value.
	Example:
	The cybox_major_version property specifies the major version of the CybOX language used for the set of Observables.

## 1.3 Terminology

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in **[RFC2119]**.

### 1.4 Normative References

[RFC2119]

Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, March 1997. http://www.ietf.org/rfc/rfc2119.txt.

## 2 Background Information

In this section, we provide high level information about the Unix Process Object data model that is necessary to fully understand the specification details given in Section 3.

### 2.1 Cyber Observables

A cyber observable is a dynamic event or a stateful property that occurs, or may occur, in the operational cyber domain. Examples of stateful properties include the value of a registry key, the MD5 hash of a file, and an IP address. Examples of events include the deletion of a file, the receipt of an HTTP GET request, and the creation of a remote thread.

A cyber observable is different than a cyber indicator. A cyber observable is a statement of fact, capturing what was observed or could be observed in the cyber operational domain. Cyber indicators are cyber observable patterns, such as a registry key value associated with a known bad actor or a spoofed email address used on a particular date.

## 2.2 Objects

Cyber observable objects (Files, IP Addresses, etc) in CybOX are characterized with a combination of two levels of data models.

The first level is the Object data model which specifies a base set of properties universal to all types of Objects and enables them to integrate with the overall cyber observable framework specified in the CybOX Core data model.

The second level are the object property models which specify the properties of a particular type of Object via individual data models each focused on a particular cyber entity, such as a Windows registry key, or an Email Message. Accordingly, each release of the CybOX language includes a particular set of Objects that are part of the release. The data model for each of these Objects is defined by its own specification that describes the context-specific classes and properties that compose the Object.

Any specific instance of an Object is represented utilizing the particular object properties data model within the general Object data model.

## 3 Data Model

## 3.1 UnixProcessObjectType Class

The UnixProcessObjectType class is intended to characterize Unix processes. The UML diagram corresponding to the UnixProcessObjectType class is shown in Figure 3-1.




Figure 3-1. UML diagram of the UnixProcessObjectType class

The property table of the UnixProcessObjectType class is given in Table 3-1.

Table 3-1. Properties of the UnixProcessObjectType class

Name Type		Multiplicity	Description
Open_File_Descriptor_List	FileDescriptorListType		The Open_File_Descriptor_List property specifies a listing of the current file descriptors used by the Unix

			process.
Priority cyboxCommon: NonNegativeIntegerObjectPropertyType		01	The Priority property specifies the priority of the Unix process.
RUID	<pre>cyboxCommon: NonNegativeIntegerObjectPropertyType</pre>	01	The RUID property specifies the real user ID, which represents the Unix user who created the process.
Session_ID	<pre>cyboxCommon: NonNegativeIntegerObjectPropertyType</pre>	01	The Session_ID property specifies the Unix Session ID of the process.

## 3.2 UnixProcessStatusType Class

The UnixProcessStatusType class specifies the current status of the running Unix process. It extends the abstract ProcessStatusType from the CybOX Process Object. It redefines the type of the inherited Status property in the UnixProcessObjectType class.

The property table of the UnixProcessStatusType class is given in Table 3-2.

Table 3-2. Properties of the UnixProcessStatusType class

Name	Туре	Multiplicity	Description
Current_Status	UnixProcessStateType	01	The Current_Status property specifies the current state of the Unix process, using the UnixProcessStatusEnum enumeration.
Timestamp	<pre>cyboxCommon: DateTimeObjectPropertyType</pre>	01	The Timestamp property specifies when the process started up.

## 3.3 FileDescriptorListType Class

The FileDescriptorListType class specifies a list of Unix file descriptors.

The property table of the FileDescriptorListType class is given in Table 3-3.

Table 3-3. Properties of the FileDescriptorListType class

Name	Туре	Multiplicity	Description
File_Descriptor	<pre>cyboxCommon: UnsignedIntegerObjectPropertyType</pre>	1*	The File_Descriptor property specifies a particular Unix File Descriptor.

## 3.4 UnixProcessStateType Data Type

The <code>UnixProcessStateType</code> data type characterizes the Unix process states. Its core value SHOULD be a literal from the <code>UnixProcessStateEnum</code> enumeration. It extends the <code>BaseObjectPropertyType</code> data type, in order to permit complex (i.e. regular-expression based) specifications. See "man ps" for more information.

#### 3.5 UnixProcessStateEnum Enumeration

The literals of the UnixProcessStateEnum enumeration are given in Table 3-4.

Table 3-4. Literals of the UnixProcessStateEnum enumeration

Enumeration Literal	Description
Running	Specifies a running process or runnable [on run queue] (R).
UninterruptibleSleep	Specifies a process in uninterruptible sleep [usually IO] (D).
InterruptibleSleep	Specifies a process in interruptible sleep [waiting for an event to complete] (S).

Stopped	Specifies a stopped process, either by a job control signal or because it is being traced (T).	
Paging	Specifies a paging process [not valid since the 2.6.xx kernel] (W).	
Dead	Specifies a dead process [should never be seen] (X).	
Zombie	Specifies a defunct, zombie process [terminated but not reaped by its parent] (Z).	

## 4 Conformance

Implementations have discretion over which parts (components, properties, extensions, controlled vocabularies, etc.) of CybOX they implement (e.g., Observable/Object).

[1] Conformant implementations must conform to all normative structural specifications of the UML model or additional normative statements within this document that apply to the portions of CybOX they implement (e.g., implementers of the entire Observable class must conform to all normative structural specifications of the UML model regarding the Observable class or additional normative statements contained in the document that describes the Observable class).

[2] Conformant implementations are free to ignore normative structural specifications of the UML model or additional normative statements within this document that do not apply to the portions of CybOX they implement (e.g., non-implementers of any particular properties of the Observable class are free to ignore all normative structural specifications of the UML model regarding those properties of the Observable class or additional normative statements contained in the document that describes the Observable class).

The conformance section of this document is intentionally broad and attempts to reiterate what already exists in this document.

## Appendix A. Acknowledgments

The following individuals have participated in the creation of this specification and are gratefully acknowledged:

**Aetna** 

**David Crawford** 

**AIT Austrian Institute of Technology** 

Roman Fiedler Florian Skopik

Australia and New Zealand Banking Group (ANZ

Bank)

Dean Thompson

Blue Coat Systems, Inc.

Owen Johnson Bret Jordan

**Century Link** 

Cory Kennedy

**CIRCL** 

Alexandre Dulaunoy

Andras Iklody Raphaël Vinot

**Citrix Systems** 

Joey Peloquin

Dell

Will Urbanski Jeff Williams

DTCC

Dan Brown
Gordon Hundley
Chris Koutras

**EMC** 

Robert Griffin Jeff Odom Ravi Sharda

Financial Services Information Sharing and

**Analysis Center (FS-ISAC)** 

David Eilken Chris Ricard Fortinet Inc.

**Gavin Chow** 

**Airbus Group SAS** 

Joerg Eschweiler Marcos Orallo

Anomali

Wei Huang Hugh Njemanze Katie Pelusi Aaron Shelmire Jason Trost

Ryan Clough

**Bank of America** 

Alexander Foley

Center for Internet Security (CIS)

Sarah Kelley

**Check Point Software Technologies** 

Ron Davidson

Cisco Systems

Syam Appala Ted Bedwell David McGrew Pavan Reddy Omar Santos Jyoti Verma

Cyber Threat Intelligence Network, Inc.

(CTIN)

Doug DePeppe Jane Ginn Ben Othman

DHS Office of Cybersecurity and

Communications (CS&C)
Richard Struse

Marlon Taylor
EclecticIQ

Marko Dragoljevic Joep Gommers Sergey Polzunov

Kenichi Terashita **Rutger Prins Fujitsu Limited** Andrei Sîrghi **Neil Edwards** Raymon van der Velde Frederick Hirsch eSentire, Inc. Rvusuke Masuoka Jacob Gajek FireEye, Inc. Daisuke Murabayashi Google Inc. Phillip Boles Mark Risher Pavan Gorakav Hitachi, Ltd. Anuj Kumar Kazuo Noguchi Shyamal Pandya Akihito Sawada Paul Patrick Masato Terada Scott Shreve iboss, Inc. Fox-IT Paul Martini Sarah Brown Individual **Georgetown University** Jerome Athias Eric Burger Peter Brown **Hewlett Packard Enterprise (HPE)** Elysa Jones Tomas Sander Sanjiv Kalkar **IBM** Bar Lockwood Peter Allor Eldan Ben-Haim Terry MacDonald Alex Pinto Sandra Hernandez **Intel Corporation** Jason Keirstead John Morris Tim Casey Kent Landfield Laura Rusu JPMorgan Chase Bank, N.A. Ron Williams IID Terrence Driscoll **David Laurance** Chris Richardson LookingGlass Integrated Networking Technologies, Inc. Allan Thomson Patrick Maroney Lee Vorthman Johns Hopkins University Applied Physics Laboratory **Mitre Corporation** Karin Marr Greg Back Julie Modlin Jonathan Baker Mark Moss Sean Barnum Pamela Smith Desiree Beck Kaiser Permanente Nicole Gong Russell Culpepper Jasen Jacobsen Beth Pumo Ivan Kirillov **Lumeta Corporation** Richard Piazza Brandon Hoffman Jon Salwen

MTG Management Consultants, LLC.

**Charles Schmidt** 

Emmanuelle Vargas-Gonzalez

John Wunder

**National Council of ISACs (NCI)** 

Scott Algeier

Denise Anderson

Josh Poster

**NEC Corporation** 

Takahiro Kakumaru

North American Energy Standards Board

**David Darnell** 

**Object Management Group** 

Cory Casanave

**Palo Alto Networks** 

Vishaal Hariprasad

Queralt, Inc.

John Tolbert

Resilient Systems, Inc.

Ted Julian

**Securonix** 

Igor Baikalov

Siemens AG

Bernd Grobauer

Soltra

John Anderson

Aishwarya Asok Kumar

Peter Ayasse

Jeff Beekman

Michael Butt

Cynthia Camacho

Aharon Chernin

Mark Clancy

**Brady Cotton** 

**Trey Darley** 

Mark Davidson

Paul Dion

Daniel Dye

Robert Hutto

Raymond Keckler

Ali Khan

Chris Kiehl

James Cabral

**National Security Agency** 

Mike Boyle

Jessica Fitzgerald-McKay

**New Context Services, Inc.** 

John-Mark Gurney

Christian Hunt

Jilistian Hant

James Moler Daniel Riedel

۸ ... .است... ۲۰۰

Andrew Storms

**OASIS** 

James Bryce Clark

Robin Cover

Chet Ensign

**Open Identity Exchange** 

Don Thibeau

PhishMe Inc.

Josh Larkins

**Raytheon Company-SAS** 

**Daniel Wyschogrod** 

Retail Cyber Intelligence Sharing Center (R-

CISC)

Brian Engle

**Semper Fortis Solutions** 

Joseph Brand

Splunk Inc.

Cedric LeRoux

Brian Luger

Kathy Wang

**TELUS** 

Greg Reaume

Alan Steer

Threat Intelligence Pty Ltd

Tyron Miller

Andrew van der Stock

ThreatConnect, Inc.

Wade Baker

Cole Iliff

Andrew Pendergast

Ben Schmoker

Jason Spies

**TruSTAR Technology** 

Clayton Long

Michael Pepin

Natalie Suarez David Waters

Benjamin Yates **Symantec Corp.** 

Curtis Kostrosky

The Boeing Company

Crystal Hayes

ThreatQuotient, Inc.

Ryan Trost

U.S. Bank

Mark Angel Brad Butts

Brian Fay

Mona Magathan

Yevgen Sautin

**US Department of Defense (DoD)** 

James Bohling

Eoghan Casey Gary Katz

Jeffrey Mates

VeriSign

Robert Coderre

Kyle Maxwell

Eric Osterweil

Chris Roblee

**United Kingdom Cabinet Office** 

Iain Brown

Adam Cooper

Mike McLellan

Chris O'Brien

James Penman

Howard Staple

Chris Taylor

Laurie Thomson

Alastair Treharne

Julian White

**Bethany Yates** 

**US Department of Homeland Security** 

**Evette Maynard-Noel** 

Justin Stekervetz

ViaSat, Inc.

Lee Chieffalo

Wilson Figueroa

Andrew May

Yaana Technologies, LLC

Anthony Rutkowski

The authors would also like to thank the larger CybOX Community for its input and help in reviewing this document.

## **Appendix B. Revision History**

Revision	Date	Editor	Changes Made
wd01	15 December 2015	Desiree Beck Trey Darley Ivan Kirillov Rich Piazza	Initial transfer to OASIS template