

DocBook Version 5.1

Committee Specification Draft 01

Public Review Draft 01

11 Feb 2015

Specification URIs:

This version:

<http://docs.oasis-open.org/docbook/docbook/v5.1/csprd01/docbook-v5.1-csprd01.html>
(Authoritative)
<http://docs.oasis-open.org/docbook/docbook/v5.1/csprd01/docbook-v5.1-csprd01.xml>
<http://docs.oasis-open.org/docbook/docbook/v5.1/csprd01/docbook-v5.1-csprd01.pdf>

Previous version:

None

Latest version:

<http://docs.oasis-open.org/docbook/docbook/v5.1/docbook-v5.1.html> (Authoritative)
<http://docs.oasis-open.org/docbook/docbook/v5.1/docbook-v5.1.xml>
<http://docs.oasis-open.org/docbook/docbook/v5.1/docbook-v5.1.pdf>

Technical Committee:

[OASIS DocBook Technical Committee](#)

Chair:

Norman Walsh (norman.walsh@marklogic.com), [MarkLogic Corporation](#)

Editor:

Norman Walsh (norman.walsh@marklogic.com), [MarkLogic Corporation](#)

Additional artifacts:

This prose specification is one component of a Work Product that also includes:

- RELAX NG Schemas accessible from <http://docs.oasis-open.org/docbook/docbook/v5.1/csprd01/schemas/rng/>
- Schematron Schemas accessible from <http://docs.oasis-open.org/docbook/docbook/v5.1/csprd01/schemas/sch/>
- An XML Catalog accessible from <http://docs.oasis-open.org/docbook/docbook/v5.1/csprd01/schemas/catalog.xml>
- An NVDL Schema accessible from <http://docs.oasis-open.org/docbook/docbook/v5.1/csprd01/schemas/docbook.nvdl>
- DocBook V4.x conversion tools accessible from <http://docs.oasis->

open.org/docbook/docbook/v5.1/csprd01/tools/

Related work:

This specification replaces or supersedes:

- *The DocBook Schema Version 5.0*. 1 November 2009. OASIS Standard.
<http://docbook.org/specs/docbook-5.0-spec-os.html>

Declared XML namespaces:

<http://docbook.org/ns/docbook>

Abstract:

DocBook is a general purpose [XML] schema particularly well suited to books and papers about computer hardware and software (though it is by no means limited to these applications).

The Version 5.1 release introduces assemblies for topic-oriented authoring. It also addresses a selection of bugs and feature requests.

The Technical Committee provides the DocBook 5.1 schema in other schema languages, including W3C XML Schema and an XML DTD, but the RELAX NG Schema is the normative schema.

Status:

This document was last revised or approved by the DocBook Technical Committee on the above date. The level of approval is also listed above. Check the current location noted above for possible later revisions of this document. This document is updated periodically on no particular schedule.

Technical Committee members should send comments on this specification to the Technical Committee's email list. Others should send comments to the Technical Committee by using the "[Send A Comment](#)" button on the Technical Committee's web page at <http://www.oasis-open.org/committees/docbook>.

For information on whether any patents have been disclosed that may be essential to implementing this specification, and any offers of patent licensing terms, please refer to the Intellectual Property Rights section of the Technical Committee web page (<http://www.oasis-open.org/committees/docbook/ipr.php>).

Any other numbered Versions and other technical work produced by the Technical Committee (TC) are listed at https://www.oasis-open.org/committees/tc_home.php?wg_abbrev=docbook#technical.

Citation format:

When referencing this specification, the following citation format should be used:

[DocBook-5.1] DocBook Version 5.1. Edited by Norman Walsh. 11 Feb 2015. OASIS Committee Specification Draft 01 / Public Review Draft 01. <http://docs.oasis-open.org/docbook/docbook/v5.1/csprd01/docbook-v5.1-csprd01.html>. Latest version: <http://docs.oasis-open.org/docbook/docbook/v5.1/docbook-v5.1.html>.

Notices

Copyright © OASIS Open 2015. All Rights Reserved.

All capitalized terms in the following text have the meanings assigned to them in the OASIS Intellectual Property Rights Policy (the "OASIS IPR Policy"). The full [Policy](#) may be found at the OASIS website.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to OASIS, except as needed for the purpose of developing any document or deliverable produced by an OASIS Technical Committee (in which case the rules applicable to copyrights, as set forth in the OASIS IPR Policy, must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

OASIS requests that any OASIS Party or any other party that believes it has patent claims that would necessarily be infringed by implementations of this OASIS Committee Specification or OASIS Standard, to notify OASIS TC Administrator and provide an indication of its willingness to grant patent licenses to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this specification.

OASIS invites any party to contact the OASIS TC Administrator if it is aware of a claim of ownership of any patent claims that would necessarily be infringed by implementations of this specification by a patent holder that is not willing to provide a license to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this specification. OASIS may include such claims on its website, but disclaims any obligation to do so.

OASIS takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this document or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on OASIS' procedures with respect to rights in any document or deliverable produced by an OASIS Technical Committee can be found on the OASIS website. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this OASIS Committee Specification or OASIS Standard, can be obtained from the OASIS TC Administrator. OASIS makes no representation that any information or list of intellectual property rights will at any time be complete, or that any claims in such list are, in fact, Essential Claims.

The name "OASIS" is a trademark of [OASIS](#), the owner and developer of this specification, and should be used only to refer to the organization and its official outputs. OASIS welcomes reference to, and implementation and use of, specifications, while reserving the right to enforce its marks against misleading uses. Please see <http://www.oasis-open.org/policies-guidelines/trademark> for above guidance.

Table of Contents

- 1. Introduction
 - 1.1. Terminology
 - 1.2. Normative References
 - 1.3. Non-Normative References
- 2. The DocBook RELAX NG Schema
 - 2.1. Assemblies
- 3. Identifying DocBook Documents and Schemas
- 4. Conformance
- 5. Release Notes
- A. The DocBook Media Type
 - 1. Registration of MIME media type application/docbook+xml
 - 2. Fragment Identifiers
- B. Acknowledgements
- C. Revision History
 - 1. Changes in DocBook V5.1CR3
 - 2. Changes in DocBook V5.1CR2
 - 3. Changes in DocBook V5.1CR1

1. Introduction

DocBook is general purpose XML schema particularly well suited to books and papers about computer hardware and software (though it is by no means limited to these applications).

The [DocBook Technical Committee](#) maintains the DocBook schema. Starting with V5.0, DocBook is normatively available as a [\[RELAX NG\]](#) Schema (with some additional [\[Schematron\]](#) assertions). W3C XML Schema and Document Type Definition (DTD) versions are also available.

The Version 5.1 introduces assemblies for topic-oriented authoring and addresses a selection of bugs and feature requests.

The DocBook Technical Committee welcomes bug reports and requests for enhancement (RFEs) from the user community. Please send comments and requests for enhancement to the DocBook comments list, docbook-comment@lists.oasis-open.org mailing list. Outstanding requests can be seen in the archives as well as in the [SourceForge tracker](#) interface.

1.1. Terminology

The key words *must*, *must not*, *required*, *shall*, *shall not*, *should*, *should not*, *recommended*, *may*, and *optional* in this OASIS Committee Specification; are to be interpreted as described in [\[RFC 2119\]](#).

1.2. Normative References

[XML] Tim Bray, Jean Paoli, C. M. Sperberg-McQueen, *et. al.*, editors. [Extensible Markup Language \(XML\) 1.0 \(Fourth Edition\)](#). World Wide Web Consortium, 16 August 2006.

[XLink11] Steven DeRose, Eve Maler, David Orchard, Norman Walsh, editors. [XML Linking Language \(XLink\) Version 1.1](#). World Wide Web Consortium, 2005.

[W3C XML Datatypes] Paul V. Biron and Ashok Malhotra, editors. [XML Schema Part 2: Datatypes](#).

World Wide Web Consortium, 2000.

[RELAX NG] [ISO/IEC 19757-2:2008 Information Technology—Document Schema Definition Language \(DSDL\)—Part 2: Regular-grammar-based validation—RELAX NG.](#)

[Schematron] [ISO/IEC 19757-3:2006 Information Technology—Document Schema Definition Language \(DSDL\)—Part 3: Rule-based validation—Schematron.](#)

[RFC 2119] IETF (Internet Engineering Task Force). [RFC 2119: Key words for use in RFCs to Indicate Requirement Levels.](#) S. Bradner. 1997.

[RFC 3023] IETF (Internet Engineering Task Force). [RFC 3023: XML Media Types.](#) M. Murata, S. St. Laurent, D. Kohn. 2001.

[DocBook 5: TDG] Norman Walsh. [DocBook 5.0: The Definitive Guide.](#) O'Reilly Media. April 2010.

[DocBook 5.1: TDG] Norman Walsh. [DocBook 5.1: The Definitive Guide.](#)

1.3. Non-Normative References

[SGML] JTC 1, SC 34. *ISO 8879:1986 Information processing -- Text and office systems -- Standard Generalized Markup Language (SGML).* 1986.

[W3C XML Schema] Henry S. Thompson, David Beech, Murray Maloney, et. al., editors. [XML Schema Part 1: Structures.](#) World Wide Web Consortium, 2000.

2. The DocBook RELAX NG Schema

The DocBook RELAX NG Schema (and associated non-normative schemas and tools) are distributed with this specification at the locations described above under “Additional artifacts”. DocBook is also available from the mirror on <http://docbook.org/>.

DocBook includes the following schemas:

- docbook, the DocBook V5.1-csprd01 schema.
- docbookxi, the DocBook XInclude V5.1-csprd01 schema. (This schema allows XInclude elements in many places.)
- assembly, the DocBook Assembly V5.1-csprd01 schema.

2.1. Assemblies

One modern school of thought on technical documentation stresses the development of independent units of documentation, often called topics, rather than a single narrative. Instead of writing something that DocBook users would easily recognize as a book consisting of a preface, several consecutive chapters, and a few appendixes, the author (or authors) write a set of discrete topics covering different aspects of the system as if they were wholly independent.

In a typical online presentation system, for example the world wide web or online help, each topic is a page that stands alone. Except, of course, that just as no man is an island, no topic is completely unrelated to the other topics that are available.

From any given topic, there may be topics of obviously related interest. The nature of the relationships may vary. Some topics are related by physical proximity (if you're interested in the ink cartridges in a printer, you may also be interested in the print head), others by their procedural

nature (adding or replacing memory, adding or replacing a hard drive, or even changing the CPU) are all topics that might logically follow a topic that describes how to open the computer case).

In a single narrative, it is the responsibility of the author to manage these relationships. He or she can reasonably assume that anyone reading chapter 4 has read chapters 1, 2, and 3. If the reader needs to be directed elsewhere, a cross reference can be used (for example, “for more information on paper jams, see Section 3.5, *The Paper Path*”).

In a topic-oriented system, authors are explicitly instructed to write independent units. No linear order can be assumed and many forms of explicit cross-reference are discouraged.

Documentation managers treat the library of available topics very much as programmers treat libraries of available functions. Just as any given program can pick and choose from the available libraries, the documentation for any given system can pick and choose from the available topics.

If you imagine a large documentation group managing the documentation for several related systems (different models of printer, different configurations of a software system, computers assembled from different components, etc.) it's easy to see the appeal of topic-oriented authoring.

In a successful deployment, you might find a library of say 1,000 topics which, taken together, document five or six related systems, each of which uses 700-800 topics. Some topics are used in every system, many are used in several systems, and a small number of topics are unique to a specific system.

In order to make such a documentation platform functional, you need not only the individual topics, but also some sort of “map” or “assembly” file that describes which topics from the library are used, what relationships exist between them and, at least for print presentation, what linear order is to be imposed upon them.

DocBook uses an [assemblies](#) for this purpose.

3. Identifying DocBook Documents and Schemas

Historically, when DocBook was defined by a DTD, DocBook documents could be identified by the presence of standard public and/or system identifiers in the document type declaration. RELAX NG, the normative schema language for DocBook V5.0, does not provide any equivalent mechanism.

For systems that can make use of public identifiers, e.g., systems where the informative DTD is being used, the following public identifier *should* be used for DocBook V5.1: “-//OASIS//DTD DocBook V5.1//EN//XML”.

4. Conformance

This specification normatively defines DocBook V5.1 with a RELAX NG grammar and a set of Schematron assertions. A conformant DocBook V5.1 document *must* be valid according to both the grammar and the assertions.

The reference documentation describes additional constraints and processing expectations. A conformant DocBook V5.1 document *should* respect those constraints and anticipate those processing expectations.

5. Release Notes

See <http://www.relaxng.org/> for a list of tools that can validate an XML document using RELAX NG.

Note that not all products are capable of evaluating the Schematron assertions in the schema.

A. The DocBook Media Type

This appendix registers a new MIME media type, “application/docbook+xml”.

1. Registration of MIME media type application/docbook+xml

MIME media type name:

application

MIME subtype name:

docbook+xml

Required parameters:

None.

Optional parameters:

charset

This parameter has identical semantics to the charset parameter of the application/xml media type as specified in [\[RFC 3023\]](#) or its successors.

Encoding considerations:

By virtue of DocBook XML content being XML, it has the same considerations when sent as “application/docbook+xml” as does XML. See [\[RFC 3023\]](#), Section 3.2.

Security considerations:

Several DocBook elements may refer to arbitrary URIs. In this case, consider the security issues of RFC 2396, section 7.

Interoperability considerations:

None.

Published specification:

This media type registration is for DocBook documents as described by [\[DocBook 5: TDG\]](#).

Applications which use this media type:

There is no experimental, vendor specific, or personal tree predecessor to “application/docbook+xml”, reflecting the fact that no applications currently recognize it. This new type is being registered in order to allow for the deployment of DocBook on the World Wide Web as a first class XML application.

Additional information:

Magic number(s):

There is no single initial octet sequence that is always present in DocBook documents.

File extension(s):

DocBook documents are most often identified with the extension “.xml”.

Macintosh File Type Code(s):

TEXT

Person & email address to contact for further information:

Norman Walsh, <ndw@nwalsh.com>.

Intended usage:

COMMON

Author/Change controller:

The DocBook specification is a work product of the DocBook Technical Committee at OASIS.

2. Fragment Identifiers

For documents labeled as “application/docbook+xml”, the fragment identifier notation is exactly that for “application/xml”, as specified in [[RFC 3023](#)] or its successors.

B. Acknowledgements

The following individuals have participated in the creation of this specification and are gratefully acknowledged: Steve Cogorno, Gary Cornelius, Adam Di Carlo, Paul Grosso, Dick Hamilton, Nancy Harrison, Scott Hudson, Mark Johnson, Gershon Joseph, Jirka Kosek, Larry Rowland, Michael Smith, Robert Stayton (Secretary), Norman Walsh, (Chair, Editor).

C. Revision History

1. Changes in DocBook V5.1CR3

This release contains a bug fix.

1. [Fixed](#) issue [#305](#); made navigational components optional in sect1.

2. Changes in DocBook V5.1CR2

This release contains bug fixes and improvements over V5.1CR1.

1. [Use](#) final ITS 2.0 schemas.
2. [Fixed](#) issue [#303](#); moved multimediamaparam into the *data elements and allow the *data elements to be repeated.
3. [Added](#) RDFa Lite attributes to DocBook; removed the separate customization layer.

4. [Added](#) source for catalog.xml.

3. Changes in DocBook V5.1CR1

This release contains bug fixes and improvements over V5.0.

1. [Updated](#) the db4-upgrade. script.
2. [Added](#) an RDFa Lite extension schema.
3. [Merged](#) ITS changes.
4. [Fixed](#) issue [#300](#); added a class to see/seealso to handle the 'under' case.
5. [Fixed](#) issue [#277](#); added a result element.
6. [Added](#) @its:version, improved better handling of extensibility.
7. [Merged](#) pull request [#5](#) from kosek/master.
8. [Updated](#) ITS to support ITS 2.0
9. [Fixed](#) issue [#298](#); don't allow secondary without primary in indexterm.
10. [Fixed](#) issue [#295](#); allow navigation components at the beginnings of sections.
11. [Fixed](#) issue [#293](#); removed spurious, duplicate 'other' value.
12. [Attempt](#) to implement the whole proposal for accessibility attributes in CALS tables.
13. [Fixed](#) issue [#293](#); allow admonitions in formal objects.
14. [Fixed](#): issue [#299](#); allow articles in sets.
15. [Added](#) scope attribute to CALS tables.
16. [Removed](#) format attribute from output element; the standard effectivity attribute outputformat can be used instead.
17. [Added](#) outputformat as an effectivity attribute.
18. [Added](#): AltGr and Return to keycap class values.
19. [Renamed](#) fileref attribute to href in on resources in assemblies.
20. [Fixed](#) bug in Schematron assertions about XLink, thanks to Hussein Shafie
21. [Fixed](#) issue [#292](#); added pgwide to informalexample and informalequation.
22. [Made](#) info on structure and module optional in assemblies.
23. [Implemented](#) recent [TC decisions](#) about assemblies.
24. [Adopted](#) the recent proposals to add attributes/parameters to audio and video objects.
25. [Fixed](#) reference to broken pattern; make sure linking attributes are on areas.
26. [Fixed](#) issue [#285](#); made content optional in components and sections.

27. [Allow](#) link in extendedlink, in preparation for arc and locator being removed in V6.0.
28. [Added](#) extendedlink changes to the V6.0 future use comments.
29. [Fixed](#) issue [#289](#); allow multiple procedure elements in task.
30. [Fixed](#) issue [#288](#); allow tag elements to nest
31. [Reworked](#) XLink attributes to support simple/extended links.
32. [Added](#) pattern for imagedata, SVG, and MathML content (so that it can be extended by the XInclude schema).
33. [Added](#) XInclude to images and equations; allow foreign, namespace-qualified attributes on the xi:include element.
34. [Fixed](#) issue [#276](#); broaden content model of contrib.
35. [Fixed](#) issue [#282](#); update HTML informatable attributes.
36. [Fixed](#) issue [#283](#); allow production to contain rhs+.
37. [Fixed](#) issue [#284](#); support ISTC as a biblioid class.
38. [Attempt](#) to implement Larry's latest suggestions about assemblies.
39. [Fixed](#) issue [#281](#); allow xi:include in set.
40. [Fixed](#) issue [#280](#); added securitycontext and other to systemitem.
41. [Fixed](#) issue [#279](#); allow dedication in article.
42. [Changed](#) Schematron namespace to official ISO Schematron URI.
43. [Allow](#) topic in chapter and appendix (as an alternative to narrative content) per May 2010 TC meeting.
44. [Fixed](#) content model of book and part to make topic an alternative, not part of the component mixture.
45. [Allow](#) the other major components of an assembly to be top level elements (so they can be stored in separate files, for example).
46. [Allow](#) an assembly without any structure elements.
47. [Tweak](#) assembly schemas.
48. [Allow](#) override element in assemblies.
49. [Generalized](#) toc/index to db.navigation.components in assembly structure and module for consistency
50. [Updated](#): in assembly, if at least one resource is required, then at least one structure should be required as well.
51. [Removed](#) description attribute from assemblies (no content in attributes!); added some repurpose documentation for attributes and attribute values.
52. [Added](#) repurpose for type attribute.

