



# Emergency Data Exchange Language (EDXL) GML Simple Features Profile Version 1.0

## Committee Specification Draft 02

13 January 2015

### Specification URIs

#### This version:

<http://docs.oasis-open.org/emergency/edxl-gsf/v1.0/csd02/edxl-gsf-v1.0-csd02.odt> (Authoritative)  
<http://docs.oasis-open.org/emergency/edxl-gsf/v1.0/csd02/edxl-gsf-v1.0-csd02.html>  
<http://docs.oasis-open.org/emergency/edxl-gsf/v1.0/csd02/edxl-gsf-v1.0-csd02.pdf>

#### Previous version:

<http://docs.oasis-open.org/emergency/edxl-gsf/v1.0/csd01/edxl-gsf-v1.0-csd01.odt> (Authoritative)  
<http://docs.oasis-open.org/emergency/edxl-gsf/v1.0/csd01/edxl-gsf-v1.0-csd01.html>  
<http://docs.oasis-open.org/emergency/edxl-gsf/v1.0/csd01/edxl-gsf-v1.0-csd01.pdf>

#### Latest version:

<http://docs.oasis-open.org/emergency/edxl-gsf/v1.0/edxl-gsf-v1.0.odt> (Authoritative)  
<http://docs.oasis-open.org/emergency/edxl-gsf/v1.0/edxl-gsf-v1.0.html>  
<http://docs.oasis-open.org/emergency/edxl-gsf/v1.0/edxl-gsf-v1.0.pdf>

#### Technical Committee:

OASIS Emergency Management TC

#### Chair:

Elysa Jones ([elysajones@yahoo.com](mailto:elysajones@yahoo.com)), Individual

#### Editor:

Werner Joerg ([Werner.Joerg@iem.com](mailto:Werner.Joerg@iem.com)), IEM, Inc.

#### Additional artifacts:

This prose specification is one component of a Work Product that also includes:

- XML schemas: <http://docs.oasis-open.org/emergency/edxl-gsf/v1.0/csd02/xsd/>

#### Declared XML namespaces:

- `urn:oasis:names:tc:emergency:edxl:gsf:1.0`

#### Abstract:

This EDXL GML Simple Features profile describes components and component types that can be reused across the suite of Emergency Data Exchange Language (EDXL) standards. This common components and types are intended for internal use by the Emergency Management Technical Committee and its subcommittees as they develop specific standards utilizing these types.

#### Status:

This document was last revised or approved by the OASIS Emergency Management TC on the above date. The level of approval is also listed above. Check the "Latest version" location noted above for possible later revisions of this document. Any other numbered Versions and other

technical work produced by the Technical Committee (TC) are listed at [https://www.oasis-open.org/committees/tc\\_home.php?wg\\_abbrev=emergency#technical](https://www.oasis-open.org/committees/tc_home.php?wg_abbrev=emergency#technical).

TC members should send comments on this specification to the TC's email list. Others should send comments to the TC's public comment list, after subscribing to it by following the instructions at the "Send A Comment" button on the Technical Committee's web page at <https://www.oasis-open.org/committees/emergency/>.

For information on whether any patents have been disclosed that may be essential to implementing this Work Product, and any offers of patent licensing terms, please refer to the Intellectual Property Rights section of the TC's web page (<https://www.oasis-open.org/committees/emergency/ipr.php>).

**Citation format:**

When referencing this Work Product the following citation format should be used:

**[EDXL-GSF]**

*Emergency Data Exchange Language (EDXL) GML Simple Features Profile Version 1.0*. Edited by Werner Joerg. 13 January 2015. OASIS Committee Specification Draft 02. <http://docs.oasis-open.org/emergency/edxl-gsf/v1.0/csd02/edxl-gsf-v1.0-csd02.html>. Latest version: <http://docs.oasis-open.org/emergency/edxl-gsf/v1.0/edxl-gsf-v1.0.html>.

# Notices

Copyright © OASIS Open 2015. All Rights Reserved.

All capitalized terms in the following text have the meanings assigned to them in the OASIS Intellectual Property Rights Policy (the "OASIS IPR Policy"). The full [Policy](#) may be found at the OASIS website.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to OASIS, except as needed for the purpose of developing any document or deliverable produced by an OASIS Technical Committee (in which case the rules applicable to copyrights, as set forth in the OASIS IPR Policy, must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

OASIS requests that any OASIS Party or any other party that believes it has patent claims that would necessarily be infringed by implementations of this OASIS Committee Specification or OASIS Standard, to notify OASIS TC Administrator and provide an indication of its willingness to grant patent licenses to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this specification.

OASIS invites any party to contact the OASIS TC Administrator if it is aware of a claim of ownership of any patent claims that would necessarily be infringed by implementations of this specification by a patent holder that is not willing to provide a license to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this specification. OASIS may include such claims on its website, but disclaims any obligation to do so.

OASIS takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this document or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on OASIS' procedures with respect to rights in any document or deliverable produced by an OASIS Technical Committee can be found on the OASIS website. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this OASIS Committee Specification or OASIS Standard, can be obtained from the OASIS TC Administrator. OASIS makes no representation that any information or list of intellectual property rights will at any time be complete, or that any claims in such list are, in fact, Essential Claims.

The name "OASIS" is a trademark of [OASIS](#), the owner and developer of this specification, and should be used only to refer to the organization and its official outputs. OASIS welcomes reference to, and implementation and use of, specifications, while reserving the right to enforce its marks against misleading uses. Please see <https://www.oasis-open.org/policies-guidelines/trademark> for above guidance.

# Table of Contents

1	Introduction.....	5
1.1	Terminology.....	5
1.2	Normative References.....	5
1.3	Non-Normative References.....	6
2	Design Principles & Concepts (non-normative).....	7
2.1	Requirements.....	7
2.2	Design Philosophy.....	7
3	EDXL Simple Features Structure (normative).....	8
3.1	Data Dictionary.....	8
3.1.1	EDXL GML Simple Features Elements and Types.....	8
4	Conformance.....	16
Appendix A	Acknowledgments.....	17
Appendix B	Non-Normative Text.....	18
Appendix C	Revision History.....	19

---

# 1 Introduction

This document describes geospatial components and component types that can be reused across the suite of Emergency Data Exchange Language (EDXL) standards. This document is intended for internal use by the Emergency Management Technical Committee and its subcommittees as they develop specific standards utilizing these types. The goal is to enable reuse of components which are commonly used in specifications and which have been designed based on lessons learned from the development of the Common Alert Protocol 1.1, the Distribution Element 1.0, Hospital Availability and Resource Messaging. The first use of these common components is intended to be in Situation Reports 1.0 and the Distribution Element 2.0. The components will be used and expanded as needed for future EDXL specifications.

## 1.1 Terminology

The key words “MUST”, “MUST NOT”, “REQUIRED”, “SHALL”, “SHALL NOT”, “SHOULD”, “SHOULD NOT”, “RECOMMENDED”, “MAY”, and “OPTIONAL” in this document are to be interpreted as described in [RFC2119].

## 1.2 Normative References

[RFC2119]

S. Bradner, *Key words for use in RFCs to Indicate Requirement Levels*, BCP 14, RFC 2119, March 1997. <http://www.ietf.org/rfc/rfc2119.txt>.

[WGS 84]

National Geospatial Intelligence Agency, Department of Defense, *World Geodetic System 1984*, NGA Technical Report TR8350.2, January 2000. <http://earth-info.nga.mil/GandG/publications/tr8350.2/wgs84fin.pdf>.

[XML 1.0]

T. Bray, *Extensible Markup Language (XML) 1.0 (Third Edition)*, W3C REC-XML-20040204, (Fifth Edition), 26 November 2008. <http://www.w3.org/TR/REC-xml/>.

[ISO 19107]

ISO 19107:2003 Geographic information — Spatial schema.

[OGC GML]

OpenGIS® *Geography Markup Language (GML) Encoding Standard*, OGC® 07-036, Version 3.2.1, October 2005.

[OGC SF]

OpenGIS® *Implementation Standard for Geographic information - Simple feature access - Part 1: Common architecture*, OGC® 06-103r4, Version 1.2.1, 4 August 2010.

[OGC GML-SF]

OpenGIS® *Implementation Standard Profile for Geography Markup Language (GML) simple features profile*, OGC® 10-100r2, Version 2.0, 7 October 2010.

[OGC GML-SF]

Geography Markup Language (GML) simple features profile Technical Note OGC® 11-044, Version 2.0, 11 May 2011.

[OGC-OASIS-SF]

C. Reed, OGC® 2009 September *OASIS where GML profile requirements v 2*, <http://www.oasis-open.org/committees/download.php/34853/2009%20September%20OASIS%20where%20GML%20profile%20requirements%20v%202.doc>

[namespaces]

T. Bray, *Namespaces in XML*, W3C REC-xml-names-19990114, (Third Edition) W3C Recommendation 8 December 2009. <http://www.w3.org/TR/REC-xml-names/>.

[dateTime]

N. Freed, *XML Schema Part 2: Datatypes (Second Edition)*, W3C REC-xmlschema-2, October 2004. <http://www.w3.org/TR/xmlschema-2/#dateTime>.

## 1.3 Non-Normative References

[EDXL GFR]

*EDXL General Functional Requirements*, OASIS Emergency Management TC, 4 November 2004 <http://www.oasis-open.org/committees/download.php/10031/EDXL%20General%20Functional%20Requirements.doc>,

[EDXL-DE IG]

*EDXL Distribution Element Implementer's Guide*, Edited by Patti Aymond, 19 Aug. 2005. OASIS Working Draft WD01. [http://www.oasis-open.org/committees/download.php/14120/EDXL\\_Implementer%27sGuide.doc](http://www.oasis-open.org/committees/download.php/14120/EDXL_Implementer%27sGuide.doc)

---

## 2 Design Principles & Concepts (non-normative)

### 2.1 Requirements

This EDXL GML Simple Features Profile is based on GML Version 3.2.1, which is an OGC standard that has also been approved by ISO TC 211 as an International Standard.

This profile will be maintained as an OASIS document based on the OGC GML standard that would be normatively referenced by OASIS standards.

The requirements which form the non-normative basis for this initial version of the EDXL GML Simple Features Profile are contained in [OGC-EDXL-SF] (OGC® 09-181 Requirements for an OASIS GML Profile, v0.3.0 dated 2 December 2009). It contains comments received during a public comment period as well as additional requirements identified as part of the CAP profiling activity and other EDXL discussions.[OGC-EDXL-SF] provides the basis for this current draft EDXL GML Simple Features profile document.

### 2.2 Design Philosophy

Below are some of the guiding principles of the EDXL Simple Features:

1. Provide a method to capture and reuse location-based xml types and elements which are commonly needed across multiple EDXL standards.
2. Provide flexible mechanisms to update the common types efficiently, without slowing down the EDXL standards development process.
3. Allow for easy updates to capture fixes or improvements.
4. Capture common components resulting from significant thought and expertise, so new standards efforts do not have to reinvent the wheel and/or suffer from making the same mistake twice.
5. Speed the development of EDXL Standards through reuse of common components and thereby improve information sharing and data exchange across the local, state, tribal, national and non-governmental organizations of different professions that provide emergency response and management services
6. Support the integration of data elements from profiles which enables efficient and effective reuse of other important open standards.

WGS 84 is the preferred default Coordinate Reference System (CRS). However, additional CRS's may be stated for cases in which national or regional policies, such as in China and India, dictate that other CRS/datums be used.

---

## 3 EDXL Simple Features Structure (normative)

### 3.1 Data Dictionary

#### 3.1.1 EDXL GML Simple Features Elements and Types

Namespaces and prefixes used below include:

```
edxl-gsf="urn:oasis:names:tc:emergency:edxl:gsf:1.0"  
gml="http://www.opengis.net/gml/3.2"  
gmlsf="http://www.opengis.net/gmlsf/2.0"
```

<b>Element</b>	<b>EDXLGeoLocation</b>
Type	EDXLGeoLocationType
Usage	Used to represent a geographic location
Definition	
Comments	1.
Schema	edxl-gsf.xsd
Schema Component	<xs:element name="EDXLLocation" type="edxl-gsf:EDXLLocationType"/>
Used In	Application specific component
Examples	

<b>Type</b>	<b>EDXLGeoLocationType</b>
BaseType	
Restriction	None
Usage	Used to represent location by one of the following GML geometric elements: <ul style="list-style-type: none"><li>• Point</li><li>• CircleByCenterPoint</li><li>• Polygon</li><li>• Envelope</li><li>• LineString</li></ul>
Definition	A multipurpose type which allows choice of one of several geometric element types to best suit the application requirement. This type is intended for use where a geographic location must be represented by coordinates defined in a coordinate reference system (ex. Lat / long in WGS 84)
Comments	1.
Schema	edxl-gsf.xsd



<b>Type</b>	<b>EDXLGeoLocationType</b>
<b>Schema Component</b>	<pre>&lt;xs:complexType name="EDXLGeoLocationType"&gt;   &lt;xs:choice&gt;     &lt;xs:element ref="gml:Point" maxOccurs="1"/&gt;     &lt;xs:element ref="gml:CircleByCenterPoint" maxOccurs="1"/&gt;     &lt;xs:element ref="gml:Polygon" maxOccurs="1"/&gt;     &lt;xs:element ref="gml:Envelope" maxOccurs="1"/&gt;     &lt;xs:element ref="gml:LineString" maxOccurs="1"/&gt;   &lt;/xs:choice&gt; &lt;/xs:complexType&gt;</pre>
<b>Used In</b>	EDXLGeoLocation

<b>Element</b>	<b>point</b>
<b>Type</b>	gml:PointType
<b>Usage</b>	Use to identify a geographic point (may also include altitude)
<b>Definition</b>	A point is defined by a single coordinate tuple. The direct position of a point is specified by the pos element which is of type DirectPositionType.
<b>Comments</b>	1. A point may be specified using either WGS 84 (latitude, longitude) or WGS 84 (latitude, longitude, altitude).
<b>Schema</b>	edxl-gsf-base.xsd; refers to: <a href="http://schemas.opengis.net/gml/3.2.1/geometryBasic0d1d.xsd">http://schemas.opengis.net/gml/3.2.1/geometryBasic0d1d.xsd</a>
<b>Schema Component</b>	<pre>&lt;element name="point"   type="gml:PointType"   substitutionGroup="gml:AbstractGeometricPrimitive"&gt;   &lt;annotation&gt;     &lt;documentation&gt;       A point is defined by a single coordinate tuple. The direct       position of a point is specified by the pos element which       is of type DirectPositionType.     &lt;/documentation&gt;   &lt;/annotation&gt; &lt;/element&gt;</pre>
<b>Used In</b>	Application specific component
<b>Examples</b>	<p><b><u>WGS 84 (latitude, longitude):</u></b></p> <pre>&lt;gml:Point srsName="urn:ogc:def:crs:EPSG::4326"   xmlns:gml="http://www.opengis.net/gml"&gt;   &lt;gml:pos&gt;45.256 -71.92&lt;/gml:pos&gt; &lt;/gml:Point&gt;</pre> <p><b><u>WGS 84 (latitude, longitude, altitude):</u></b></p> <pre>&lt;gml:Point srsName="urn:ogc:def:crs:EPSG::4979"   xmlns:gml="http://www.opengis.net/gml"&gt;   &lt;gml:pos&gt;-34.407 150.883 24.8&lt;/gml:pos&gt; &lt;/gml:Point&gt;</pre>

<b>Type</b>	<b>PointType</b>
<b>BaseType</b>	Extension of <code>gml:AbstractGeometricPrimitiveType</code>
<b>Restriction</b>	None
<b>Usage</b>	Use to identify a geographic point (may also include altitude)
<b>Definition</b>	A point is defined by a single coordinate tuple. The direct position of a point is specified by the <code>pos</code> element which is of type <code>DirectPositionType</code> .
<b>Comments</b>	1. Latitude and longitude values are separated by a space and are provided in that order
<b>Schema</b>	<code>edxl-gsf-base.xsd</code> ; refers to: <code>http://schemas.opengis.net/gml/3.2.1/geometryBasic0d1d.xsd</code>
<b>Schema Component</b>	<pre>&lt;complexType name="PointType"&gt;   &lt;complexContent&gt;     &lt;extension base="gml:AbstractGeometricPrimitiveType"&gt;       &lt;sequence&gt;         &lt;element ref="gml:pos"/&gt;       &lt;/sequence&gt;     &lt;/extension&gt;   &lt;/complexContent&gt; &lt;/complexType&gt;</pre>
<b>Used In</b>	point or semantically equivalent component

<b>Element</b>	<b>lineString</b>
<b>Type</b>	<code>gml:LineStringType</code>
<b>Usage</b>	Use to depict a linear connection between two direct positions
<b>Definition</b>	A <code>lineString</code> is a special curve that consists of a single segment with linear interpolation. It is defined by two or more coordinate tuples, with linear interpolation between them. The number of direct positions in the list shall be at least two.
<b>Comments</b>	1. Application must specify whether directionality is implied in the coordinate sequence of a <code>linestring</code>
<b>Schema</b>	<code>edxl-gsf-base.xsd</code> ; refers to: <code>http://schemas.opengis.net/gml/3.2.1/geometryBasic0d1d.xsd</code>
<b>Schema Component</b>	<pre>&lt;element name="lineString"   type="gml:LineStringType"   substitutionGroup="gml:AbstractCurve"&gt;   &lt;annotation&gt;     &lt;documentation&gt;       A <code>lineString</code> is a special curve that consists of a single       segment with linear interpolation. It is defined by two or       more coordinate tuples, with linear interpolation between       them. The number of direct positions in the list shall be       at least two.     &lt;/documentation&gt;   &lt;/annotation&gt; &lt;/element&gt;</pre>
<b>Used In</b>	Application specific component

<b>Element</b>	<b>lineString</b>
<b>Examples</b>	<pre>&lt;gml:LineString&gt;   &lt;gml:posList&gt;     45.256 -110.45 46.46 -109.48 43.84 -109.86   &lt;/gml:posList&gt; &lt;/gml:LineString&gt;</pre>

<b>Type</b>	<b>LineStringType</b>
<b>BaseType</b>	Extension of <code>gml:AbstractCurveType</code>
<b>Restriction</b>	This profile shall restrict lineString to being simple; that is a simple lineString does not overlap or repeat on itself
<b>Usage</b>	Use to depict a linear connection between two direct positions
<b>Definition</b>	A lineString is a special curve that consists of a single segment with linear interpolation. It is defined by two or more coordinate tuples, with linear interpolation between them. The number of direct positions in the list shall be at least two.
<b>Comments</b>	1.
<b>Schema</b>	edxl-gsf-base.xsd; refers to: <a href="http://schemas.opengis.net/gml/3.2.1/geometryBasic0d1d.xsd">http://schemas.opengis.net/gml/3.2.1/geometryBasic0d1d.xsd</a>
<b>Schema Component</b>	<pre>&lt;complexType name="LineStringType"&gt;   &lt;complexContent&gt;     &lt;extension base="gml:AbstractCurveType"&gt;       &lt;sequence&gt;         &lt;choice&gt;           &lt;element ref="gml:pos" minOccurs="2" maxOccurs="un- bounded" /&gt;           &lt;element ref="gml:posList"/&gt;         &lt;/choice&gt;       &lt;/sequence&gt;     &lt;/extension&gt;   &lt;/complexContent&gt; &lt;/complexType&gt;</pre>
<b>Used In</b>	lineString or semantically equivalent component

<b>Element</b>	<b>circleByCenterPoint</b>
<b>Type</b>	<code>gml:CircleByCenterPointType</code>
<b>Usage</b>	
<b>Definition</b>	A <code>gml:CircleByCenterPoint</code> is an <code>gml:ArcByCenterPoint</code> with identical start and end angle to form a full circle. Again, this representation can be used only in 2D.
<b>Comments</b>	1.
<b>Schema</b>	edxl-gsf-base.xsd; refers to: <a href="http://schemas.opengis.net/gml/3.2.1/geometryPrimitives.xsd">http://schemas.opengis.net/gml/3.2.1/geometryPrimitives.xsd</a>

<b>Element</b>	<b>circleByCenterPoint</b>
<b>Schema Component</b>	<pre>&lt;element name="circleByCenterPoint"   type="gml:CircleByCenterPointType"   substitutionGroup="gml:ArcByCenterPoint"&gt;   &lt;annotation&gt;     &lt;documentation&gt;       A circleByCenterPoint is an gml:ArcByCenterPoint with identical start and end angle to form a full circle. Again, this representation can be used only in 2D.     &lt;/documentation&gt;   &lt;/annotation&gt; &lt;/element&gt;</pre>
<b>Used In</b>	Application specific component
<b>Examples</b>	<pre>&lt;gml:Curve gml:id="c01"   srsName="http://www.opengis.net/def/crs/EPSG/0/4326"&gt;   &lt;gml:segments&gt;     &lt;gml:CircleByCenterPoint numArc="1"&gt;       &lt;gml:pos&gt;50.717 7.086&lt;/gml:pos&gt;       &lt;gml:radius uom="m"&gt;20&lt;/gml:radius&gt;     &lt;/gml:CircleByCenterPoint&gt;   &lt;/gml:segments&gt; &lt;/gml:Curve&gt;</pre>

<b>Type</b>	<b>CircleByCenterPointType</b>
<b>BaseType</b>	Restriction of gml:ArcByCenterPointType
<b>Usage</b>	
<b>Definition</b>	A gml:CircleByCenterPoint is an gml:ArcByCenterPoint with identical start and end angle to form a full circle. Again, this representation can be used only in 2D.
<b>Comments</b>	1.
<b>Schema</b>	edxl-gsf-base.xsd; refers to: http://schemas.opengis.net/gml/3.2.1/geometryPrimitives.xsd
<b>Schema Component</b>	<pre>&lt;complexType name="CircleByCenterPointType"&gt;   &lt;complexContent&gt;     &lt;restriction base="gml:ArcByCenterPointType"&gt;       &lt;sequence&gt;         &lt;choice&gt;           &lt;element ref="gml:pos"/&gt;           &lt;element ref="gml:posList"/&gt;         &lt;/choice&gt;         &lt;element name="radius" type="gml:LengthType"/&gt;       &lt;/sequence&gt;     &lt;/restriction&gt;   &lt;/complexContent&gt; &lt;/complexType&gt;</pre>
<b>Used In</b>	circleByCenterPoint or semantically equivalent component

<b>Element</b>	<b>polygon</b>
Type	<code>gml:PolygonType</code>
Restriction	None
Usage	
Definition	<p>A planar <b>surface</b> defined by 1 <b>exterior boundary</b> and 0 or more <b>interior boundaries</b>.</p> <p>A polygon is a special surface that is defined by a single surface patch (see D.3.6 in [ISO 19107]). The boundary of this patch is coplanar and the polygon uses planar interpolation in its interior.</p> <p>The elements <code>exterior</code> and <code>interior</code> describe the surface boundary of the polygon.</p>
Comments	1.
Schema	<code>edxl-gsf-base.xsd</code> ; refers to: <a href="http://schemas.opengis.net/gml/3.2.1/geometryBasic2d.xsd">http://schemas.opengis.net/gml/3.2.1/geometryBasic2d.xsd</a>
Schema Component	<pre>&lt;element name="polygon"   type="gml:PolygonType"   substitutionGroup="gml:AbstractSurface"&gt;   &lt;annotation&gt;     &lt;documentation&gt;       A polygon is a special surface that is defined by a single       surface patch (see D.3.6). The boundary of this patch is       coplanar and the polygon uses planar interpolation in its       interior.       The elements <code>exterior</code> and <code>interior</code> describe the surface       boundary of the polygon.     &lt;/documentation&gt;   &lt;/annotation&gt; &lt;/element&gt;</pre>
Used In	Application specific component
Examples	<pre>&lt;gml:Polygon&gt;   &lt;gml:exterior&gt;     &lt;gml:LinearRing&gt;       &lt;gml:posList&gt;         45.256 -110.45 46.46 -109.48 43.84 -109.86         45.256 -110.45       &lt;/gml:posList&gt;     &lt;/gml:LinearRing&gt;   &lt;/gml:exterior&gt; &lt;/gml:Polygon&gt;</pre>

<b>Type</b>	<b>PolygonType</b>
BaseType	<code>gml:AbstractSurfaceType</code>
Restriction	None
Usage	

<b>Type</b>	<b>PolygonType</b>
<b>Definition</b>	<p>A planar <b>surface</b> defined by 1 <b>exterior boundary</b> and 0 or more <b>interior boundaries</b>*.</p> <p>A Polygon is a special surface that is defined by a single surface patch (see D.3.6). The boundary of this patch is coplanar and the polygon uses planar interpolation in its interior*. The elements <b>exterior</b> and <b>interior</b>* describe the surface boundary of the polygon.</p> <p>A boundary of a surface consists of a number of rings. In the normal 2D case, one of these rings is distinguished as being the exterior boundary. In a general manifold this is not always possible, in which case all boundaries shall be listed as interior boundaries and the exterior will be empty.</p> <p>A boundary of a surface consists of a number of rings. The "interior" rings separate the surface/surface patch from the area enclosed by the rings*.</p>
<b>Comments</b>	<p>1. In reference to Notes (*) from above: For the purpose of initial release of this specification, the polygon 'interior' element has been removed to simplify the schema to promote adoption and implementation across EDXL message standards.</p>
<b>Schema</b>	edxl-gsf-base.xsd; refers to: <a href="http://schemas.opengis.net/gml/3.2.1/geometryBasic2d.xsd">http://schemas.opengis.net/gml/3.2.1/geometryBasic2d.xsd</a>
<b>Schema Component</b>	<pre>&lt;complexType name="PolygonType"&gt;   &lt;complexContent&gt;     &lt;extension base="gml:AbstractSurfaceType"&gt;       &lt;sequence&gt;         &lt;element ref="gml:exterior" minOccurs="0"/&gt;       &lt;/sequence&gt;     &lt;/extension&gt;   &lt;/complexContent&gt; &lt;/complexType&gt;</pre>
<b>Used In</b>	polygon or semantically equivalent component

<b>Element</b>	<b>envelope</b>
<b>BaseType</b>	<code>gml:EnvelopeType</code>
<b>Usage</b>	
<b>Definition</b>	<p>envelope defines an extent using a pair of positions defining opposite corners in arbitrary dimensions. The first direct position is the "lower corner" (a coordinate position consisting of all the minimal ordinates for each dimension for all points within the envelope), the second one the "upper corner" (a coordinate position consisting of all the maximal ordinates for each dimension for all points within the envelope).</p> <p><i>The use of the properties "coordinates" and "pos" has been deprecated. The explicitly named properties "lowerCorner" and "upperCorner" shall be used instead.</i></p>
<b>Comments</b>	1.
<b>Schema</b>	edxl-gsf-base.xsd; refers to: <a href="http://schemas.opengis.net/gml/3.2.1/geometryBasic0d1d.xsd">http://schemas.opengis.net/gml/3.2.1/geometryBasic0d1d.xsd</a>

<b>Element</b>	<b>envelope</b>
<b>Schema Component</b>	<pre>&lt;element name="envelope"   type="gml:EnvelopeType"   substitutionGroup="gml:AbstractObject"&gt;   &lt;annotation&gt;     &lt;documentation&gt;       envelope defines an extent using a pair of positions defining opposite corners in arbitrary dimensions. The first direct position is the "lower corner" (a coordinate position consisting of all the minimal ordinates for each dimension for all points within the envelope), the second one the "upper corner" (a coordinate position consisting of all the maximal ordinates for each dimension for all points within the envelope).       The use of the properties "coordinates" and "pos" has been deprecated. The explicitly named properties "lowerCorner" and "upperCorner" shall be used instead.     &lt;/documentation&gt;   &lt;/annotation&gt; &lt;/element&gt;</pre>
<b>Used In</b>	gml:boundedBy or other application-specific component
<b>Examples</b>	<pre>&lt;gml:Envelope&gt;   &lt;gml:lowerCorner&gt;42.943 -71.032&lt;/gml:lowerCorner&gt;   &lt;gml:upperCorner&gt;43.039 -69.856&lt;/gml:upperCorner&gt; &lt;/gml:Envelope&gt;</pre>

<b>Type</b>	<b>EnvelopeType</b>
<b>BaseType</b>	Substitution group: gml:AbstractObject
<b>Restriction</b>	None
<b>Usage</b>	
<b>Definition</b>	envelope defines an extent using a pair of positions defining opposite corners in arbitrary dimensions. The first direct position is the "lower corner" (a coordinate position consisting of all the minimal ordinates for each dimension for all points within the envelope), the second one the "upper corner" (a coordinate position consisting of all the maximal ordinates for each dimension for all points within the envelope).
<b>Comments</b>	1.
<b>Schema</b>	edxl-gsf-base.xsd; refers to: <a href="http://schemas.opengis.net/gml/3.2.1/geometryBasic0d1d.xsd">http://schemas.opengis.net/gml/3.2.1/geometryBasic0d1d.xsd</a>
<b>Schema Component</b>	<pre>&lt;complexType name="EnvelopeType"&gt;   &lt;sequence&gt;     &lt;element name="lowerCorner" type="gml:DirectPositionType"/&gt;     &lt;element name="upperCorner" type="gml:DirectPositionType"/&gt;   &lt;/sequence&gt;   &lt;attributeGroup ref="gml:SRSReferenceGroup"/&gt; &lt;/complexType&gt;</pre>
<b>Used In</b>	Envelope or semantically equivalent component

---

## 4 Conformance

The last numbered section in the specification must be the Conformance section. Conformance Statements/Clauses go here.

TBD



---

## Appendix A Acknowledgments

The following individuals have participated in the creation of this specification and are gratefully acknowledged:

**Participants:**

Lewis Leinenweber, EvoTec, Member  
Werner Joerg, Individual, Member  
Carl Reed, OGC, Member  
Don McGarry, MITRE Corp., Member  
Jeff Waters, DoD, Member  
Tim Grapes, EvoTec, Member

---

## Appendix B Non-Normative Text

## Appendix C Revision History

Revision	Date	Editor	Changes Made
WD01	03/23/2011	Werner Joerg	Initial Setup
WD02	03/27/2011	Lew Leinenweber	Initial draft
WD03	03/29/2011	Lew Leinenweber	Revision and update and overall edits
WD04	05/18/2011	Lew Leinenweber	Revision and update of simple feature elements and types; added and revised schema examples
WD05	06/06/2011	Lew Leinenweber	Revised initial draft ready for upload and review by EM-TC members
WD06	06/08/2011	Lew Leinenweber	Revised Section 3.1.1 to remove LineStringSegment and LineStringSegmentType; updated document title of ref [OGC-OASIS-SF]; corrected LineString <choice> to include gml:posList
WD07	06/28/2011	Lew Leinenweber	Corrected schema reference fragments for <choice> structure and elements; added gml schema file reference for each edxl-gsf element and type; revised Point example xml instance
WD08	07/19/2011	Lew Leinenweber	Corrected LineStringType to add attributes 'minoccurs' and 'maxoccurs' to element <pos>  Deleted Circle and CircleType which are not required and to be consistent with edxl-gsf-base.xsd schema  Deleted gml:pointProperty element from CircleByCenterPointType to be consistent with edxl-gsf-base.xsd schema  Added EDXLLocation and EDXLLocationType element tables to be consistent with edxl-gsf.xsd schema
WD09	7/28/2011	Lew Leinenweber	Revised Section 3.1.1 to include new element and type EDXLGeoLocation and EDXLGeoLocationType replacing EDXLLocation and EDXLLocationType to be consistent with updates to edxl-gsf.xsd schema.  Removed 'gml:interior' element from PolygonType definition
WD10	08/06/14	Werner Joerg	Update for compliance with EDXL Naming and Capitalization Guidelines (EM-TC 12/18/2012)
WD11	12/31/14	Werner Joerg	Updated formatting of references
WD12	01/13/15	Werner Joerg	Cosmetic changes