



Emergency Data Exchange Language (EDXL) Hospital Availability Exchange (HAVE) Version 1.0

Public Review Draft 03

11 October 2007

Specification URIs:

This Version:

http://docs.oasis-open.org/emergency/edxl-have/pr03/emergency_edxl_have-1.0-spec-pr03.doc
http://docs.oasis-open.org/emergency/edxl-have/pr03/emergency_edxl_have-1.0-spec-pr03.html
http://docs.oasis-open.org/emergency/edxl-have/pr03/emergency_edxl_have-1.0-spec-pr03.pdf

Previous Version:

http://docs.oasis-open.org/emergency/edxl-have/emergency_edxl_have-1.0-spec-pr02.doc
http://docs.oasis-open.org/emergency/edxl-have/emergency_edxl_have-1.0-spec-pr02.xhtml
http://docs.oasis-open.org/emergency/edxl-have/emergency_edxl_have-1.0-spec-pr02-1.pdf

Latest Version:

http://docs.oasis-open.org/emergency/edxl-have/v1.0/emergency_edxl_have-1.0.doc
http://docs.oasis-open.org/emergency/edxl-have/v1.0/emergency_edxl_have-1.0.html
http://docs.oasis-open.org/emergency/edxl-have/v1.0/emergency_edxl_have-1.0.pdf

Technical Committee:

OASIS Emergency Management TC

Chair(s):

Elysa Jones, [Warning Systems, Inc.](http://www.warning-systems.com) - <ejones@warningsystems.com>

Editor(s):

Sukumar Dwarkanath, Associate Member - <Sukumar_Dwarkanath@sra.com>

Related work:

This specification is related to:

- [EDXL-DE v1.0](#)

The EDXL Distribution Element (DE) specification describes a standard message distribution framework for data sharing among emergency information systems using the XML-based Emergency Data Exchange Language (EDXL). This format may be used over any data transmission system, including but not limited to the SOAP HTTP binding.

Declared XML Namespace(s):

<urn:oasis:names:tc:emergency:EDXL:HAVE:1.0>

Abstract:

This Hospital Availability Exchange (HAVE) describes a standard message for data sharing among emergency information systems using the XML-based Emergency Data Exchange Language (EDXL).

This format may be used over any data transmission system, including but not limited to the SOAP HTTP binding.

Status:

This document is published by this TC as a "public review draft".

This document was approved as a public review draft by the Emergency Management TC on the above date. The level of approval is also listed above. Check the current location noted above for possible later revisions of this document.

Technical Committee members should send comments on this specification to the Technical Committee's email list. Others should send comments to the Technical Committee by using the "Send A Comment" button on the Technical Committee's web page at www.oasis-open.org/committees/emergency/.

For information on whether any patents have been disclosed that may be essential to implementing this specification, and any offers of patent licensing terms, please refer to the Intellectual Property Rights section of the Technical Committee web page (www.oasis-open.org/committees/emergency/ipr.php).

The non-normative errata page, if any, for this specification is located at www.oasis-open.org/committees/emergency/.

Notices

Copyright © OASIS Open 2007. All Rights Reserved.

All capitalized terms in the following text have the meanings assigned to them in the OASIS Intellectual Property Rights Policy (the "OASIS IPR Policy"). The full Policy may be found at the OASIS website.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to OASIS, except as needed for the purpose of developing any document or deliverable produced by an OASIS Technical Committee (in which case the rules applicable to copyrights, as set forth in the OASIS IPR Policy, must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

OASIS requests that any OASIS Party or any other party that believes it has patent claims that would necessarily be infringed by implementations of this OASIS Committee Specification or OASIS Standard, to notify OASIS TC Administrator and provide an indication of its willingness to grant patent licenses to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this specification.

OASIS invites any party to contact the OASIS TC Administrator if it is aware of a claim of ownership of any patent claims that would necessarily be infringed by implementations of this specification by a patent holder that is not willing to provide a license to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this specification. OASIS may include such claims on its website, but disclaims any obligation to do so.

OASIS takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this document or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on OASIS' procedures with respect to rights in any document or deliverable produced by an OASIS Technical Committee can be found on the OASIS website. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this OASIS Committee Specification or OASIS Standard, can be obtained from the OASIS TC Administrator. OASIS makes no representation that any information or list of intellectual property rights will at any time be complete, or that any claims in such list are, in fact, Essential Claims.

The names "OASIS", "CAP", "EDXL", and "EDXL-HAVE" are trademarks of OASIS, the owner and developer of this specification, and should be used only to refer to the organization and its official outputs. OASIS welcomes reference to, and implementation and use of, specifications, while reserving the right to enforce its marks against misleading uses. Please see <http://www.oasis-open.org/who/trademark.php> for above guidance.

TABLE OF CONTENTS

1	INTRODUCTION.....	5
1.1	OVERVIEW.....	5
1.1.1	PURPOSE.....	5
1.1.2	HISTORY.....	5
1.1.3	STRUCTURE.....	5
1.2	TERMINOLOGY.....	6
1.3	NORMATIVE REFERENCES.....	7
1.4	NON-NORMATIVE REFERENCES.....	8
2	DESIGN PRINCIPLES AND CONCEPTS.....	9
2.1	DESIGN PHILOSOPHY.....	9
2.2	REQUIREMENTS FOR DESIGN.....	9
2.3	EXAMPLE USAGE SCENARIOS.....	9
3	EDXL HOSPITAL AVAILABILITY EXCHANGE (HAVE) ELEMENT STRUCTURE.....	10
3.1	DOCUMENT OBJECT MODEL (non-normative).....	10
3.2	DATA DICTIONARY.....	11
3.2.1	HOSPITAL STATUS.....	11
3.2.2	ORGANIZATION.....	12
3.2.3	EMERGENCY DEPARTMENT STATUS.....	15
3.2.4	HOSPITAL BED CAPACITY STATUS.....	22
3.2.5	SERVICE COVERAGE STATUS.....	29
3.2.6	HOSPITAL FACILITY STATUS.....	51
3.2.7	HOSPITAL RESOURCES STATUS.....	58
3.2.8	SUPPORTING ELEMENTS AND TYPES (Normative).....	60
4	CONFORMANCE.....	70
4.1	CONFORMANCE TARGETS.....	70
4.2	CONFORMANCE AS AN EDXL-HAVE REPORT.....	70
4.3	CONFORMANCE AS AN EDXL-HAVE REPORT PRODUCER.....	70
A.	EDXL-HAVE EXAMPLE (non-normative).....	72
B.	Bed Types and Capacity - Definitions (non-normative).....	75
C.	OASIS Customer Information Quality (CIQ) (non-normative).....	77
D.	ACKNOWLEDGEMENTS.....	78
E.	REVISION HISTORY.....	80

1 INTRODUCTION

2 1.1 OVERVIEW

3 1.1.1 PURPOSE

4 EDXL-HAVE specifies an XML document format that allows the communication of the status of a hospital,
5 its services, and its resources. These include bed capacity and availability, emergency department status,
6 available service coverage, and the status of a hospital's facility and operations.

7 1.1.2 HISTORY

8 In a disaster or emergency situation, there is a need for hospitals to be able to communicate with each
9 other, and with other members of the emergency response community. The ability to exchange data in
10 regard to hospitals' bed availability, status, services, and capacity enables both hospitals and other
11 emergency agencies to respond to emergencies and disaster situations with greater efficiency and speed.
12 In particular, it will allow emergency dispatchers and managers to make sound logistics decisions - where
13 to route victims, which hospitals have the ability to provide the needed service. Many hospitals have
14 expressed the need for, and indeed are currently using, commercial or self-developed information
15 technology that allows them to publish this information to other hospitals in a region, as well as EOCs, 9-
16 1-1 centers, and EMS responders via a Web-based tool.

17 Systems that are available today do not record or present data in a standardized format, creating a
18 serious barrier to data sharing between hospitals and emergency response groups. Without data
19 standards, parties of various kinds are unable to view data from hospitals in a state or region that use a
20 different system – unless a specialized interface is developed. Alternatively, such officials must get
21 special passwords and toggle between web pages to get a full picture. Other local emergency responders
22 are unable to get the data imported into the emergency IT tools they use (e.g. a 9-1-1 computer-aided
23 dispatch system or an EOC consequence information management system). They too must get a pass
24 word and go to the appropriate web page. This is very inefficient. A uniform data standard will allow
25 different applications and systems to communicate seamlessly.

26 1.1.3 STRUCTURE

27 The most important XML elements specified in this standard as part of the EDXL-HAVE document format
28 are the following:

29 **<HospitalStatus>**

30 This is the overall top level container element for all the <Hospital> elements that may be present.

31 **<Hospital>**

32 This is the top level container element for each reporting organization. Each <Hospital> element
33 has the following set of sub-elements.

34 **<Organization>**

35 The <Organization> element provides basic information about the name and location of the
36 organization about which the status and availability is being reported.

37 **<EmergencyDepartmentStatus>**

38 The <EmergencyDepartmentStatus> element provides information on the ability of the
39 emergency department of the organization to treat patients.

40 **<HospitalBedCapacityStatus>**

42 The <HospitalBedCapacityStatus> element provides information on the status and
43 availability of the bed capacity of the organization. The bed capacity information for specific bed
44 types can be reported.

45 <ServiceCoverageStatus>

46 The <ServiceCoverageStatus> element provides information on the availability of specialty
47 service coverage. This includes both the necessary staff and facilities. Some of the services
48 capabilities are broken down into subtypes. This is to allow organizations to designate subtypes,
49 if available. Others can report just the higher level specialties.

50 <HospitalFacilityStatus>

51 The <HospitalFacilityStatus> element provides information on the status of the facility.
52 This includes information on the EOC and the capacity of the facility.

53 <HospitalResourcesStatus>

54 The <HospitalResourcesStatus> element provides information on the status of operations
55 and resources of the organization.

56 <LastUpdateTime>

57 The <LastUpdateTime> element provides information on the time that the information was last
58 updated.

59
60 This standard references element and type definitions specified in the following standards and profiles:
61

- 62 • [OASIS CIQ] – The CIQ standard is used for defining the name, address and location information in
63 EDXL HAVE.
- 64 • [geo-oasis] – OASIS GML Profile – This profile is used to define the geo-location elements in EDXL
65 HAVE.

66 1.2 TERMINOLOGY

67 The key words “MUST”, “MUST NOT”, “REQUIRED”, “SHALL”, “SHALL NOT”, “SHOULD”, “SHOULD
68 NOT”, “RECOMMENDED”, “MAY”, and “OPTIONAL” in this document are to be interpreted as described
69 in [RFC2119].

70

AHA	American Hospital Association
CIQ	Customer Information Quality
EDXL	Emergency Data Exchange Language
EOC	Emergency Operations Center
EOP	Emergency Operations Plan
EMS	Emergency Medical Services
GJXDM	Global Justice XML Data Model
GML	Geographic Markup Language
HAvBED	Hospital Bed Availability (HAvBED) Project
ICU	Intensive Care Unit

NIEM	National Information Exchange Model
OBYN	Obstetrics and Gynecology

71

72 1.3 NORMATIVE REFERENCES

73

74 [RFC2119]

75 S. Bradner, Key words for use in RFCs to Indicate Requirement Levels,
76 <http://www.ietf.org/rfc/rfc2119.txt>, IETF RFC 2119, March 1997.

77 [RFC3066]

78 H. Alvestrand, Tags for the Identification of Languages,
79 <http://www.ietf.org/rfc/rfc3066.txt>, IETF RFC 3066, January 2001.

80 [WGS 84]

81 National Geospatial Intelligence Agency, Department of Defense World Geodetic
82 System 1984, <http://earth-info.nga.mil/GandG/wgs84/index.html>.

83 [XML 1.0]

84 T. Bray, *Extensible Markup Language (XML) 1.0 (Fourth Edition)*,
85 <http://www.w3.org/TR/REC-xml/>, W3C REC-XML-20040204, February 2004.

86 [namespaces]

87 T. Bray, *Namespaces in XML 1.0 (Second Edition)*, <http://www.w3.org/TR/REC-xml-names/>, W3C REC-xml-names-19990114, January 1999.

89 [dateTime]

90 N. Freed, *XML Schema Part 2: Datatypes Second Edition*,
91 <http://www.w3.org/TR/xmlschema-2/#dateTime>, W3C REC-xmlschema-2, October
92 2004.

93 [OGC 03-105r1]

94 *OpenGIS Geography Markup Language (GML) Implementation Specification*,
95 http://portal.opengeospatial.org/files/?artifact_id=4700, Version 3.1.1, 2003

96 [OGC CRS]

97 Open Geospatial Consortium, **Topic 2 - Spatial Referencing by**
98 **Coordinates** (Topic 2) (CRS Abstract Specification),
99 https://portal.opengeospatial.org/files/?artifact_id=6716, Version 3, 2004.

100 [OGC 04-092r4]

101 Open Geospatial Consortium, GML 3.1.1 schemas,
102 <http://schemas.opengis.net/gml/3.1.1/>, 2004

103 [OASIS CIQ]

104 OASIS, Customer Information Quality (CIQ) Specifications Version 3.0, Name (xNL),
105 Address (xAL), and Party (xPIL), <http://docs.oasis-open.org/ciq/v3.0/specs/>, 15 June
106 2007

107

108

109 1.4 NON-NORMATIVE REFERENCES

110

111 [edxl-have SRS]

112 EDXL HAVE Standard Requirements Specification, [http://www.oasis-](http://www.oasis-open.org/committees/download.php/16399/)
113 [open.org/committees/download.php/16399/](http://www.oasis-open.org/committees/download.php/16399/), January 2006.

114 [edxl-have ReqSupp]

115 EDXL HAVE Requirements Supplement, [http://www.oasis-](http://www.oasis-open.org/committees/download.php/16400/)
116 [open.org/committees/download.php/16400/](http://www.oasis-open.org/committees/download.php/16400/), January 2006.

117 [HAVBED Report]

118 Hospital Bed Availability Project, National Hospital Available Beds for Emergencies
119 and Disasters (HAVBED) System. Final report and appendixes. AHRQ Publication
120 No. 05-0103, December 2005. Agency for Healthcare Research and Quality,
121 Rockville, MD. <http://www.ahrq.gov/research/havbed/>

122 [HAVBED DataDef]

123 Hospital Bed Availability (HAVBED) Project – Definitions and Data Elements, Agency
124 for Healthcare Research and Quality (AHRQ): “AHRQ Releases Standardized
125 Hospital Bed Definitions” <http://www.ahrq.gov/research/havbed/definitions.htm>

126 [VHHA Terminology]

127 Statewide Hospital Status Information System Terminology and Data Collection
128 Elements, Virginia Hospital & Healthcare Association (VHHA), [http://www.oasis-](http://www.oasis-open.org/committees/download.php/18019)
129 [open.org/committees/download.php/18019](http://www.oasis-open.org/committees/download.php/18019)

130 [GJXDM]

131 Global Justice XML Data Model (GJXDM) Data Dictionary, Global, Office of Justice
132 Programs, http://it.ojp.gov/topic.jsp?topic_id=43

133 [edxl-de]

134 OASIS, EDXL Distribution Element (DE) Standard v1.0, [http://www.oasis-](http://www.oasis-open.org/specs/index.php#edxlde-v1.0)
135 [open.org/specs/index.php#edxlde-v1.0](http://www.oasis-open.org/specs/index.php#edxlde-v1.0) March 2006

136 [edxl-rm]

137 OASIS, EDXL Resource Messaging (RM) Draft Requirements Specification,
138 <http://www.oasis-open.org/committees/download.php/14310/>

139 [AHIC BioDataElements]

140 American Health Information Community (AHIC), BioSurveillance Data Working
141 Group, BioSurveillance Data Elements,
142 http://www.hhs.gov/healthit/ahic/bio_main.html

143 [OASIS GML Best Practices]

144 Open Geospatial Consortium, Best Practices: A GML Profile for use in OASIS EM
145 Standards - EDXL-RM, EDXL-DE, HAVE, and CAP DRAFT, [http://www.oasis-](http://www.oasis-open.org/apps/org/workgroup/emergency/download.php/20785/Best%20Practices%20-%20a%20GML%20Profile.doc)
146 [open.org/apps/org/workgroup/emergency/download.php/20785/Best%20Practices%](http://www.oasis-open.org/apps/org/workgroup/emergency/download.php/20785/Best%20Practices%20-%20a%20GML%20Profile.doc)
147 [20-%20a%20GML%20Profile.doc](http://www.oasis-open.org/apps/org/workgroup/emergency/download.php/20785/Best%20Practices%20-%20a%20GML%20Profile.doc)

148

2 DESIGN PRINCIPLES AND CONCEPTS

149

2.1 DESIGN PHILOSOPHY

150

The principles that guided the design of the HAVE include:

151

- Interoperability - The HAVE message should provide an interoperable mechanism to exchange healthcare organization information among different domains and among multiple systems

152

153

- Multi-Use Format – The HAVE message must be designed such that it can be used in everyday events, during mass disasters, and for incident preparedness.

154

155

- Flexibility – The design structure must be flexible such that it could be used by a broad range of applications and systems to report status and availability information

156

157

2.2 REQUIREMENTS FOR DESIGN

158

This standard was designed taking the following requirements into account:

159

1. Allow medical and healthcare organizations to communicate their status and availability information.

160

2. Be designed to allow its use by a wide variety of medical and healthcare organizations (including hospitals and nursing homes), along with other emergency response organizations (such as emergency management centers, public safety answering points, and dispatch centers).

161

162

163

3. Be able to be used as a payload or content element with the EDXL Distribution Element.

164

4. Allow the communication of status information of one or more organizations in a single exchange.

165

5. Allow the communication of the organization's status and availability information with regard to its facilities, operations, services, and resources.

166

167

6. Be designed to allow its use in normal operations, day-to-day emergencies and mass disasters.

168

169

2.3 EXAMPLE USAGE SCENARIOS

170

Use of HAVE during a mass disaster

171

A major disaster has occurred in a heavily populated city. A number of casualties are reported, and the Incident Commander (IC) needs to obtain a common operational picture on the status of the hospitals in the region, including the resources they can offer. The IC sends a message to the regional hospitals for an update on their status and bed availability information.

172

173

174

175

Hospitals receive this request, and use their respective systems to send HAVE messages. These messages contain the status of each hospital's emergency department, bed availability information, and the hospital's operations and facilities. These are accepted into the IC's Consequence Incident Management System (CIMS) tool, and similar tools used by other emergency response agencies (e.g. Computer-Aided Dispatch systems used in public safety answering points).

176

177

178

179

180

Use of HAVE during an everyday emergency

181

A car crash has occurred in a rural area resulting in two badly burned victims, according to on-scene public safety personnel. Before the EMS staff reaches the scene, EMS dispatch sends a request to nearby hospitals for a status of available burn services and burn beds.

182

183

184

A few hospitals respond to the request, and use the service coverage element in the HAVE message to specify the burn coverage available at their facilities. They in turn are able to assemble their burn teams in order to ensure that there is no delay in treatment. Based on the acquired information, the victims are taken to the nearest hospital with the required services.

185


186

187

188
189
190

3 EDXL HOSPITAL AVAILABILITY EXCHANGE (HAVE) ELEMENT STRUCTURE

3.1 DOCUMENT OBJECT MODEL (NON-NORMATIVE)



191
192
193

Figure 1: EDXL-HAVE DOM

194 **3.2 DATA DICTIONARY**

195

196 The following section provides additional clarification on interpreting the various fields identified in the
197 data dictionary:

198

199 The EDXL-HAVE schema is normative and is located here - [http://docs.oasis-open.org/emergency/edxl-
200 have/v1.0/edxl-have.xsd](http://docs.oasis-open.org/emergency/edxl-have/v1.0/edxl-have.xsd)

201

202 The Data Dictionary is used to provide additional clarifications, except for the following entries which are
203 normative:

- 204 • Element
- 205 • Usage
- 206 • Constraints

207

208 In the Data Dictionary, unless otherwise specified explicitly, the following entries are non-normative:

- 209 • Type
 - 210 • Note: In some cases, it refers to the complex types and these are normative. These
211 exceptions are identified in the Data Dictionary, where applicable.
- 212 • Definition:
- 213 • Used In
- 214 • Comments
- 215 • Sub-elements

216

217 Note:

218 This standard does not specify any transport, distribution, or routing mechanism for an
219 EDXL-HAVE document. One way of using this standard is by including one or more
220 EDXL-HAVE documents in the payload of an EDXL-DE message.

221

222 **3.2.1 HOSPITAL STATUS**

223

Element	<code><have:HospitalStatus></code>
Type	XML Structure
Usage	REQUIRED , MUST be used once and only once, top level container.
Definition	The top level container element for reporting status of any number of hospitals.
Constraints	1. <code><HospitalStatus></code> MUST contain one or more <code><Hospital></code> elements.

Sub-elements	<ul style="list-style-type: none"> • Hospital
Used In	Top Level Element

224

Element	<have:Hospital>
Type	XML Structure
Usage	REQUIRED , May Use Multiple; Must be used for each reporting hospital status.
Definition	The container element for reporting status of a hospital.
Sub-elements	<ul style="list-style-type: none"> • Organization • EmergencyDepartmentStatus • HospitalBedCapacityStatus • ServiceCoverageStatus • HospitalFacilityStatus • HospitalResourcesStatus • LastUpdateTime
Used In	HospitalStatus

225

226 3.2.2 ORGANIZATION

227

228 Note on CIQ

229 EDXL-HAVE uses the Customer Information Quality (CIQ) profile for defining the name,
230 address and other details of the Organization.

231 This standard references certain XML elements and types, as specified in [OASIS CIQ], and
232 provides recommendations on their use inside an EDXL-HAVE document. Those
233 recommendations limit the choices available to an implementation of this standard in order to
234 maximize interoperability.

235 **The EDXL HAVE data dictionary only provides a high level overview of the CIQ**
236 **elements that are used in this standard. It is highly recommended to refer to the**
237 **OASIS CIQ Version 3.0 Specifications for implementation details and examples.**

238 While EDXL-HAVE uses *Organization*, CIQ uses *Organisation*. In [OASIS CIQ] the spelling
239 “organisation” is used whenever this word occurs in the name of an element specified in that
240 standard. In contrast, the spelling “organization” is used in this standard whenever this word
241 occurs in the name of an element specified in this standard. Obviously, when an element
242 specified in [OASIS CIQ] is referenced within this standard, the original spelling (with an “s”) is
243 used for its name.

244 While CIQ provides a capability to specify geo-location by LocationByCoordinates and GeoRSS,
 245 EDXL-HAVE specifies the use of the OASIS GML profile – geo-oasis.
 246 Please see Appendix C for a brief note on the OASIS CIQ Standard.

247

248 **Note on Organization**

249 The term “organization” is used in this standard to refer to a hospital, a nursing care
 250 center, a trauma center, or any other organization whose resource availability can be
 251 usefully represented in an EDXL-HAVE document.

252

253

Element	<have:Organization>
Type	XML Structure
Usage	REQUIRED , MUST be used once and only once.
Definition	The container element for Organization information elements.
Comments	1. The generic element Organization refers to the entity, the status and availability of which is being reflected in the status message.
Sub-elements	<ul style="list-style-type: none"> • OrganizationInformation • OrganizationGeoLocation
Used In	HospitalStatus/Hospital

254

255

Element	<have:OrganizationInformation>
Type	XML Structure
Usage	REQUIRED , MUST be used once and only once, top level container
Definition	The container element for Organization Information elements.

Sub-elements	<ul style="list-style-type: none"> • OrganisationName • OrganisationInfo • Addresses • ContactNumbers • CommentText
Used In	HospitalStatus/Hospital/Organization

256

257

Element	<have:OrganizationGeoLocation>
Type	geo-oasis:WhereType
Usage	OPTIONAL
Definition	The container element for specifying the geo-coded address.
Constraints	<ol style="list-style-type: none"> 1. The geo-location MUST match the address specified in <OrganizationInformation>
Comments	<ol style="list-style-type: none"> 1. This specification uses the OASIS GML profile for specifying the geo-location. 2. The type "geo-oasis:WhereType" is specified in [geo-oasis] as having a complex content that is a choice between five elements (See 3.2.8.4). 3. It is RECOMMENDED that the element <gml:Point> be used in an EDXL-HAVE document in preference to the other four elements. Note: See Appendix D
Used In	HospitalStatus/Hospital/Organization

258

259

260

261

262

263

264

265

266
267

3.2.3 EMERGENCY DEPARTMENT STATUS

Element	<code><have:EmergencyDepartmentStatus></code>
Type	XML Structure
Usage	OPTIONAL
Definition	The container of all of the elements related to the emergency department status.
Comments	1. It describes the ability of this emergency department to treat patients.
Sub-elements	<ul style="list-style-type: none">• EMSTraffic• EMSCapacity• EMSCensus• EMSAmbulanceStatus• EMSAirTransportStatus• CommentText
Used In	HospitalStatus/Hospital

268

Element	<code><have:EMSTraffic></code>
Type	XML Structure
Usage	OPTIONAL
Definition	The container of all of the elements related to the status of operations of EMS traffic.
Comments	1. It defines the ability of this emergency department to receive patients via emergency medical services.
Sub-elements	<ul style="list-style-type: none">• EMSTrafficStatus• EMSTrafficReason• CommentText
Used In	HospitalStatus/Hospital/EmergencyDepartmentStatus

269

Element	<code><have:EMSTrafficStatus></code>
----------------	--

Type	xsd:string with restrictions
Usage	OPTIONAL
Definition	Identifies the status of EMS traffic operations.
Comments	Value must be one of: <ul style="list-style-type: none"> 1. Normal - Accepting all EMS traffic 2. Advisory - Experiencing specific resource limitations which may affect transport of some EMS traffic. 3. Closed - Requesting re-route of EMS traffic to other facilities. 4. NotApplicable - Not Applicable. This hospital does not have an emergency department.
Used In	HospitalStatus/Hospital/EmergencyDepartmentStatus/EMSTraffic

270

Element	<have:EMSTrafficReason>
Type	xsd:string with restrictions
Usage	OPTIONAL
Definition	It is used to report the contributing factor to the status specified in <EMSTrafficStatus>.
Used In	HospitalStatus/Hospital/EmergencyDepartmentStatus/EMSTraffic

271

Element	<have:EMSCapacity>
Type	TriageCount
Usage	OPTIONAL
Definition	The number of each triage patient type the hospital can accept.
Comments	1. Please refer to Sec. 3.2.8.5
Used In	HospitalStatus/Hospital/EmergencyDepartmentStatus

272

Element	<have:EMSCensus>
----------------	------------------

Type	TriageCount
Usage	OPTIONAL
Definition	The number of each triage patient type the overall hospital currently has.
Comments	1. Please refer to Sec 3.2.8.5
Used In	HospitalStatus/Hospital/EmergencyDepartmentStatus

273

274

Element	<have:TriageCodeListURN>
Type	xsd:anyURI
Usage	CONDITIONAL
Definition	The name of a certified list maintained by the Community of Interest (COI) for the value referenced. The list identifies the triage codes used by the particular community.
Constraints	<ol style="list-style-type: none"> 1. <Hospital> element MAY contain a <TriageCodeListURN> element as specified in the schema, but MUST NOT contain more than one such element. 2. If a <TriageCodeListURN> element is present within a <Hospital> element, it MUST precede the first <TriageCode> element within that <Hospital> element. 3. If a <TriageCodeListURN> element is present within a <Hospital> element and is not empty, then the values of all the <TriageCodeValue> elements within that <Hospital> element MUST be interpreted according to the URN in the <TriageCodeListURN> element. 4. If a <TriageCodeListURN> element is not present within a <Hospital> element or it is present but empty, then the values of all the <TriageCodeValue> elements within that <Hospital> element MUST be interpreted according to the following URN: urn:oasis:names:tc:emergency:have:1.1:triagecolorcode which identifies the code list specified in the data dictionary entry for the element <TriageCodeValue> .
Used In	HospitalStatus/Hospital/EmergencyDepartmentStatus/EMSCensus/TriageCount HospitalStatus/Hospital/EmergencyDepartmentStatus/EMSCapacity/TriageCount

275

Element	<have:TriageCode>
---------	-------------------

Type	Value and Associated Lists
Usage	OPTIONAL , May use Multiple
Definition	The container element to specify the triage values and their quantity.
Constraints	<ol style="list-style-type: none"> Multiple instances of the <TriageCodeValue> MAY occur with a single <TriageCodeListURN> Each <TriageCodeValue> and its associated <TriageCountQuantity> MUST be enclosed in <TriageCode>
Comments	<ol style="list-style-type: none"> The list and associated value(s) is in the form: <pre> <TriageCodeListURN>urn:oasis:names:tc:emergency:have:1.0:triageco lorcode</TriageCodeListURN> <TriageCode> <TriageCodeValue>Red</TriageCodeValue> <TriageCountQuantity>20</TriageCountQuantity> </TriageCode> </pre> <p>where the content of <TriageCodeListUrn> is the Uniform Resource Name of a published list of values and definitions, and the content of <TriageCodeListValue> is a string (which may represent a number) denoting the value itself.</p>
Sub – elements	<ul style="list-style-type: none"> TriageCodeValue TriageCountQuantity
Used In	HospitalStatus/Hospital/EmergencyDepartmentStatus/EMSCensus/TriageCount HospitalStatus/Hospital/EmergencyDepartmentStatus/EMSCapacity/TriageCount

276

Element	<have:TriageCodeValue>
Type	xsd:string
Usage	CONDITIONAL , MAY use multiple
Definition	A value from a certified list maintained by the Community of Interest (COI) for the referenced element.
Constraints	<ol style="list-style-type: none"> The list of values SHOULD be from the list identified in <TriageCodeListURN> If a <TriageCodeValue> is specified, a <TriageCountQuantity> element MUST be specified. <p>Default Code List Values:</p> <ul style="list-style-type: none"> Red – Number of victims with immediate needs.

	<ul style="list-style-type: none"> • Yellow - Number of victims with delayed needs • Green - Number of victims with minor needs • Black - Number of deceased victims
Used In	HospitalStatus/Hospital/EmergencyDepartmentStatus/EMSCensus/TriageCount HospitalStatus/Hospital/EmergencyDepartmentStatus/EMSCapacity/TriageCount

277

Element	<have:TriageCountQuantity>
Type	xsd:integer
Usage	CONDITIONAL , MAY use multiple
Definition	The integer value associated with the Triage Code value.
Constraints	1. If a <TriageCodeValue> is specified, a <TriageCountQuantity> element MUST be specified.
Used In	HospitalStatus/Hospital/EmergencyDepartmentStatus/EMSCensus/TriageCode HospitalStatus/Hospital/EmergencyDepartmentStatus/EMSCapacity/TriageCode

278

279 Example:

```

280 <EMSCapacity>
281   <TriageCodeListURN>
282   urn:oasis:names:tc:emergency:have:1.0:triagecolorcode
283   </TriageCodeListURN>
284   <TriageCode>
285   <TriageCodeValue>Red</TriageCodeValue>
286   <TriageCountQuantity>20</TriageCountQuantity>
287   </TriageCode>
288   <TriageCode>
289   <TriageCodeValue>Yellow</TriageCodeValue>
290   <TriageCountQuantity>30</TriageCountQuantity>
291   </TriageCode>
292   <TriageCode>
293   <TriageCodeValue>Green</TriageCodeValue>
294   <TriageCountQuantity>40</TriageCountQuantity>
295   </TriageCode>
296   <TriageCode>
297   <TriageCodeValue>Black</TriageCodeValue>
298   <TriageCountQuantity>10</TriageCountQuantity>
299   </TriageCode>
300 </EMSCapacity>

```

301

Element	<have:EMSAmbulanceStatus>
----------------	---------------------------

Type	Offload
Usage	OPTIONAL
Definition	The container element to indicate the status and offload time for ground ambulance capabilities.
Comments	<ol style="list-style-type: none"> 1. The time it takes to transfer care of a patient to hospital staff, thereby freeing the ambulance for assignment. 2. Select from Normal or Delayed and/or specify the average offload average offload time in minutes.
Sub-elements	<ul style="list-style-type: none"> • CommentText
Used In	HospitalStatus/Hospital/EmergencyDepartmentStatus

302

Element	<have:EMSAirTransportStatus>
Type	Offload
Usage	OPTIONAL
Definition	The container element to indicate the status and offload time for air ambulance capabilities.
Comments	<ol style="list-style-type: none"> 1. The time it takes to transfer care of a patient to hospital staff, thereby freeing the ambulance for assignment. 2. Select from Normal or Delayed and/or specify the average offload average offload time in minutes.

303

Element	<have:EMSOffloadStatus>
Type	xsd:string with restrictions
Usage	OPTIONAL
Definition	Indicator of offload times of ambulance capabilities.
Constraints	<p>Values:</p> <ol style="list-style-type: none"> 1. Normal – The time required to offload the patient is typical 2. Delayed – The time required to offload the patient is longer than typical.

304

Used In	HospitalStatus/Hospital/EmergencyDepartmentStatus/EMSAmbulanceStatus/Offload HospitalStatus/Hospital/EmergencyDepartmentStatus/EMSAirTransportStatus/Offload
---------	---

Element	<have:EMSOffloadMinutes>
Type	xsd:integer
Usage	OPTIONAL
Definition	The average time to offload a patient, in minutes.
Used In	EmergencyDepartmentStatus/EMSAmbulanceStatus/Offload EmergencyDepartmentStatus/EMSAirTransportStatus/Offload

305 **3.2.4 HOSPITAL BED CAPACITY STATUS**

306

307 Note: Please refer to Appendix B for definitions for bed types.

308

Element	<have:HospitalBedCapacityStatus>
Type	XML Structure
Usage	OPTIONAL
Definition	The container of all of the elements related to the hospital bed capacity and status.
Constraints	<ol style="list-style-type: none"> 1. For each of the bed types (AdultICU, MedicalSurgical, etc.), if needed, a collection of named sub-types MAY be provided. 2. A hospital MAY specify the number of sub-categories without specifying all of the sub-categories. 3. The totals of sub-categories MAY equal the capacity data specified in the parent.
Comments	Example, a hospital may sub-categorize Adult ICU beds into Surgery, Cardiac, General and Neuro.
Sub-elements	<ul style="list-style-type: none"> • BedCapacity
Used In	HospitalStatus/Hospital

309

Element	<have:BedCapacity>
Type	XML Structure
Usage	CONDITIONAL; May use multiple
Definition	Container element to identify the number of available beds.
Constraints	<ol style="list-style-type: none"> 1. Multiple instances of <BedCapacity> elements MAY be specified. 2. Each parent <BedType> element and its associated sub-category bed types MUST be encapsulated with a <BedCapacity> element.
Sub-elements	<ul style="list-style-type: none"> • BedType • SubCategoryBedType • CommentText • Capacity

Used In	HospitalStatus/Hospital/HospitalBedCapacityStatus
---------	---

310

Element	<have:BedType>
Type	xsd:string with restrictions
Usage	OPTIONAL , May use multiple
Definition	Enumerated list of available Bed Types.
Constraints	<ol style="list-style-type: none"> 1. Each bed type (AdultICU, MedicalSurgical, etc.) MAY optionally contain a collection of named sub-categories. 2. The totals of sub-categories MAY equal the capacity data specified in the parent.
Comments	<p>Values:</p> <ol style="list-style-type: none"> 1. AdultICU - Capacity status for adult ICU bed type. <ul style="list-style-type: none"> • These can support critically ill or injured patients, including ventilator support. • This category includes all major subtypes of ICU beds, including neuro, cardiac, trauma, or medical, with the exception that this category does not include burn ICU beds. 2. PediatricICU <ul style="list-style-type: none"> • Capacity status for pediatric ICU beds. This is similar to adult ICU beds, but for patients 17-years-old and younger. 3. NeonatalICU <ul style="list-style-type: none"> • Capacity status for neonatal ICU beds. 4. EmergencyDepartment <ul style="list-style-type: none"> • Capacity status for beds within the Emergency Department used for acute care. 5. NurseryBeds <ul style="list-style-type: none"> • Capacity Status for Neonatal or newborn care beds including all bed types other than Neonatal ICU 6. MedicalSurgical - Capacity status for medical-surgical beds. <ul style="list-style-type: none"> • These are also thought of as ward beds. • These beds may or may not include cardiac telemetry capability 7. RehabLongTermCare – Capacity Status for Rehabilitation/Long term care beds. <ul style="list-style-type: none"> • Beds designated as long term care rehabilitation. These do not include floor beds. 8. Burn - Capacity status for burn beds. <ul style="list-style-type: none"> • These are thought of as burn ICU beds, either approved by the American Burn Association or self-designated. • These beds are NOT to be included in other ICU bed counts. 9. Pediatrics

	<ul style="list-style-type: none"> Capacity status for pediatrics beds. These are ward medical/surgical beds for patients 17-years-old and younger. <p>10. AdultPsychiatric</p> <ul style="list-style-type: none"> Capacity status for adult psychiatric beds. These are ward beds on a closed/locked psychiatric unit or ward beds where a patient will be attended by a sitter. <p>11. PediatricPsychiatric</p> <ul style="list-style-type: none"> Capacity status for pediatric psychiatric beds. These are ward beds on a closed/locked psychiatric unit or ward beds where a patient will be attended by a sitter <p>12. NegativeFlowIsolation</p> <ul style="list-style-type: none"> Capacity status for negative airflow isolation beds. These provide respiratory isolation. NOTE: This value may represent available beds included in the counts of other types. <p>13. OtherIsolation</p> <ul style="list-style-type: none"> Capacity status for other isolation beds. These provide isolation where airflow is not a concern. NOTE: This value may represent available beds included in the counts of other types. <p>14. OperatingRooms</p> <ul style="list-style-type: none"> Capacity status for operating rooms which are equipped staffed and could be made available for patient care in a short period of time. <p>Example, a hospital may sub-categorize Adult ICU beds into Surgery, Cardiac, General and Neuro.</p>
Used In	HospitalStatus/Hospital/HospitalBedCapacityStatus/BedCapacity

311

Element	<have:SubCategoryBedType>
Type	xsd:string
Usage	OPTIONAL , MAY use multiple
Definition	The name of the sub-category bed type
Constraints	<ol style="list-style-type: none"> Each bed type MAY have many one or more named sub-type categories. If one or more sub category bed types are used, they MUST be preceded by the parent <BedType> element. In this case, <CapacityStatus> of the parent Bed Type MUST not be 'NotAvailable'. Each parent <BedType> element and its associated sub-category bed types MUST be encapsulated with a <BedCapacity> element. If the capacity counts of sub-category beds are specified, they MAY not equal the capacity count of the parent bed type. In general, if capacities are specified using sub-category bed types, then only the <CapacityStatus> of the parent bed type MUST be used, and this should reflect an 'Available' value. No assumptions should be made about capacities that

	are not specified.
Comments	<ol style="list-style-type: none"> If a <Capacity> element is specified, it pertains to the preceding <BedType> or <SubCategoryBedType> element. <p>Note: Please see example at the end of this section.</p>
Used In	HospitalStatus/Hospital/HospitalBedCapacityStatus/BedCapacity

312

Element	<have:Capacity>
Type	xsd:string
Usage	OPTIONAL , May use multiple
Definition	Container element to define the capacity information of each specified bed type or sub category bed type.
Constraints	<ol style="list-style-type: none"> <BedType> element or <SubCategoryBedType> elements MAY have a <Capacity> element. In general, if capacities are specified using sub-category bed types, then only the <CapacityStatus> of the parent bed type MUST be used, and this MUST reflect an 'Available' value.
Comments	<ol style="list-style-type: none"> If a <Capacity> element is specified, it pertains to the preceding <BedType> or <SubCategoryBedType> element. No assumptions must be made about bed capacities that are not specified.
Sub-elements	<ul style="list-style-type: none"> CapacityStatus AvailableCount BaselineCount AdditionalCapacityCount24Hr AdditionalCapacityCount72Hr
Used In	HospitalStatus/Hospital/HospitalBedCapacityStatus/BedCapacity

313

Element	<have:CapacityStatus>
Type	xsd:string with restrictions
Usage	OPTIONAL
Definition	Indicator of status of bed type or sub-category bed type.

Constraints	<ol style="list-style-type: none"> Values: <ul style="list-style-type: none"> VacantAvailable – The type of bed is available. NotAvailable – The type of bed is not available.
Comments	<ol style="list-style-type: none"> No assumptions must be made about bed capacities that are not specified. Vacant/Available Beds refers to beds that are vacant and to which patients can be immediately transported. These will include supporting space, equipment, medical material, ancillary and support services and staff to operate under normal circumstances. These beds are licensed, physically available and have staff on hand to attend to the patient who occupies the bed. <p>Note: Please refer to appendix B</p>
Used In	HospitalStatus/Hospital/HospitalBedCapacityStatus/BedCapacity/Capacity

314

Element	<have:AvailableCount>
Type	xsd:integer
Usage	OPTIONAL
Definition	The number of vacant/available beds to which patients can be immediately transported.
Comments	<ol style="list-style-type: none"> These will include supporting space, equipment, medical material, ancillary and support services, and staff to operate under normal circumstances. These beds are licensed, physically available and have staff on hand to attend to the patient who occupies the bed.
Used In	HospitalStatus/Hospital/HospitalBedCapacityStatus/BedCapacity/Capacity

315

Element	<have:BaselineCount>
Type	xsd:integer
Usage	OPTIONAL
Definition	The maximum (baseline) number of beds in this category.
Used In	HospitalStatus/Hospital/HospitalBedCapacityStatus/BedCapacity/Capacity

316

Element	<have:AdditionalCapacityCount24Hr>
Type	xsd:integer
Usage	OPTIONAL
Definition	Estimate of the beds, above the current number, that could be made vacant/available within 24 hours.
Comments	1. This includes institutional surge beds as well as beds made available by discharging or transferring patients.
Used In	HospitalStatus/Hospital/HospitalBedCapacityStatus/BedCapacity/Capacity

317

Element	<have:AdditionalCapacityCount72Hr>
Type	xsd:integer
Usage	OPTIONAL
Definition	Estimate of the beds, above the current number, that could be made vacant/available within 72 hours.
Comments	1. This includes institutional surge beds as well as beds made available by discharging or transferring patients.
Used In	HospitalStatus/Hospital/HospitalBedCapacityStatus/BedCapacity/Capacity

318

319 Example 1:

320

```

321 <HospitalBedCapacityStatus>
322 <BedCapacity>
323 <BedType> AdultICU </BedType>
324 <Capacity>
325 <CapacityStatus> Available </CapacityStatus>
326 </Capacity>
327 <SubCategoryBedType> Surgery </SubCategoryBedType>
328 <Capacity>
329 <CapacityStatus> Vacant/Available </CapacityStatus>
330 <AvailableCount> 40 </AvailableCount>
331 </Capacity>
332 <SubCategoryBedType> General </SubCategoryBedType>
333 <Capacity>
334 <CapacityStatus> Vacant/Available </CapacityStatus>
335 <AvailableCount> 20 </AvailableCount>
336 </Capacity>
337 </BedCapacity>
338 </HospitalBedCapacityStatus>

```

339

340 Example 2:

341

```
342 <HospitalBedCapacityStatus>  
343 <BedCapacity>  
344 <BedType> AdultICU </BedType>  
345 <Capacity>  
346 <CapacityStatus> Available </CapacityStatus>  
347 <AvailableCount> 40 </AvailableCount>  
348 </Capacity>  
349 </BedCapacity>  
350 </HospitalBedCapacityStatus>
```

351

352

353 **3.2.5 SERVICE COVERAGE STATUS**

354

Element	<have:ServiceCoverageStatus>
Type	XML Structure
Usage	OPTIONAL
Definition	The container element of all the elements of service coverage. This includes both the necessary staff and facilities. Indicator of the availability of specialty service coverage.
Constraints	<ol style="list-style-type: none"> 1. Either one – the parent category or the subcategories - MUST be used. Both MUST not be used together.
Comments	<ol style="list-style-type: none"> 1. Some of the services capabilities are broken down into subtypes. This is to allow organizations to designate subtypes, if available. 2. If not, only the higher level specialties are reported. 3. Organizations can either report the parent category or report the subcategories.
Sub-elements	<ul style="list-style-type: none"> • Burn • CardiologyIndicator • Dialysis • EmergencyDepartment • HyperbaricChamber • InfectiousDiseases • Neonatology • NeurologyIndicator • OBGYNIndicator • Ophthalmology • Orthopedic • Pediatrics • PsychiatricIndicator • SurgeryIndicator • TransportServicesIndicator • TraumaCenterServicesIndicator • CommentText
Used In	HospitalStatus/Hospital

355

Element	<have:Burn>
----------------	-------------

Type	xsd:boolean
Usage	OPTIONAL
Definition	The availability of burn center services.
Comments	Values: <ol style="list-style-type: none"> 1. "true" or "1" - This type of services is available. 2. "false" or "0" - This type of services is not available.
Used In	HospitalStatus/Hospital/ServiceCoverageStatus

356

Element	<have:CardiologyIndicator>
Type	XML Structure
Usage	OPTIONAL
Definition	The container element for specifying the availability of Cardiology services.
Constraints	<ol style="list-style-type: none"> 1. Either one – the parent category or the subcategories - MUST be used. Both MUST not be used together.
Comments	<ol style="list-style-type: none"> 1. This service capability is broken down into the below subcategories. This is to allow organizations to designate subcategories, if available. 2. Organizations can either report the parent category or report the subcategories.
Sub-elements	Choice: <ul style="list-style-type: none"> • Cardiology • CardiologySubType
Used In	HospitalStatus/Hospital/ServiceCoverageStatus

357

Element	<have:Cardiology>
Type	xsd:boolean
Usage	OPTIONAL
Definition	The availability of cardiology services.

Comments	<p>Values:</p> <ol style="list-style-type: none"> 1. "true" or "1" - This type of services is available. 2. "false" or "0" - This type of services is not available. <pre> Example: <ServiceCoverageStatus> <CardiologyIndicator> <Cardiology> true </Cardiology> </CardiologyIndicator> </ServiceCoverageStatus> Example: <ServiceCoverageStatus> <CardiologyIndicator> <CardiologySubType> <CardiologyInvasive> true </CardiologyInvasive> <CardiologyNonInvasive> false </CardiologyNonInvasive> </CardiologySubType> </CardiologyIndicator> </ServiceCoverageStatus> </pre>
Used In	HospitalStatus/Hospital/ServiceCoverageStatus/CardiologyIndicator

358

Element	<have:CardiologySubType>
Type	XML Structure
Usage	OPTIONAL
Definition	The container element for specifying the availability of Cardiology services that are broken down into sub-types.
Sub-elements	<p>Choices:</p> <ul style="list-style-type: none"> • CardiologyInvasive • CardiologyNonInvasive
Used In	HospitalStatus/Hospital/ServiceCoverageStatus/CardiologyIndicator

359

Element	<have:CardiologyInvasive>
Type	xsd:boolean
Usage	OPTIONAL
Definition	The availability of cardiology-invasive services.

Comments	Values: <ul style="list-style-type: none"> 1. "true" or "1" - This type of services is available. 2. "false" or "0" - This type of services is not available.
Used In	HospitalStatus/Hospital/ServiceCoverageStatus/CardiologySubType

360

Element	<have:CardiologyNonInvasive>
Type	xsd:boolean
Usage	OPTIONAL
Definition	The availability of cardiology-non-invasive services.
Comments	Values: <ul style="list-style-type: none"> 1. "true" or "1" - This type of services is available. 2. "false" or "0" - This type of services is not available.
Used In	HospitalStatus/Hospital/ServiceCoverageStatus/CardiologySubType

361

Element	<have:Dialysis>
Type	xsd:boolean
Usage	OPTIONAL
Definition	The availability of dialysis services.
Comments	Values: <ul style="list-style-type: none"> 1. "true" or "1" - This type of services is available. 2. "false" or "0" - This type of services is not available.
Used In	HospitalStatus/Hospital/ServiceCoverageStatus

362

Element	<have:EmergencyDepartment>
Type	xsd:boolean
Usage	OPTIONAL

Definition	The availability of Emergency Department services.
Comments	Values: <ul style="list-style-type: none"> 1. "true" or "1" - This type of services is available. 2. "false" or "0" - This type of services is not available.
Used In	HospitalStatus/Hospital/ServiceCoverageStatus

363

Element	<have:HyperbaricChamber>
Type	xsd:boolean
Usage	OPTIONAL
Definition	The availability of hyperbaric chamber services for decompression and/or wound care.
Comments	Values: <ul style="list-style-type: none"> 1. "true" or "1" - This type of services is available. 2. "false" or "0" - This type of services is not available.
Used In	HospitalStatus/Hospital/ServiceCoverageStatus

364

Element	<have:InfectiousDiseases>
Type	xsd:boolean
Usage	OPTIONAL
Definition	The availability of infectious diseases services.
Comments	Values: <ul style="list-style-type: none"> 1. "true" or "1" - This type of services is available. 2. "false" or "0" - This type of services is not available.
Used In	HospitalStatus/Hospital/ServiceCoverageStatus

365

Element	<have:Neonatology>
---------	--------------------

Type	xsd:boolean
Usage	OPTIONAL
Definition	The availability of neonatology services.
Comments	Values: <ol style="list-style-type: none"> 1. "true" or "1" - This type of services is available. 2. "false" or "0" - This type of services is not available.
Used In	HospitalStatus/Hospital/ServiceCoverageStatus

366

Element	<have:NeurologyIndicator>
Type	XML Structure
Usage	OPTIONAL
Definition	The container element for specifying the availability of Neurology services.
Constraints	<ol style="list-style-type: none"> 1. Either one – the parent category or the subcategories - MUST be used. Both MUST not be used together.
Comments	<ol style="list-style-type: none"> 1. This service capability is broken down into the below subcategories. This is to allow Organizations to designate subcategories, if available. 2. Organizations can either report the parent category or report the subcategories.
Sub-elements	Choices: <ul style="list-style-type: none"> • Neurology • NeurologySubType
Used In	HospitalStatus/Hospital/ServiceCoverageStatus

367

Element	<have:Neurology>
Type	xsd:boolean
Usage	OPTIONAL
Definition	The availability of neurology services.

Comments	<p>Values:</p> <ol style="list-style-type: none"> 1. "true" or "1" - This type of services is available. 2. "false" or "0"- This type of services is not available.
Used In	HospitalStatus/Hospital/ServiceCoverageStatus/NeurologyIndicator

368

Element	<have:NeurologySubType>
Type	XML Structure
Usage	OPTIONAL
Definition	The container element for specifying the availability of Neurology services that are broken down into sub-types.
Sub-elements	<p>Choice:</p> <ul style="list-style-type: none"> • NeurologyInvasive • NeurologyNonInvasive
Used In	HospitalStatus/Hospital/ServiceCoverageStatus/NeurologyIndicator

369

Element	<have:NeurologyInvasive>
Type	xsd:boolean
Usage	OPTIONAL
Definition	The availability of Neurology-Invasive services, including invasive catheterization.
Comments	<p>Values:</p> <ol style="list-style-type: none"> 1. "true" or "1" - This type of services is available. 2. "false" or "0"- This type of services is not available.
Used In	HospitalStatus/Hospital/ServiceCoverageStatus/NeurologyIndicator/NeurologySubType

370

Element	<have:NeurologyNonInvasive>
Type	xsd:boolean

Usage	OPTIONAL
Definition	The availability of Neurology-Non-Invasive services with no invasive catheterization capability.
Comments	Values: <ol style="list-style-type: none"> 1. "true" or "1" - This type of services is available. 2. "false" or "0" - This type of services is not available.
Used In	HospitalStatus/Hospital/ServiceCoverageStatus/NeurologyIndicator/NeurologySubType

371

Element	<have:OBGYNIndicator>
Type	XML Structure
Usage	OPTIONAL
Definition	The container element for specifying the availability of OBGYN services.
Constraints	<ol style="list-style-type: none"> 1. Either one – the parent category or the subcategories - must be used. Both MUST not be used together.
Comments	<ol style="list-style-type: none"> 1. This service capability is broken down into the below subcategories. This is to allow Organizations to designate subcategories, if available. 2. Organizations can either report the parent category or report the subcategories.
Sub-elements	Choices: <ul style="list-style-type: none"> • OBGYN • OBGYNSubType
Used In	HospitalStatus/Hospital/ServiceCoverageStatus

372

Element	<have:OBGYN>
Type	xsd:boolean
Usage	OPTIONAL
Definition	The availability of OBGYN services with labor delivery services.
Comments	Values: <ol style="list-style-type: none"> 1. "true" or "1" - This type of services is available.

	2. "false" or "0" - This type of services is not available.
Used In	HospitalStatus/Hospital/ServiceCoverageStatus/OBGYNIndicator

373

Element	<have:OBGYNSubType>
Type	XML Structure
Usage	OPTIONAL
Definition	The container element for specifying the availability of OBGYN services that are broken down into sub-types.
Sub-elements	Choice: <ul style="list-style-type: none"> • OBGYNWithLaborDelivery • OBGYNWithoutLaborDelivery
Used In	HospitalStatus/Hospital/ServiceCoverageStatus/OBGYNIndicator

374

Element	<have:OBGYNWithLaborDelivery>
Type	xsd:boolean
Usage	OPTIONAL
Definition	The availability of OBGYN services with labor delivery services.
Comments	Values: <ol style="list-style-type: none"> 1. "true" or "1" - This type of services is available. 2. "false" or "0" - This type of services is not available.
Used In	HospitalStatus/Hospital/ServiceCoverageStatus/OBGYNIndicator/OBGYNSubType

375

Element	<have:OBGYNWithoutLaborDelivery>
Type	xsd:boolean
Usage	OPTIONAL
Definition	The availability of OGYN Services without Labor Delivery Services.

Comments	Values: <ul style="list-style-type: none"> 1. "true" or "1" - This type of services is available. 2. "false" or "0" - This type of services is not available.
Used In	HospitalStatus/Hospital/ServiceCoverageStatus/OBGYNIndicator/OBGYNSubType

376

Element	<have:Ophthalmology>
Type	xsd:boolean
Usage	OPTIONAL
Definition	The availability of Ophthalmology services.
Comments	Values: <ul style="list-style-type: none"> 1. "true" or "1" - This type of services is available. 2. "false" or "0" - This type of services is not available.
Used In	HospitalStatus/Hospital/ServiceCoverageStatus

377

Element	<have:Orthopedic>
Type	xsd:boolean
Usage	OPTIONAL
Definition	The availability of orthopedic services.
Comments	Values: <ul style="list-style-type: none"> 1. "true" or "1" - This type of services is available. 2. "false" or "0" - This type of services is not available.
Used In	HospitalStatus/Hospital/ServiceCoverageStatus

378

Element	<have:Pediatrics>
Type	xsd:boolean

Usage	OPTIONAL
Definition	The availability of pediatric services.
Comments	Values: <ol style="list-style-type: none"> 1. "true" or "1" - This type of services is available. 2. "false" or "0" - This type of services is not available.
Used In	HospitalStatus/Hospital/ServiceCoverageStatus

379

Element	<have:PsychiatricIndicator>
Type	XML Structure
Usage	OPTIONAL
Definition	The container element for specifying the availability of Psychiatric services.
Constraints	<ol style="list-style-type: none"> 1. Either one – the parent category or the subcategories - MUST be used. Both MUST not be used together.
Comments	<ol style="list-style-type: none"> 1. This service capability is broken down into the below subcategories. This is to allow Organizations to designate subcategories, if available. 2. Organizations MAY either report the parent category or report the subcategories.
Sub-elements	Choices: <ul style="list-style-type: none"> • Psychiatric • PsychiatricSubType
Used In	HospitalStatus/Hospital/ServiceCoverageStatus

380

Element	<have:Psychiatric>
Type	xsd:boolean
Usage	OPTIONAL
Definition	The availability of psychiatric services.
Comments	Values: <ol style="list-style-type: none"> 1. "true" or "1" - This type of services is available.

	2. "false" or "0" - This type of services is not available.
Used In	HospitalStatus/Hospital/ServiceCoverageStatus/PsychiatricIndicator

381

Element	<have:PsychiatricSubType>
Type	XML Structure
Usage	OPTIONAL
Definition	The container element for specifying the availability of Psychiatric services that are broken down into sub-types.
Sub-elements	Choice: <ol style="list-style-type: none"> 1. PsychiatricAdultGeneral 2. PsychiatricPediatric
Used In	HospitalStatus/Hospital/ServiceCoverageStatus/PsychiatricIndicator

382

Element	<have:PsychiatricAdultGeneral>
Type	xsd:boolean
Usage	OPTIONAL
Definition	Availability of Adult General Psychiatric services.
Comments	<ol style="list-style-type: none"> 1. Sub-type element of the psychiatric services. 2. Values: <ul style="list-style-type: none"> • "true" or "1" - This type of services is available. • "false" or "0" - This type of services is not available.
Used In	HospitalStatus/Hospital/ServiceCoverageStatus/PsychiatricIndicator/PsychiatricSubType

383

Element	<have:PsychiatricPediatric>
Type	xsd:boolean

Usage	OPTIONAL
Definition	Availability of Pediatric Psychiatric services.
Comments	<ol style="list-style-type: none"> 1. Sub-type element of the psychiatric services. 2. Values: <ul style="list-style-type: none"> • “true” or “1” - This type of services is available. • “false” or “0” - This type of services is not available.
Used In	HospitalStatus/Hospital/ServiceCoverageStatus/PsychiatricIndicator/PsychiatricSubType

384

Element	<have:SurgeryIndicator>
Type	XML Structure
Usage	OPTIONAL
Definition	The container element for specifying the availability of Surgery services.
Constraints	<ol style="list-style-type: none"> 1. Either one – the parent category or the subcategories - MUST be used. Both MUST not be used together.
Comments	<ol style="list-style-type: none"> 1. This service capability is broken down into the below subcategories. This is to allow Organizations to designate subcategories, if available. 2. Organizations MAY either report the parent category or report the subcategories.
Sub-elements	<p>Choices:</p> <ul style="list-style-type: none"> • Surgery • SurgerySubType
Used In	HospitalStatus/Hospital/ServiceCoverageStatus

385

Element	<have:Surgery>
Type	xsd:boolean
Usage	OPTIONAL
Definition	The availability of surgery services.
Comments	Values:

	<ul style="list-style-type: none"> • “true” or “1” - This type of services is available. • “false” or “0” - This type of services is not available.
Used In	HospitalStatus/Hospital/ServiceCoverageStatus/SurgeryIndicator

386

Element	<have:SurgerySubType>
Type	xsd:boolean
Usage	OPTIONAL
Definition	The container element for specifying the availability of surgery services that are broken down into sub-types.
Sub-elements	<ul style="list-style-type: none"> • General • AdultGeneralSurgery • Pediatrics • Orthopedics • NeuroSurgery • Facial • CardioThoracic • Hand • Reimplantation • Spinal • Vascular • Anesthesia
Used In	HospitalStatus/Hospital/ServiceCoverageStatus/SurgeryIndicator

387

Element	<have:General>
Type	xsd:boolean
Usage	OPTIONAL
Definition	The availability of general surgical services.
Comments	<ol style="list-style-type: none"> 1. Sub-type element of the adult general services. 2. Values:

	<ul style="list-style-type: none"> • "true" or "1" - This type of services is available. • "false" or "0" - This type of services is not available.
Used In	HospitalStatus/Hospital/ServiceCoverageStatus/SurgeryIndicator/SurgerySubType

388

Element	<have:AdultGeneralSurgery>
Type	xsd:boolean
Usage	OPTIONAL
Definition	The availability of adult general services.
Comments	<ol style="list-style-type: none"> 1. Sub-type element of the adult general services. 2. Values: <ul style="list-style-type: none"> • "true" or "1" - This type of services is available. • "false" or "0" - This type of services is not available.
Used In	HospitalStatus/Hospital/ServiceCoverageStatus/SurgeryIndicator/SurgerySubType

389

Element	<have:Pediatrics>
Type	xsd:boolean
Usage	OPTIONAL
Definition	The availability of Pediatrics general surgical services.
Comments	<ol style="list-style-type: none"> 1. Sub-type element of pediatrics general surgical services. 2. Values: <ul style="list-style-type: none"> • "true" or "1" - This type of services is available. • "false" or "0" - This type of services is not available.
Used In	HospitalStatus/Hospital/ServiceCoverageStatus/SurgeryIndicator/SurgerySubType

390

Element	<have:Orthopedics>
Type	xsd:boolean

Usage	OPTIONAL
Definition	The availability of Orthopedic surgical services.
Comments	<ol style="list-style-type: none"> 1. Sub-type element of orthopedic surgical services. 2. Values: <ul style="list-style-type: none"> • "true" or "1" - This type of services is available. • "false" or "0" - This type of services is not available.
Used In	HospitalStatus/Hospital/ServiceCoverageStatus/SurgeryIndicator/SurgerySubType

391

Element	<have:NeuroSurgery>
Type	xsd:boolean
Usage	OPTIONAL
Definition	The availability of Neurosurgery services.
Comments	<ol style="list-style-type: none"> 1. Sub-type element of neurosurgery services. 2. Values: <ul style="list-style-type: none"> • "true" or "1" - This type of services is available. • "false" or "0" - This type of services is not available.
Used In	HospitalStatus/Hospital/ServiceCoverageStatus/SurgeryIndicator/SurgerySubType

392

Element	<have:Facial>
Type	xsd:boolean
Usage	OPTIONAL
Definition	The availability of facial surgical services.
Comments	<ol style="list-style-type: none"> 1. Sub-type element of facial surgery services. 2. Values: <ul style="list-style-type: none"> • "true" or "1" - This type of services is available. • "false" or "0" - This type of services is not available.
Used In	HospitalStatus/Hospital/ServiceCoverageStatus/SurgeryIndicator/SurgerySubType

393

Element	<have:CardioThoracic>
Type	xsd:boolean
Usage	OPTIONAL
Definition	The availability of cardiothoracic surgical services.
Comments	<ol style="list-style-type: none"> 1. Sub-type element of cardiothoracic services. 2. Values: <ul style="list-style-type: none"> • "true" or "1" - This type of services is available. • "false" or "0" - This type of services is not available.
Used In	HospitalStatus/Hospital/ServiceCoverageStatus/SurgeryIndicator/SurgerySubType

394

Element	<have:Hand>
Type	xsd:boolean
Usage	OPTIONAL
Definition	The availability of hand surgery services.
Comments	<ol style="list-style-type: none"> 1. Sub-type element of hand surgery services. 2. Values: <ul style="list-style-type: none"> • "true" or "1" - This type of services is available. • "false" or "0" - This type of services is not available.
Used In	HospitalStatus/Hospital/ServiceCoverageStatus/SurgeryIndicator/SurgerySubType

395

Element	<have:Reimplantation>
Type	xsd:boolean
Usage	OPTIONAL
Definition	The availability of reimplantation surgical services.
Comments	<ol style="list-style-type: none"> 1. Sub-type element of reimplantation surgical services.

	<p>2. Values:</p> <ul style="list-style-type: none"> • Available - This type of services is available. • NotAvailable - This type of services is not available.
Used In	HospitalStatus/Hospital/ServiceCoverageStatus/SurgeryIndicator/SurgerySubType

396

Element	<have:Spinal>
Type	xsd:boolean
Usage	OPTIONAL
Definition	The availability of spinal surgical services.
Comments	<p>1. Sub-type element of spinal surgical services.</p> <p>2. Values:</p> <ul style="list-style-type: none"> • "true" or "1" - This type of services is available. • "false" or "0" - This type of services is not available.
Used In	HospitalStatus/Hospital/ServiceCoverageStatus/SurgeryIndicator/SurgerySubType

397

Element	<have:Vascular>
Type	xsd:boolean
Usage	OPTIONAL
Definition	The availability of vascular surgical services.
Comments	<p>1. Sub-type element of vascular surgery services.</p> <p>2. Values:</p> <ul style="list-style-type: none"> • "true" or "1" - This type of services is available. • "false" or "0" - This type of services is not available.
Used In	HospitalStatus/Hospital/ServiceCoverageStatus/SurgeryIndicator/SurgerySubType

398

Element	<have:Anesthesia>
Type	xsd:boolean

Usage	OPTIONAL
Definition	The availability of anesthesia services.
Comments	<ol style="list-style-type: none"> Sub-type element of anesthesia services. Values: <ul style="list-style-type: none"> “true” or “1” – This type of services is available. “false” or “0” – This type of services is not available.
Used In	HospitalStatus/Hospital/ServiceCoverageStatus/SurgeryIndicator/SurgerySubType

399

Element	<have:TransportServicesIndicator>
Type	XML Structure
Usage	OPTIONAL
Definition	The container element for specifying the availability of Transport services.
Constraints	<ol style="list-style-type: none"> Either one – the parent category or the subcategories - MUST be used. Both MUST not be used together.
Comments	<ol style="list-style-type: none"> This service capability is broken down into the below subcategories. This is to allow Organizations to designate subcategories, if available. Organizations MAY either report the parent category or report the subcategories.
Sub-elements	<p>Choices:</p> <ul style="list-style-type: none"> TransportServices TransportServicesSubType
Used In	HospitalStatus/Hospital/ServiceCoverageStatus

400

Element	<have:TransportServices>
Type	xsd:boolean
Usage	OPTIONAL
Definition	The availability of transport services.
Comments	Values:

	<ol style="list-style-type: none"> 1. "true" or "1" - This type of services is available. 2. "false" or "0" - This type of services is not available.
Used In	HospitalStatus/Hospital/ServiceCoverageStatus/TransportServicesIndicator

401

Element	<have:TransportServicesSubType>
Type	xsd:boolean
Usage	OPTIONAL
Definition	The container element for specifying the availability of Transport Services that are broken down into sub-types.
Comments	<p>Values:</p> <ol style="list-style-type: none"> 1. "true" or "1" - This type of services is available. 2. "false" or "0" - This type of services is not available.
Sub-elements	<ul style="list-style-type: none"> • AirTransportServices • AmbulanceServices
Used In	HospitalStatus/Hospital/ServiceCoverageStatus/TransportServicesIndicator

402

Element	<have:AirTransportServices>
Type	xsd:boolean
Usage	OPTIONAL
Definition	The availability of air-transport services.
Comments	<ol style="list-style-type: none"> 1. Sub-element of transport services. 2. Values: <ul style="list-style-type: none"> • "true" or "1" - This type of services is available. • "false" or "0" - This type of services is not available.
Used In	HospitalStatus/Hospital/ServiceCoverageStatus/TransportServicesIndicator/TransportServicesSubType

403

Element	<have:AmbulanceServices>
Type	xsd:boolean
Usage	OPTIONAL
Definition	The availability of transport services.
Comments	<ol style="list-style-type: none"> Sub-element of Transport Services Values: <ul style="list-style-type: none"> "true" or "1" - This type of services is available. "false" or "0" - This type of services is not available.
Used In	HospitalStatus/Hospital/ServiceCoverageStatus/TransportServicesIndicator/TransportServicesSubType

404

Element	<have:TraumaCenterServicesIndicator>
Type	XML Structure
Usage	CONDITIONAL ; MUST be used once, if any sub-elements are used
Definition	The container element for specifying the availability of Trauma center services.
Constraints	<ol style="list-style-type: none"> Either one – the parent category or the subcategories - MUST be used. Both MUST not be used together.
Comments	<ol style="list-style-type: none"> This service capability is broken down into the below subcategories. This is to allow Organizations to designate subcategories, if available. Organizations MAY either report the parent category or report the subcategories.
Sub-elements	<p>Choices:</p> <ul style="list-style-type: none"> TraumaCenterServices TraumaCenterServicesLevel
Used In	HospitalStatus/Hospital/ServiceCoverageStatus

405

Element	<have:TraumaCenterServices>
Type	xsd:boolean

Usage	OPTIONAL
Definition	The availability of trauma center services.
Comments	Values: <ol style="list-style-type: none"> 1. "true" or "1" - This type of services is available. 2. "false" or "0" - This type of services is not available.
Used In	HospitalStatus/Hospital/ServiceCoverageStatus/TraumaCenterServicesIndicator

406

Element	<have:TraumaCenterServicesLevel>
Type	xsd:string with restrictions
Usage	OPTIONAL
Definition	The service level of the trauma center.
Comments	<ol style="list-style-type: none"> 1. Values: <ul style="list-style-type: none"> • Level1 • Level2 • Level3 • Level4 2. For definitions please refer to the American College of Surgeons - http://www.facs.org/trauma/hospitallevels.pdf
Used In	HospitalStatus/Hospital/ServiceCoverageStatus/TraumaCenterServicesIndicator

407 **3.2.6 HOSPITAL FACILITY STATUS**

408

Element	<have:HospitalFacilityStatus>
Type	XML Structure
Usage	OPTIONAL
Definition	The container of all of the elements related to the status of the facility. The elements in <FacilityStatus> provide a general status of the facility.
Sub-elements	<ul style="list-style-type: none"> • HospitalEOCStatus • HospitalEOCPlan • ClinicalStatus • DeconCapacity • MorgueCapacity • FacilityStatus • SecurityStatus • Activity24Hr • CommentText
Used In	HospitalStatus/Hospital

409

Element	<have:HospitalEOCStatus>
Type	xsd:string with restrictions
Usage	OPTIONAL
Definition	Whether the Emergency Operations Center (EOC) is currently operating.
Comments	<p>1. Values:</p> <ul style="list-style-type: none"> • Active – Indicates that the EOC has been activated. An activated EOC is fully staffed and operational. • Inactive – Indicates that the EOC is not activated. <p>2. Default Value: Inactive</p> <p>Note: An EOC is a location that is activated in a disaster or emergency from which the overall command, control, communications and coordination are conducted.</p>

	Note: The EOC is typically activated in disasters or other special situations, and this term is NOT intended to indicate whether the clinical emergency department is open for patient care.
Used In	HospitalStatus/Hospital/HospitalFacilityStatus

410

Element	<have:HospitalEOCPlan>
Type	xsd:string with restrictions
Usage	OPTIONAL
Definition	Whether the hospital has activated its Emergency Operations Plan (EOP)
Comments	<p>Values:</p> <ol style="list-style-type: none"> 1. Active 2. Inactive <p>Note: An EOC Plan documents operations during an emergency, including the process to activate or inactivate the EOC.</p>
Used In	HospitalStatus/Hospital/HospitalFacilityStatus

411

Element	<have:ClinicalStatus>
Type	xsd:string with restrictions
Usage	OPTIONAL
Definition	The clinical status of the facility.
Comments	<p>Values:</p> <ol style="list-style-type: none"> 1. Normal - Hospital clinical resources are operating within normal conditions. 2. Full - Hospital clinical resources are exceeded and acceptable care cannot be provided to additional patients. Diversion or community surge response is required.
Used In	HospitalStatus/Hospital/HospitalFacilityStatus

412

Element	<have:DeconCapacity>
----------------	----------------------

Type	xsd:string
Usage	OPTIONAL
Definition	The container element for Decon capacity.
Sub-elements	<ul style="list-style-type: none"> • DeconCapacityStatus • AmbulatoryPatientsDeconCapacity • NonAmbulatoryPatientsDeconCapacity
Used In	HospitalStatus/Hospital/HospitalFacilityStatus

413

414

Element	<have:DeconCapacityStatus>
Type	xsd:string with restrictions
Usage	OPTIONAL
Definition	The capacity for chemical/biological/radiological patient decontamination.
Comments	<p>Values:</p> <ol style="list-style-type: none"> 1. Inactive - Not being used, but available if needed 2. Open - In use and able to accept additional patients 3. Full - In use at maximum capacity 4. Exceeded - Needs exceed available capacity
Used In	HospitalStatus/Hospital/HospitalFacilityStatus/DeconCapacity

415

Element	<have:AmbulatoryPatientsDeconCapacity>
Type	xsd:integer
Usage	OPTIONAL
Definition	The number of ambulatory patients which can be decontaminated over time (typically an hour).
Used In	HospitalStatus/Hospital/HospitalFacilityStatus/DeconCapacity

416

Element	<have:NonAmbulatoryPatientsDeconCapacity>
Type	xsd:integer
Usage	OPTIONAL
Definition	The number of non-ambulatory patients which can be decontaminated over time (typically an hour).
Used In	HospitalStatus/Hospital/HospitalFacilityStatus/DeconCapacity

417

Element	<have:MorgueCapacity>
Type	xsd:string
Usage	OPTIONAL
Definition	The status of the morgue capacity.
Sub-elements	<ul style="list-style-type: none"> • MorgueCapacityStatus • MorgueCapacityUnits
Used In	HospitalStatus/Hospital/HospitalFacilityStatus/DeconCapacity

418

Element	<have:MorgueCapacityStatus>
Type	xsd:string with restrictions
Usage	OPTIONAL
Definition	The status of the morgue capacity.
Comments	<p>Values:</p> <ol style="list-style-type: none"> 1. Open - Space is available 2. Full - All normal space is in use 3. Exceeded - Storage needs exceed available space
Used In	HospitalStatus/Hospital/HospitalFacilityStatus/MorgueCapacity

419

Element	<have:MorgueCapacityUnits>
----------------	----------------------------

Type	xsd:integer
Usage	OPTIONAL
Definition	The number of vacant/available units to which victims can be immediately transported.
Used In	HospitalStatus/Hospital/HospitalFacilityStatus/MorgueCapacity

420

Element	<have:FacilityStatus>
Type	xsd:string with restrictions
Usage	OPTIONAL
Definition	The status of the facility.
Comments	<p>Values:</p> <ol style="list-style-type: none"> 1. Normal - No conditions exist that adversely affect the general operations of the facility. 2. Compromised - General operations of the facility have been affected due to damage, operating on emergency backup systems, or facility contamination. 3. Evacuating - Indicates that a hospital is in the process of a partial or full evacuation. 4. Closed - Indicates that a hospital is no longer capable of providing services and only emergency services/restoration personnel may remain in the facility.
Used In	HospitalStatus/Hospital/HospitalStatus/Hospital/HospitalFacilityStatus

421

Element	<have:SecurityStatus>
Type	xsd:string with restrictions
Usage	OPTIONAL
Definition	The status of security procedures in the hospital.
Comments	<p>Values:</p> <ol style="list-style-type: none"> 1. Normal - The hospital is operating under routine security procedures. 2. Elevated - The hospital has activated increased security procedures (awareness, surveillance) due to a potential threat, or specific security related event i.e. increase in local threat level, VIP, bomb threat. 3. RestrictedAccess - Based on security needs, the hospital has activated procedures to allow access to the facility through a reduced number of controlled

	<p>entrances.</p> <ol style="list-style-type: none"> 4. Lockdown - Based on security needs, the hospital has activated procedures to control entry to the facility to authorized persons only. 5. Quarantine - Based on a public health emergency, the entry and exit of the facility is controlled by public health officials.
Used In	HospitalStatus/Hospital/HospitalFacilityStatus

422

Element	<have:Activity24Hr>
Type	XML Structure
Usage	OPTIONAL
Definition	The container element for reporting activities in the last 24 hours.
Comments	1. The time is relative to the timestamp of the <LastUpdateTime> of the <Hospital> element.
Sub-elements	<ul style="list-style-type: none"> • Admissions • Discharges • Deaths
Used In	HospitalStatus/Hospital/HospitalFacilityStatus

423

Element	<have:Admissions>
Type	xsd:integer
Usage	OPTIONAL
Definition	The number of admissions in the last 24 hours.
Comments	1. The time is relative to the timestamp of the <LastUpdateTime> of the <Hospital> element.
Used In	HospitalStatus/Hospital/HospitalFacilityStatus/Activity24Hr

424

Element	<have:Discharges>
Type	xsd:integer

Usage	OPTIONAL
Definition	The number of discharges in the last 24 hours.
Comments	1. The time is relative to the timestamp of the <LastUpdateTime> of the <Hospital> element.
Used In	HospitalStatus/Hospital/HospitalFacilityStatus/Activity24Hr

425

Element	<have:Deaths>
Type	xsd:integer
Usage	OPTIONAL
Definition	The number of deaths in the last 24 hours.
Comments	1. The time is relative to the timestamp of the <LastUpdateTime> of the <Hospital> element.
Used In	HospitalStatus/Hospital/HospitalFacilityStatus/Activity24Hr

426 **3.2.7 HOSPITAL RESOURCES STATUS**

427

Element	<have:HospitalResourcesStatus>
Type	XML Structure
Usage	OPTIONAL
Definition	The container for all the elements related to the operations of the facility.
Sub-elements	<ul style="list-style-type: none"> • Staffing • FacilityOperations • ClinicalOperations • ResourcesInformationText • CommentText
Used In	HospitalStatus/Hospital

428

Element	<have:Staffing>
Type	xsd:string with restrictions
Usage	OPTIONAL
Definition	The status of general staffing in the organization.
Comments	<p>Values:</p> <ol style="list-style-type: none"> 1. Adequate – Meets the current needs. 2. Insufficient – Current need is not being met and impacts the operations of the hospital. <p>Note: Specific shortage in one or more departments should be noted in the comments.</p>
Used In	HospitalStatus/Hospital/HospitalResourcesStatus

429

Element	<have:FacilityOperations>
Type	xsd:string with restrictions

Usage	OPTIONAL
Definition	The status of supplies necessary for facility operations.
Comments	Values: <ul style="list-style-type: none"> 1. Adequate – Meets the current needs. 2. Insufficient – Current needs are not being met.
Used In	HospitalStatus/Hospital/HospitalResourcesStatus

430

Element	<have:ClinicalOperations>
Type	xsd:string with restrictions
Usage	OPTIONAL
Definition	The status of supplies necessary for clinical operations.
Comments	Values: <ul style="list-style-type: none"> 1. Adequate – Meets the current needs 2. Insufficient – Current needs are not being met
Used In	HospitalStatus/Hospital/HospitalResourcesStatus

431

Element	<have:ResourcesInformationText>
Type	xsd:string; May use multiple
Usage	OPTIONAL
Definition	The type of resources and their status or count.
Constraints	1. Multiple values are allowed and each resource type SHOULD be enclosed with a <ResourcesInformationText> element.
Comments	2. This is an open format text field. <div style="background-color: #f0f0f0; padding: 5px; margin-top: 5px;"> <p>Ex:</p> <pre><ResourcesInformationText> Ventilators - 40 are Available </ResourcesInformationText> <ResourcesInformationText> Atropine - 20 Caches are Available </ResourcesInformationText></pre> </div>
Used In	HospitalStatus/Hospital/HospitalResourcesStatus

432 **3.2.8 SUPPORTING ELEMENTS AND TYPES (Normative)**

433

434 **3.2.8.1 Elements**

435

Element	<have:CommentText>
Type	xsd:string
Usage	OPTIONAL
Definition	Open Comments field. Unless otherwise specified, the <CommentText> field pertains to the element preceding it.
Comments	<p>1. There are no normative requirements imposed on the content of this element. This element may contain any text that the creator of the document considers useful, and such text will be understood as referring to the element that precedes it, unless it explicitly references a different element in the EDXL-HAVE document.</p> <p>Ex:</p> <pre><DeconCapacity> Full <DeconCapacity> <CommentText> We expect the capacity to be exceeded shortly <CommentText></pre> <p>Note: In the above example, the <CommentText> pertains to the <DeconCapacity> element.</p>
Used In	HospitalStatus/Hospital//Organization HospitalStatus/Hospital/HospitalBedCapacityStatus/BedCapacity HospitalStatus/Hospital/HospitalFacilityStatus Hospital/HospitalResourcesStatus HospitalStatus/Hospital/EmergencyDepartmentStatus HospitalStatus/Hospital/ServiceCoverageStatus

436

437

Element	<have:LastUpdateTime>
Type	xsd:datetime
Usage	REQUIRED
Definition	The last time the information was updated.
Constraints	Each hospital element MUST have a <LastUpdateTime>

Used In	HospitalStatus/Hospital
---------	---

438

439

3.2.8.2 TYPES

440

Type Name (normative)	TriageCount
Definition	The type of a container element for the number of each triage patient type the overall hospital currently has or that it can accept.
Sub-elements	<ul style="list-style-type: none"> • TriageCodeListURN • TriageCode
Used In	HospitalStatus/Hospital/EmergencyDepartmentStatus/EMSCensus HospitalStatus/Hospital/EmergencyDepartmentStatus/EMSCapacity

441

442

Type Name (normative)	Offload
Definition	Indicator of offload times of ambulance capabilities. The time it takes to transfer care of a patient to hospital staff, thereby freeing the transport for assignment.
Sub-elements	<ul style="list-style-type: none"> • EMSOffloadStatus • EMSOffloadMinutes
Used In	HospitalStatus/Hospital/EmergencyDepartmentStatus/EMSAmbulanceStatus HospitalStatus/Hospital/EmergencyDepartmentStatus/EMSAirTransportStatus

443

444

3.2.8.3 geo-oasis Elements

445

Element	<gml:Point>
Type	geo-oasis:SimplePositionType
Usage	OPTIONAL
Definition	Point property element containing a pair of coordinates representing latitude then longitude in the World Geodetic System 1984 [WGS84] coordinate reference system.

Comments	<p>1. The geo-coded address of the civil location.</p> <pre><OrganizationGeoLocation> <gml:Point> <gml: pos>45.256 -71.92</gml: pos> </gml:Point> </OrganizationGeoLocation></pre> <p>Note: See Appendix D for note on OASIS GML profile.</p>
Used In	HospitalStatus/Hospital/Organization/OrganizationInformation/OrganizationGeoLocation

446

447

448 **3.2.8.4 CIQ Elements**

449

450

Element	<OrganisationName>
Type	xnl:OrganistionNameType
Usage	CONDITIONAL
Definition	The name of the Organization. Please refer to [OASIS CIQ]
Constraints	1. Either the <OrganisationName> or the <OrganistionID> MUST be present.
Sub-elements	<ul style="list-style-type: none"> NameElement SubDivisionName
Attribute	<ul style="list-style-type: none"> OrganisationID: A unique identifier for the Organization. Please refer to [OASIS CIQ] <p>1. For the purposes of this document, <OrganisationID> is used to specify the identifier for the healthcare Organization.</p>
Attribute	<ul style="list-style-type: none"> OrganisationIDType: The name of the provider that has provided the identification scheme. This could also be the name a particular identification list. Please refer to [OASIS CIQ] <p>1. There are different identification schemes that provide unique identifiers to healthcare Organizations. This element can be used to provide a reference to the classification/identification scheme that is being used.</p> <p>Example: American Hospital Association</p>
Constraints	1. If <OrganisationID> is used, <OrganisationIDType> MUST be used.

Used In	HospitalStatus/Hospital/Organization/OrganizationInformation
---------	--

451

Element	<NameElement>
Type	xsd:string
Usage	OPTIONAL
Definition	Name of the Organization. Please refer to [OASIS CIQ]
Used In	HospitalStatus/Hospital/Organization/OrganizationInformation/OrganisationName

452

Element	<SubDivisionName>
Type	xsd:string
Usage	OPTIONAL
Definition	The name of the sub division Organization. Please refer to [OASIS CIQ]
Constraints	1. <SubDivisionName> SHOULD be used if the reporting Organization has a parent Organization.
Comments	<p>1. If the <SubDivisionName> is used, the status being reported is that of the sub division Organization.</p> <p>Example:</p> <pre><OrganisationName> <NameElement> ABC Hospital </NameElement> <SubDivisionName> ABC Hospital at Location A </SubDivisionName> </OrganisationName></pre>
Used In	HospitalStatus/Hospital/Organization/OrganizationInformation/OrganisationName

453

Element	<OrganisationInfo>
Type	XML Structure
Usage	OPTIONAL
Definition	General details about the Organization. Please refer to [OASIS CIQ]

Sub-elements	<ul style="list-style-type: none"> • Type • OperatingHourStartTime • OperatingHourEndTime
Used In	HospitalStatus/Hospital/Organization/OrganizationInformation

454

Element	<Type>
Type	xsd:string
Usage	OPTIONAL
Definition	Type of Organization. For purposes of EDXL HAVE standard, this could be hospital, nursing center, trauma center etc. Please refer to [OASIS CIQ]
Comments	<p>1. For purposes of EDXL HAVE standard, this could be hospital, nursing center, trauma center etc.</p> <p>Example: Hospital, Nursing Center etc.</p>
Used In	HospitalStatus/Hospital/Organization/OrganizationInformation/OrganisationInfo

455

Element	<OperatingHourStartTime>
Type	xsd:time
Usage	OPTIONAL
Definition	Operating hour start time for the Organization ex: 09:00:00. Please refer to [OASIS CIQ]
Used In	HospitalStatus/Hospital/Organization/OrganizationInformation/OrganisationInfo

456

Element	<OperatingHourEndTime>
Type	xsd:time
Usage	OPTIONAL
Definition	Operating hour end time for the Organization ex: 17:00:00. Please refer to [OASIS CIQ]
Used In	HospitalStatus/Hospital/Organization/OrganizationInformation/OrganisationInfo

457

Element	<Addresses>
Type	XML Structure
Usage	OPTIONAL
Definition	The container element for the specifying the address of the Organization. Please refer to [OASIS CIQ]
Sub-elements	<ul style="list-style-type: none"> • HospitalStatus/Hospital/Address
Used In	HospitalStatus/Hospital/Organization/OrganizationInformation

458

Element	<Address>
Type	xAL:AddressType
Usage	OPTIONAL
Definition	One or more addresses of the Organization. Please refer to [OASIS CIQ]
Constraints	<ol style="list-style-type: none"> 1. The geographic coordinates specified in <point> MUST match the address.
Comments	<ol style="list-style-type: none"> 1. For the purposes of the EDXL-HAVE specification, the below elements of the xAL: AddressType satisfy the usage requirements. . 2. Use of the other sub elements of <Address> element other than the ones listed below is left to the choice of implementers, but care should be exercised as it can result in interoperability issues.
Sub-elements	<ul style="list-style-type: none"> • FreeTextAddress • Country • AdministrativeArea • PostCode
Used In	HospitalStatus/Hospital/Organization/OrganizationInformation/Addresses

459

Element	<FreeTextAddress>
Type	XML Structure

Usage	OPTIONAL
Definition	The container element for specifying the address in free text form. Please refer to [OASIS CIQ]
Sub-elements	<ul style="list-style-type: none"> • AddressLine
Used In	HospitalStatus/Hospital/Organization/OrganizationInformation/Addresses/Address

460

Element	<AddressLine>
Type	xsd:string
Usage	OPTIONAL; Multiple
Definition	One of the lines of the address of the Organization. If the address of the Organization consists of a single line, this element contains the entire address. If the address consists of multiple lines, this element contains one of those lines. Please refer to [OASIS CIQ]
Comments	<ol style="list-style-type: none"> 1. Free format address representation. An address can have more than one line. The order of the <xAL: AddressLine> elements needs to be preserved.
Used In	HospitalStatus/Hospital/Organization/OrganizationInformation/Addresses/Address/FreeTextAddress

461

Element	<Country>
Type	xAL:CountryType
Usage	OPTIONAL
Definition	The details of the country. Please refer to [OASIS CIQ]
Sub-elements	<ul style="list-style-type: none"> • NameElement
Used In	HospitalStatus/Hospital/Organization/OrganizationInformation/Addresses/Address

462

Element	<AdministrativeArea>
----------------	----------------------

Type	XML Structure
Usage	OPTIONAL
Definition	Details of the top level area division in the country. Ex: State, District, Province etc. Please refer to [OASIS CIQ] .
Sub-elements	<ul style="list-style-type: none"> • NameElement • SubAdministrativeArea
Used In	HospitalStatus/Hospital/Organization/OrganizationInformation/Addresses/Address

463

Element	<SubAdministrativeArea>
Type	XML Structure
Usage	OPTIONAL
Definition	The next level of sub-division of the area. Ex: county etc. Please refer to [OASIS CIQ] .
Sub-elements	<ul style="list-style-type: none"> • NameElement
Used In	HospitalStatus/Hospital/Organization/OrganizationInformation/Addresses/Address/AdministrativeArea

464

Element	<PostCode>
Type	XML Structure
Usage	OPTIONAL
Definition	A container for a single free text or structured post code. Please refer to [OASIS CIQ]
Sub-elements	<ul style="list-style-type: none"> • Identifier
Used In	HospitalStatus/Hospital/Organization/OrganizationInformation/Addresses/Address

465

Element	<Identifier>
----------------	--------------

Type	xAL:IdentifierType
Usage	OPTIONAL
Definition	The post code is formatted to country-specific rules. Ex: SW3 0A8-1A, 600074, 2067 etc. Please refer to [OASIS CIQ]
Used In	HospitalStatus/Hospital/Organization/OrganizationInformation/Addresses/Address/PostCode

466

467 Example 1:

```

468 <a:Address>
469   <a:FreeTextAddress>
470     <a:AddressLine>P O Box 455</a:AddressLine>
471     <a:AddressLine >Billerica, MA 01821</a:AddressLine >
472   </a:FreeTextAddress>
473 </a:Address>

```

474

475 Example 2:

```

476 <a:Address>
477   <a: Country>USA</Country>
478   <a:AdministrativeArea>
479     <a:NameElement>MA</a:NameElement>
480   </a:AdministrativeArea>
481   <a:SubAdministrativeArea>
482     <a:NameElement>Billerica</a:NameElement>
483   </a:SubAdministrativeArea>
484   <PostCode>01821</PostCode>
485 </a:Address>

```

486

487

Element	<ContactNumbers>
Type	XML Structure
Usage	OPTIONAL
Definition	All kinds of communication lines used for contact purposes. Ex.: phone, fax, mobile, pager, etc. Please refer to [OASIS CIQ]
Sub-elements	<ul style="list-style-type: none"> • ContactNumber
Used In	HospitalStatus/Hospital/Organization/OrganizationInformation

488

Element	<ContactNumber>
Type	XML Structure
Usage	OPTIONAL
Definition	Universal telecommunication number structure. Please refer to [OASIS CIQ]
Comments	1. The attributes of this element carry important information about the contact number (see [OASIS CIQ], Sec 6.2.4).
Attributes	<ul style="list-style-type: none"> • CommunicationMediaType • ContactHours
Used In	HospitalStatus/Hospital/Organization/OrganizationInformation/ContactNumbers

489

490 Example – Contact Phone Number

491

```

492 <p:ContactNumber p:CommunicationMediaType="Telephone" p:ContactHours="9:00AM -
493 5:00PM">
494   <p:ContactNumberElement
495   p:ElementType="CountryCode">61</p:ContactNumberElement>
496   <p:ContactNumberElement p:ElementType="AreaCode">2</p:ContactNumberElement>
497   <p:ContactNumberElement
498   p:ElementType="LocalNumber">94338765</p:ContactNumberElement>
499 </p:ContactNumber>

```

500

501

502

503

504

505

506

507

508 4 CONFORMANCE

509

510 4.1 CONFORMANCE TARGETS

511

512 The two following conformance targets are defined in order to support the specification of conformance
513 to this standard:

514

515 a) EDXL-HAVE Report;

516

517 b) EDXL-HAVE Report Producer.

518

519 An EDXL-HAVE Report is an XML 1.0 document whose syntax and semantics are specified in this
520 standard. An EDXL-HAVE Report Producer is a software entity that produces EDXL-HAVE reports.

521

522 NOTE – There is no conformance target corresponding to the consumers of EDXL-HAVE
523 reports because this standard does not specify any requirements that apply specifically to
524 them.

525

526

527 4.2 CONFORMANCE AS AN EDXL-HAVE REPORT

528

529 An XML 1.0 document is a conforming EDXL-HAVE Report if and only if:

530

531 a) it is valid according to the schema located at [http://docs.oasis-open.org/emergency/edxl-
have/v1.0/edxl-have.xsd](http://docs.oasis-open.org/emergency/edxl-
532 have/v1.0/edxl-have.xsd); and

533

534 b) the content of its elements and the values of its attributes meet all the additional mandatory
535 requirements specified in section 3.

536

537 4.3 CONFORMANCE AS AN EDXL-HAVE REPORT PRODUCER

538

539 A software entity is a conforming EDXL-HAVE Report Producer if and only if:

540

541 it is constructed in such a way that any XML document produced by it and present in a place in which
542 a conforming EDXL-HAVE Report is expected (based on contextual information) is indeed a
543 conforming EDXL-HAVE Report according to this standard.

544

545 The condition in (1) above can be satisfied in many different ways. Here are some examples of possible
546 scenarios:

- 547 • a standard protocol (say, EDXL-DE) transfers messages carrying EDXL-HAVE reports; a client
548 has sent a request for an EDXL-HAVE report to a server which claims to be a conforming EDXL-
549 HAVE Report Producer, and has received a response which is therefore expected to carry a
550 conforming EDXL-HAVE Report;
- 551 • a local test environment has been set up, and the application under test (which claims to be a
552 conforming EDXL-HAVE Report Producer) has the ability to produce a EDXL-HAVE report and
553 write it to a file in a directory in response to a request coming from the testing tool; the testing tool
554 has sent many requests to the application under test and is now verifying all the files present in
555 the directory, which is expected to contain only conforming EDXL-HAVE Reports;
- 556 • an EDXL-HAVE Report is attached to an email message which, according to a prior agreement
557 between sender and recipients, is expected to carry a conforming EDXL-HAVE Report as an
558 attachment;
- 559 • an EDXL-HAVE Report has been published at a location on the World Wide Web from where it
560 can be retrieved by an authorized person by using the HTTP protocol, and the producer has
561 created the expectation that that location will contain a conforming EDXL-HAVE Report.

562

A. EDXL-HAVE EXAMPLE (NON-NORMATIVE)

563

Note: The example shown below is for informative purposes only – to illustrate the content. An actual XML sample will be contained in EDXL-DE or similar routing block structure.

564

565

566

567

568

569

570

571

572

573

574

575

576

577

578

579

580

581

582

583

584

585

586

587

588

589

590

591

592

593

594

595

596

597

598

599

600

601

602

603

604

605

606

607

608

609

610

611

612

613

614

615

616

617

618

619

```
<?xml version="1.0" encoding="UTF-8"?>
<HospitalStatus xsi:schemaLocation="urn:oasis:names:tc:emergency:EDXL:HAVE:1.0
edxl-have_pr3.xsd" xmlns="urn:oasis:names:tc:emergency:EDXL:HAVE:1.0"
xmlns:n3="http://www.georss.org/georss" xmlns:gml="http://www.opengis.net/gml"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xal="urn:oasis:names:tc:ciq:xal:3"
xmlns:xnl="urn:oasis:names:tc:ciq:xnl:3"
xmlns:xpil="urn:oasis:names:tc:ciq:xpil:3">
  <Hospital>
    <Organization>
      <OrganizationInformation>
        <xnl:OrganisationName>
          <xnl:NameElement>ABC Hospital</xnl:NameElement>
        </xnl:OrganisationName>
        <xpil:OrganisationInfo
          xpil:Type="Hospital"
          xpil:OperatingHourStartTime="09:00:00.0Z"
          xpil:OperatingHourEndTime="18:00:00.0Z"/>
        <xpil:Addresses>
          <xpil:Address>
            <xal:FreeTextAddress>
              <xal:AddressLine>
                P O Box 455, Billerica, MA 0182, USA
              </xal:AddressLine>
            </xal:FreeTextAddress>
          </xpil:Address>
        </xpil:Addresses>
      </OrganizationInformation>
      <OrganizationGeoLocation>
        <gml:Point>
          <gml:pos>3.14159265358979E0</gml:pos>
        </gml:Point>
      </OrganizationGeoLocation>
    </Organization>
    <EmergencyDepartmentStatus>
      <EMSTraffic>
        <EMSTrafficStatus>Normal</EMSTrafficStatus>
      </EMSTraffic>
      <EMSCapacity>
        <TriageCount>
          <TriageCodeListURN>
            oasis:names:tc:emergency:have:1.0:triagecolorcode
          </TriageCodeListURN>
          <TriageCode>
            <TriageCodeValue>Red</TriageCodeValue>
            <TriageCountQuantity>20</TriageCountQuantity>
          </TriageCode>
          <TriageCode>
            <TriageCodeValue>Yellow</TriageCodeValue>
            <TriageCountQuantity>30</TriageCountQuantity>
          </TriageCode>
          <TriageCode>
            <TriageCodeValue>Green</TriageCodeValue>
```



```

620     <TriageCountQuantity>40</TriageCountQuantity>
621     </TriageCode>
622     <TriageCode>
623     <TriageCodeValue>Black</TriageCodeValue>
624     <TriageCountQuantity>10</TriageCountQuantity>
625     </TriageCode>
626     </TriageCount></EMSCapacity>
627     <EMSAmbulanceStatus>
628     <Offload><EMSOffloadStatus>Normal</EMSOffloadStatus>
629     <EMSOffloadMinutes>20</EMSOffloadMinutes>
630     </Offload></EMSAmbulanceStatus>
631     </EmergencyDepartmentStatus>
632     <HospitalBedCapacityStatus>
633     <BedCapacity>
634     <BedType>AdultICU</BedType>
635     <Capacity>
636     <CapacityStatus>Vacant/Available</CapacityStatus>
637     <AvailableCount>40</AvailableCount>
638     <BaselineCount>60</BaselineCount>
639     </Capacity>
640     </BedCapacity>
641     <BedCapacity>
642     <BedType>Burn</BedType>
643     <Capacity>
644     <CapacityStatus>Vacant/Available</CapacityStatus>
645     <AvailableCount>30</AvailableCount>
646     <BaselineCount>50</BaselineCount>
647     </Capacity>
648     </BedCapacity>
649     <BedCapacity>
650     <BedType>MedicalSurgical</BedType>
651     <Capacity>
652     <CapacityStatus>Vacant/Available</CapacityStatus>
653     <AvailableCount>20</AvailableCount>
654     <BaselineCount>30</BaselineCount>
655     </Capacity>
656     </BedCapacity>
657     </HospitalBedCapacityStatus>
658     <ServiceCoverageStatus>
659     <Burn>true</Burn>
660     <CardiologyIndicator>
661     <Cardiology>true</Cardiology>
662     </CardiologyIndicator>
663     <Dialysis>true</Dialysis>
664     <EmergencyDepartment>true</EmergencyDepartment>
665     <HyperbaricChamber>false</HyperbaricChamber>
666     <InfectiousDisease>false</InfectiousDisease>
667     <Neonatology>true</Neonatology>
668     <NeurologyIndicator>
669     <Neurology>true</Neurology>
670     </NeurologyIndicator>
671     <OBGYNIndicator>
672     <OBGYN>true</OBGYN>
673     </OBGYNIndicator>
674     <Ophthalmology>true</Ophthalmology>
675     <Orthopedic>true</Orthopedic>
676     <Pediatrics>text</Pediatrics>
677     <PsychiatricIndicator>
678     <Psychiatric>true</Psychiatric>
679     </PsychiatricIndicator>
680     <SurgeryIndicator>
681     <SurgerySubType>
682     <AdultGeneralSugery>true</AdultGeneralSugery>
683     <CardioThoracic>true</CardioThoracic>

```

```
684 </SurgerySubType>
685 </SurgeryIndicator>
686 <TransportServicesIndicator>
687 <TransportServices>true</TransportServices>
688 </TransportServicesIndicator>
689 <TraumaCenterServicesIndicator>
690 <TraumaCenterServices>true</TraumaCenterServices>
691 <TraumaCenterServicesLevel>Level2</TraumaCenterServicesLevel>
692 </TraumaCenterServicesIndicator>
693 </ServiceCoverageStatus>
694 <HospitalFacilityStatus>
695 <ClinicalStatus>Normal</ClinicalStatus>
696 <FacilityStatus>Normal</FacilityStatus>
697 <SecurityStatus>Normal</SecurityStatus>
698 </HospitalFacilityStatus>
699 <HospitalResourcesStatus>
700 <Staffing>Adequate</Staffing>
701 <FacilityOperations>Adequate</FacilityOperations>
702 <ClinicalOperations>Adequate</ClinicalOperations>
703 <ResourcesInformationText>
704 20 ventilators are available
705 </ResourcesInformationText>
706 <ResourcesInformationText>
707 Atropine - 20 caches are available
708 </ResourcesInformationText>
709 </HospitalResourcesStatus>
710 <LastUpdateTime>2001-12-17T09:30:47.0Z</LastUpdateTime>
711 </Hospital>
712 </HospitalStatus>
```

713


714 **B. BED TYPES AND CAPACITY - DEFINITIONS (NON-**
715 **NORMATIVE)**

716 *Note: The definitions are used from the HAvBED report [HAvBED Report].*

717 These standardized definitions were vetted by a working group assembled by Denver Health with
718 members from Federal and State governments, hospitals around the nation, and the private sector in the
719 United States of America.

720 **Hospital Bed Definitions**

721
722 Vacant/Available Beds refers to beds that are vacant and to which patients can be immediately
723 transported. These must include supporting space, equipment, medical material, ancillary and support
724 services and staff to operate under normal circumstances. These beds are licensed, physically
725 available and have staff on hand to attend to the patient who occupies the bed.
726
727



728
729
730
731
732 A description of the types of beds includes the following:
733

- 734
- **Adult Intensive Care (ICU):** beds that can support critically ill/injured patients, including ventilator support
- 735
- 736
- 737
- **Medical/Surgical:** also thought of as “Ward” beds
- 738
- **Burn:** thought of as Burn ICU beds, either approved by the American Burn Association or self-designated. (These beds are NOT to be included in other ICU bed counts.)
- 739
- 740
- 741
- **Pediatric ICU:** as for Adult ICU, but for patients 17 years and younger
- 742
- 743
- **Pediatrics:** “Ward Medical/Surgical” beds for patients 17 and younger
- 744
- 745
- **Psychiatric:** “ward” beds on a closed/locked psychiatric unit or ward beds where a patient will be attended by a sitter.
- 746
- 747
- **Negative Pressure/Isolation:** - Beds provided with negative airflow, providing respiratory isolation. NOTE: This value may represent available beds included in the counts of other types.
- 748
- 749
- **Operating Rooms:** – An operating room that is equipped and staffed and could be made available for patient care in a short period of time.
- 750
- 751
- 752
- 753
- 754
- 755
- 756
- 757

758 **Bed Availability Definitions**

759

760

761 The bed availability estimates are defined as below:

762

- **24 hr Beds Available:** This value represents an informed estimate as to how many vacant (staffed, unoccupied) beds for each bed type above the current number that could be made available within 24 hours. This would include created institutional surge beds as well as beds made available by discharging/transferring patients.
 - **72 hr Beds Available:** This value represents an informed estimate as to how many vacant (staffed, unoccupied) beds for each bed type above the current number that could be made available within 72 hours. This would include created institutional surge beds as well as beds made available by discharging/transferring patients.
- 763
- 764
- 765
- 766
- 767
- 768
- 769
- 770
- 771
- 772

773 **C. OASIS CUSTOMER INFORMATION QUALITY (CIQ)**
774 **(NON-NORMATIVE)**

775 **CIQ Overview**
776

777 The objective of the OASIS CIQ TC is to deliver a set of XML Specifications for defining, representing,
778 interoperating and managing party information (e.g. name, address, party specific information including
779 party relationships) that are truly open, vendor neutral, industry and application independent, and
780 importantly "Global" (ability to represent international data formats such as different types of party names
781 and addresses used in 241+ countries).

782
783 The CIQ TC's XML Name, Address and Party languages (version 3.0) define universal structures for
784 name, address entities, party, and party relationship entities. It consists of the following components:

785 Note: This section only provides a brief overview and includes a subset – that is relevant
786 to EDXL-HAVE- of the CIQ specification. The purpose is to provide an overview – users
787 are encouraged to look at the OASIS CIQ TC website for complete information -
788 http://www.oasis-open.org/committees/tc_home.php?wg_abbrev=ciq
789

Name	Description
xNL extensible Name Language	xNL defines an XML format to represent party name information. A party name could be a "Person" or an "Organization". An "Organization" could be educational institutions like school, university, college, etc, clubs, associations, industry groups, not-for-profit bodies, consortiums, user groups, etc.
xAL extensible Address Language	xAL defines an XML format to represent address data. It includes: hospitals, airports, businesses, educational institutions etc.
xPIL extensible Party Information Language	xPIL defines XML specifications to represent party centric data. Party centric data includes: <ul style="list-style-type: none">• Address, E-mail address, URL, Contact numbers (Mobile, Pager, Fax, Landline, etc)

790
791 **CIQ Usage in EDXL-HAVE**
792
793

794 EDXL HAVE uses Party information (xPIL) in the CIQ specifications for its naming and address
795 requirements. For the purposes of HAVE, the naming and location elements (street address) elements
796 are used. The use of other elements is left to implementation choices.

797

D. ACKNOWLEDGEMENTS

798 The following individuals have participated in the creation of this specification and are gratefully
799 acknowledged:

800

801 **Participants**

802

- 803 • Alessandro Triglia, OSS Nokalva
- 804 • Aviv Siegel, Athoc, Inc.
- 805 • Elysa Jones, Warning Systems, Inc.
- 806 • Renato Iannella, NICTA
- 807 • Richard Vandame, US Dept of Homeland Security
- 808 • Harry Haury, NuParadigm Government Systems, Inc.
- 809 • Paul Thorpe, OSS Nokalva
- 810 • Jeff Kyser, Warning Systems, Inc.
- 811 • Lee Tincher, Evolution Technologies Inc
- 812 • David Kehrlein, ESRI
- 813 • Jack Fox, US Department of Homeland Security
- 814 • Sukumar Dwarkanath, Associate Member
- 815 • Gary Ham, Associate Member
- 816 • Mark Pleimann, Mitre Corporation
- 817 • Shane Rimmer, ESI Acquisition, Inc.
- 818 • Ron Lake, Galdos Systems
- 819 • Carl Reed, Open Geospatial Consortium, Inc.
- 820 • Enoch Moses, ManTech Enterprise Integration Center
- 821 • David Danko, ESRI
- 822 • Tom Wall, Evolution Technologies
- 823 • David Lamendsdorf, Emergency Interoperability Consortium
- 824 • Karen Robinson, NICTA
- 825 • Olivier Dubuisson, France Telecom
- 826 • Rex Brooks, Individual
- 827 • Werner Joerg, IEM
- 828 • Tim Grapes, Evolution Technologies
- 829 • Tom Merkle, Lockheed Martin
- 830 • Bryan Small, ESI Acquisition, Inc.
- 831 • Anthony Sangha, Raining Data Corporation
- 832 • Tracy Ryan, Emergency Interoperability Consortium
- 833 • Judith Woodhall, ComCare
- 834 • Adam Hocek, Associate Member
- 835 • Josh Shows, ESI Acquisition, Inc.

- 836 • David Ellis, Individual
- 837 • Yohannes Tilahun, Associate Member
- 838 • Sylvia Webb, Individual
- 839 • Mark Carlson, Associate Member
- 840 • Kurt Buehler, Associate Member
- 841

E. REVISION HISTORY

Revision	Date	Editor	Changes Made
Public Review Version 3	10 October 2007	Sukumar Dwarkanath	<ul style="list-style-type: none"> • Included Conformance section as per OASIS guidelines • Made changes following internal TC review. These changes are highlighted here in: http://www.oasis-open.org/committees/document.php?document_id=25471&wg_abbrev=emergency
Public Review Version 3.0	29 June 2007	Sukumar Dwarkanath	<ul style="list-style-type: none"> • Made changes following the public review period. These changes are highlighted in the EDXL HAVE Issues List v4.2 - http://www.oasis-open.org/committees/download.php/24513/EDXL_HAVE_IssuesList_v4.3.xls
Public Review Version 2.0	13 November 2006	Sukumar Dwarkanath	<ul style="list-style-type: none"> • Changed document status from 'Public Review Draft 1.0 Revision 01' to 'Public Review Draft 2.0' • Changed approval date to '02 November 2006'
Public Review Version 1.0 Revision 01	23 October 2006	Sukumar Dwarkanath	<ul style="list-style-type: none"> • Changed datatype of <LocationPostalCodeID> from 'Integer' to 'String' • Changed Cardinality of Capacity element from '0 to *' to '0 to 1'; modified DOM to reflect changes • Renamed <Bed> to <BedType> • Renamed <SubCategoryBed> to <SubCategoryBedType> • Removed Maximum limit enumeration – 60 Mts – from <EMSOffloadMinutes> • Changed datatype of <ServiceCoverageStatus> element to xsd:boolean type • Changed datatype of Surgery element to xsd:boolean • Replaced OGC GML Profile schema with new version of schema; replaced schema diagram • Modified EDXL-HAVE schema; modified EDXL-HAVE example • Formatted document to be consistent with OASIS template • Added metadata - This Version and Previous version; corrected IPR Policy note – changed year from '2005' to '2006'; corrected IPR note – Changed 'wsrf' to 'emergency'; removed Organization affiliation from Editor Name; corrected numbering of sections 3.2.6 and 3.2.7; added Non-normative changes; removed Corporate Affiliations from List of Associate Members in Appendix; modified key word list. • Added Revision History Table • Formatted element names, datatype, and parent elements. • Renamed appendix C.1 - geo-oasis ELEMENTS