



# Emergency Data Exchange Language (EDXL) Hospital Availability Exchange (HAVE) Version 1.0

## Public Review Draft 05

04 March 2008

### Specification URIs:

#### This Version:

[http://docs.oasis-open.org/emergency/edxl-have/pr05/emergency\\_edxl\\_have-1.0-spec-pr05.doc](http://docs.oasis-open.org/emergency/edxl-have/pr05/emergency_edxl_have-1.0-spec-pr05.doc) (Authoritative)  
[http://docs.oasis-open.org/emergency/edxl-have/pr05/emergency\\_edxl\\_have-1.0-spec-pr05.html](http://docs.oasis-open.org/emergency/edxl-have/pr05/emergency_edxl_have-1.0-spec-pr05.html)  
[http://docs.oasis-open.org/emergency/edxl-have/pr05/emergency\\_edxl\\_have-1.0-spec-pr05.pdf](http://docs.oasis-open.org/emergency/edxl-have/pr05/emergency_edxl_have-1.0-spec-pr05.pdf)

#### Previous Version:

[http://docs.oasis-open.org/emergency/edxl-have/pr03/emergency\\_edxl\\_have-1.0-spec-pr03.doc](http://docs.oasis-open.org/emergency/edxl-have/pr03/emergency_edxl_have-1.0-spec-pr03.doc)  
[http://docs.oasis-open.org/emergency/edxl-have/pr03/emergency\\_edxl\\_have-1.0-spec-pr03.html](http://docs.oasis-open.org/emergency/edxl-have/pr03/emergency_edxl_have-1.0-spec-pr03.html)  
[http://docs.oasis-open.org/emergency/edxl-have/pr03/emergency\\_edxl\\_have-1.0-spec-pr03.pdf](http://docs.oasis-open.org/emergency/edxl-have/pr03/emergency_edxl_have-1.0-spec-pr03.pdf)

#### Latest Version:

[http://docs.oasis-open.org/emergency/edxl-have/v1.0/emergency\\_edxl\\_have-1.0.doc](http://docs.oasis-open.org/emergency/edxl-have/v1.0/emergency_edxl_have-1.0.doc)  
[http://docs.oasis-open.org/emergency/edxl-have/v1.0/emergency\\_edxl\\_have-1.0.html](http://docs.oasis-open.org/emergency/edxl-have/v1.0/emergency_edxl_have-1.0.html)  
[http://docs.oasis-open.org/emergency/edxl-have/v1.0/emergency\\_edxl\\_have-1.0.pdf](http://docs.oasis-open.org/emergency/edxl-have/v1.0/emergency_edxl_have-1.0.pdf)

### Technical Committee:

OASIS Emergency Management TC

### Chair(s):

Elysa Jones, Warning Systems, Inc. - <[ejones@warningsystems.com](mailto:ejones@warningsystems.com)>

### Editor(s):

Sukumar Dwarkanath, Associate Member - <[Sukumar\\_Dwarkanath@sra.com](mailto:Sukumar_Dwarkanath@sra.com)>

### Related work:

This specification is related to:

- [EDXL-DE v1.0](#)

The EDXL Distribution Element (DE) specification describes a standard message distribution framework for data sharing among emergency information systems using the XML-based Emergency Data Exchange Language (EDXL). This format may be used over any data transmission system, including but not limited to the SOAP HTTP binding.

### Declared XML Namespace(s):

urn:oasis:names:tc:emergency:EDXL:HAVE:1.0

**Abstract:**

This Hospital Availability Exchange (HAVE) describes a standard message for data sharing among emergency information systems using the XML-based Emergency Data Exchange Language (EDXL). This format may be used over any data transmission system, including but not limited to the SOAP HTTP binding.

**Status:**

This document was last revised or approved by the Emergency Management on the above date. The level of approval is also listed above. Check the "Latest Version" or "Latest Approved Version" location noted above for possible later revisions of this document.

Technical Committee members should send comments on this specification to the Technical Committee's email list. Others should send comments to the Technical Committee by using the "Send A Comment" button on the Technical Committee's web page at [www.oasis-open.org/committees/emergency/](http://www.oasis-open.org/committees/emergency/).

For information on whether any patents have been disclosed that may be essential to implementing this specification, and any offers of patent licensing terms, please refer to the Intellectual Property Rights section of the Technical Committee web page ([www.oasis-open.org/committees/emergency/jpr.php](http://www.oasis-open.org/committees/emergency/jpr.php)).

The non-normative errata page, if any, for this specification is located at [www.oasis-open.org/committees/emergency/](http://www.oasis-open.org/committees/emergency/).

---

# Notices

Copyright © OASIS Open 2008. All Rights Reserved.

All capitalized terms in the following text have the meanings assigned to them in the OASIS Intellectual Property Rights Policy (the "OASIS IPR Policy"). The full Policy may be found at the OASIS website.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to OASIS, except as needed for the purpose of developing any document or deliverable produced by an OASIS Technical Committee (in which case the rules applicable to copyrights, as set forth in the OASIS IPR Policy, must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

OASIS requests that any OASIS Party or any other party that believes it has patent claims that would necessarily be infringed by implementations of this OASIS Committee Specification or OASIS Standard, to notify OASIS TC Administrator and provide an indication of its willingness to grant patent licenses to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this specification.

OASIS invites any party to contact the OASIS TC Administrator if it is aware of a claim of ownership of any patent claims that would necessarily be infringed by implementations of this specification by a patent holder that is not willing to provide a license to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this specification. OASIS may include such claims on its website, but disclaims any obligation to do so.

OASIS takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this document or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on OASIS' procedures with respect to rights in any document or deliverable produced by an OASIS Technical Committee can be found on the OASIS website. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this OASIS Committee Specification or OASIS Standard, can be obtained from the OASIS TC Administrator. OASIS makes no representation that any information or list of intellectual property rights will at any time be complete, or that any claims in such list are, in fact, Essential Claims.

The names "OASIS", "CAP", "EDXL", and "EDXL-HAVE" are trademarks of OASIS, the owner and developer of this specification, and should be used only to refer to the organization and its official outputs. OASIS welcomes reference to, and implementation and use of, specifications, while reserving the right to enforce its marks against misleading uses. Please see <http://www.oasis-open.org/who/trademark.php> for above guidance.

# TABLE OF CONTENTS

1	INTRODUCTION.....	5
1.1	OVERVIEW.....	5
1.1.1	PURPOSE.....	5
1.1.2	HISTORY.....	5
1.1.3	STRUCTURE.....	5
1.2	TERMINOLOGY.....	6
1.3	NORMATIVE REFERENCES.....	7
1.4	NON-NORMATIVE REFERENCES.....	8
2	DESIGN PRINCIPLES AND CONCEPTS.....	9
2.1	DESIGN PHILOSOPHY.....	9
2.2	REQUIREMENTS FOR DESIGN.....	9
2.3	EXAMPLE USAGE SCENARIOS.....	9
3	EDXL HOSPITAL AVAILABILITY EXCHANGE (HAVE) ELEMENT STRUCTURE.....	10
3.1	DOCUMENT OBJECT MODEL (non-normative).....	10
3.2	DATA DICTIONARY.....	11
3.2.1	HOSPITAL STATUS.....	11
3.2.2	ORGANIZATION.....	12
3.2.3	EMERGENCY DEPARTMENT STATUS.....	15
3.2.4	HOSPITAL BED CAPACITY STATUS.....	22
3.2.5	SERVICE COVERAGE STATUS.....	29
3.2.6	HOSPITAL FACILITY STATUS.....	51
3.2.7	HOSPITAL RESOURCES STATUS.....	58
3.2.8	SUPPORTING ELEMENTS AND TYPES (Normative).....	60
4	CONFORMANCE.....	70
4.1	CONFORMANCE TARGETS.....	70
4.2	CONFORMANCE AS AN EDXL-HAVE REPORT.....	70
4.3	CONFORMANCE AS AN EDXL-HAVE REPORT PRODUCER.....	70
A.	EDXL-HAVE EXAMPLE (non-normative).....	72
B.	Bed Types and Capacity - Definitions (non-normative).....	75
C.	OASIS Customer Information Quality (CIQ) (non-normative).....	77
D.	ACKNOWLEDGEMENTS.....	78
E.	REVISION HISTORY.....	80

---

# 1 INTRODUCTION

## 1.1 OVERVIEW

### 1.1.1 PURPOSE

EDXL-HAVE specifies an XML document format that allows the communication of the status of a hospital, its services, and its resources. These include bed capacity and availability, emergency department status, available service coverage, and the status of a hospital's facility and operations.

### 1.1.2 HISTORY

In a disaster or emergency situation, there is a need for hospitals to be able to communicate with each other, and with other members of the emergency response community. The ability to exchange data in regard to hospitals' bed availability, status, services, and capacity enables both hospitals and other emergency agencies to respond to emergencies and disaster situations with greater efficiency and speed. In particular, it will allow emergency dispatchers and managers to make sound logistics decisions - where to route victims, which hospitals have the ability to provide the needed service. Many hospitals have expressed the need for, and indeed are currently using, commercial or self-developed information technology that allows them to publish this information to other hospitals in a region, as well as EOCs, 9-1-1 centers, and EMS responders via a Web-based tool.

Systems that are available today do not record or present data in a standardized format, creating a serious barrier to data sharing between hospitals and emergency response groups. Without data standards, parties of various kinds are unable to view data from hospitals in a state or region that use a different system – unless a specialized interface is developed. Alternatively, such officials must get special passwords and toggle between web pages to get a full picture. Other local emergency responders are unable to get the data imported into the emergency IT tools they use (e.g. a 9-1-1 computer-aided dispatch system or an EOC consequence information management system). They too must get a pass word and go to the appropriate web page. This is very inefficient. A uniform data standard will allow different applications and systems to communicate seamlessly.

### 1.1.3 STRUCTURE

The most important XML elements specified in this standard as part of the EDXL-HAVE document format are the following:

#### **<HospitalStatus>**

This is the overall top level container element for all the <Hospital> elements that may be present.

#### **<Hospital>**

This is the top level container element for each reporting organization. Each <Hospital> element has the following set of sub-elements.

#### **<Organization>**

The <Organization> element provides basic information about the name and location of the organization about which the status and availability is being reported.

#### **<EmergencyDepartmentStatus>**

The <EmergencyDepartmentStatus> element provides information on the ability of the emergency department of the organization to treat patients.

#### **<HospitalBedCapacityStatus>**

42 The <HospitalBedCapacityStatus> element provides information on the status and  
43 availability of the bed capacity of the organization. The bed capacity information for specific bed  
44 types can be reported.

45 <ServiceCoverageStatus>

46 The <ServiceCoverageStatus> element provides information on the availability of specialty  
47 service coverage. This includes both the necessary staff and facilities. Some of the services  
48 capabilities are broken down into subtypes. This is to allow organizations to designate subtypes,  
49 if available. Others can report just the higher level specialties.

50 <HospitalFacilityStatus>

51 The <HospitalFacilityStatus> element provides information on the status of the facility.  
52 This includes information on the EOC and the capacity of the facility.

53 <HospitalResourcesStatus>

54 The <HospitalResourcesStatus> element provides information on the status of operations  
55 and resources of the organization.

56 <LastUpdateTime>

57 The <LastUpdateTime> element provides information on the time that the information was last  
58 updated.

59

60 This standard references element and type definitions specified in the following standards and profiles:

61

- 62 • [OASIS CIQ] – The CIQ standard is used for defining the name, address and location information in  
63 EDXL HAVE.
- 64 • [geo-oasis] – OASIS GML Profile – This profile is used to define the geo-location elements in EDXL  
65 HAVE.

## 66 1.2 TERMINOLOGY

67 The key words “MUST”, “MUST NOT”, “REQUIRED”, “SHALL”, “SHALL NOT”, “SHOULD”, “SHOULD  
68 NOT”, “RECOMMENDED”, “MAY”, and “OPTIONAL” in this document are to be interpreted as described  
69 in [RFC2119].

70

AHA	American Hospital Association
CIQ	Customer Information Quality
EDXL	Emergency Data Exchange Language
EOC	Emergency Operations Center
EOP	Emergency Operations Plan
EMS	Emergency Medical Services
GJXDM	Global Justice XML Data Model
GML	Geographic Markup Language
HAvBED	Hospital Bed Availability (HAvBED) Project
ICU	Intensive Care Unit

NIEM	National Information Exchange Model
OBGYN	Obstetrics and Gynecology

71

## 72 1.3 NORMATIVE REFERENCES

73

### 74 [RFC2119]

75 S. Bradner, Key words for use in RFCs to Indicate Requirement Levels,  
76 <http://www.ietf.org/rfc/rfc2119.txt>, IETF RFC 2119, March 1997.

### 77 [RFC3066]

78 H. Alvestrand, Tags for the Identification of Languages,  
79 <http://www.ietf.org/rfc/rfc3066.txt>, IETF RFC 3066, January 2001.

### 80 [WGS 84]

81 National Geospatial Intelligence Agency, Department of Defense World Geodetic  
82 System 1984, <http://earth-info.nga.mil/GandG/wgs84/index.html>.

### 83 [XML 1.0]

84 T. Bray, *Extensible Markup Language (XML) 1.0 (Fourth Edition)*,  
85 <http://www.w3.org/TR/REC-xml/>, W3C REC-XML-20040204, February 2004.

### 86 [namespaces]

87 T. Bray et al, *Namespaces in XML 1.0 (Second Edition)*,  
88 "<http://www.w3.org/TR/xml-names/>", W3C REC-xml-names-19990114, January  
89 1999.

### 90 [dateTime]

91 P. Biron and A. Malhotra, *XML Schema Part 2: Datatypes Second Edition*,  
92 <http://www.w3.org/TR/xmlschema-2/>, W3C REC-xmlschema-2,, Sec 3.2.7, dateTime  
93 (<http://www.w3.org/TR/xmlschema-2/#dateTime>),, October 28 2004.

### 94 [OGC 03-105r1]

95 *OpenGIS Geography Markup Language (GML) Implementation Specification*,  
96 [http://portal.opengeospatial.org/files/?artifact\\_id=4700](http://portal.opengeospatial.org/files/?artifact_id=4700), Version 3.1.1, 2003

### 97 [OGC CRS]

98 Open Geospatial Consortium, **Topic 2 - Spatial Referencing by**  
99 **Coordinates** (Topic 2) (CRS Abstract Specification),  
100 [https://portal.opengeospatial.org/files/?artifact\\_id=6716](https://portal.opengeospatial.org/files/?artifact_id=6716), Version 3, 2004.

### 101 [OGC 04-092r4]

102 Open Geospatial Consortium, GML 3.1.1 schemas,  
103 <http://schemas.opengis.net/gml/3.1.1/>, 2004

### 104 [OASIS CIQ]

105 OASIS, Customer Information Quality (CIQ) Specifications Version 3.0, Name (xNL),  
106 Address (xAL), and Party (xPIL), <http://docs.oasis-open.org/ciq/v3.0/specs/>, 15 June  
107 2007

## 108 1.4 NON-NORMATIVE REFERENCES

109

### 110 [edxl-have SRS]

111 EDXL HAVE Standard Requirements Specification, [http://www.oasis-](http://www.oasis-open.org/committees/download.php/16399/)  
112 [open.org/committees/download.php/16399/](http://www.oasis-open.org/committees/download.php/16399/), January 2006.

### 113 [edxl-have ReqSupp]

114 EDXL HAVE Requirements Supplement, [http://www.oasis-](http://www.oasis-open.org/committees/download.php/16400/)  
115 [open.org/committees/download.php/16400/](http://www.oasis-open.org/committees/download.php/16400/), January 2006.

### 116 [HAVBED Report]

117 Hospital Bed Availability Project, National Hospital Available Beds for Emergencies  
118 and Disasters (HAVBED) System. Final report and appendixes. AHRQ Publication  
119 No. 05-0103, December 2005. Agency for Healthcare Research and Quality,  
120 Rockville, MD. <http://www.ahrq.gov/research/havbed/>

### 121 [HAVBED DataDef]

122 Hospital Bed Availability (HAVBED) Project – Definitions and Data Elements, Agency  
123 for Healthcare Research and Quality (AHRQ): “AHRQ Releases Standardized  
124 Hospital Bed Definitions” <http://www.ahrq.gov/research/havbed/definitions.htm>

### 125 [VHHA Terminology]

126 Statewide Hospital Status Information System Terminology and Data Collection  
127 Elements, Virginia Hospital & Healthcare Association (VHHA), [http://www.oasis-](http://www.oasis-open.org/committees/download.php/18019)  
128 [open.org/committees/download.php/18019](http://www.oasis-open.org/committees/download.php/18019)

### 129 [GJXDM]

130 Global Justice XML Data Model (GJXDM) Data Dictionary, Global, Office of Justice  
131 Programs, [http://it.ojp.gov/topic.jsp?topic\\_id=43](http://it.ojp.gov/topic.jsp?topic_id=43)

### 132 [edxl-de]

133 OASIS, EDXL Distribution Element (DE) Standard v1.0, [http://www.oasis-](http://www.oasis-open.org/specs/index.php#edxlde-v1.0)  
134 [open.org/specs/index.php#edxlde-v1.0](http://www.oasis-open.org/specs/index.php#edxlde-v1.0) March 2006

### 135 [edxl-rm]

136 OASIS, EDXL Resource Messaging (RM) Draft Requirements Specification,  
137 <http://www.oasis-open.org/committees/download.php/14310/>

### 138 [AHIC BioDataElements]

139 American Health Information Community (AHIC), BioSurveillance Data Working  
140 Group, BioSurveillance Data Elements,  
141 [http://www.hhs.gov/healthit/ahic/bio\\_main.html](http://www.hhs.gov/healthit/ahic/bio_main.html)

### 142 [OASIS GML Best Practices]

143 Open Geospatial Consortium, Best Practices: A GML Profile for use in OASIS EM  
144 Standards - EDXL-RM, EDXL-DE, HAVE, and CAP DRAFT, [http://www.oasis-](http://www.oasis-open.org/apps/org/workgroup/emergency/download.php/20785/Best%20Practices%20-%20a%20GML%20Profile.doc)  
145 [open.org/apps/org/workgroup/emergency/download.php/20785/Best%20Practices%](http://www.oasis-open.org/apps/org/workgroup/emergency/download.php/20785/Best%20Practices%20-%20a%20GML%20Profile.doc)  
146 [20-%20a%20GML%20Profile.doc](http://www.oasis-open.org/apps/org/workgroup/emergency/download.php/20785/Best%20Practices%20-%20a%20GML%20Profile.doc)



---

## 147 2 DESIGN PRINCIPLES AND CONCEPTS

### 148 2.1 DESIGN PHILOSOPHY

149 The principles that guided the design of the HAVE include:

- 150 • Interoperability - The HAVE message should provide an interoperable mechanism to exchange  
151 healthcare organization information among different domains and among multiple systems
- 152 • Multi-Use Format – The HAVE message must be designed such that it can be used in everyday  
153 events, during mass disasters, and for incident preparedness.
- 154 • Flexibility – The design structure must be flexible such that it could be used by a broad range of  
155 applications and systems to report status and availability information

### 156 2.2 REQUIREMENTS FOR DESIGN

157 This standard was designed taking the following requirements into account:

- 158 1. Allow medical and healthcare organizations to communicate their status and availability information.
- 159 2. Be designed to allow its use by a wide variety of medical and healthcare organizations (including  
160 hospitals and nursing homes), along with other emergency response organizations (such as  
161 emergency management centers, public safety answering points, and dispatch centers).
- 162 3. Be able to be used as a payload or content element with the EDXL Distribution Element.
- 163 4. Allow the communication of status information of one or more organizations in a single exchange.
- 164 5. Allow the communication of the organization's status and availability information with regard to its  
165 facilities, operations, services, and resources.
- 166 6. Be designed to allow its use in normal operations, day-to-day emergencies and mass disasters.

### 168 2.3 EXAMPLE USAGE SCENARIOS

#### 169 Use of HAVE during a mass disaster

170 A major disaster has occurred in a heavily populated city. A number of casualties are reported, and the  
171 Incident Commander (IC) needs to obtain a common operational picture on the status of the hospitals in  
172 the region, including the resources they can offer. The IC sends a message to the regional hospitals for  
173 an update on their status and bed availability information.

174 Hospitals receive this request, and use their respective systems to send HAVE messages. These  
175 messages contain the status of each hospital's emergency department, bed availability information, and  
176 the hospital's operations and facilities. These are accepted into the IC's Consequence Incident  
177 Management System (CIMS) tool, and similar tools used by other emergency response agencies (e.g.  
178 Computer-Aided Dispatch systems used in public safety answering points).

#### 179 Use of HAVE during an everyday emergency

180 A car crash has occurred in a rural area resulting in two badly burned victims, according to on-scene  
181 public safety personnel. Before the EMS staff reaches the scene, EMS dispatch sends a request to  
182 nearby hospitals for a status of available burn services and burn beds.

183 A few hospitals respond to the request, and use the service coverage element in the HAVE message to  
184 specify the burn coverage available at their facilities. They in turn are able to assemble their burn teams  
185 in order to ensure that there is no delay in treatment. Based on the acquired information, the victims are  
186 taken to the nearest hospital with the required services.

187 **3 EDXL HOSPITAL AVAILABILITY EXCHANGE (HAVE)**  
 188 **ELEMENT STRUCTURE**

189 **3.1 DOCUMENT OBJECT MODEL (NON-NORMATIVE)**




Figure 1: EDXL-HAVE DOM

190  
 191  
 192

193 **3.2 DATA DICTIONARY**

194

195 The following section provides additional clarification on interpreting the various fields identified in the  
196 data dictionary:

197

198 The EDXL-HAVE schema is normative and is located here - [http://docs.oasis-open.org/emergency/edxl-](http://docs.oasis-open.org/emergency/edxl-have/v1.0/edxl-have.xsd)  
199 [have/v1.0/edxl-have.xsd](http://docs.oasis-open.org/emergency/edxl-have/v1.0/edxl-have.xsd)

200

201 The Data Dictionary is used to provide additional clarifications, except for the following entries which are  
202 normative:

- 203 • Element
- 204 • Usage
- 205 • Constraints

206

207 In the Data Dictionary, unless otherwise specified explicitly, the following entries are non-normative:

- 208 • Type
  - 209 • Note: In some cases, it refers to the complex types and these are normative. These  
210 exceptions are identified in the Data Dictionary, where applicable.
- 211 • Definition:
- 212 • Used In
- 213 • Comments
- 214 • Sub-elements

215

216 Note:

217 This standard does not specify any transport, distribution, or routing mechanism for an  
218 EDXL-HAVE document. One way of using this standard is by including one or more  
219 EDXL-HAVE documents in the payload of an EDXL-DE message.

220

221 **3.2.1 HOSPITAL STATUS**

222

<b>Element</b>	<code>&lt;have:HospitalStatus&gt;</code>
<b>Type</b>	XML Structure
<b>Usage</b>	<b>REQUIRED</b> , MUST be used once and only once, top level container.
<b>Definition</b>	The top level container element for reporting status of any number of hospitals.
<b>Constraints</b>	1. <code>&lt;HospitalStatus&gt;</code> MUST contain one or more <code>&lt;Hospital&gt;</code> elements.

Sub-elements	<ul style="list-style-type: none"> <li>• <a href="#">Hospital</a></li> </ul>
Used In	Top Level Element

223

<b>Element</b>	<have:Hospital>
Type	XML Structure
Usage	<b>REQUIRED</b> , May Use Multiple; Must be used for each reporting hospital status.
Definition	The container element for reporting status of a hospital.
Sub-elements	<ul style="list-style-type: none"> <li>• <a href="#">Organization</a></li> <li>• <a href="#">EmergencyDepartmentStatus</a></li> <li>• <a href="#">HospitalBedCapacityStatus</a></li> <li>• <a href="#">ServiceCoverageStatus</a></li> <li>• <a href="#">HospitalFacilityStatus</a></li> <li>• <a href="#">HospitalResourcesStatus</a></li> <li>• <a href="#">LastUpdateTime</a></li> </ul>
Used In	<a href="#">HospitalStatus</a>

224

### 225 3.2.2 ORGANIZATION

226

#### 227 Note on CIQ

228 EDXL-HAVE uses the Customer Information Quality (CIQ) profile for defining the name,  
229 address and other details of the Organization.

230 This standard references certain XML elements and types, as specified in [OASIS CIQ], and  
231 provides recommendations on their use inside an EDXL-HAVE document. Those  
232 recommendations limit the choices available to an implementation of this standard in order to  
233 maximize interoperability.

234 **The EDXL HAVE data dictionary only provides a high level overview of the CIQ**  
235 **elements that are used in this standard. It is highly recommended to refer to the**  
236 **OASIS CIQ Version 3.0 Specifications for implementation details and examples.**

237 While EDXL-HAVE uses *Organization*, CIQ uses *Organisation*. In [OASIS CIQ] the spelling  
238 “organisation” is used whenever this word occurs in the name of an element specified in that  
239 standard. In contrast, the spelling “organization” is used in this standard whenever this word  
240 occurs in the name of an element specified in this standard. Obviously, when an element  
241 specified in [OASIS CIQ] is referenced within this standard, the original spelling (with an “s”) is  
242 used for its name.

243 While CIQ provides a capability to specify geo-location by LocationByCoordinates and GeoRSS,  
244 EDXL-HAVE specifies the use of the OASIS GML profile – geo-oasis.

245 Please see Appendix C for a brief note on the OASIS CIQ Standard.

246

### 247 **Note on Organization**

248 The term “organization” is used in this standard to refer to a hospital, a nursing care  
249 center, a trauma center, or any other organization whose resource availability can be  
250 usefully represented in an EDXL-HAVE document.

251

252

<b>Element</b>	<code>&lt;have:Organization&gt;</code>
Type	XML Structure
Usage	<b>REQUIRED</b> , MUST be used once and only once.
Definition	The container element for Organization information elements.
Comments	1. The generic element Organization refers to the entity, the status and availability of which is being reflected in the status message.
Sub-elements	<ul style="list-style-type: none"><li>• <a href="#">OrganizationInformation</a></li><li>• <a href="#">OrganizationGeoLocation</a></li></ul>
Used In	<a href="#">HospitalStatus/Hospital</a>

253

254

<b>Element</b>	<code>&lt;have:OrganizationInformation&gt;</code>
Type	XML Structure
Usage	<b>REQUIRED</b> , MUST be used once and only once, top level container
Definition	The container element for Organization Information elements.

Sub-elements	<ul style="list-style-type: none"> <li>• <a href="#">OrganisationName</a></li> <li>• <a href="#">OrganisationInfo</a></li> <li>• <a href="#">Addresses</a></li> <li>• <a href="#">ContactNumbers</a></li> <li>• <a href="#">CommentText</a></li> </ul>
Used In	<a href="#">HospitalStatus/Hospital/Organization</a>

255

256

Element	<have:OrganizationGeoLocation>
Type	geo-oasis:WhereType
Usage	<b>OPTIONAL</b>
Definition	The container element for specifying the geo-coded address.
Constraints	<ol style="list-style-type: none"> <li>1. The geo-location MUST match the address specified in &lt;OrganizationInformation&gt;</li> </ol>
Comments	<ol style="list-style-type: none"> <li>1. This specification uses the OASIS GML profile for specifying the geo-location.</li> <li>2. The type "geo-oasis:WhereType" is specified in [geo-oasis] as having a complex content that is a choice between five elements (See 3.2.8.4).</li> <li>3. It is RECOMMENDED that the element &lt;gml:Point&gt; be used in an EDXL-HAVE document in preference to the other four elements. Note: See Appendix D</li> </ol>
Used In	<a href="#">HospitalStatus/Hospital/Organization</a>

257

258

259

260

261

262

263

264

265  
266

### 3.2.3 EMERGENCY DEPARTMENT STATUS

<b>Element</b>	<code>&lt;have:EmergencyDepartmentStatus&gt;</code>
Type	XML Structure
Usage	<b>OPTIONAL</b>
Definition	The container of all of the elements related to the emergency department status.
Comments	1. It describes the ability of this emergency department to treat patients.
Sub-elements	<ul style="list-style-type: none"><li>• <a href="#">EMSTraffic</a></li><li>• <a href="#">EMSCapacity</a></li><li>• <a href="#">EMSCensus</a></li><li>• <a href="#">EMSAmbulanceStatus</a></li><li>• <a href="#">EMSAirTransportStatus</a></li><li>• <a href="#">CommentText</a></li></ul>
Used In	<a href="#">HospitalStatus/Hospital</a>

267

<b>Element</b>	<code>&lt;have:EMSTraffic&gt;</code>
Type	XML Structure
Usage	<b>OPTIONAL</b>
Definition	The container of all of the elements related to the status of operations of EMS traffic.
Comments	1. It defines the ability of this emergency department to receive patients via emergency medical services.
Sub-elements	<ul style="list-style-type: none"><li>• <a href="#">EMSTrafficStatus</a></li><li>• <a href="#">EMSTrafficReason</a></li><li>• <a href="#">CommentText</a></li></ul>
Used In	<a href="#">HospitalStatus/Hospital/EmergencyDepartmentStatus</a>

268

<b>Element</b>	<code>&lt;have:EMSTrafficStatus&gt;</code>
----------------	--

Type	xsd:string with restrictions
Usage	<b>OPTIONAL</b>
Definition	Identifies the status of EMS traffic operations.
Comments	Value must be one of: <ul style="list-style-type: none"> <li>1. Normal - Accepting all EMS traffic</li> <li>2. Advisory - Experiencing specific resource limitations which may affect transport of some EMS traffic.</li> <li>3. Closed - Requesting re-route of EMS traffic to other facilities.</li> <li>4. NotApplicable - Not Applicable. This hospital does not have an emergency department.</li> </ul>
Used In	<a href="#">HospitalStatus/Hospital/EmergencyDepartmentStatus/EMSTraffic</a>

269

<b>Element</b>	<have:EMSTrafficReason>
Type	xsd:string with restrictions
Usage	<b>OPTIONAL</b>
Definition	It is used to report the contributing factor to the status specified in <EMSTrafficStatus>.
Used In	<a href="#">HospitalStatus/Hospital/EmergencyDepartmentStatus/EMSTraffic</a>

270

<b>Element</b>	<have:EMSCapacity>
Type	TriageCount
Usage	<b>OPTIONAL</b>
Definition	The number of each triage patient type the hospital can accept.
Comments	1. <a href="#">Please refer to Sec. 3.2.8.5</a>
Used In	<a href="#">HospitalStatus/Hospital/EmergencyDepartmentStatus</a>

271

<b>Element</b>	<have:EMSCensus>
----------------	------------------



Type	TriageCount
Usage	<b>OPTIONAL</b>
Definition	The number of each triage patient type the overall hospital currently has.
Comments	1. <a href="#">Please refer to Sec 3.2.8.5</a>
Used In	<a href="#">HospitalStatus/Hospital/EmergencyDepartmentStatus</a>

272

273

Element	<have:TriageCodeListURN>
Type	xsd:anyURI
Usage	CONDITIONAL
Definition	The name of a certified list maintained by the Community of Interest (COI) for the value referenced. The list identifies the triage codes used by the particular community.
Constraints	<ol style="list-style-type: none"> <li>1. &lt;Hospital&gt; element MAY contain a &lt;TriageCodeListURN&gt; element as specified in the schema, but MUST NOT contain more than one such element.</li> <li>2. If a &lt;TriageCodeListURN&gt; element is present within a &lt;Hospital&gt; element, it MUST precede the first &lt;TriageCode&gt; element within that &lt;Hospital&gt; element.</li> <li>3. If a &lt;TriageCodeListURN&gt; element is present within a &lt;Hospital&gt; element and is not empty, then the values of all the &lt;TriageCodeValue&gt; elements within that &lt;Hospital&gt; element MUST be interpreted according to the URN in the &lt;TriageCodeListURN&gt; element.</li> <li>4. If a &lt;TriageCodeListURN&gt; element is not present within a &lt;Hospital&gt; element or it is present but empty, then the values of all the &lt;TriageCodeValue&gt; elements within that &lt;Hospital&gt; element MUST be interpreted according to the following URN:  urn:oasis:names:tc:emergency:have:1.1:triagecolorcode  which identifies the code list specified in the data dictionary entry for the element &lt;TriageCodeValue&gt;.</li> </ol>
Used In	<a href="#">HospitalStatus/Hospital/EmergencyDepartmentStatus/EMSCensus/TriageCount</a> <a href="#">HospitalStatus/Hospital/EmergencyDepartmentStatus/EMSCapacity/TriageCount</a>

274

Element	<have:TriageCode>
---------	-------------------

Type	Value and Associated Lists
Usage	<b>OPTIONAL</b> , May use Multiple
Definition	The container element to specify the triage values and their quantity.
Constraints	<ol style="list-style-type: none"> <li>Multiple instances of the &lt;TriageCodeValue&gt; MAY occur with a single &lt;TriageCodeListURN&gt;</li> <li>Each &lt;TriageCodeValue&gt; and its associated &lt;TriageCountQuantity&gt; MUST be enclosed in &lt;TriageCode&gt;</li> </ol>
Comments	<ol style="list-style-type: none"> <li>The list and associated value(s) is in the form: <pre> &lt;have:TriageCodeListURN&gt;urn:oasis:names:tc:emergency:have:1.0:triagecolorcode&lt;/have:TriageCodeListURN&gt; &lt;have:TriageCode&gt; &lt;have:TriageCodeValue&gt;Red&lt;/have:TriageCodeValue&gt; &lt;have:TriageCountQuantity&gt;20&lt;/have:TriageCountQuantity&gt; &lt;/have:TriageCode&gt; </pre> <p>where the content of &lt;TriageCodeListUrn&gt; is the Uniform Resource Name of a published list of values and definitions, and the content of &lt;TriageCodeListValue&gt; is a string (which may represent a number) denoting the value itself.</p> </li> </ol>
Sub – elements	<ul style="list-style-type: none"> <li>TriageCodeValue</li> <li>TriageCountQuantity</li> </ul>
Used In	<a href="#">HospitalStatus/Hospital/EmergencyDepartmentStatus/EMSCensus/TriageCount</a> <a href="#">HospitalStatus/Hospital/EmergencyDepartmentStatus/EMSCapacity/TriageCount</a>

275

<b>Element</b>	<have:TriageCodeValue>
Type	xsd:string
Usage	<b>CONDITIONAL</b> , MAY use multiple
Definition	A value from a certified list maintained by the Community of Interest (COI) for the referenced element.
Constraints	<ol style="list-style-type: none"> <li>The list of values SHOULD be from the list identified in &lt;TriageCodeListURN&gt;</li> <li>If a &lt;TriageCodeValue&gt; is specified, a &lt;TriageCountQuantity&gt; element MUST be specified.</li> </ol> <p>Default Code List Values:</p> <ul style="list-style-type: none"> <li>Red – Number of victims with immediate needs.</li> </ul>

	<ul style="list-style-type: none"> <li>• Yellow - Number of victims with delayed needs</li> <li>• Green - Number of victims with minor needs</li> <li>• Black - Number of deceased victims</li> </ul>
Used In	<a href="#">HospitalStatus/Hospital/EmergencyDepartmentStatus/EMSCensus/TriageCount</a> <a href="#">HospitalStatus/Hospital/EmergencyDepartmentStatus/EMSCapacity/TriageCount</a>

276

<b>Element</b>	<have:TriageCountQuantity>
Type	xsd:integer
Usage	<b>CONDITIONAL</b> , MAY use multiple
Definition	The integer value associated with the Triage Code value.
Constraints	1. If a <TriageCodeValue> is specified, a <TriageCountQuantity> element MUST be specified.
Used In	<a href="#">HospitalStatus/Hospital/EmergencyDepartmentStatus/EMSCensus/TriageCode</a> <a href="#">HospitalStatus/Hospital/EmergencyDepartmentStatus/EMSCapacity/TriageCode</a>

277

278 Example:

```

279 <have:EMSCapacity>
280   <have:TriageCodeListURN>
281     urn:oasis:names:tc:emergency:have:1.0:triagecolorcode
282   </have:TriageCodeListURN>
283   <have:TriageCode>
284     <have:TriageCodeValue>Red</have:TriageCodeValue>
285     <have:TriageCountQuantity>20</have:TriageCountQuantity>
286   </have:TriageCode>
287   <have:TriageCode>
288     <have:TriageCodeValue>Yellow</have:TriageCodeValue>
289     <have:TriageCountQuantity>30</have:TriageCountQuantity>
290   </have:TriageCode>
291   <have:TriageCode>
292     <have:TriageCodeValue>Green</have:TriageCodeValue>
293     <have:TriageCountQuantity>40</have:TriageCountQuantity>
294   </have:TriageCode>
295   <have:TriageCode>
296     <have:TriageCodeValue>Black</have:TriageCodeValue>
297     <have:TriageCountQuantity>10</have:TriageCountQuantity>
298   </have:TriageCode>
299 </have:EMSCapacity>

```

300

<b>Element</b>	<have:EMSAmbulanceStatus>
----------------	---------------------------

Type	Offload
Usage	<b>OPTIONAL</b>
Definition	The container element to indicate the status and offload time for ground ambulance capabilities.
Comments	<ol style="list-style-type: none"> <li>1. The time it takes to transfer care of a patient to hospital staff, thereby freeing the ambulance for assignment.</li> <li>2. Select from Normal or Delayed and/or specify the average offload average offload time in minutes.</li> </ol>
Sub-elements	<ul style="list-style-type: none"> <li>• <a href="#">CommentText</a></li> </ul>
Used In	<a href="#">HospitalStatus/Hospital/EmergencyDepartmentStatus</a>

301

<b>Element</b>	<have:EMSAirTransportStatus>
Type	Offload
Usage	<b>OPTIONAL</b>
Definition	The container element to indicate the status and offload time for air ambulance capabilities.
Comments	<ol style="list-style-type: none"> <li>1. The time it takes to transfer care of a patient to hospital staff, thereby freeing the ambulance for assignment.</li> <li>2. Select from Normal or Delayed and/or specify the average offload average offload time in minutes.</li> </ol>

302

<b>Element</b>	<have:EMSOffloadStatus>
Type	xsd:string with restrictions
Usage	<b>OPTIONAL</b>
Definition	Indicator of offload times of ambulance capabilities.
Constraints	<p>Values:</p> <ol style="list-style-type: none"> <li>1. Normal – The time required to offload the patient is typical</li> <li>2. Delayed – The time required to offload the patient is longer than typical.</li> </ol>

Used In	<a href="#">HospitalStatus/Hospital/EmergencyDepartmentStatus/EMSAmbulanceStatus/Offload</a> <a href="#">HospitalStatus/Hospital/EmergencyDepartmentStatus/EMSAirTransportStatus/Offload</a>
---------	---

303

<b>Element</b>	<have:EMSOffloadMinutes>
Type	xsd:integer
Usage	<b>OPTIONAL</b>
Definition	The average time to offload a patient, in minutes.
Used In	<a href="#">EmergencyDepartmentStatus/EMSAmbulanceStatus/Offload</a> <a href="#">EmergencyDepartmentStatus/EMSAirTransportStatus/Offload</a>

304

304 **3.2.4 HOSPITAL BED CAPACITY STATUS**

305

306 Note: Please refer to Appendix B for definitions for bed types.

307

<b>Element</b>	<have:HospitalBedCapacityStatus>
<b>Type</b>	XML Structure
<b>Usage</b>	<b>OPTIONAL</b>
<b>Definition</b>	The container of all of the elements related to the hospital bed capacity and status.
<b>Constraints</b>	<ol style="list-style-type: none"> <li>1. For each of the bed types (AdultICU, MedicalSurgical, etc.), if needed, a collection of named sub-types MAY be provided.</li> <li>2. A hospital MAY specify the number of sub-categories without specifying all of the sub-categories.</li> <li>3. The totals of sub-categories MAY equal the capacity data specified in the parent.</li> </ol>
<b>Comments</b>	Example, a hospital may sub-categorize Adult ICU beds into Surgery, Cardiac, General and Neuro.
<b>Sub-elements</b>	<ul style="list-style-type: none"> <li>• <a href="#">BedCapacity</a></li> </ul>
<b>Used In</b>	<a href="#">HospitalStatus/Hospital</a>

308

<b>Element</b>	<have:BedCapacity>
<b>Type</b>	XML Structure
<b>Usage</b>	<b>CONDITIONAL</b> ; May use multiple
<b>Definition</b>	Container element to identify the number of available beds.
<b>Constraints</b>	<ol style="list-style-type: none"> <li>1. Multiple instances of &lt;BedCapacity&gt; elements MAY be specified.</li> <li>2. Each parent &lt;BedType&gt; element and its associated sub-category bed types MUST be encapsulated with a &lt;BedCapacity&gt; element.</li> </ol>
<b>Sub-elements</b>	<ul style="list-style-type: none"> <li>• <a href="#">BedType</a></li> <li>• <a href="#">SubCategoryBedType</a></li> <li>• <a href="#">CommentText</a></li> <li>• <a href="#">Capacity</a></li> </ul>

Used In	<a href="#">HospitalStatus/Hospital/HospitalBedCapacityStatus</a>
---------	---

309

<b>Element</b>	<have:BedType>
<b>Type</b>	xsd:string with restrictions
<b>Usage</b>	<b>OPTIONAL</b> , May use multiple
<b>Definition</b>	Enumerated list of available Bed Types.
<b>Constraints</b>	<ol style="list-style-type: none"> <li>1. Each bed type (AdultICU, MedicalSurgical, etc.) MAY optionally contain a collection of named sub-categories.</li> <li>2. The totals of sub-categories MAY equal the capacity data specified in the parent.</li> </ol>
<b>Comments</b>	<p>Values:</p> <ol style="list-style-type: none"> <li>1. AdultICU - Capacity status for adult ICU bed type. <ul style="list-style-type: none"> <li>• These can support critically ill or injured patients, including ventilator support.</li> <li>• This category includes all major subtypes of ICU beds, including neuro, cardiac, trauma, or medical, with the exception that this category does not include burn ICU beds.</li> </ul> </li> <li>2. PediatricICU <ul style="list-style-type: none"> <li>• Capacity status for pediatric ICU beds. This is similar to adult ICU beds, but for patients 17-years-old and younger.</li> </ul> </li> <li>3. NeonatalICU <ul style="list-style-type: none"> <li>• Capacity status for neonatal ICU beds.</li> </ul> </li> <li>4. EmergencyDepartment <ul style="list-style-type: none"> <li>• Capacity status for beds within the Emergency Department used for acute care.</li> </ul> </li> <li>5. NurseryBeds <ul style="list-style-type: none"> <li>• Capacity Status for Neonatal or newborn care beds including all bed types other than Neonatal ICU</li> </ul> </li> <li>6. MedicalSurgical - Capacity status for medical-surgical beds. <ul style="list-style-type: none"> <li>• These are also thought of as ward beds.</li> <li>• These beds may or may not include cardiac telemetry capability</li> </ul> </li> <li>7. RehabLongTermCare – Capacity Status for Rehabilitation/Long term care beds. <ul style="list-style-type: none"> <li>• Beds designated as long term care rehabilitation. These do not include floor beds.</li> </ul> </li> <li>8. Burn - Capacity status for burn beds. <ul style="list-style-type: none"> <li>• These are thought of as burn ICU beds, either approved by the American Burn Association or self-designated.</li> <li>• These beds are NOT to be included in other ICU bed counts.</li> </ul> </li> <li>9. Pediatrics</li> </ol>

	<ul style="list-style-type: none"> <li>Capacity status for pediatrics beds. These are ward medical/surgical beds for patients 17-years-old and younger.</li> </ul> <p>10. AdultPsychiatric</p> <ul style="list-style-type: none"> <li>Capacity status for adult psychiatric beds. These are ward beds on a closed/locked psychiatric unit or ward beds where a patient will be attended by a sitter.</li> </ul> <p>11. PediatricPsychiatric</p> <ul style="list-style-type: none"> <li>Capacity status for pediatric psychiatric beds. These are ward beds on a closed/locked psychiatric unit or ward beds where a patient will be attended by a sitter</li> </ul> <p>12. NegativeFlowIsolation</p> <ul style="list-style-type: none"> <li>Capacity status for negative airflow isolation beds. These provide respiratory isolation. NOTE: This value may represent available beds included in the counts of other types.</li> </ul> <p>13. OtherIsolation</p> <ul style="list-style-type: none"> <li>Capacity status for other isolation beds. These provide isolation where airflow is not a concern. NOTE: This value may represent available beds included in the counts of other types.</li> </ul> <p>14. OperatingRooms</p> <ul style="list-style-type: none"> <li>Capacity status for operating rooms which are equipped staffed and could be made available for patient care in a short period of time.</li> </ul> <p>Example, a hospital may sub-categorize Adult ICU beds into Surgery, Cardiac, General and Neuro.</p>
Used In	<a href="#">HospitalStatus/Hospital/HospitalBedCapacityStatus/BedCapacity</a>

310

Element	<have:SubCategoryBedType>
Type	xsd:string
Usage	<b>OPTIONAL</b> , MAY use multiple
Definition	The name of the sub-category bed type
Constraints	<ol style="list-style-type: none"> <li>Each bed type MAY have many one or more named sub-type categories.</li> <li>If one or more sub category bed types are used, they MUST be preceded by the parent &lt;BedType&gt; element. In this case, &lt;CapacityStatus&gt; of the parent Bed Type MUST not be 'NotAvailable'.</li> <li>Each parent &lt;BedType&gt; element and its associated sub-category bed types MUST be encapsulated with a &lt;BedCapacity&gt; element.</li> <li>If the capacity counts of sub-category beds are specified, they MAY not equal the capacity count of the parent bed type.</li> <li>In general, if capacities are specified using sub-category bed types, then only the &lt;CapacityStatus&gt; of the parent bed type MUST be used, and this should reflect an 'Available' value. No assumptions should be made about capacities that</li> </ol>



	are not specified.
Comments	<ol style="list-style-type: none"> <li>If a &lt;Capacity&gt; element is specified, it pertains to the preceding &lt;BedType&gt; or &lt;SubCategoryBedType&gt; element.</li> </ol> <p>Note: Please see example at the end of this section.</p>
Used In	<a href="#">HospitalStatus/Hospital/HospitalBedCapacityStatus/BedCapacity</a>

311

<b>Element</b>	<have:Capacity>
Type	xsd:string
Usage	<b>OPTIONAL</b> , May use multiple
Definition	Container element to define the capacity information of each specified bed type or sub category bed type.
Constraints	<ol style="list-style-type: none"> <li>&lt;BedType&gt; element or &lt;SubCategoryBedType&gt; elements MAY have a &lt;Capacity&gt; element.</li> <li>In general, if capacities are specified using sub-category bed types, then only the &lt;CapacityStatus&gt; of the parent bed type MUST be used, and this MUST reflect an 'Available' value.</li> </ol>
Comments	<ol style="list-style-type: none"> <li>If a &lt;Capacity&gt; element is specified, it pertains to the preceding &lt;BedType&gt; or &lt;SubCategoryBedType&gt; element.</li> <li>No assumptions must be made about bed capacities that are not specified.</li> </ol>
Sub-elements	<ul style="list-style-type: none"> <li><a href="#">CapacityStatus</a></li> <li><a href="#">AvailableCount</a></li> <li><a href="#">BaselineCount</a></li> <li><a href="#">AdditionalCapacityCount24Hr</a></li> <li><a href="#">AdditionalCapacityCount72Hr</a></li> </ul>
Used In	<a href="#">HospitalStatus/Hospital/HospitalBedCapacityStatus/BedCapacity</a>

312

<b>Element</b>	<have:CapacityStatus>
Type	xsd:string with restrictions
Usage	<b>OPTIONAL</b>
Definition	Indicator of status of bed type or sub-category bed type.

Constraints	<ol style="list-style-type: none"> <li>Values: <ul style="list-style-type: none"> <li>VacantAvailable – The type of bed is available.</li> <li>NotAvailable – The type of bed is not available.</li> </ul> </li> </ol>
Comments	<ol style="list-style-type: none"> <li>No assumptions must be made about bed capacities that are not specified.</li> <li>Vacant/Available Beds refers to beds that are vacant and to which patients can be immediately transported. These will include supporting space, equipment, medical material, ancillary and support services and staff to operate under normal circumstances. These beds are licensed, physically available and have staff on hand to attend to the patient who occupies the bed.</li> </ol> <p>Note: Please refer to appendix B</p>
Used In	<a href="#">HospitalStatus/Hospital/HospitalBedCapacityStatus/BedCapacity/Capacity</a>

313

Element	<have:AvailableCount>
Type	xsd:integer
Usage	<b>OPTIONAL</b>
Definition	The number of vacant/available beds to which patients can be immediately transported.
Comments	<ol style="list-style-type: none"> <li>These will include supporting space, equipment, medical material, ancillary and support services, and staff to operate under normal circumstances.</li> <li>These beds are licensed, physically available and have staff on hand to attend to the patient who occupies the bed.</li> </ol>
Used In	<a href="#">HospitalStatus/Hospital/HospitalBedCapacityStatus/BedCapacity/Capacity</a>

314

Element	<have:BaselineCount>
Type	xsd:integer
Usage	<b>OPTIONAL</b>
Definition	The maximum (baseline) number of beds in this category.
Used In	<a href="#">HospitalStatus/Hospital/HospitalBedCapacityStatus/BedCapacity/Capacity</a>

315

<b>Element</b>	<have:AdditionalCapacityCount24Hr>
<b>Type</b>	xsd:integer
<b>Usage</b>	<b>OPTIONAL</b>
<b>Definition</b>	Estimate of the beds, above the current number, that could be made vacant/available within 24 hours.
<b>Comments</b>	1. This includes institutional surge beds as well as beds made available by discharging or transferring patients.
<b>Used In</b>	<a href="#">HospitalStatus/Hospital/HospitalBedCapacityStatus/BedCapacity/Capacity</a>

316

<b>Element</b>	<have:AdditionalCapacityCount72Hr>
<b>Type</b>	xsd:integer
<b>Usage</b>	<b>OPTIONAL</b>
<b>Definition</b>	Estimate of the beds, above the current number, that could be made vacant/available within 72 hours.
<b>Comments</b>	1. This includes institutional surge beds as well as beds made available by discharging or transferring patients.
<b>Used In</b>	<a href="#">HospitalStatus/Hospital/HospitalBedCapacityStatus/BedCapacity/Capacity</a>

317

318 Example 1:

319

320

321

322

323

324

325

326

327

328

329

330

331

332

333

334

335

336

337

```

<have:HospitalBedCapacityStatus>
  <have:BedCapacity>
    <have:BedType> AdultICU </have:BedType>
    <have:Capacity>
      <have:CapacityStatus> Available </have:CapacityStatus>
    </have:Capacity>
    <have:SubCategoryBedType> Surgery </have:SubCategoryBedType>
    <have:Capacity>
      <have:CapacityStatus> Vacant/Available </have:CapacityStatus>
      <have:AvailableCount> 40 </have:AvailableCount>
    </have:Capacity>
    <have:SubCategoryBedType> General </have:SubCategoryBedType>
    <have:Capacity>
      <have:CapacityStatus> Vacant/Available </have:CapacityStatus>
      <have:AvailableCount> 20 </have:AvailableCount>
    </have:Capacity>
  </have:BedCapacity>

```

338

339 Example 2:

340

```
341 <have:HospitalBedCapacityStatus>  
342   <have:BedCapacity>  
343     <have:BedType> AdultICU </have:BedType>  
344     <have:Capacity>  
345       <have:CapacityStatus> Available </have:CapacityStatus>  
346       <have:AvailableCount> 40 </have:AvailableCount>  
347     </have:Capacity>  
348   </have:BedCapacity>  
349 </have:HospitalBedCapacityStatus>
```

350

351

352 **3.2.5 SERVICE COVERAGE STATUS**

353

<b>Element</b>	<have:ServiceCoverageStatus>
<b>Type</b>	XML Structure
<b>Usage</b>	<b>OPTIONAL</b>
<b>Definition</b>	The container element of all the elements of service coverage. This includes both the necessary staff and facilities. Indicator of the availability of specialty service coverage.
<b>Constraints</b>	1. Either one – the parent category or the subcategories - MUST be used. Both MUST not be used together.
<b>Comments</b>	<ol style="list-style-type: none"> <li>1. Some of the services capabilities are broken down into subtypes. This is to allow organizations to designate subtypes, if available.</li> <li>2. If not, only the higher level specialties are reported.</li> <li>3. Organizations can either report the parent category or report the subcategories.</li> </ol>
<b>Sub-elements</b>	<ul style="list-style-type: none"> <li>• <a href="#">Burn</a></li> <li>• <a href="#">CardiologyIndicator</a></li> <li>• <a href="#">Dialysis</a></li> <li>• <a href="#">EmergencyDepartment</a></li> <li>• <a href="#">HyperbaricChamber</a></li> <li>• <a href="#">InfectiousDiseases</a></li> <li>• <a href="#">Neonatology</a></li> <li>• <a href="#">NeurologyIndicator</a></li> <li>• <a href="#">OBGYNIndicator</a></li> <li>• <a href="#">Ophthalmology</a></li> <li>• <a href="#">Orthopedic</a></li> <li>• <a href="#">Pediatrics</a></li> <li>• <a href="#">PsychiatricIndicator</a></li> <li>• <a href="#">SurgeryIndicator</a></li> <li>• <a href="#">TransportServicesIndicator</a></li> <li>• <a href="#">TraumaCenterServicesIndicator</a></li> <li>• <a href="#">CommentText</a></li> </ul>
<b>Used In</b>	<a href="#">HospitalStatus/Hospital</a>

354

<b>Element</b>	<have:Burn>
----------------	-------------

Type	xsd:boolean
Usage	<b>OPTIONAL</b>
Definition	The availability of burn center services.
Comments	Values: <ol style="list-style-type: none"> <li>1. "true" or "1" - This type of services is available.</li> <li>2. "false" or "0" - This type of services is not available.</li> </ol>
Used In	<a href="#">HospitalStatus/Hospital/ServiceCoverageStatus</a>

355

<b>Element</b>	<have:CardiologyIndicator>
Type	XML Structure
Usage	<b>OPTIONAL</b>
Definition	The container element for specifying the availability of Cardiology services.
Constraints	<ol style="list-style-type: none"> <li>1. Either one – the parent category or the subcategories - MUST be used. Both MUST not be used together.</li> </ol>
Comments	<ol style="list-style-type: none"> <li>1. This service capability is broken down into the below subcategories. This is to allow organizations to designate subcategories, if available.</li> <li>2. Organizations can either report the parent category or report the subcategories.</li> </ol>
Sub-elements	Choice: <ul style="list-style-type: none"> <li>• Cardiology</li> <li>• CardiologySubType</li> </ul>
Used In	<a href="#">HospitalStatus/Hospital/ServiceCoverageStatus</a>

356

<b>Element</b>	<have:Cardiology>
Type	xsd:boolean
Usage	<b>OPTIONAL</b>
Definition	The availability of cardiology services.

Comments	<p>Values:</p> <ol style="list-style-type: none"> <li>1. "true" or "1" - This type of services is available.</li> <li>2. "false" or "0" - This type of services is not available.</li> </ol> <pre> Example: &lt;have:ServiceCoverageStatus&gt; &lt;have:CardiologyIndicator&gt;   &lt;have:Cardiology&gt;true&lt;/have:Cardiology&gt; &lt;/have:CardiologyIndicator&gt; &lt;/have:ServiceCoverageStatus&gt;  Example: &lt;have:ServiceCoverageStatus&gt; &lt;have:CardiologyIndicator&gt;   &lt;have:CardiologySubType&gt;     &lt;have:CardiologyInvasive&gt;true&lt;/have:CardiologyInvasive&gt;     &lt;have:CardiologyNonInvasive&gt;&gt;false&lt;/have:CardiologyNonInvasive&gt;   &lt;/have:CardiologySubType&gt; &lt;/have:CardiologyIndicator&gt; &lt;/have:ServiceCoverageStatus&gt; </pre>
Used In	<a href="#">HospitalStatus/Hospital/ServiceCoverageStatus/CardiologyIndicator</a>

357

Element	<have:CardiologySubType>
Type	XML Structure
Usage	<b>OPTIONAL</b>
Definition	The container element for specifying the availability of Cardiology services that are broken down into sub-types.
Sub-elements	<p>Choices:</p> <ul style="list-style-type: none"> <li>• CardiologyInvasive</li> <li>• CardiologyNonInvasive</li> </ul>
Used In	<a href="#">HospitalStatus/Hospital/ServiceCoverageStatus/CardiologyIndicator</a>

358

Element	<have:CardiologyInvasive>
Type	xsd:boolean
Usage	<b>OPTIONAL</b>
Definition	The availability of cardiology-invasive services.

Comments	Values: <ul style="list-style-type: none"> <li>1. "true" or "1" - This type of services is available.</li> <li>2. "false" or "0" - This type of services is not available.</li> </ul>
Used In	<a href="#">HospitalStatus/Hospital/ServiceCoverageStatus/CardiologySubType</a>

359

<b>Element</b>	<have:CardiologyNonInvasive>
Type	xsd:boolean
Usage	<b>OPTIONAL</b>
Definition	The availability of cardiology-non-invasive services.
Comments	Values: <ul style="list-style-type: none"> <li>1. "true" or "1" - This type of services is available.</li> <li>2. "false" or "0" - This type of services is not available.</li> </ul>
Used In	<a href="#">HospitalStatus/Hospital/ServiceCoverageStatus/CardiologySubType</a>

360

<b>Element</b>	<have:Dialysis>
Type	xsd:boolean
Usage	<b>OPTIONAL</b>
Definition	The availability of dialysis services.
Comments	Values: <ul style="list-style-type: none"> <li>1. "true" or "1" - This type of services is available.</li> <li>2. "false" or "0" - This type of services is not available.</li> </ul>
Used In	<a href="#">HospitalStatus/Hospital/ServiceCoverageStatus</a>

361

<b>Element</b>	<have:EmergencyDepartment>
Type	xsd:boolean
Usage	<b>OPTIONAL</b>



Definition	The availability of Emergency Department services.
Comments	Values: <ul style="list-style-type: none"> <li>1. "true" or "1" - This type of services is available.</li> <li>2. "false" or "0" - This type of services is not available.</li> </ul>
Used In	<a href="#">HospitalStatus/Hospital/ServiceCoverageStatus</a>

362

<b>Element</b>	<have:HyperbaricChamber>
Type	xsd:boolean
Usage	<b>OPTIONAL</b>
Definition	The availability of hyperbaric chamber services for decompression and/or wound care.
Comments	Values: <ul style="list-style-type: none"> <li>1. "true" or "1" - This type of services is available.</li> <li>2. "false" or "0" - This type of services is not available.</li> </ul>
Used In	<a href="#">HospitalStatus/Hospital/ServiceCoverageStatus</a>

363

<b>Element</b>	<have:InfectiousDiseases>
Type	xsd:boolean
Usage	<b>OPTIONAL</b>
Definition	The availability of infectious diseases services.
Comments	Values: <ul style="list-style-type: none"> <li>1. "true" or "1" - This type of services is available.</li> <li>2. "false" or "0" - This type of services is not available.</li> </ul>
Used In	<a href="#">HospitalStatus/Hospital/ServiceCoverageStatus</a>

364

<b>Element</b>	<have:Neonatology>
----------------	--------------------

Type	xsd:boolean
Usage	<b>OPTIONAL</b>
Definition	The availability of neonatology services.
Comments	Values: <ol style="list-style-type: none"> <li>1. "true" or "1" - This type of services is available.</li> <li>2. "false" or "0" - This type of services is not available.</li> </ol>
Used In	<a href="#">HospitalStatus/Hospital/ServiceCoverageStatus</a>

365

<b>Element</b>	<have:NeurologyIndicator>
Type	XML Structure
Usage	<b>OPTIONAL</b>
Definition	The container element for specifying the availability of Neurology services.
Constraints	<ol style="list-style-type: none"> <li>1. Either one – the parent category or the subcategories - MUST be used. Both MUST not be used together.</li> </ol>
Comments	<ol style="list-style-type: none"> <li>1. This service capability is broken down into the below subcategories. This is to allow Organizations to designate subcategories, if available.</li> <li>2. Organizations can either report the parent category or report the subcategories.</li> </ol>
Sub-elements	Choices: <ul style="list-style-type: none"> <li>• Neurology</li> <li>• NeurologySubType</li> </ul>
Used In	<a href="#">HospitalStatus/Hospital/ServiceCoverageStatus</a>

366

<b>Element</b>	<have:Neurology>
Type	xsd:boolean
Usage	<b>OPTIONAL</b>
Definition	The availability of neurology services.

Comments	Values: <ol style="list-style-type: none"> <li>1. "true" or "1" - This type of services is available.</li> <li>2. "false" or "0"- This type of services is not available.</li> </ol>
Used In	<a href="#">HospitalStatus/Hospital/ServiceCoverageStatus/NeurologyIndicator</a>

367

<b>Element</b>	<have:NeurologySubType>
Type	XML Structure
Usage	<b>OPTIONAL</b>
Definition	The container element for specifying the availability of Neurology services that are broken down into sub-types.
Sub-elements	Choice: <ul style="list-style-type: none"> <li>• NeurologyInvasive</li> <li>• NeurologyNonInvasive</li> </ul>
Used In	<a href="#">HospitalStatus/Hospital/ServiceCoverageStatus/NeurologyIndicator</a>

368

<b>Element</b>	<have:NeurologyInvasive>
Type	xsd:boolean
Usage	<b>OPTIONAL</b>
Definition	The availability of Neurology-Invasive services, including invasive catheterization.
Comments	Values: <ol style="list-style-type: none"> <li>1. "true" or "1" - This type of services is available.</li> <li>2. "false" or "0"- This type of services is not available.</li> </ol>
Used In	<a href="#">HospitalStatus/Hospital/ServiceCoverageStatus/NeurologyIndicator/NeurologySubType</a>

369

<b>Element</b>	<have:NeurologyNonInvasive>
Type	xsd:boolean

Usage	<b>OPTIONAL</b>
Definition	The availability of Neurology-Non-Invasive services with no invasive catheterization capability.
Comments	Values: <ol style="list-style-type: none"> <li>1. "true" or "1" - This type of services is available.</li> <li>2. "false" or "0" - This type of services is not available.</li> </ol>
Used In	<a href="#">HospitalStatus/Hospital/ServiceCoverageStatus/NeurologyIndicator/NeurologySubType</a>

370

<b>Element</b>	<have:OBGYNIndicator>
Type	XML Structure
Usage	<b>OPTIONAL</b>
Definition	The container element for specifying the availability of OBGYN services.
Constraints	<ol style="list-style-type: none"> <li>1. Either one – the parent category or the subcategories - must be used. Both MUST not be used together.</li> </ol>
Comments	<ol style="list-style-type: none"> <li>1. This service capability is broken down into the below subcategories. This is to allow Organizations to designate subcategories, if available.</li> <li>2. Organizations can either report the parent category or report the subcategories.</li> </ol>
Sub-elements	Choices: <ul style="list-style-type: none"> <li>• OBGYN</li> <li>• OBGYNSubType</li> </ul>
Used In	<a href="#">HospitalStatus/Hospital/ServiceCoverageStatus</a>

371

<b>Element</b>	<have:OBGYN>
Type	xsd:boolean
Usage	<b>OPTIONAL</b>
Definition	The availability of OBGYN services with labor delivery services.
Comments	Values: <ol style="list-style-type: none"> <li>1. "true" or "1" - This type of services is available.</li> </ol>

	2. "false" or "0" - This type of services is not available.
Used In	<a href="#">HospitalStatus/Hospital/ServiceCoverageStatus/OBGYNIndicator</a>

372

<b>Element</b>	<have:OBGYNSubType>
Type	XML Structure
Usage	<b>OPTIONAL</b>
Definition	The container element for specifying the availability of OBGYN services that are broken down into sub-types.
Sub-elements	Choice: <ul style="list-style-type: none"> <li>• OBGYNWithLaborDelivery</li> <li>• OBGYNWithoutLaborDelivery</li> </ul>
Used In	<a href="#">HospitalStatus/Hospital/ServiceCoverageStatus/OBGYNIndicator</a>

373

<b>Element</b>	<have:OBGYNWithLaborDelivery>
Type	xsd:boolean
Usage	<b>OPTIONAL</b>
Definition	The availability of OBGYN services with labor delivery services.
Comments	Values: <ol style="list-style-type: none"> <li>1. "true" or "1" - This type of services is available.</li> <li>2. "false" or "0" - This type of services is not available.</li> </ol>
Used In	<a href="#">HospitalStatus/Hospital/ServiceCoverageStatus/OBGYNIndicator/OBGYNSubType</a>

374

<b>Element</b>	<have:OBGYNWithoutLaborDelivery>
Type	xsd:boolean
Usage	<b>OPTIONAL</b>
Definition	The availability of OGYN Services without Labor Delivery Services.

Comments	Values: <ul style="list-style-type: none"> <li>1. "true" or "1" - This type of services is available.</li> <li>2. "false" or "0" - This type of services is not available.</li> </ul>
Used In	<a href="#">HospitalStatus/Hospital/ServiceCoverageStatus/OBGYNIndicator/OBGYNSubType</a>

375

<b>Element</b>	<have:Ophthalmology>
Type	xsd:boolean
Usage	<b>OPTIONAL</b>
Definition	The availability of Ophthalmology services.
Comments	Values: <ul style="list-style-type: none"> <li>1. "true" or "1" - This type of services is available.</li> <li>2. "false" or "0" - This type of services is not available.</li> </ul>
Used In	<a href="#">HospitalStatus/Hospital/ServiceCoverageStatus</a>

376

<b>Element</b>	<have:Orthopedic>
Type	xsd:boolean
Usage	<b>OPTIONAL</b>
Definition	The availability of orthopedic services.
Comments	Values: <ul style="list-style-type: none"> <li>1. "true" or "1" - This type of services is available.</li> <li>2. "false" or "0" - This type of services is not available.</li> </ul>
Used In	<a href="#">HospitalStatus/Hospital/ServiceCoverageStatus</a>

377

<b>Element</b>	<have:Pediatrics>
Type	xsd:boolean

Usage	<b>OPTIONAL</b>
Definition	The availability of pediatric services.
Comments	Values: <ol style="list-style-type: none"> <li>1. "true" or "1" - This type of services is available.</li> <li>2. "false" or "0" - This type of services is not available.</li> </ol>
Used In	<a href="#">HospitalStatus/Hospital/ServiceCoverageStatus</a>

378

<b>Element</b>	<have:PsychiatricIndicator>
Type	XML Structure
Usage	<b>OPTIONAL</b>
Definition	The container element for specifying the availability of Psychiatric services.
Constraints	<ol style="list-style-type: none"> <li>1. Either one – the parent category or the subcategories - MUST be used. Both MUST not be used together.</li> </ol>
Comments	<ol style="list-style-type: none"> <li>1. This service capability is broken down into the below subcategories. This is to allow Organizations to designate subcategories, if available.</li> <li>2. Organizations MAY either report the parent category or report the subcategories.</li> </ol>
Sub-elements	Choices: <ul style="list-style-type: none"> <li>• Psychiatric</li> <li>• PsychiatricSubType</li> </ul>
Used In	<a href="#">HospitalStatus/Hospital/ServiceCoverageStatus</a>

379

<b>Element</b>	<have:Psychiatric>
Type	xsd:boolean
Usage	<b>OPTIONAL</b>
Definition	The availability of psychiatric services.
Comments	Values: <ol style="list-style-type: none"> <li>1. "true" or "1" - This type of services is available.</li> </ol>

	2. "false" or "0" - This type of services is not available.
Used In	<a href="#">HospitalStatus/Hospital/ServiceCoverageStatus/PsychiatricIndicator</a>

380

<b>Element</b>	<have:PsychiatricSubType>
Type	XML Structure
Usage	<b>OPTIONAL</b>
Definition	The container element for specifying the availability of Psychiatric services that are broken down into sub-types.
Sub-elements	Choice: <ol style="list-style-type: none"> <li>1. PsychiatricAdultGeneral</li> <li>2. PsychiatricPediatric</li> </ol>
Used In	<a href="#">HospitalStatus/Hospital/ServiceCoverageStatus/PsychiatricIndicator</a>

381

<b>Element</b>	<have:PsychiatricAdultGeneral>
Type	xsd:boolean
Usage	<b>OPTIONAL</b>
Definition	Availability of Adult General Psychiatric services.
Comments	<ol style="list-style-type: none"> <li>1. Sub-type element of the psychiatric services.</li> <li>2. Values: <ul style="list-style-type: none"> <li>• "true" or "1" - This type of services is available.</li> <li>• "false" or "0" - This type of services is not available.</li> </ul> </li> </ol>
Used In	<a href="#">HospitalStatus/Hospital/ServiceCoverageStatus/PsychiatricIndicator/PsychiatricSubType</a>

382

<b>Element</b>	<have:PsychiatricPediatric>
Type	xsd:boolean



Usage	<b>OPTIONAL</b>
Definition	Availability of Pediatric Psychiatric services.
Comments	<ol style="list-style-type: none"> <li>Sub-type element of the psychiatric services.</li> <li>Values: <ul style="list-style-type: none"> <li>“true” or “1” - This type of services is available.</li> <li>“false” or “0” - This type of services is not available.</li> </ul> </li> </ol>
Used In	<a href="#">HospitalStatus/Hospital/ServiceCoverageStatus/PsychiatricIndicator/PsychiatricSubType</a>

383

Element	<have:SurgeryIndicator>
Type	XML Structure
Usage	<b>OPTIONAL</b>
Definition	The container element for specifying the availability of Surgery services.
Constraints	<ol style="list-style-type: none"> <li>Either one – the parent category or the subcategories - MUST be used. Both MUST not be used together.</li> </ol>
Comments	<ol style="list-style-type: none"> <li>This service capability is broken down into the below subcategories. This is to allow Organizations to designate subcategories, if available.</li> <li>Organizations MAY either report the parent category or report the subcategories.</li> </ol>
Sub-elements	<p>Choices:</p> <ul style="list-style-type: none"> <li>Surgery</li> <li>SurgerySubType</li> </ul>
Used In	<a href="#">HospitalStatus/Hospital/ServiceCoverageStatus</a>

384

Element	<have:Surgery>
Type	xsd:boolean
Usage	<b>OPTIONAL</b>
Definition	The availability of surgery services.
Comments	Values:

	<ul style="list-style-type: none"> <li>• “true” or “1” - This type of services is available.</li> <li>• “false” or “0” - This type of services is not available.</li> </ul>
Used In	<a href="#">HospitalStatus/Hospital/ServiceCoverageStatus/SurgeryIndicator</a>

385

<b>Element</b>	<have:SurgerySubType>
Type	xsd:boolean
Usage	<b>OPTIONAL</b>
Definition	The container element for specifying the availability of surgery services that are broken down into sub-types.
Sub-elements	<ul style="list-style-type: none"> <li>• <a href="#">General</a></li> <li>• <a href="#">AdultGeneralSurgery</a></li> <li>• <a href="#">Pediatrics</a></li> <li>• <a href="#">Orthopedics</a></li> <li>• <a href="#">NeuroSurgery</a></li> <li>• <a href="#">Facial</a></li> <li>• <a href="#">CardioThoracic</a></li> <li>• <a href="#">Hand</a></li> <li>• <a href="#">Reimplantation</a></li> <li>• <a href="#">Spinal</a></li> <li>• <a href="#">Vascular</a></li> <li>• <a href="#">Anesthesia</a></li> </ul>
Used In	<a href="#">HospitalStatus/Hospital/ServiceCoverageStatus/SurgeryIndicator</a>

386

<b>Element</b>	<have:General>
Type	xsd:boolean
Usage	<b>OPTIONAL</b>
Definition	The availability of general surgical services.
Comments	<ol style="list-style-type: none"> <li>1. Sub-type element of the adult general services.</li> <li>2. Values:</li> </ol>

	<ul style="list-style-type: none"> <li>• “true” or “1” - This type of services is available.</li> <li>• “false” or “0” - This type of services is not available.</li> </ul>
Used In	<a href="#">HospitalStatus/Hospital/ServiceCoverageStatus/SurgeryIndicator/SurgerySubType</a>

387

<b>Element</b>	<have:AdultGeneralSurgery>
Type	xsd:boolean
Usage	<b>OPTIONAL</b>
Definition	The availability of adult general services.
Comments	<ol style="list-style-type: none"> <li>1. Sub-type element of the adult general services.</li> <li>2. Values: <ul style="list-style-type: none"> <li>• “true” or “1” - This type of services is available.</li> <li>• “false” or “0” - This type of services is not available.</li> </ul> </li> </ol>
Used In	<a href="#">HospitalStatus/Hospital/ServiceCoverageStatus/SurgeryIndicator/SurgerySubType</a>

388

<b>Element</b>	<have:Pediatrics>
Type	xsd:boolean
Usage	<b>OPTIONAL</b>
Definition	The availability of Pediatrics general surgical services.
Comments	<ol style="list-style-type: none"> <li>1. Sub-type element of pediatrics general surgical services.</li> <li>2. Values: <ul style="list-style-type: none"> <li>• “true” or “1” - This type of services is available.</li> <li>• “false” or “0” - This type of services is not available.</li> </ul> </li> </ol>
Used In	<a href="#">HospitalStatus/Hospital/ServiceCoverageStatus/SurgeryIndicator/SurgerySubType</a>

389

<b>Element</b>	<have:Orthopedics>
Type	xsd:boolean

Usage	<b>OPTIONAL</b>
Definition	The availability of Orthopedic surgical services.
Comments	<ol style="list-style-type: none"> <li>Sub-type element of orthopedic surgical services.</li> <li>Values: <ul style="list-style-type: none"> <li>"true" or "1" - This type of services is available.</li> <li>"false" or "0" - This type of services is not available.</li> </ul> </li> </ol>
Used In	<a href="#">HospitalStatus/Hospital/ServiceCoverageStatus/SurgeryIndicator/SurgerySubType</a>

390

<b>Element</b>	<have:NeuroSurgery>
Type	xsd:boolean
Usage	<b>OPTIONAL</b>
Definition	The availability of Neurosurgery services.
Comments	<ol style="list-style-type: none"> <li>Sub-type element of neurosurgery services.</li> <li>Values: <ul style="list-style-type: none"> <li>"true" or "1" - This type of services is available.</li> <li>"false" or "0" - This type of services is not available.</li> </ul> </li> </ol>
Used In	<a href="#">HospitalStatus/Hospital/ServiceCoverageStatus/SurgeryIndicator/SurgerySubType</a>

391

<b>Element</b>	<have:Facial>
Type	xsd:boolean
Usage	<b>OPTIONAL</b>
Definition	The availability of facial surgical services.
Comments	<ol style="list-style-type: none"> <li>Sub-type element of facial surgery services.</li> <li>Values: <ul style="list-style-type: none"> <li>"true" or "1" - This type of services is available.</li> <li>"false" or "0" - This type of services is not available.</li> </ul> </li> </ol>
Used In	<a href="#">HospitalStatus/Hospital/ServiceCoverageStatus/SurgeryIndicator/SurgerySubType</a>

392

<b>Element</b>	<have:CardioThoracic>
Type	xsd:boolean
Usage	<b>OPTIONAL</b>
Definition	The availability of cardiothoracic surgical services.
Comments	<ol style="list-style-type: none"> <li>1. Sub-type element of cardiothoracic services.</li> <li>2. Values: <ul style="list-style-type: none"> <li>• "true" or "1" - This type of services is available.</li> <li>• "false" or "0" - This type of services is not available.</li> </ul> </li> </ol>
Used In	<a href="#">HospitalStatus/Hospital/ServiceCoverageStatus/SurgeryIndicator/SurgerySubType</a>

393

<b>Element</b>	<have:Hand>
Type	xsd:boolean
Usage	<b>OPTIONAL</b>
Definition	The availability of hand surgery services.
Comments	<ol style="list-style-type: none"> <li>1. Sub-type element of hand surgery services.</li> <li>2. Values: <ul style="list-style-type: none"> <li>• "true" or "1" - This type of services is available.</li> <li>• "false" or "0" - This type of services is not available.</li> </ul> </li> </ol>
Used In	<a href="#">HospitalStatus/Hospital/ServiceCoverageStatus/SurgeryIndicator/SurgerySubType</a>

394

<b>Element</b>	<have:Reimplantation>
Type	xsd:boolean
Usage	<b>OPTIONAL</b>
Definition	The availability of reimplantation surgical services.
Comments	<ol style="list-style-type: none"> <li>1. Sub-type element of reimplantation surgical services.</li> </ol>

	<p>2. Values:</p> <ul style="list-style-type: none"> <li>• Available - This type of services is available.</li> <li>• NotAvailable - This type of services is not available.</li> </ul>
Used In	<a href="#">HospitalStatus/Hospital/ServiceCoverageStatus/SurgeryIndicator/SurgerySubType</a>

395

<b>Element</b>	<have:Spinal>
Type	xsd:boolean
Usage	<b>OPTIONAL</b>
Definition	The availability of spinal surgical services.
Comments	<p>1. Sub-type element of spinal surgical services.</p> <p>2. Values:</p> <ul style="list-style-type: none"> <li>• "true" or "1" - This type of services is available.</li> <li>• "false" or "0" - This type of services is not available.</li> </ul>
Used In	<a href="#">HospitalStatus/Hospital/ServiceCoverageStatus/SurgeryIndicator/SurgerySubType</a>

396

<b>Element</b>	<have:Vascular>
Type	xsd:boolean
Usage	<b>OPTIONAL</b>
Definition	The availability of vascular surgical services.
Comments	<p>1. Sub-type element of vascular surgery services.</p> <p>2. Values:</p> <ul style="list-style-type: none"> <li>• "true" or "1" - This type of services is available.</li> <li>• "false" or "0" - This type of services is not available.</li> </ul>
Used In	<a href="#">HospitalStatus/Hospital/ServiceCoverageStatus/SurgeryIndicator/SurgerySubType</a>

397

<b>Element</b>	<have:Anesthesia>
Type	xsd:boolean

Usage	<b>OPTIONAL</b>
Definition	The availability of anesthesia services.
Comments	<ol style="list-style-type: none"> <li>1. Sub-type element of anesthesia services.</li> <li>2. Values: <ul style="list-style-type: none"> <li>• “true” or “1” – This type of services is available.</li> <li>• “false” or “0” – This type of services is not available.</li> </ul> </li> </ol>
Used In	<a href="#">HospitalStatus/Hospital/ServiceCoverageStatus/SurgeryIndicator/SurgerySubType</a>

398

<b>Element</b>	<have:TransportServicesIndicator>
Type	XML Structure
Usage	<b>OPTIONAL</b>
Definition	The container element for specifying the availability of Transport services.
Constraints	<ol style="list-style-type: none"> <li>1. Either one – the parent category or the subcategories - MUST be used. Both MUST not be used together.</li> </ol>
Comments	<ol style="list-style-type: none"> <li>1. This service capability is broken down into the below subcategories. This is to allow Organizations to designate subcategories, if available.</li> <li>2. Organizations MAY either report the parent category or report the subcategories.</li> </ol>
Sub-elements	<p>Choices:</p> <ul style="list-style-type: none"> <li>• TransportServices</li> <li>• TransportServicesSubType</li> </ul>
Used In	<a href="#">HospitalStatus/Hospital/ServiceCoverageStatus</a>

399

<b>Element</b>	<have:TransportServices>
Type	xsd:boolean
Usage	<b>OPTIONAL</b>
Definition	The availability of transport services.
Comments	Values:

	<ol style="list-style-type: none"> <li>1. "true" or "1" - This type of services is available.</li> <li>2. "false" or "0" - This type of services is not available.</li> </ol>
Used In	<a href="#">HospitalStatus/Hospital/ServiceCoverageStatus/TransportServicesIndicator</a>

400

<b>Element</b>	<have:TransportServicesSubType>
Type	xsd:boolean
Usage	<b>OPTIONAL</b>
Definition	The container element for specifying the availability of Transport Services that are broken down into sub-types.
Comments	<p>Values:</p> <ol style="list-style-type: none"> <li>1. "true" or "1" - This type of services is available.</li> <li>2. "false" or "0" - This type of services is not available.</li> </ol>
Sub-elements	<ul style="list-style-type: none"> <li>• AirTransportServices</li> <li>• AmbulanceServices</li> </ul>
Used In	<a href="#">HospitalStatus/Hospital/ServiceCoverageStatus/TransportServicesIndicator</a>

401

<b>Element</b>	<have:AirTransportServices>
Type	xsd:boolean
Usage	<b>OPTIONAL</b>
Definition	The availability of air-transport services.
Comments	<ol style="list-style-type: none"> <li>1. Sub-element of transport services.</li> <li>2. Values: <ul style="list-style-type: none"> <li>• "true" or "1" - This type of services is available.</li> <li>• "false" or "0" - This type of services is not available.</li> </ul> </li> </ol>
Used In	<a href="#">HospitalStatus/Hospital/ServiceCoverageStatus/TransportServicesIndicator/TransportServicesSubType</a>

402



<b>Element</b>	<have:AmbulanceServices>
Type	xsd:boolean
Usage	<b>OPTIONAL</b>
Definition	The availability of transport services.
Comments	<ol style="list-style-type: none"> <li>Sub-element of Transport Services</li> <li>Values: <ul style="list-style-type: none"> <li>"true" or "1" - This type of services is available.</li> <li>"false" or "0" - This type of services is not available.</li> </ul> </li> </ol>
Used In	<a href="#">HospitalStatus/Hospital/ServiceCoverageStatus/TransportServicesIndicator/TransportServicesSubType</a>

403

<b>Element</b>	<have:TraumaCenterServicesIndicator>
Type	XML Structure
Usage	<b>CONDITIONAL</b> ; MUST be used once, if any sub-elements are used
Definition	The container element for specifying the availability of Trauma center services.
Constraints	<ol style="list-style-type: none"> <li>Either one – the parent category or the subcategories - MUST be used. Both MUST not be used together.</li> </ol>
Comments	<ol style="list-style-type: none"> <li>This service capability is broken down into the below subcategories. This is to allow Organizations to designate subcategories, if available.</li> <li>Organizations MAY either report the parent category or report the subcategories.</li> </ol>
Sub-elements	<p>Choices:</p> <ul style="list-style-type: none"> <li>TraumaCenterServices</li> <li>TraumaCenterServicesLevel</li> </ul>
Used In	<a href="#">HospitalStatus/Hospital/ServiceCoverageStatus</a>

404

<b>Element</b>	<have:TraumaCenterServices>
Type	xsd:boolean

Usage	<b>OPTIONAL</b>
Definition	The availability of trauma center services.
Comments	Values: <ol style="list-style-type: none"> <li>1. "true" or "1" - This type of services is available.</li> <li>2. "false" or "0" - This type of services is not available.</li> </ol>
Used In	<a href="#">HospitalStatus/Hospital/ServiceCoverageStatus/TraumaCenterServicesIndicator</a>

405

<b>Element</b>	<have:TraumaCenterServicesLevel>
Type	xsd:string with restrictions
Usage	<b>OPTIONAL</b>
Definition	The service level of the trauma center.
Comments	<ol style="list-style-type: none"> <li>1. Values: <ul style="list-style-type: none"> <li>• Level1</li> <li>• Level2</li> <li>• Level3</li> <li>• Level4</li> </ul> </li> <li>2. For definitions please refer to the American College of Surgeons - <a href="http://www.facs.org/trauma/hospitallevels.pdf">http://www.facs.org/trauma/hospitallevels.pdf</a></li> </ol>
Used In	<a href="#">HospitalStatus/Hospital/ServiceCoverageStatus/TraumaCenterServicesIndicator</a>

406

406 **3.2.6 HOSPITAL FACILITY STATUS**

407

<b>Element</b>	<have:HospitalFacilityStatus>
<b>Type</b>	XML Structure
<b>Usage</b>	<b>OPTIONAL</b>
<b>Definition</b>	The container of all of the elements related to the status of the facility. The elements in <FacilityStatus> provide a general status of the facility.
<b>Sub-elements</b>	<ul style="list-style-type: none"> <li>• <a href="#">HospitalEOCStatus</a></li> <li>• <a href="#">HospitalEOCPlan</a></li> <li>• <a href="#">ClinicalStatus</a></li> <li>• <a href="#">DeconCapacity</a></li> <li>• <a href="#">MorgueCapacity</a></li> <li>• <a href="#">FacilityStatus</a></li> <li>• <a href="#">SecurityStatus</a></li> <li>• <a href="#">Activity24Hr</a></li> <li>• <a href="#">CommentText</a></li> </ul>
<b>Used In</b>	<a href="#">HospitalStatus/Hospital</a>

408

<b>Element</b>	<have:HospitalEOCStatus>
<b>Type</b>	xsd:string with restrictions
<b>Usage</b>	<b>OPTIONAL</b>
<b>Definition</b>	Whether the Emergency Operations Center (EOC) is currently operating.
<b>Comments</b>	<ol style="list-style-type: none"> <li>1. Values: <ul style="list-style-type: none"> <li>• Active – Indicates that the EOC has been activated. An activated EOC is fully staffed and operational.</li> <li>• Inactive – Indicates that the EOC is not activated.</li> </ul> </li> <li>2. Default Value: Inactive</li> </ol> <p>Note: An EOC is a location that is activated in a disaster or emergency from which the overall command, control, communications and coordination are conducted.</p>

	Note: The EOC is typically activated in disasters or other special situations, and this term is NOT intended to indicate whether the clinical emergency department is open for patient care.
Used In	<a href="#">HospitalStatus/Hospital/HospitalFacilityStatus</a>

409

<b>Element</b>	<have:HospitalEOCPlan>
Type	xsd:string with restrictions
Usage	<b>OPTIONAL</b>
Definition	Whether the hospital has activated its Emergency Operations Plan (EOP)
Comments	<p>Values:</p> <ol style="list-style-type: none"> <li>1. Active</li> <li>2. Inactive</li> </ol> <p>Note: An EOC Plan documents operations during an emergency, including the process to activate or inactivate the EOC.</p>
Used In	<a href="#">HospitalStatus/Hospital/HospitalFacilityStatus</a>

410

<b>Element</b>	<have:ClinicalStatus>
Type	xsd:string with restrictions
Usage	<b>OPTIONAL</b>
Definition	The clinical status of the facility.
Comments	<p>Values:</p> <ol style="list-style-type: none"> <li>1. Normal - Hospital clinical resources are operating within normal conditions.</li> <li>2. Full - Hospital clinical resources are exceeded and acceptable care cannot be provided to additional patients. Diversion or community surge response is required.</li> </ol>
Used In	<a href="#">HospitalStatus/Hospital/HospitalFacilityStatus</a>

411

<b>Element</b>	<have:DeconCapacity>
----------------	----------------------

Type	xsd:string
Usage	<b>OPTIONAL</b>
Definition	The container element for Decon capacity.
Sub-elements	<ul style="list-style-type: none"> <li>• <a href="#">DeconCapacityStatus</a></li> <li>• <a href="#">AmbulatoryPatientsDeconCapacity</a></li> <li>• <a href="#">NonAmbulatoryPatientsDeconCapacity</a></li> </ul>
Used In	<a href="#">HospitalStatus/Hospital/HospitalFacilityStatus</a>

412

413

<b>Element</b>	<have:DeconCapacityStatus>
Type	xsd:string with restrictions
Usage	<b>OPTIONAL</b>
Definition	The capacity for chemical/biological/radiological patient decontamination.
Comments	<p>Values:</p> <ol style="list-style-type: none"> <li>1. Inactive - Not being used, but available if needed</li> <li>2. Open - In use and able to accept additional patients</li> <li>3. Full - In use at maximum capacity</li> <li>4. Exceeded - Needs exceed available capacity</li> </ol>
Used In	<a href="#">HospitalStatus/Hospital/HospitalFacilityStatus/DeconCapacity</a>

414

<b>Element</b>	<have:AmbulatoryPatientsDeconCapacity>
Type	xsd:integer
Usage	<b>OPTIONAL</b>
Definition	The number of ambulatory patients which can be decontaminated over time (typically an hour).
Used In	<a href="#">HospitalStatus/Hospital/HospitalFacilityStatus/DeconCapacity</a>

415

<b>Element</b>	<have:NonAmbulatoryPatientsDeconCapacity>
<b>Type</b>	xsd:integer
<b>Usage</b>	<b>OPTIONAL</b>
<b>Definition</b>	The number of non-ambulatory patients which can be decontaminated over time (typically an hour).
<b>Used In</b>	<a href="#">HospitalStatus/Hospital/HospitalFacilityStatus/DeconCapacity</a>

416

<b>Element</b>	<have:MorgueCapacity>
<b>Type</b>	xsd:string
<b>Usage</b>	<b>OPTIONAL</b>
<b>Definition</b>	The status of the morgue capacity.
<b>Sub-elements</b>	<ul style="list-style-type: none"> <li>• <a href="#">MorgueCapacityStatus</a></li> <li>• <a href="#">MorgueCapacityUnits</a></li> </ul>
<b>Used In</b>	<a href="#">HospitalStatus/Hospital/HospitalFacilityStatus/DeconCapacity</a>

417

<b>Element</b>	<have:MorgueCapacityStatus>
<b>Type</b>	xsd:string with restrictions
<b>Usage</b>	<b>OPTIONAL</b>
<b>Definition</b>	The status of the morgue capacity.
<b>Comments</b>	<p>Values:</p> <ol style="list-style-type: none"> <li>1. Open - Space is available</li> <li>2. Full - All normal space is in use</li> <li>3. Exceeded - Storage needs exceed available space</li> </ol>
<b>Used In</b>	<a href="#">HospitalStatus/Hospital/HospitalFacilityStatus/MorgueCapacity</a>

418

<b>Element</b>	<have:MorgueCapacityUnits>
----------------	----------------------------

Type	xsd:integer
Usage	<b>OPTIONAL</b>
Definition	The number of vacant/available units to which victims can be immediately transported.
Used In	<a href="#">HospitalStatus/Hospital/HospitalFacilityStatus/MorgueCapacity</a>

419

<b>Element</b>	<have:FacilityStatus>
Type	xsd:string with restrictions
Usage	<b>OPTIONAL</b>
Definition	The status of the facility.
Comments	<p>Values:</p> <ol style="list-style-type: none"> <li>1. Normal - No conditions exist that adversely affect the general operations of the facility.</li> <li>2. Compromised - General operations of the facility have been affected due to damage, operating on emergency backup systems, or facility contamination.</li> <li>3. Evacuating - Indicates that a hospital is in the process of a partial or full evacuation.</li> <li>4. Closed - Indicates that a hospital is no longer capable of providing services and only emergency services/restoration personnel may remain in the facility.</li> </ol>
Used In	<a href="#">HospitalStatus/Hospital/HospitalStatus/Hospital/HospitalFacilityStatus</a>

420

<b>Element</b>	<have:SecurityStatus>
Type	xsd:string with restrictions
Usage	<b>OPTIONAL</b>
Definition	The status of security procedures in the hospital.
Comments	<p>Values:</p> <ol style="list-style-type: none"> <li>1. Normal - The hospital is operating under routine security procedures.</li> <li>2. Elevated - The hospital has activated increased security procedures (awareness, surveillance) due to a potential threat, or specific security related event i.e. increase in local threat level, VIP, bomb threat.</li> <li>3. RestrictedAccess - Based on security needs, the hospital has activated procedures to allow access to the facility through a reduced number of controlled</li> </ol>

	<p>entrances.</p> <ol style="list-style-type: none"> <li>4. Lockdown - Based on security needs, the hospital has activated procedures to control entry to the facility to authorized persons only.</li> <li>5. Quarantine - Based on a public health emergency, the entry and exit of the facility is controlled by public health officials.</li> </ol>
Used In	<a href="#">HospitalStatus/Hospital/HospitalFacilityStatus</a>

421

<b>Element</b>	<have:Activity24Hr>
Type	XML Structure
Usage	<b>OPTIONAL</b>
Definition	The container element for reporting activities in the last 24 hours.
Comments	1. The time is relative to the timestamp of the <LastUpdateTime> of the <Hospital> element.
Sub-elements	<ul style="list-style-type: none"> <li>• <a href="#">Admissions</a></li> <li>• <a href="#">Discharges</a></li> <li>• <a href="#">Deaths</a></li> </ul>
Used In	<a href="#">HospitalStatus/Hospital/HospitalFacilityStatus</a>

422

<b>Element</b>	<have:Admissions>
Type	xsd:integer
Usage	<b>OPTIONAL</b>
Definition	The number of admissions in the last 24 hours.
Comments	1. The time is relative to the timestamp of the <LastUpdateTime> of the <Hospital> element.
Used In	<a href="#">HospitalStatus/Hospital/HospitalFacilityStatus/Activity24Hr</a>

423

<b>Element</b>	<have:Discharges>
Type	xsd:integer



Usage	<b>OPTIONAL</b>
Definition	The number of discharges in the last 24 hours.
Comments	1. The time is relative to the timestamp of the <LastUpdateTime> of the <Hospital> element.
Used In	<a href="#">HospitalStatus/Hospital/HospitalFacilityStatus/Activity24Hr</a>

424

<b>Element</b>	<have:Deaths>
Type	xsd:integer
Usage	<b>OPTIONAL</b>
Definition	The number of deaths in the last 24 hours.
Comments	1. The time is relative to the timestamp of the <LastUpdateTime> of the <Hospital> element.
Used In	<a href="#">HospitalStatus/Hospital/HospitalFacilityStatus/Activity24Hr</a>

425

425 **3.2.7 HOSPITAL RESOURCES STATUS**

426

<b>Element</b>	<have:HospitalResourcesStatus>
Type	XML Structure
Usage	<b>OPTIONAL</b>
Definition	The container for all the elements related to the operations of the facility.
Sub-elements	<ul style="list-style-type: none"> <li>• <a href="#">Staffing</a></li> <li>• <a href="#">FacilityOperations</a></li> <li>• <a href="#">ClinicalOperations</a></li> <li>• <a href="#">ResourcesInformationText</a></li> <li>• <a href="#">CommentText</a></li> </ul>
Used In	<a href="#">HospitalStatus/Hospital</a>

427

<b>Element</b>	<have:Staffing>
Type	xsd:string with restrictions
Usage	<b>OPTIONAL</b>
Definition	The status of general staffing in the organization.
Comments	<p>Values:</p> <ol style="list-style-type: none"> <li>1. Adequate – Meets the current needs.</li> <li>2. Insufficient – Current need is not being met and impacts the operations of the hospital.</li> </ol> <p>Note: Specific shortage in one or more departments should be noted in the comments.</p>
Used In	<a href="#">HospitalStatus/Hospital/HospitalResourcesStatus</a>

428

<b>Element</b>	<have:FacilityOperations>
Type	xsd:string with restrictions

Usage	<b>OPTIONAL</b>
Definition	The status of supplies necessary for facility operations.
Comments	Values: <ul style="list-style-type: none"> <li>1. Adequate – Meets the current needs.</li> <li>2. Insufficient – Current needs are not being met.</li> </ul>
Used In	<a href="#">HospitalStatus/Hospital/HospitalResourcesStatus</a>

429

<b>Element</b>	<have:ClinicalOperations>
Type	xsd:string with restrictions
Usage	<b>OPTIONAL</b>
Definition	The status of supplies necessary for clinical operations.
Comments	Values: <ul style="list-style-type: none"> <li>1. Adequate – Meets the current needs</li> <li>2. Insufficient – Current needs are not being met</li> </ul>
Used In	<a href="#">HospitalStatus/Hospital/HospitalResourcesStatus</a>

430

<b>Element</b>	<have:ResourcesInformationText>
Type	xsd:string; May use multiple
Usage	<b>OPTIONAL</b>
Definition	The type of resources and their status or count.
Constraints	1. Multiple values are allowed and each resource type SHOULD be enclosed with a <ResourcesInformationText> element.
Comments	2. This is an open format text field. Ex: <pre>&lt;have:ResourcesInformationText&gt; Ventilators - 40 are Available &lt;/have:ResourcesInformationText&gt; &lt;have:ResourcesInformationText&gt; Atropine - 20 Caches are Available &lt;/have:ResourcesInformationText&gt;</pre>
Used In	<a href="#">HospitalStatus/Hospital/HospitalResourcesStatus</a>

431

431 **3.2.8 SUPPORTING ELEMENTS AND TYPES (Normative)**

432

433 **3.2.8.1 Elements**

434

<b>Element</b>	<have:CommentText>
<b>Type</b>	xsd:string
<b>Usage</b>	<b>OPTIONAL</b>
<b>Definition</b>	Open Comments field. Unless otherwise specified, the <CommentText> field pertains to the element preceding it.
<b>Comments</b>	<p>1. There are no normative requirements imposed on the content of this element. This element may contain any text that the creator of the document considers useful, and such text will be understood as referring to the element that precedes it, unless it explicitly references a different element in the EDXL-HAVE document.</p> <p><b>Ex:</b></p> <pre>&lt;have:DeconCapacity&gt; Full &lt;have:DeconCapacity&gt; &lt;have:CommentText&gt; We expect the capacity to be exceeded shortly &lt;have:CommentText&gt;</pre> <p><b>Note:</b> In the above example, the &lt;CommentText&gt; pertains to the &lt;DeconCapacity&gt; element.</p>
<b>Used In</b>	<a href="#">HospitalStatus/Hospital//Organization</a> <a href="#">HospitalStatus/Hospital/HospitalBedCapacityStatus/BedCapacity</a> <a href="#">HospitalStatus/Hospital/HospitalFacilityStatus</a> <a href="#">Hospital/HospitalResourcesStatus</a> <a href="#">HospitalStatus/Hospital/EmergencyDepartmentStatus</a> <a href="#">HospitalStatus/Hospital/ServiceCoverageStatus</a>

435

436

<b>Element</b>	<have:LastUpdateTime>
<b>Type</b>	xsd:datetime
<b>Usage</b>	<b>REQUIRED</b>
<b>Definition</b>	The last time the information was updated.
<b>Constraints</b>	Each hospital element <b>MUST</b> have a <LastUpdateTime>

Used In	<a href="#">HospitalStatus/Hospital</a>
---------	---

437

438

### 3.2.8.2 TYPES

439

<b>Type Name (normative)</b>	TriageCount
Definition	The type of a container element for the number of each triage patient type the overall hospital currently has or that it can accept.
Sub-elements	<ul style="list-style-type: none"> <li>• <a href="#">TriageCodeListURN</a></li> <li>• <a href="#">TriageCode</a></li> </ul>
Used In	<a href="#">HospitalStatus/Hospital/EmergencyDepartmentStatus/EMSCensus</a> <a href="#">HospitalStatus/Hospital/EmergencyDepartmentStatus/EMSCapacity</a>

440

441

<b>Type Name (normative)</b>	Offload
Definition	Indicator of offload times of ambulance capabilities. The time it takes to transfer care of a patient to hospital staff, thereby freeing the transport for assignment.
Sub-elements	<ul style="list-style-type: none"> <li>• <a href="#">EMSOffloadStatus</a></li> <li>• <a href="#">EMSOffloadMinutes</a></li> </ul>
Used In	<a href="#">HospitalStatus/Hospital/EmergencyDepartmentStatus/EMSAmbulanceStatus</a> <a href="#">HospitalStatus/Hospital/EmergencyDepartmentStatus/EMSAirTransportStatus</a>

442

443

### 3.2.8.3 geo-oasis Elements

444

<b>Element</b>	<gml:Point>
Type	geo-oasis:SimplePositionType
Usage	<b>OPTIONAL</b>
Definition	Point property element containing a pair of coordinates representing latitude then longitude in the World Geodetic System 1984 [WGS84] coordinate reference system.

Comments	<p>1. The geo-coded address of the civil location.</p> <pre>&lt;OrganizationGeoLocation&gt; &lt;gml:Point&gt; &lt;gml:pos&gt;45.256 -71.92&lt;/gml:pos&gt; &lt;/gml:Point&gt; &lt;/OrganizationGeoLocation&gt;</pre> <p>Note: See Appendix D for note on OASIS GML profile.</p>
Used In	<a href="#">HospitalStatus/Hospital/Organization/OrganizationInformation/OrganizationGeoLocation</a>

445

446

447 **3.2.8.4 CIQ Elements**

448

449

Element	<b>&lt;OrganisationName&gt;</b>
Type	xnl:OrganistionNameType
Usage	<b>CONDITIONAL</b>
Definition	The name of the Organization. Please refer to <a href="#">[OASIS CIQ]</a>
Constraints	1. Either the <OrganisationName> or the <OrganistionID> <b>MUST</b> be present.
Sub-elements	<ul style="list-style-type: none"> <li><a href="#">NameElement</a></li> <li><a href="#">SubDivisionName</a></li> </ul>
Attribute	<ul style="list-style-type: none"> <li>OrganisationID: A unique identifier for the Organization. Please refer to <a href="#">[OASIS CIQ]</a></li> </ul> <p>1. For the purposes of this document, &lt;OrganisationID&gt; is used to specify the identifier for the healthcare Organization.</p>
Attribute	<ul style="list-style-type: none"> <li>OrganisationIDType: The name of the provider that has provided the identification scheme. This could also be the name a particular identification list. Please refer to <a href="#">[OASIS CIQ]</a></li> </ul> <p>1. There are different identification schemes that provide unique identifiers to healthcare Organizations. This element can be used to provide a reference to the classification/identification scheme that is being used.</p> <p>Example: American Hospital Association</p>
Constraints	1. If <OrganisationID> is used, <OrganisationIDType> <b>MUST</b> be used.

Used In	<a href="#">HospitalStatus/Hospital/Organization/OrganizationInformation</a>
---------	--

450

<b>Element</b>	<NameElement>
Type	xsd:string
Usage	<b>OPTIONAL</b>
Definition	Name of the Organization. Please refer to <a href="#">[OASIS CIQ]</a>
Used In	<a href="#">HospitalStatus/Hospital/Organization/OrganizationInformation/OrganisationName</a>

451

<b>Element</b>	<SubDivisionName>
Type	xsd:string
Usage	<b>OPTIONAL</b>
Definition	The name of the sub division Organization. Please refer to <a href="#">[OASIS CIQ]</a>
Constraints	1. <SubDivisionName> SHOULD be used if the reporting Organization has a parent Organization.
Comments	<p>1. If the &lt;SubDivisionName&gt; is used, the status being reported is that of the sub division Organization.</p> <p>Example:</p> <pre>&lt;xnl:OrganisationName&gt;   &lt;NameElement&gt; ABC Hospital &lt;/NameElement&gt;   &lt;SubDivisionName&gt; ABC Hospital at Location A &lt;/SubDivisionName&gt; &lt;/xnl:OrganisationName&gt;</pre>
Used In	<a href="#">HospitalStatus/Hospital/Organization/OrganizationInformation/OrganisationName</a>

452

<b>Element</b>	<OrganisationInfo>
Type	XML Structure
Usage	<b>OPTIONAL</b>
Definition	General details about the Organization. Please refer to <a href="#">[OASIS CIQ]</a>

Sub-elements	<ul style="list-style-type: none"> <li>• <a href="#">Type</a></li> <li>• <a href="#">OperatingHourStartTime</a></li> <li>• <a href="#">OperatingHourEndTime</a></li> </ul>
Used In	<a href="#">HospitalStatus/Hospital/Organization/OrganizationInformation</a>

453

<b>Element</b>	<Type>
Type	xsd:string
Usage	<b>OPTIONAL</b>
Definition	Type of Organization. For purposes of EDXL HAVE standard, this could be hospital, nursing center, trauma center etc. Please refer to <a href="#">[OASIS CIQ]</a>
Comments	<p>1. For purposes of EDXL HAVE standard, this could be hospital, nursing center, trauma center etc.</p> <p>Example: Hospital, Nursing Center etc.</p>
Used In	<a href="#">HospitalStatus/Hospital/Organization/OrganizationInformation/OrganisationInfo</a>

454

<b>Element</b>	<OperatingHourStartTime>
Type	xsd:time
Usage	<b>OPTIONAL</b>
Definition	Operating hour start time for the Organization ex: 09:00:00. Please refer to <a href="#">[OASIS CIQ]</a>
Used In	<a href="#">HospitalStatus/Hospital/Organization/OrganizationInformation/OrganisationInfo</a>

455

<b>Element</b>	<OperatingHourEndTime>
Type	xsd:time
Usage	<b>OPTIONAL</b>
Definition	Operating hour end time for the Organization ex: 17:00:00. Please refer to <a href="#">[OASIS CIQ]</a>
Used In	<a href="#">HospitalStatus/Hospital/Organization/OrganizationInformation/OrganisationInfo</a>



456

<b>Element</b>	<Addresses>
Type	XML Structure
Usage	<b>OPTIONAL</b>
Definition	The container element for the specifying the address of the Organization. Please refer to <a href="#">[OASIS CIQ]</a>
Sub-elements	<ul style="list-style-type: none"> <li>• <a href="#">HospitalStatus/Hospital/Address</a></li> </ul>
Used In	<a href="#">HospitalStatus/Hospital/Organization/OrganizationInformation</a>

457

<b>Element</b>	<Address>
Type	xAL:AddressType
Usage	<b>OPTIONAL</b>
Definition	One or more addresses of the Organization. Please refer to <a href="#">[OASIS CIQ]</a>
Constraints	<ol style="list-style-type: none"> <li>1. The geographic coordinates specified in &lt;point&gt; MUST match the address.</li> </ol>
Comments	<ol style="list-style-type: none"> <li>1. For the purposes of the EDXL-HAVE specification, the below elements of the xAL: AddressType satisfy the usage requirements. .</li> <li>2. Use of the other sub elements of &lt;Address&gt; element other than the ones listed below is left to the choice of implementers, but care should be exercised as it can result in interoperability issues.</li> </ol>
Sub-elements	<ul style="list-style-type: none"> <li>• <a href="#">FreeTextAddress</a></li> <li>• <a href="#">Country</a></li> <li>• <a href="#">AdministrativeArea</a></li> <li>• <a href="#">PostCode</a></li> </ul>
Used In	<a href="#">HospitalStatus/Hospital/Organization/OrganizationInformation/Addresses</a>

458

<b>Element</b>	<FreeTextAddress>
Type	XML Structure

Usage	<b>OPTIONAL</b>
Definition	The container element for specifying the address in free text form. Please refer to <a href="#">[OASIS CIQ]</a>
Sub-elements	<ul style="list-style-type: none"> <li>• <a href="#">AddressLine</a></li> </ul>
Used In	<a href="#">HospitalStatus/Hospital/Organization/OrganizationInformation/Addresses/Address</a>

459

<b>Element</b>	<AddressLine>
Type	xsd:string
Usage	<b>OPTIONAL; Multiple</b>
Definition	One of the lines of the address of the Organization. If the address of the Organization consists of a single line, this element contains the entire address. If the address consists of multiple lines, this element contains one of those lines. Please refer to <a href="#">[OASIS CIQ]</a>
Comments	<ol style="list-style-type: none"> <li>1. Free format address representation. An address can have more than one line. The order of the &lt;xAL: AddressLine&gt; elements needs to be preserved.</li> </ol>
Used In	<a href="#">HospitalStatus/Hospital/Organization/OrganizationInformation/Addresses/Address/FreeTextAddress</a>

460

<b>Element</b>	<Country>
Type	xAL:CountryType
Usage	<b>OPTIONAL</b>
Definition	The details of the country. Please refer to <a href="#">[OASIS CIQ]</a>
Sub-elements	<ul style="list-style-type: none"> <li>• <a href="#">NameElement</a></li> </ul>
Used In	<a href="#">HospitalStatus/Hospital/Organization/OrganizationInformation/Addresses/Address</a>

461

<b>Element</b>	<AdministrativeArea>
----------------	----------------------

Type	XML Structure
Usage	<b>OPTIONAL</b>
Definition	Details of the top level area division in the country. Ex: State, District, Province etc. Please refer to <a href="#">[OASIS CIQ]</a> .
Sub-elements	<ul style="list-style-type: none"> <li>• <a href="#">NameElement</a></li> <li>• <a href="#">SubAdministrativeArea</a></li> </ul>
Used In	<a href="#">HospitalStatus/Hospital/Organization/OrganizationInformation/Addresses/Address</a>

462

<b>Element</b>	<SubAdministrativeArea>
Type	XML Structure
Usage	<b>OPTIONAL</b>
Definition	The next level of sub-division of the area. Ex: county etc. Please refer to <a href="#">[OASIS CIQ]</a> .
Sub-elements	<ul style="list-style-type: none"> <li>• <a href="#">NameElement</a></li> </ul>
Used In	<a href="#">HospitalStatus/Hospital/Organization/OrganizationInformation/Addresses/Address/AdministrativeArea</a>

463

<b>Element</b>	<PostCode>
Type	XML Structure
Usage	<b>OPTIONAL</b>
Definition	A container for a single free text or structured post code. Please refer to <a href="#">[OASIS CIQ]</a>
Sub-elements	<ul style="list-style-type: none"> <li>• <a href="#">Identifier</a></li> </ul>
Used In	<a href="#">HospitalStatus/Hospital/Organization/OrganizationInformation/Addresses/Address</a>

464

<b>Element</b>	<Identifier>
----------------	--------------

Type	xAL:IdentifierType
Usage	<b>OPTIONAL</b>
Definition	The post code is formatted to country-specific rules. Ex: SW3 0A8-1A, 600074, 2067 etc. Please refer to <a href="#">[OASIS CIQ]</a>
Used In	<a href="#">HospitalStatus/Hospital/Organization/OrganizationInformation/Addresses/Address/PostCode</a>

465

466 Example 1:

```

467 <a:Address>
468   <a:FreeTextAddress>
469     <a:AddressLine>P O Box 455</a:AddressLine>
470     <a:AddressLine >Billerica, MA 01821</a:AddressLine >
471   </a:FreeTextAddress>
472 </a:Address>

```

473

474 Example 2:

```

475 <a:Address>
476   <a: Country>USA</Country>
477   <a:AdministrativeArea>
478     <a:NameElement>MA</a:NameElement>
479   </a:AdministrativeArea>
480   <a:SubAdministrativeArea>
481     <a:NameElement>Billerica</a:NameElement>
482   </a:SubAdministrativeArea>
483   <PostCode>01821</PostCode>
484 </a:Address>

```

485

486

<b>Element</b>	<ContactNumbers>
Type	XML Structure
Usage	<b>OPTIONAL</b>
Definition	All kinds of communication lines used for contact purposes. Ex.: phone, fax, mobile, pager, etc. Please refer to <a href="#">[OASIS CIQ]</a>
Sub-elements	<ul style="list-style-type: none"> <li>• <a href="#">ContactNumber</a></li> </ul>
Used In	<a href="#">HospitalStatus/Hospital/Organization/OrganizationInformation</a>

487

<b>Element</b>	<ContactNumber>
<b>Type</b>	XML Structure
<b>Usage</b>	<b>OPTIONAL</b>
<b>Definition</b>	Universal telecommunication number structure. Please refer to [OASIS CIQ]
<b>Comments</b>	1. The attributes of this element carry important information about the contact number (see [OASIS CIQ], Sec 6.2.4).
<b>Attributes</b>	<ul style="list-style-type: none"> <li>• <a href="#">CommunicationMediaType</a></li> <li>• <a href="#">ContactHours</a></li> </ul>
<b>Used In</b>	<a href="#">HospitalStatus/Hospital/Organization/OrganizationInformation/ContactNumbers</a>

488

489 Example – Contact Phone Number

490

```

491 <p:ContactNumber p:CommunicationMediaType="Telephone" p:ContactHours="9:00AM -
492 5:00PM">
493   <p:ContactNumberElement
494   p:ElementType="CountryCode">61</p:ContactNumberElement>
495   <p:ContactNumberElement p:ElementType="AreaCode">2</p:ContactNumberElement>
496   <p:ContactNumberElement
497   p:ElementType="LocalNumber">94338765</p:ContactNumberElement>
498 </p:ContactNumber>

```

499

500

501

502

503

504

505

506

---

## 507 4 CONFORMANCE

508

### 509 4.1 CONFORMANCE TARGETS

510

511 The two following conformance targets are defined in order to support the specification of conformance  
512 to this standard:

513

514 a) EDXL-HAVE Report;

515

516 b) EDXL-HAVE Report Producer.

517

518 An EDXL-HAVE Report is an XML 1.0 document whose syntax and semantics are specified in this  
519 standard. An EDXL-HAVE Report Producer is a software entity that produces EDXL-HAVE reports.

520

521 NOTE – There is no conformance target corresponding to the consumers of EDXL-HAVE  
522 reports because this standard does not specify any requirements that apply specifically to  
523 them.

524

525

### 526 4.2 CONFORMANCE AS AN EDXL-HAVE REPORT

527

528 An XML 1.0 document is a conforming EDXL-HAVE Report if and only if:

529

530 a) it is valid according to the schema located at [http://docs.oasis-open.org/emergency/edxl-  
have/v1.0/edxl-have.xsd](http://docs.oasis-open.org/emergency/edxl-<br/>531 have/v1.0/edxl-have.xsd); and

532

533 b) the content of its elements and the values of its attributes meet all the additional mandatory  
534 requirements specified in section 3.

535

### 536 4.3 CONFORMANCE AS AN EDXL-HAVE REPORT PRODUCER

537

538 A software entity is a conforming EDXL-HAVE Report Producer if and only if:

539

540 it is constructed in such a way that any XML document produced by it and present in a place in which  
541 a conforming EDXL-HAVE Report is expected (based on contextual information) is indeed a  
542 conforming EDXL-HAVE Report according to this standard.

543

544 The condition in (1) above can be satisfied in many different ways. Here are some examples of possible  
545 scenarios:

- 546 • a standard protocol (say, EDXL-DE) transfers messages carrying EDXL-HAVE reports; a client  
547 has sent a request for an EDXL-HAVE report to a server which claims to be a conforming EDXL-  
548 HAVE Report Producer, and has received a response which is therefore expected to carry a  
549 conforming EDXL-HAVE Report;
- 550 • a local test environment has been set up, and the application under test (which claims to be a  
551 conforming EDXL-HAVE Report Producer) has the ability to produce a EDXL-HAVE report and  
552 write it to a file in a directory in response to a request coming from the testing tool; the testing tool  
553 has sent many requests to the application under test and is now verifying all the files present in  
554 the directory, which is expected to contain only conforming EDXL-HAVE Reports;
- 555 • an EDXL-HAVE Report is attached to an email message which, according to a prior agreement  
556 between sender and recipients, is expected to carry a conforming EDXL-HAVE Report as an  
557 attachment;
- 558 • an EDXL-HAVE Report has been published at a location on the World Wide Web from where it  
559 can be retrieved by an authorized person by using the HTTP protocol, and the producer has  
560 created the expectation that that location will contain a conforming EDXL-HAVE Report.

561

## A. EDXL-HAVE EXAMPLE (NON-NORMATIVE)

562

Note: The example shown below is for informative purposes only – to illustrate the content. An actual XML sample will be contained in EDXL-DE or similar routing block structure.

563

564

565

566

567

568

569

570

571

572

573

574

575

576

577

578

579

580

581

582

583

584

585

586

587

588

589

590

591

592

593

594

595

596

597

598

599

600

601

602

603

604

605

606

607

608

609

610

611

612

613

614

615

616

617

618

```
<?xml version="1.0" encoding="UTF-8"?>
<have:HospitalStatus
  xsi:schemaLocation="urn:oasis:names:tc:emergency:EDXL:HAVE:1.0 edxl-
have_cs01.xsd" xmlns="urn:oasis:names:tc:emergency:EDXL:HAVE:1.0"
  xmlns:n3="http://www.georss.org/georss" xmlns:gml="http://www.opengis.net/gml"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:xal="urn:oasis:names:tc:ciq:xal:3"
  xmlns:xnl="urn:oasis:names:tc:ciq:xnl:3"
  xmlns:xpil="urn:oasis:names:tc:ciq:xpil:3">

  <have:Hospital>

    <have:Organization>
      <have:OrganizationInformation>
        <xnl:OrganisationName>
          <xnl:NameElement>ABC Hospital</xnl:NameElement>
        </xnl:OrganisationName>
        <xpil:OrganisationInfo xpil:Type="Hospital"
          xpil:OperatingHourStartTime="09:00:00.OZ"
          xpil:OperatingHourEndTime="18:00:00.OZ"/>
        <xpil:Addresses>
          <xpil:Address>
            <xal:FreeTextAddress>
              <xal:AddressLine>
                P O Box 455, Billerica, MA 0182, USA
              </xal:AddressLine>
            </xal:FreeTextAddress>
          </xpil:Address>
        </xpil:Addresses>
      </have:OrganizationInformation>
      <OrganizationGeoLocation>
        <gml:Point>
          <gml:pos>3.14159265358979E0</gml:pos>
        </gml:Point>
      </have:OrganizationGeoLocation>
    </have:Organization>

    <have:EmergencyDepartmentStatus>
      <have:EMSTraffic>
        <have:EMSTrafficStatus>Normal</have:EMSTrafficStatus>
      </have:EMSTraffic>
      <have:EMSCapacity>
        <have:TriageCount>
          <have:TriageCodeListURN> oasis:names:tc:emergency:have:1.0:triagecolorcode
        </have:TriageCodeListURN>
        <have:TriageCode>
          <have:TriageCodeValue>Red</have:TriageCodeValue>
          <have:TriageCountQuantity>20</have:TriageCountQuantity>
        </have:TriageCode>
        <have:TriageCode>
          <have:TriageCodeValue>Yellow</have:TriageCodeValue>
          <have:TriageCountQuantity>30</have:TriageCountQuantity>
        </have:TriageCode>
      </have:EMSCapacity>
    </have:EmergencyDepartmentStatus>
  </have:Hospital>
</have:HospitalStatus>
```



```

619     </have:TriageCode>
620     <have:TriageCode>
621       <have:TriageCodeValue>Green</have:TriageCodeValue>
622       <have:TriageCountQuantity>40</have:TriageCountQuantity>
623     </have:TriageCode>
624     <have:TriageCode>
625       <have:TriageCodeValue>Black</have:TriageCodeValue>
626       <have:TriageCountQuantity>10</have:TriageCountQuantity>
627     </have:TriageCode>
628   </have:TriageCount></have:EMSCapacity>
629 <have:EMSAmbulanceStatus>
630   <have:Offload>
631     <have:EMSOffloadStatus>Normal</have:EMSOffloadStatus>
632     <have:EMSOffloadMinutes>20</have:EMSOffloadMinutes>
633   </have:Offload>
634 </have:EMSAmbulanceStatus>
635 </have:EmergencyDepartmentStatus>
636
637 <have:HospitalBedCapacityStatus>
638   <have:BedCapacity>
639     <have:BedType>AdultICU</have:BedType>
640     <have:Capacity>
641       <have:CapacityStatus>Vacant/Available</have:CapacityStatus>
642       <have:AvailableCount>40</have:AvailableCount>
643       <have:BaselineCount>60</have:BaselineCount>
644     </have:Capacity>
645   </have:BedCapacity>
646
647   <have:BedCapacity>
648     <have:BedType>Burn</have:BedType>
649     <have:Capacity>
650       <have:CapacityStatus>Vacant/Available</have:CapacityStatus>
651       <have:AvailableCount>30</have:AvailableCount>
652       <have:BaselineCount>50</have:BaselineCount>
653     </have:Capacity>
654   </have:BedCapacity>
655
656 <have:BedCapacity>
657   <have:BedType>MedicalSurgical</have:BedType>
658   <have:Capacity>
659     <have:CapacityStatus>Vacant/Available</have:CapacityStatus>
660     <have:AvailableCount>20</have:AvailableCount>
661     <have:BaselineCount>30</have:BaselineCount>
662   </have:Capacity>
663 </have:BedCapacity>
664 </have:HospitalBedCapacityStatus>
665
666 <have:ServiceCoverageStatus>
667   <have:Burn>true</have:Burn>
668
669   <have:CardiologyIndicator>
670     <have:Cardiology>true</have:Cardiology>
671   </have:CardiologyIndicator>
672
673   <have:Dialysis>true</have:Dialysis>
674   <have:EmergencyDepartment>true</have:EmergencyDepartment>
675   <have:HyperbaricChamber>false</have:HyperbaricChamber>
676   <have:InfectiousDisease>false</have:InfectiousDisease>
677   <have:Neonatology>true</have:Neonatology>
678
679   <have:NeurologyIndicator>
680     <have:Neurology>true</have:Neurology>
681   </have:NeurologyIndicator>
682

```

```

683 <have:OBGYNIndicator>
684   <have:OBGYN>true</have:OBGYN>
685 </have:OBGYNIndicator>
686
687 <have:Ophthalmology>true</have:Ophthalmology>
688 <have:Orthopedic>true</have:Orthopedic>
689 <have:Pediatrics>text</have:Pediatrics>
690
691 <have:PsychiatricIndicator>
692   <have:Psychiatric>true</have:Psychiatric>
693 </have:PsychiatricIndicator>
694
695 <have:SurgeryIndicator>
696   <have:SurgerySubType>
697     <have:AdultGeneralSugery>true</have:AdultGeneralSugery>
698     <have:CardioThoracic>true</have:CardioThoracic>
699   </have:SurgerySubType>
700 </have:SurgeryIndicator>
701
702 <have:TransportServicesIndicator>
703   <have:TransportServices>true</have:TransportServices>
704 </have:TransportServicesIndicator>
705
706 <have:TraumaCenterServicesIndicator>
707   <have:TraumaCenterServices>true</have:TraumaCenterServices>
708   <have:TraumaCenterServicesLevel>Level2</have:TraumaCenterServicesLevel>
709 </have:TraumaCenterServicesIndicator>
710 </have:ServiceCoverageStatus>
711
712
713 <have:HospitalFacilityStatus>
714   <have:ClinicalStatus>Normal</have:ClinicalStatus>
715   <have:FacilityStatus>Normal</have:FacilityStatus>
716   <have:SecurityStatus>Normal</have:SecurityStatus>
717 </have:HospitalFacilityStatus>
718
719
720
721 <have:HospitalResourcesStatus>
722   <have:Staffing>Adequate</have:Staffing>
723   <have:FacilityOperations>Adequate</have:FacilityOperations>
724   <have:ClinicalOperations>Adequate</have:ClinicalOperations>
725   <have:ResourcesInformationText>
726     20 ventilators are available
727   </have:ResourcesInformationText>
728   <have:ResourcesInformationText>
729     Atropine - 20 caches are available
730   </have:ResourcesInformationText>
731 </have:HospitalResourcesStatus>
732
733
734   <have:LastUpdateTime>2001-12-17T09:30:47.0Z</have:LastUpdateTime>
735
736
737 </have:Hospital>
738
739
740 </have:HospitalStatus>
741

```


742 **B. BED TYPES AND CAPACITY - DEFINITIONS (NON-**  
743 **NORMATIVE)**

744 *Note: The definitions are used from the HAvBED report [HAvBED Report].*

745 These standardized definitions were vetted by a working group assembled by Denver Health with  
746 members from Federal and State governments, hospitals around the nation, and the private sector in the  
747 United States of America.

748 **Hospital Bed Definitions**

749  
750 Vacant/Available Beds refers to beds that are vacant and to which patients can be immediately  
751 transported. These must include supporting space, equipment, medical material, ancillary and support  
752 services and staff to operate under normal circumstances. These beds are licensed, physically  
753 available and have staff on hand to attend to the patient who occupies the bed.  
754  
755



756  
757  
758  
759  
760 A description of the types of beds includes the following:  
761

- 762 • **Adult Intensive Care (ICU):** beds that can support critically ill/injured patients,  
763 including ventilator support
- 764 • **Medical/Surgical:** also thought of as “Ward” beds
- 765 • **Burn:** thought of as Burn ICU beds, either approved by the American Burn Association  
766 or self-designated. (These beds are NOT to be included in other ICU bed counts.)
- 767 • **Pediatric ICU:** as for Adult ICU, but for patients 17 years and younger
- 768 • **Pediatrics:** “Ward Medical/Surgical” beds for patients 17 and younger
- 769 • **Psychiatric:** “ward” beds on a closed/locked psychiatric unit or ward beds where a  
770 patient will be attended by a sitter.
- 771 • **Negative Pressure/Isolation:** - Beds provided with negative airflow, providing  
772 respiratory isolation. NOTE: This value may represent available beds included in the  
773 counts of other types.
- 774 • **Operating Rooms:** – An operating room that is equipped and staffed and could be made  
775 available for patient care in a short period of time.
- 776
- 777
- 778
- 779
- 780
- 781
- 782
- 783
- 784
- 785

## 786 **Bed Availability Definitions**

787  
788  
789 The bed availability estimates are defined as below:

- 790
- 791 • **24 hr Beds Available:** This value represents an informed estimate as to how many  
792 vacant (staffed, unoccupied) beds for each bed type above the current number that  
793 could be made available within 24 hours. This would include created institutional  
794 surge beds as well as beds made available by discharging/transferring patients.
- 795 • **72 hr Beds Available:** This value represents an informed estimate as to how many  
796 vacant (staffed, unoccupied) beds for each bed type above the current number that  
797 could be made available within 72 hours. This would include created institutional  
798 surge beds as well as beds made available by discharging/transferring patients.
- 799
- 800

---

801 **C. OASIS CUSTOMER INFORMATION QUALITY (CIQ)**  
802 **(NON-NORMATIVE)**

803 **CIQ Overview**

804  
805 The objective of the OASIS CIQ TC is to deliver a set of XML Specifications for defining, representing,  
806 interoperating and managing party information (e.g. name, address, party specific information including  
807 party relationships) that are truly open, vendor neutral, industry and application independent, and  
808 importantly "Global" (ability to represent international data formats such as different types of party names  
809 and addresses used in 241+ countries).

810  
811 The CIQ TC's XML Name, Address and Party languages (version 3.0) define universal structures for  
812 name, address entities, party, and party relationship entities. It consists of the following components:

813 Note: This section only provides a brief overview and includes a subset – that is relevant  
814 to EDXL-HAVE- of the CIQ specification. The purpose is to provide an overview – users  
815 are encouraged to look at the OASIS CIQ TC website for complete information -  
816 [http://www.oasis-open.org/committees/tc\\_home.php?wg\\_abbrev=ciq](http://www.oasis-open.org/committees/tc_home.php?wg_abbrev=ciq)

817

Name	Description
<b>xNL</b> extensible Name Language	xNL defines an XML format to represent party name information. A party name could be a "Person" or an "Organization". An "Organization" could be educational institutions like school, university, college, etc, clubs, associations, industry groups, not-for-profit bodies, consortiums, user groups, etc.
<b>xAL</b> extensible Address Language	xAL defines an XML format to represent address data. It includes: hospitals, airports, businesses, educational institutions etc.
<b>xPIL</b> extensible Party Information Language	xPIL defines XML specifications to represent party centric data. Party centric data includes: <ul style="list-style-type: none"><li>• Address, E-mail address, URL, Contact numbers (Mobile, Pager, Fax, Landline, etc)</li></ul>

818

819

820 **CIQ Usage in EDXL-HAVE**

821

822 EDXL HAVE uses Party information (xPIL) in the CIQ specifications for its naming and address  
823 requirements. For the purposes of HAVE, the naming and location elements (street address) elements  
824 are used. The use of other elements is left to implementation choices.

825

---

## D. ACKNOWLEDGEMENTS

826 The following individuals have participated in the creation of this specification and are gratefully  
827 acknowledged:

828

### 829 **Participants**

830

- 831 • Alessandro Triglia, OSS Nokalva
- 832 • Aviv Siegel, Athoc, Inc.
- 833 • Elysa Jones, Warning Systems, Inc.
- 834 • Renato Iannella, NICTA
- 835 • Richard Vandame, US Dept of Homeland Security
- 836 • Harry Haury, NuParadigm Government Systems, Inc.
- 837 • Paul Thorpe, OSS Nokalva
- 838 • Jeff Kyser, Warning Systems, Inc.
- 839 • Lee Tincher, Evolution Technologies Inc
- 840 • David Kehrlein, ESRI
- 841 • Jack Fox, US Department of Homeland Security
- 842 • Sukumar Dwarkanath, Associate Member
- 843 • Gary Ham, Associate Member
- 844 • Mark Pleimann, Mitre Corporation
- 845 • Shane Rimmer, ESI Acquisition, Inc.
- 846 • Ron Lake, Galdos Systems
- 847 • Carl Reed, Open Geospatial Consortium, Inc.
- 848 • Enoch Moses, ManTech Enterprise Integration Center
- 849 • David Danko, ESRI
- 850 • Tom Wall, Evolution Technologies
- 851 • David Lamendsdorf, Emergency Interoperability Consortium
- 852 • Karen Robinson, NICTA
- 853 • Olivier Dubuisson, France Telecom
- 854 • Rex Brooks, Individual
- 855 • Werner Joerg, IEM
- 856 • Tim Grapes, Evolution Technologies
- 857 • Tom Merkle, Lockheed Martin
- 858 • Bryan Small, ESI Acquisition, Inc.
- 859 • Anthony Sangha, Raining Data Corporation
- 860 • Tracy Ryan, Emergency Interoperability Consortium
- 861 • Judith Woodhall, COMCARE
- 862 • Adam Hocek, Associate Member
- 863 • Josh Shows, ESI Acquisition, Inc.

- 864 • David Ellis, Sandia National Laboratories
- 865 • Yohannes Tilahun, Associate Member
- 866 • Sylvia Webb, Individual
- 867 • Mark Carlson, Associate Member
- 868 • Kurt Buehler, Associate Member
- 869

## E. REVISION HISTORY

Revision	Date	Editor	Changes Made
Public Review Version 05	04 March 2008	Sukumar Dwarkanath	<ul style="list-style-type: none"> <li>Changed document status to 'Public Review Draft 05'</li> </ul>
Public Review Version 4 Revision 01	29 February 2008	Sukumar Dwarkanath	<ul style="list-style-type: none"> <li>Deleted non-UTF character (') in schema – changed from 'Available' to Available in schema documentation.</li> <li>Corrected typo in schema – changed <i>AmubulatoryPatientsDeconCapacity</i> to <i>AmbulatoryPatientsDeconCapacity</i></li> </ul>
Public Review Version 4	08 February 2008	Sukumar Dwarkanath	<ul style="list-style-type: none"> <li>Changed document name and status to 'Public Review Draft 04'</li> </ul>
Public Review Version 3 Revision 02	06 February 2008	Sukumar Dwarkanath	<ul style="list-style-type: none"> <li>Schema: Modified element 'MorgueCapacityStatus' to be of type 'xsd:string with restrictions; enumerations include 'Open', 'Full' and 'Exceeded'</li> <li>Schema: Corrected typo: 'AdultGeneralSurgery'</li> </ul>
Public Review Version 3 Revision 01	30 January 2008	Sukumar Dwarkanath	<ul style="list-style-type: none"> <li>Modified schema to change imported file from "xpil.xsd" to "xPIL.xsd"</li> <li>Changed [namespaces] reference to "T. Bray et al"</li> <li>Changed [XML 1.0] reference to "T. Bray et al"; changed link to "<a href="http://www.w3.org/TR/REC-xml/">http://www.w3.org/TR/REC-xml/</a>"</li> <li>Replaced [dateTime] reference with "P. Biron and A. Malhotra, XML Schema Part 2: Datatypes Second Edition, <a href="http://www.w3.org/TR/xmlschema-2">http://www.w3.org/TR/xmlschema-2</a>, W3C REC-xmlschema-2, Sec 3.2.7, dateTime (<a href="http://www.w3.org/TR/xmlschema-2/#dateTime">http://www.w3.org/TR/xmlschema-2/#dateTime</a>), October 28 2004"</li> <li>Modified examples to include namespaces</li> </ul>
Public Review Version 3	10 October 2007	Sukumar Dwarkanath	<ul style="list-style-type: none"> <li>Included Conformance section as per OASIS guidelines</li> <li>Made changes following internal TC review. These changes are highlighted here in: <a href="http://www.oasis-open.org/committees/document.php?document_id=25471&amp;wg_abbrev=emergency">http://www.oasis-open.org/committees/document.php?document_id=25471&amp;wg_abbrev=emergency</a></li> </ul>
Public Review Version 3.0	29 June 2007	Sukumar Dwarkanath	<ul style="list-style-type: none"> <li>Made changes following the public review period. These changes are highlighted in the EDXL HAVE Issues List v4.2 - <a href="http://www.oasis-open.org/committees/download.php/24513/EDXL_HAVE_IssuesList_v4.3.xls">http://www.oasis-open.org/committees/download.php/24513/EDXL_HAVE_IssuesList_v4.3.xls</a></li> </ul>
Public Review Version 2.0	13 November 2006	Sukumar Dwarkanath	<ul style="list-style-type: none"> <li>Changed document status from 'Public Review Draft 1.0 Revision 01' to 'Public Review Draft 2.0'</li> <li>Changed approval date to '02 November 2006'</li> </ul>
Public Review Version 1.0 Revision 01	23 October 2006	Sukumar Dwarkanath	<ul style="list-style-type: none"> <li>Changed datatype of &lt;LocationPostalCodeID&gt; from 'Integer' to 'String'</li> <li>Changed Cardinality of Capacity element from '0 to *' to '0 to 1'; modified DOM to reflect changes</li> <li>Renamed &lt;Bed&gt; to &lt;BedType&gt;</li> <li>Renamed &lt;SubCategoryBed&gt; to &lt;SubCategoryBedType&gt;</li> <li>Removed Maximum limit enumeration – 60 Mts – from</li> </ul>



			<p>&lt;EMSOffloadMinutes&gt;</p> <ul style="list-style-type: none"> <li>• Changed datatype of &lt;ServiceCoverageStatus&gt; element to xsd:boolean type</li> <li>• Changed datatype of Surgery element to xsd:boolean</li> <li>• Replaced OGC GML Profile schema with new version of schema; replaced schema diagram</li> <li>• Modified EDXL-HAVE schema; modified EDXL-HAVE example</li> <li>• Formatted document to be consistent with OASIS template</li> <li>• Added metadata - This Version and Previous version; corrected IPR Policy note – changed year from ‘2005’ to ‘2006’; corrected IPR note – Changed ‘wsrf’ to ‘emergency’; removed Organization affiliation from Editor Name; corrected numbering of sections 3.2.6 and 3.2.7; added Non-normative changes; removed Corporate Affiliations from List of Associate Members in Appendix; modified key word list.</li> <li>• Added Revision History Table</li> <li>• Formatted element names, datatype, and parent elements.</li> <li>• Renamed appendix C.1 - geo-oasis ELEMENTS</li> </ul>
--	--	--	--

871