



Key Management Interoperability Protocol Use Cases Version 1.0

Committee Draft [0509](#) / Public Review [0102](#)

~~05 November 2009~~

18 March 2010

Specification URIs:

This Version:

<http://docs.oasis-open.org/kmip/usecases/v1.0/cd09/kmip-usecases-1.0-cd-09.html>
<http://docs.oasis-open.org/kmip/usecases/v1.0/cd09/kmip-usecases-1.0-cd-09.doc> (Authoritative)
<http://docs.oasis-open.org/kmip/usecases/v1.0/cd09/kmip-usecases-1.0-cd-09.pdf>

Previous Version:

<http://docs.oasis-open.org/kmip/usecases/v1.0/cd05/kmip-usecases-1.0-cd-05.html>
<http://docs.oasis-open.org/kmip/usecases/v1.0/cd05/kmip-usecases-1.0-cd-05.doc> (Authoritative)
<http://docs.oasis-open.org/kmip/usecases/v1.0/cd05/kmip-usecases-1.0-cd-05.pdf>

Previous Version:

N/A

Latest Version:

<http://docs.oasis-open.org/kmip/usecases/v1.0/kmip-usecases-1.0.html>
<http://docs.oasis-open.org/kmip/usecases/v1.0/kmip-usecases-1.0.doc>
<http://docs.oasis-open.org/kmip/usecases/v1.0/kmip-usecases-1.0.pdf>

Technical Committee:

OASIS Key Management Interoperability Protocol (KMIP) TC

Chair(s):

Robert Griffin, EMC Corporation <robert.griffin@rsa.com>
Subhash Sankuratripati, NetApp <Subhash.Sankuratripati@netapp.com>

Editor(s):

Mathias Björkqvist, IBM <mbj@zurich.ibm.com>
René Pawlitzek, IBM <rpa@zurich.ibm.com>

Related work:

This specification replaces or supersedes:

- None

This specification is related to:

- [Key Management Interoperability Protocol Specification Version 1.0](#)
- [Key Management Interoperability Protocol Profiles Version 1.0](#)
- [Key Management Interoperability Protocol Usage Guide Version 1.0](#)

Abstract:

This document is intended for developers and architects who wish to design systems and applications that interoperate using the Key Management Interoperability Protocol specification.

Status:

This document was last revised or approved by the Key Management Interoperability Protocol TC on the above date. The level of approval is also listed above. Check the “Latest Version” or “Latest Approved Version” location noted above for possible later revisions of this document.

Technical Committee members should send comments on this specification to the Technical Committee’s email list. Others should send comments to the Technical Committee by using the “Send A Comment” button on the Technical Committee’s web page at <http://www.oasis-open.org/committees/kmip/>.

For information on whether any patents have been disclosed that may be essential to implementing this specification, and any offers of patent licensing terms, please refer to the Intellectual Property Rights section of the Technical Committee web page (<http://www.oasis-open.org/committees/kmip/ipr.php>).

The non-normative errata page for this specification is located at <http://www.oasis-open.org/committees/kmip/>.

Notices

Copyright © OASIS® 2009-2010. All Rights Reserved.

All capitalized terms in the following text have the meanings assigned to them in the OASIS Intellectual Property Rights Policy (the "OASIS IPR Policy"). The full Policy may be found at the OASIS website.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to OASIS, except as needed for the purpose of developing any document or deliverable produced by an OASIS Technical Committee (in which case the rules applicable to copyrights, as set forth in the OASIS IPR Policy, must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

OASIS requests that any OASIS Party or any other party that believes it has patent claims that would necessarily be infringed by implementations of this OASIS Committee Specification or OASIS Standard, to notify OASIS TC Administrator and provide an indication of its willingness to grant patent licenses to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this specification.

OASIS invites any party to contact the OASIS TC Administrator if it is aware of a claim of ownership of any patent claims that would necessarily be infringed by implementations of this specification by a patent holder that is not willing to provide a license to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this specification. OASIS may include such claims on its website, but disclaims any obligation to do so.

OASIS takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this document or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on OASIS' procedures with respect to rights in any document or deliverable produced by an OASIS Technical Committee can be found on the OASIS website. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this OASIS Committee Specification or OASIS Standard, can be obtained from the OASIS TC Administrator. OASIS makes no representation that any information or list of intellectual property rights will at any time be complete, or that any claims in such list are, in fact, Essential Claims.

The names "OASIS", "KMIP"[insert specific trademarked names and abbreviations here] are trademarks of OASIS, the owner and developer of this specification, and should be used only to refer to the organization and its official outputs. OASIS welcomes reference to, and implementation and use of, specifications, while reserving the right to enforce its marks against misleading uses. Please see <http://www.oasis-open.org/who/trademark.php> for above guidance.

Table of Contents

1	Introduction
	Table of Contents
	4
1.1	Normative References
	1 Introduction
	6
2	Message exchange
	1.1 Normative References
	6
3	Centralized Management
	2 Message exchange
	6
3.1	Basic functionality
	3 Centralized Management
	7
3.1.1	Use-case: Create / Destroy Basic functionality
	7
3.1.2	1 Use-case: Register / Create / Get attributes / Destroy
	7
3.1.3	2 Use-case: Register / Create / Locate / Get attributes / Destroy
	9
3.1.4	3 Use-case: Dual client use-case, ID Placeholder linked Create / Locate & Get batch/ Destroy
	16
3.2	1.4 Use-case: AsynchronousDual client use-case, ID Placeholder linked Locate & Get batch
	22
4	Key life cycle support
	3.1.5 Use-case: Register / Destroy Secret Data
	39
4.1	3.2 Use-case: Revoke scenarioAsynchronous Locate
	41
5	Auditing and reporting
	4 Key life cycle support
	53
5.4.1	Use-case: Get usage allocationRevoke scenario
	53
6	Key Interchange, Key Exchange
	5 Auditing and reporting
	73
6.5.1	Use-case: Import of a Third-party KeyGet usage allocation scenario
	73
7	Vendor Extensions
	6 Key Interchange, Key Exchange
	88
7.6.1	Use-case: Unrecognized Message Extension with Criticality Indicator falseImport of a Third-party Key
	88
7.2	Use-case: Unrecognized Message Extension with Criticality Indicator true
	7 Vendor Extensions
	93

8	Asymmetric keys	
.....	7.1 Use-case: Unrecognized Message Extension with Criticality Indicator false	93
.....	7.2 Use-case: Create a Key PairUnrecognized Message Extension with Criticality Indicator true	96
8.2	Use-case: Register Both Halves of a Key Pair	
.....	8 Asymmetric keys	97
9	8.1 Use-case: Create a Key Roll-overPair	97
.....	8.2 Use-case: CreateRegister Both Halves of a Key, Re-key Pair	103
9.2	Use-case: Existing Key Expired, Re-key with Same lifecycle	
.....	9 Key Roll-over	110
9.3	1 Use-case: ExistingCreate a Key Compromised, Re-key with same lifecycle	111
.....	2 Use-case: Create keyExisting Key Expired, Re-key with newSame lifecycle	118
9.5	3 Use-case: Obtain Lease for ExpiredExisting Key Compromised, Re-key with same lifecycle	128
10	Archival	
.....	9.4 Use-case: Create key, Re-key with new lifecycle	136
10.1	9.5 Use-case: Create-aObtain Lease for Expired Key, Archive and Recover it	145
11	Implementation Conformance	
.....	10 Archival	159
A	Acknowledgments	
.....	10.1 Use-case: Create a Key, Archive and Recover it	159
B.	Revision History	
.....	11 Access Control, Policies	172
.....	11.1 Use-case: Credential, Operation Policy, Destroy Date	172
12	Query, Maximum Response Size	
.....	12.1 Use-case: Query, Maximum Response Size	179
13	Implementation Conformance	
.....	182	
A.	Acknowledgments	
.....	183	
B.	Revision History	
.....	185	

11 Introduction

2 The purpose of this document is to describe use-cases to demonstrate the Key Management
3 Interoperability Protocol (KMIP) [\[KMIP-Spec\]](#). The use-cases indicate if all concepts within the protocol
4 are sound and if the protocol is usable when implementing typical scenarios in real life. These use-cases
5 are not intended to fully test an implementation of KMIP. Thus, the use-cases do not contain typical
6 [QA Quality Assurance](#) scenarios which would stress an implementation. The use-cases are based on v1.0
7 of the protocol.

8
9 The use-cases define a number of client-to-server request-response pairs for a number of operations. For
10 each request-response message pair the operation is stated, along with the relevant parameters needed
11 for the request or response message. This is followed by two different illustrations of the messages: first,
12 a human-readable construction which shows the fields tags, types and values, followed by the TTLV-
13 encoding of the message. These are included to facilitate the implementation of the message creation
14 and parsing functionality. The use-cases show one possible way to construct the messages, and the
15 messages shown are not necessarily the only correct constructions (e.g. it is possible to omit the attribute
16 index if it is zero). Also note that many values change dynamically when running the use-cases (the
17 server-generated timestamps, Unique Identifiers and key material in responses, as well as Batch Item ID
18 values in client-generated requests).

19 [In many situations in the use cases defined in this document, the server behavior depends on the server's policy. The illustrated message exchanges and their contents are not the only possible variants \(see \[KMIP-Spec\]\). E.g., the server response messages shown in this document correspond to a server policy of completely destroying a managed object, along with all of its attributes, when receiving a Destroy request.](#)

20
21
22
23
24 [Multiple use cases describe several clients operating on the same managed object\(s\). For this to work, the clients SHALL have authenticated themselves to the server using the same credentials \(see \[KMIP-Profil\]\). Alternatively, the server policy applied to the relevant managed object\(s\) SHALL be such that the clients all have access to the managed object\(s\) in question.](#)

1.11.1 Normative References

29 [KMIP-Spec] OASIS Committee Draft [0610](#), Key Management Interoperability [Protocol Specification Version 1.0, November 2009](#). <http://docs.oasis-open.org/kmip/spec/v1.0/cd06/kmip-spec-1.0-cd-06.doc> Mar 2010.
30
31
32 <http://docs.oasis-open.org/kmip/spec/v1.0/cd10/kmip-spec-1.0-cd-10.doc>

33 [KMIP-Profil] OASIS Committee Draft [0405](#), Key Management Interoperability Protocol Profiles Version 1.0, [November 2009](#). [Mar 2010](#), <http://docs.oasis-open.org/kmip/profiles/v1.0/cd04cd05/kmip-profiles-1.0-cd-0405.doc>

22 Message exchange

38 The message exchange between clients and the server to test the following use-case scenarios is
39 performed with TTLV encoding over the [http transport](#). [This is to facilitate debugging and to focus on KMIP-specific issues instead of potential secure transport setup problems](#). [TLS/SSL transport as defined in \[KMIP-Spec\] and \[KMIP-Profil\]](#).

44 **33 Centralized Management**

45 **3.13.1 Basic functionality**

46 These use-cases test the basic features of KMIP including key creation ~~and~~, template ~~and secret data~~
47 registration, attribute functionality, access methods, and batch operation.

48

49 **3.1.13.1.1 Use-case: Create / Destroy**

50 In this use-case the client issues a Create request, whereby the server creates a new symmetric key and
51 returns the Unique Identifier. To clean up, the client then performs a Destroy operation to destroy the key.

52

Time	Request/Response messages
0	<p>Create (symmetric key)</p> <p>In: objectType='00000002' (Symmetric Key), attributes={ CryptographicAlgorithm='00000003' (AES), CryptographicLength='128', CryptographicUsageMask='0000000C' }</p> <p>Tag: Request Message (0x4200750x420078), Type: Structure (0x01), Data: Tag: Request Header (0x4200740x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x00000001 (Create) Tag: Request Payload (0x4200760x420079), Type: Structure (0x01), Data: Tag: Object Type (0x4200550x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Template-Attribute (0x42008E0x420091), Type: Structure (0x01), Data: Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Algorithm Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000003 (AES) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Length Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x00000080 (128) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Usage Mask Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x0000000C (Encrypt, Decrypt)</p> <p>42007501000001204200740100000384200670100000020420068020000000400000001000000004200690200000004000000000042000D0200000004000000010000000042000F01000000D842005A0500000004000000100000000 42007601000000C04200550500000004000000020000000042008E01000000A842008010000003042000A0700000017 43727970746F6772617068696320416C676F726974686D0042000B0500000040000003000000004200080100000030 42000A070000001443727970746F677261706869632046656E677468000000042000B0200000040000008000000000 420008010000003042000A070000001843727970746F67726170686963205573616765204D61736B42000B02000000040000000000 420078010000012042007701000003842006901000002042006A0200000040000001000000042006B0200000004</p>

	<pre> 000000000000000042000D0200000040000001000000042000F0100000D842005C05000000400000010000000 42007901000000C0420057050000004000000200000004200910100000A842000801000003042000A070000017 43727970746F6772617068696320416C676F726974686D0042000B050000004000000300000004200080100000030 42000A07000001443727970746F67726170686963204C656E67746800000042000B020000004000008000000000 420008010000003042000A07000001843727970746F67726170686963205573616765204D61736B42000B020000004 000000c00000000 </pre> <p>Out: objectType='00000002', uuidKey</p> <pre> Tag: Response Message (0x4200780x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x4200770x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x42008F0x420092), Type: Date-Time (0x09), Data: 0x000000004AC0731C (Mon Sep 28 10:26:04 CEST 2009) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x00000001 (Create) Tag: Result Status (0x42007E0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x4200790x42007C), Type: Structure (0x01), Data: Tag: Object Type (0x4200550x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 46eca90a-4b20- 423e-b968-750f299f0ea7fc8833de-70d2-4ece-b063-fede3a3c59fe 42007901000000C04200770100000048420067010000002042006802000000400000010000000420069020000004 000000000000000042008F0900000008000000004AC0731C42000D0200000040000001000000042000F0100000068 42005A0500000000400000001000000042007C050000000400000000000042007901000000404200550500000004 00000020000000420091070000002434366563613930612D346232302D343233632D623936382D3735306632393966 306261370000000042007B01000000C042007A0100000048420069010000002042006A02000000040000000100000000 42006B02000000040000000000000004200920900000008000000004AFBE7C242000D0200000040000000100000000 42000F010000006842005C0500000040000001000000042007F050000004000000000000000042007C0100000040 4200570500000004000000200000004200940700000024666338333364652D373064322D346563652D623036332D 6665646533613363353966650000000 </pre>
1	<p>Destroy (symmetric key)</p> <p>In: uuidKey</p> <pre> Tag: Request Message (0x4200750x420078), Type: Structure (0x01), Data: Tag: Request Header (0x4200740x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Request Payload (0x4200760x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 46eca90a-4b20- 423e-b968-750f299f0ea7fc8833de-70d2-4ece-b063-fede3a3c59fe 42007501000000904200740100000038420067010000002042006802000000400000010000000420069020000004 000000000000000042000D0200000040000001000000042000F010000001842005A0500000004000000140000000 4200760100000030420091070000002434366563613930612D346232302D343233632D623936382D3735306632393966 </pre>

	<pre> 3062613700000000 420078010000009042007701000003842006901000002042006A0200000040000001000000042006B020000004 00000000000000042000D0200000040000001000000042000F01000004842005C05000000400000140000000 420079010000030420094070000024666383833364652D373064322D346563652D623036332D6665646533613363 3539666500000000 </pre> <p>Out: uuidKey</p> <pre> Tag: Response Message (0x4200780x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x4200770x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x42008F0x420092), Type: Date-Time (0x09), Data: 0x000000004AC0731D (Mon Sep 28 10:26:05 CEST 0x000000004AFBE7C3 (Thu Nov 12 11:47:31 CET 2009) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Result Status (0x42007E0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x4200790x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 46ccaa90a-4b20- 423e-b968-750f299fe0ea7fc8833de-70d2-4ece-b063-fede3a3c59fe 42007801000000B042007701000004842006701000002042006902000000400000010000000420069020000004 00000000000000042008F090000008000000014C0731D42000D0200000040000001000000042000F0100000058 42005A05000000010000014000000042007C0500000040000000000000420079010000030420091070000024 34366563613930612D346232302D343223632D623936382D373530663229396630636137000000042007B01000000B0 42007A010000004842006901000002042006A0200000040000001000000042006B0200000040000000000000000 420092090000008000000004AFBE7C342000D0200000040000001000000042000F010000005842005C0500000004 00000140000000042007F050000004000000000000042007C01000003042009407000002466638383336465 2D373064322D346563652D623036332D66656465336133635396650000000 </pre>
--	--

53

54

3.1.23.1.2 Use-case: Register / Create / Get attributes / Destroy

56 Here the client first registers a template object and then creates a symmetric key using the registered
 57 template. To verify that the attributes of the key were set correctly from the template, the client then
 58 issues a Get Attributes command, after which it destroys first the key and then the template.

59

Time	Request/Response messages
0	<p>In: objectType='00000007', attributesTemplateAttribute=empty, Template={ ObjectGroup='Group1', ApplicationSpecificInformation='ssl, www.example.com', ContactInformation='Joe', x-Purpose='demonstration', Name={ NameValue='Template1', NameType='00000001' } }</p> <pre> Tag: Request Message (0x4200750x420078), Type: Structure (0x01), Data: Tag: Request Header (0x4200740x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1) </pre>

```

Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0)
Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)
Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
  Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x00000003 (Register)
  Tag: Request Payload (0x4200760x420079), Type: Structure (0x01), Data:
    Tag: Object Type (0x4200550x420057), Type: Enumeration (0x05), Data: 0x00000006 (Template)
    Tag: Template-Attribute (0x4200950x420091), Type: Structure (0x01), Data: null
    Tag: Template (0x420090), Type: Structure (0x01), Data:
      Tag: Attribute (0x420008), Type: Structure (0x01), Data:
        Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Object Group
        Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: Group1
      Tag: Attribute (0x420008), Type: Structure (0x01), Data:
        Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Application Specific Information
        Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data:
          Tag: Application Namespace (0x420003), Type: Text String (0x07), Data: ssl
          Tag: Application Data (0x420002), Type: Text String (0x07), Data: www.example.com
      Tag: Attribute (0x420008), Type: Structure (0x01), Data:
        Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Contact Information
        Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: Joe
      Tag: Attribute (0x420008), Type: Structure (0x01), Data:
        Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: x-Purpose
        Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: demonstration
      Tag: Attribute (0x420008), Type: Structure (0x01), Data:
        Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name
        Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data:
          Tag: Name Value (0x4200530x420055), Type: Text String (0x07), Data: Template1
          Tag: Name Type (0x4200520x420054), Type: Enumeration (0x05), Data: 0x00000001 (Uninterpreted text string)

```

```

42007501000001C0420074010000003842006701000000204200680200000004000000010000000042006902000000040000000000042000D0200000004000000010000000042000F010000017842005A0500000004000000300000000420076010000016042005505000000040000000060000000042008E0100000148420008010000002842000A0700000000C4F626A6563742047726F7570000000042000B070000000647726F7570310000420008010000005842000A07000000204170706C69636174696F6E20537065636966696320496E666F726D6174696F6E42000B0100000028420003070000000373736C6000000000420002070000000777772E6578616D706C652E636F6D00420008010000003042000A0700000013436F6E7461637420496E666F726D6174696F6E000000000042000B07000000034A6F6500000000000420008010000003042000A070000009782D507572706F73650000000000000042000B070000000D64656D6F6E7374726174696F6E000000120008010000004042000A07000000044E616D650000000042000B0100000028420053070000000954656D706C61746531000000004200520500000040000000100000000
42007801000001C84200770100000038420069010000002042006A0200000004000000010000000042006B0200000004000000000042000D0200000004000000010000000042000F010000018042005C0500000004000000300000000420079010000016842005705000000040000000060000000042009101000000004200900100000148420008010000002842000A0A070000000C4F626A6563742047726F7570000000042000B070000000647726F7570310000420008010000005842000A0A07000000204170706C69636174696F6E20537065636966696320496E666F726D6174696F6E42000B010000002842000307000000373736C00000000420002070000000777772E6578616D706C652E636F6D00420008010000003042000A0700000013436F6E7461637420496E666F726D6174696F6E000000000042000B07000000034A6F650000000000420008010000003042000A0700000009782D507572706F73650000000000000042000B070000000D64656D6F6E7374726174696F6E000000420008010000004042000A07000000044E616D650000000042000B0100000028420055070000000954656D706C6174653100000000C6174653100000000000042005405000000040000000100000000

```

Out: uuidTemplate

```

Tag: Response Message (0x4200780x42007B), Type: Structure (0x01), Data:
Tag: Response Header (0x4200770x42007A), Type: Structure (0x01), Data:

```

	<pre> Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x42008F0x420092), Type: Date-Time (0x09), Data: 0x000000004AC0731E (Mon Sep 28 10:26:06 CEST 0x00000004AFBE7C4 (Thu Nov 12 11:47:32 CET 2009) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x00000003 (Register) Tag: Result Status (0x42007C0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x4200790x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 4Fe3F473-4de4-4248-990e-21e00f7fe006a6ebb6f-4c54-4bb-ad29-be6bad4ecad5 42007801000000B042007701000000484200670100000020420068020000000400000001000000004200690200000004000000000000000042008F090000000080000000004AC0731E42000D02000000010000000010000000042000F010000005842005A05000000004000000000300000000042007C0500000000400000000000000004200790100000030420091070000002434666333663437332D346465342D343224382D393920652D3231653030663766633030360000000042007B01000000B042007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040000000000000004200920900000008000000004AFBE7C422000D0200000004000000010000000042000F010000005842005C0500000004000000300000000042007F0500000004000000000000000042007C0100000030420094070000002461366562626236662D346335342D346262622D616432392D62653662616434656361643500000000 </pre>
1	<p>Create (symmetric key using template)</p> <p>In: objectType='00000002', template={ NameValue='Template1', NameType='00000001' }, attributes={ CryptographicAlgorithm='AES', CryptographicLength='128', CryptographicUsageMask='0000000C' }</p> <pre> Tag: Request Message (0x4200750x420078), Type: Structure (0x01), Data: Tag: Request Header (0x4200740x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x00000001 (Create) Tag: Request Payload (0x4200760x420079), Type: Structure (0x01), Data: Tag: Object Type (0x4200550x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Template-Attribute (0x42008E0x420091), Type: Structure (0x01), Data: Tag: Name (0x4200510x420053), Type: Structure (0x01), Data: Tag: Name Value (0x4200530x420055), Type: Text String (0x07), Data: Template1 Tag: Name Type (0x4200520x420054), Type: Enumeration (0x05), Data: 0x00000001 (Uninterpreted text string) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Algorithm Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000003 (AES) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Length Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x00000080 (128) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Usage Mask Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x0000000C (Encrypt, Decrypt) </pre>

	<pre>420075010000015042007401000003842006701000000204200690200000004000000010000000042006902000000040 00000000000000042000D0200000040000001000000042000F010000010842005A05000000040000001000000042 007601000000F04200550500000040000002000000042008F01000000D84200510100000028420053070000009546 56D706C61746531000000000000004200520500000004000000010000000420008010000003042000A07000000171372 7970746F6772617068696320416C676F726974686D0042000D05000000400000030000000420008010000003042000 A070000001443727970746F67726170686963204C656E677468000000042000B02000000400000800000000420008 010000003042000A070000001843727970746F67726170686963205573616765204D61736B42000B0200000040000000 C00000000</pre>
	Out: objectType='00000002', uuidKey
	<pre>Tag: Response Message (0x4200780x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x4200770x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x42008F0x420092), Type: Date-Time (0x09), Data: 0x000000004AC0731F (Mon Sep 28 10:26:07 CEST 0x000000004AFBE7C5 (Thu Nov 12 11:47:33 CET 2009) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x00000001 (Create) Tag: Result Status (0x42007C0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x4200790x42007C), Type: Structure (0x01), Data: Tag: Object Type (0x4200550x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 300881e8-596a-48ad-814f-7ee11989660861b10614-d8b5-46f9-8d17-2fa6eald747a</pre>
	<pre>42007801000000C0420077010000001842006701000000204200690200000004000000010000000042006902000000040 0000000000000042008F0900000008000000004AC0731F42000D02000000400000010000000042000F010000006842 005A050000000400000010000000042007C0500000004000000000000000042007901000000404200550500000004000 0000200000000420091070000002433303038383163382D353936612D343861642D383134662D37636531313938393636 30380000000042007B01000000C042007A0100000048420069010000002042006A020000000400000010000000042006 B020000000040000000000000004200920900000008000000004AFBE7C542000D02000000400000010000000042007C01000000404200570 5000000040000000200000000420094070000002436316231303631342D643862352D343666392D386431372D32666136 656131643734376100000000</pre>
2	<p>Get attributes</p> <p>In: uuidKey, attributeNames={'ObjectGroup', 'ApplicationSpecificInformation', 'ContactInformation', 'x-Purpose'}</p> <pre>Tag: Request Message (0x4200750x420078), Type: Structure (0x01), Data: Tag: Request Header (0x4200740x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0)</pre>

```

Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)
Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
  Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes)
  Tag: Request Payload (0x4200760x420079), Type: Structure (0x01), Data:
    Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 300881e8-596a-48ad-814f-7ee11989660861b10614-d8b5-46f9-8d17-2fa6ea1d747a
    Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Object Group
    Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Application Specific Information
    Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Contact Information
    Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: x-Purpose

4200750100000108420074010000003842006701000000204200680200000040000000100000000120069020000000400000000000042000D0200000004000000010000000042000F01000000C042005A0500000040000000B0000000042007601000000A842009107000000243303039393163382D353936612D343861642D383134662D3763653131393839363630380000000042000A0700000004F626A6563742047726F75700000000042000A07000000204170706C69636174696F6E20537065636966696320496E666F726D6174696F6E42000A0700000013436F6E7461637420496E666F726D6174696F6E000000000042000A0700000009782D507572706F7365000000000000000000
42007801000001084200770100000038420069010000002042006A020000004000000010000000042006B020000000400000000000042000D0200000004000000010000000042000F01000000C042005C0500000040000000B0000000042007901000000A8420094070000002436316231303631342D643862352D343666392D386431372D3266613665613164373437610000000042000A0700000004F626A6563742047726F75700000000042000A07000000204170706C69636174696F6E20537065636966696320496E666F726D6174696F6E42000A0700000013436F6E7461637420496E666F726D6174696F6E000000000042000A0700000009782D507572706F7365000000000000000000

```

Out: uuidKey, attributes={ ObjectGroup='Group1', ApplicationSpecificInformation='ssl, www.example.com', ContactInformation='Joe Miller', x-Purpose='demonstration' }

```

Tag: Response Message (0x4200780x42007B), Type: Structure (0x01), Data:
  Tag: Response Header (0x4200770x42007A), Type: Structure (0x01), Data:
    Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data:
      Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1)
      Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0)
      Tag: Time Stamp (0x42008F0x420092), Type: Date-Time (0x09), Data: 0x000000004AC0731F \(Mon Sep 28 10:26:07 CEST 0x00000004AFBE7C6 \(Thu Nov 12 11:47:34 CET 2009\)
      Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)
      Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
        Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes)
        Tag: Result Status (0x42007C0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)
        Tag: Response Payload (0x4200790x42007C), Type: Structure (0x01), Data:
          Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 300881e8-596a-48ad-814f-7ee11989660861b10614-d8b5-46f9-8d17-2fa6ea1d747a
          Tag: Attribute (0x420008), Type: Structure (0x01), Data:
            Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Object Group
            Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: Group1
            Tag: Attribute (0x420008), Type: Structure (0x01), Data:
              Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Application Specific Information
              Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data:
                Tag: Application Namespace (0x420003), Type: Text String (0x07), Data: ssl
                Tag: Application Data (0x420002), Type: Text String (0x07), Data: www.example.com
            Tag: Attribute (0x420008), Type: Structure (0x01), Data:

```

	<pre> Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Contact Information Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: Joe Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: x-Purpose Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: demonstration </pre> <pre> 42007801000001B042007701000000484200670100000020420068020000000400000001000000012006902000000040 00000000000000042008F09000000008000000004AC0731F42000D02000000040000001000000042000F010000015842 005A050000000040000000B0000000042007C050000000400000000000000042007901000001304200910700000024333 03028382163382D252936612D343961642D383134662D3763653131393839263630380000000420008010000000284200 0A0700000000C4F626A6563742047726F7570000000042000B070000000647726F7570310000420008010000005842000 A70000000204170706C69636174696F6E20537065636966696320496E666F726D6174696F6E42000B0100000028420003 07000000027272620000000042000207000000F777777256578616D706C652E626F6D00420008010000002042000A 700000013436F6E7461637420496E666F726D6174696F6E0000000000042000B07000000034AC6F65000000000042000801 0000003042000A0700000009782D507572706F7365000000000000042000D070000000D64656D6F6E7374726174696F6 E00000042007B01000001B042007A010000004842006901000002042006A02000000400000001000000042006B0200 000004000000000000004200920900000008000000004AFBEB7C642000D02000000400000001000000042000F01000 0015842005C05000000040000000B0000000042007F050000000400000000000000042007C0100000130420094070000 002436316231303631342D64386235D343666392D386431372D326661366561316437343761000000004200080100000 02842000A070000000C4F626A6563742047726F7570000000042000B070000000647726F75703100004200080100000 5842000A07000000204170706C69636174696F6E20537065636966696320496E666F726D6174696F6E42000B010000002 8420003070000000373736C000000000420002070000000F7777772E6578616D706C652E636F6D004200080100000030 42000A0700000013436F6E7461637420496E666F726D6174696F6E000000000042000B07000000034A6F6500000000004 20008010000003042000A0700000009782D507572706F7365000000000000042000B070000000D64656D6F6E73747261 74696F6E0000000 </pre>
3	<p>Destroy (symmetric key)</p> <p>In: <code>uuidKey</code></p> <pre> Tag: Request Message (0x4200750x420078), Type: Structure (0x01), Data: Tag: Request Header (0x4200740x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Request Payload (0x4200760x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 300881e8-596a-48ad-814f-7ee11989660861b10614-d8b5-46f9-8d17-2fa6eald747a </pre> <pre> 420075010000009042007401000000384200670100000020420068020000000400000001000000012006902000000040 00000000000000042000D0200000004000000010000000042000F010000004842005A0500000004000000140000000042 00760100000030420091070000002433303028383163382D353936612D343961642D383134662D3763653131393839363 63028000000000 </pre> <pre> 42007801000000904200770100000038420069010000002042006A020000004000000010000000042006B02000000040 00000000000000042000D0200000004000000010000000042000F010000004842005C0500000004000000140000000042 00790100000030420094070000002436316231303631342D643862352D343666392D386431372D3266613665613164373 43761000000000 </pre> <p>Out: <code>uuidKey</code></p> <pre> Tag: Response Message (0x4200780x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x4200770x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1) </pre>

	<p>Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</p> <p>Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy)</p> <p>Tag: Result Status (0x42007C0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)</p> <p>Tag: Response Payload (0x42007900x42007C), Type: Structure (0x01), Data:</p> <p>Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 4fe3f473-4de4-4248-990e-21e00f7fe006a6ebb6f-4c54-4bbb-ad29-be6bad4ecad5</p> <p>42007801000000D0420077010000004842006701000000204200680200000040000000100000000420069020000000400000000000042008F09000000008000000004AC0732042000D0200000004000000010000000042000F010000005842005A0500000004000000140000000042007C05000000040000000000000004200790100000030420091070000002434666333663437332D346465342D343234382D393930652D323165303066376663303036000000042007B01000000B042007A0100000048420069010000002042006A0200000004000000010000000042006B0200000004000000000000000420092090000008000000004AFBE7C642000D0200000004000000010000000042000F010000005842005C0500000004000000140000000042007F0500000004000000000000000042007C0100000030420094070000002461366562626236662D346335342D346262622D616432392D62653662616434656361643500000000</p>
--	--

60

61

3.1.33.1.3 Use-case: Create / Locate / Get / Destroy

63 This use-case tests the Locate and Get operations, in addition to the previously used operations Create and Destroy. A symmetric key is first created, and then a lookup is performed on the Name attribute using the Locate operation. Subsequently, a Get request is issued to retrieve the located key, after which the key on the server is destroyed.

67

Time	Request/Response messages
0	<p>Create (symmetric key)</p> <p>In: objectType = '00000002', attributes={ Name={ NameValue='Key1', NameType='00000001' }, CryptographicAlgorithm='DES', CryptographicLength='56', CryptographicUsageMask='0000000C', ContactInformation='Joe' }</p> <p>Tag: Request Message (0x4200750x420078), Type: Structure (0x01), Data:</p> <p>Tag: Request Header (0x4200740x420077), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0)</p> <p>Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</p> <p>Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x00000001 (Create)</p> <p>Tag: Request Payload (0x4200760x420079), Type: Structure (0x01), Data:</p> <p>Tag: Object Type (0x4200550x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key)</p> <p>Tag: Template-Attribute (0x42008E0x420091), Type: Structure (0x01), Data:</p> <p>Tag: Attribute (0x420008), Type: Structure (0x01), Data:</p> <p>Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name</p> <p>Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data:</p> <p>Tag: Name Value (0x4200530x420055), Type: Text String (0x07), Data: Key1</p> <p>Tag: Name Type (0x4200520x420054), Type: Enumeration (0x05), Data: 0x00000001 (Uninterpreted text string)</p> <p>Tag: Attribute (0x420008), Type: Structure (0x01), Data:</p> <p>Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Algorithm</p>

```

Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000001  

(DES)0x00000002 (3DES)

    Tag: Attribute (0x420008), Type: Structure (0x01), Data:
        Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Length
        Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x00000038  

(168)

    Tag: Attribute (0x420008), Type: Structure (0x01), Data:
        Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Usage  

Mask
        Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x0000000C (Encrypt,  

Decrypt)
        Tag: Attribute (0x420008), Type: Structure (0x01), Data:
        Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Contact Information
        Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: Joe

4200750100000198420074010000003842006701000000204200680200000004000000010000000042006902000000040  

000000000000000042000D0200000004000000010000000042000F010000015042005A0500000004000000010000000042  

00760100000138420055050000000100000002000000042008E0100000120420008010000003842000A07000000044E6  

16D650000000042000B01000000204200530700000044B6579310000000420052050000000400000001000000004200  

080100000003042000A070000001743727970746F6772617068696320416C676F726974686P0042000B050000000400000  

00100000000420008010000003042000A070000001443727970746F67726170686963204C656E677468000000042000B  

02000000004000000300000000420008010000003042000A070000001843727970746F677261706869632055736167652  

04D61736B42000B02000000040000000C00000000420008010000003042000A0700000013436F6E7461637420496E666F  

726D6174696F6E0000000000042000B07000000034A6F6500000000000

42007801000001984200770100000038420069010000002042006A0200000004000000010000000042006B02000000040  

000000000000000042000D0200000004000000010000000042000F010000015042005C0500000004000000010000000042  

00790100000138420057050000000400000002000000004200910100000120420008010000003842000A07000000044E6  

16D650000000042000B010000002042005507000000044B6579310000000420054050000000400000001000000004200  

080100000003042000A070000001743727970746F6772617068696320416C676F726974686P0042000B050000000400000  

00200000000420008010000003042000A070000001443727970746F67726170686963204C656E677468000000042000B  

02000000004000000A800000000420008010000003042000A070000001843727970746F677261706869632055736167652  

04D61736B42000B02000000040000000C00000000420008010000003042000A0700000013436F6E7461637420496E666F  

726D6174696F6E0000000000042000B07000000034A6F6500000000000

```

Out: objectType = '00000002', uuidKey

```

Tag: Response Message (0x4200780x42007B), Type: Structure (0x01), Data:
    Tag: Response Header (0x4200770x42007A), Type: Structure (0x01), Data:
        Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data:
            Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1)
            Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0)
            Tag: Time Stamp (0x42008F0x420092), Type: Date-Time (0x09), Data: 0x000000004AC07321 (Mon Sep  

28 10:26:09 CEST 0x00000004AFBE7C7 (Thu Nov 12 11:47:35 CET 2009)
            Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)
            Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
                Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x00000001 (Create)
                Tag: Result Status (0x42007C0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)
                Tag: Response Payload (0x4200790x42007C), Type: Structure (0x01), Data:
                    Tag: Object Type (0x4200550x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric  

Key)
                    Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 75da9be9-7867-49e5-886d-757f3d523d3f1ed28ea5-2b31-4145-bcf2-36d0756d3890

42007801000000c0420077010000004842006701000000204200680200000004000000010000000042006902000000040  

000000000000000042008F09000000008000000004AC0732142000D02000000040000001000000012000F010000006842  

005A05000000040000001000000012007C05000000040000000000000000000000000000000000000000000000000000000000  

00000000000042009107000000243735641396263392D373836372D343963352D383836642D37353766336435323364

```

	<p>33660000000042007B01000000C042007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040000000000000000420092090000000800000004AFBE7C742000D020000004000000010000000042000F010000006842005C05000000040000001000000042007F0500000004000000000000000042007C0100000040420057050000004000000020000000420094070000002431656432386561352D326233312D343134352D626366322D33366430373536643338393000000000</p>
1	<p>Locate (symmetric key)</p> <p>In: attributes={ objectType = '00000002', Name={ Name='Key1', NameType='00000001' } }</p> <pre> Tag: Request Message (0x4200750x420078), Type: Structure (0x01), Data: Tag: Request Header (0x4200740x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Request Payload (0x4200760x420079), Type: Structure (0x01), Data: Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Object Type Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data: Tag: Name Value (0x4200530x420055), Type: Text String (0x07), Data: Key1 Tag: Name Type (0x4200520x420054), Type: Enumeration (0x05), Data: 0x00000001 (Uninterpreted text string) </pre> <p>42007501000000D042007401000000384200670100000020420068020000000400000001000000004200690200000004000000000000000042000D0200000004000000010000000042000F010000008842005A050000000400000008000000004200760100000070420008010000002842000A070000000B4F626A65637420547970650000000000042000B05000000040000000200000000420008010000003842000A07000000044E616D6500000000042000B010000002042005307000000044B6579310000000042005205000000040000000100000000</p> <p>42007801000000D04200770100000038420069010000002042006A0200000004000000010000000042006B0200000004000000000000000042000D0200000004000000010000000042000F010000008842005C0500000004000000080000000042000790100000070420008010000002842000A070000000B4F626A6563742054797065000000000042000B05000000040000000200000000420008010000003842000A07000000044E616D6500000000042000B010000002042005507000000044B6579310000000042005405000000040000000100000000</p> <p>Out: uuidKey</p> <pre> Tag: Response Message (0x4200780x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x4200770x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x42008F0x420092), Type: Date-Time (0x09), Data: 0x000000004AC07321 (Mon Sep 28 10:26:09 CEST 2009)0x00000004AFBE7C8 (Thu Nov 12 11:47:36 CET 2009) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Result Status (0x42007C0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) </pre>

	<pre> Tag: Response Payload (0x4200790x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 75da9be9 7867 49e5 886d 757f3d523d3f1ed28ea5-2b31-4145-bcf2-36d0756d3890 42007801000000042007701000000484200670100000020420068020000000400000001000000042006902000000040 000000000000042008F090000000800000004AC0732142000D0200000040000001000000042000F010000005842 005A050000000400000080000000042007C0500000004000000000000000420079010000030420091070000024373 56461396263392D373836372D343963352D383836642D373537663364353233643366000000042007B0100000B04200 7A010000048420069010000002042006A0200000040000001000000042006B020000004000000000000000042009 209000000800000004AFBE7C842000D0200000040000001000000042000F010000005842005C050000004000000 08000000042007F05000000400000000000000042007C01000003042009407000002431656432386561352D32623 3312D343134352D626366322D3336643037353664333839300000000 </pre>
2	<p>Get (symmetric key)</p> <p>In: uuidKey</p> <pre> Tag: Request Message (0x4200750x420078), Type: Structure (0x01), Data: Tag: Request Header (0x4200740x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get) Tag: Request Payload (0x4200760x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 75da9be9 7867 49e5 886d 757f3d523d3f1ed28ea5-2b31-4145-bcf2-36d0756d3890 420075010000009042007401000000384200670100000020420068020000000400000001000000042006902000000040 000000000000042000D020000000400000001000000042000F010000004842005A05000000040000000A0000000042 007601000000030420091070000002437356461396263392D373836372D343963352D383836642D3735376633643532336 43366000000000 42007801000000904200770100000038420069010000002042006A020000000400000001000000042006B02000000040 000000000000042000D020000000400000001000000042000F010000004842005C05000000040000000A0000000042 00790100000030420094070000002431656432386561352D326233312D343134352D626366322D3336643037353664333 83930000000000 </pre> <p>Out: objectType = '00000002', uuidKey, symmetricKey</p> <pre> Tag: Response Message (0x4200780x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x4200770x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x42008F0x420092), Type: Date-Time (0x09), Data: 0x000000004AC07322 (Mon Sep 28 10:26:10 CEST 2009) 0x00000004AFBE7C8 (Thu Nov 12 11:47:36 CET 2009) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get) Tag: Result Status (0x42007E0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x4200790x42007C), Type: Structure (0x01), Data: Tag: Object Type (0x4200550x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 75da9be9 7867 </pre>

	<p>49e5-886d-757f3d523d3f1ed28ea5-2b31-4145-bcf2-36d0756d3890</p> <p>Tag: Symmetric Key (0x42008C0x42008F), Type: Structure (0x01), Data:</p> <p>Tag: Key Block (0x42003E0x420040), Type: Structure (0x01), Data:</p> <p>Tag: Key Format Type (0x4200400x420042), Type: Enumeration (0x05), Data: 0x00000001</p> <p>Tag: Key Value (0x4200430x420045), Type: Structure (0x01), Data:</p> <p>Tag: Key Material (0x4200440x420043), Type: Octet String (0x08), Data: END09734D085DFFFC8E51523F73D6EE9F40EAB7CD06825499D8C0BD0739E1046</p> <p>Tag: Cryptographic Algorithm (0x4200260x420028), Type: Enumeration (0x05), Data: 0x00000001 (DES0x00000002 (3DES))</p> <p>Tag: Cryptographic Length (0x4200280x42002A), Type: Integer (0x02), Data: 0x00000038 (+560x000000A8 (168))</p> <p> 420078010000011842007701000000484200670100000020420068020000004000000010000000042006902000000040000000000042008F0900000008000000004AC0722242000D0200000004000000010000000042000F01000000C042005A05000000040000000A0000000042007C0500000004000000000000000042007901000000984200550500000004000000020000000042009107000002437356461396263392D373936372D343963352D383836642D3735376633643532336433660000000042008C010000005042003E0100000484200400500000004000000010000000042004301000000104200410800000008EAD09724D085DFFFC8E51523F73D6EE9F40EAB7CD06825499D8C0BD0739E1046</p> <p>010000012842007A0100000048420069010000002042006A0200000004000000010000000042006B020000000400000000000420092090000000800000004AFBE7C842000D020000004000000010000000042006F01000000D042005C050000000040000000A000000042007F0500000004000000000000000042007C01000000A842005705000000400000002000000042009407000002431656432386561352D326233312D343134352D626366322D33366430373536643338393000000042008F01000000604200400100000058420042050000004000000010000000042004501000000204200430800000018C8E51523F73D6EE9F40EAB7CD06825499D8C0BD0739E104642002805000000400000002000000042002A0200000040000000A800000000</p>
3	<p>Destroy (symmetric key)</p> <p>In: uuidKey</p> <p>Tag: Request Message (0x4200750x420078), Type: Structure (0x01), Data:</p> <p>Tag: Request Header (0x4200740x420077), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0)</p> <p>Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</p> <p>Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy)</p> <p>Tag: Request Payload (0x4200760x420079), Type: Structure (0x01), Data:</p> <p>Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 75da9be9-7867-49e5-886d-757f3d523d3f1ed28ea5-2b31-4145-bcf2-36d0756d3890</p> <p> 420075010000009042007401000000384200670100000020420068020000004000000010000000042006902000000040000000000042000D0200000004000000010000000042000F010000004842005A05000000040000001400000004200760100000030420091070000002437356461396263392D373936372D343963352D383836642D37353766336435323364336600000000420092090000000800000004AFBE7C842000D020000004000000010000000042006F01000000D042005C050000000040000000A000000042007F0500000004000000000000000042007C01000000A842005705000000400000002000000042009407000002431656432386561352D326233312D343134352D626366322D33366430373536643338393000000042008F01000000604200400100000058420042050000004000000010000000042004501000000204200430800000018C8E51523F73D6EE9F40EAB7CD06825499D8C0BD0739E104642002805000000400000002000000042002A0200000040000000A800000000</p> <p>Out: uuidKey</p> <p>Tag: Response Message (0x4200780x42007B), Type: Structure (0x01), Data:</p> <p>Tag: Response Header (0x4200770x42007A), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data:</p>

	<p>Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0)</p> <p>Tag: Time Stamp (0x42008F0x420092), Type: Date-Time (0x09), Data: 0x000000004AC07322 (Mon Sep 28 10:26:10 CEST 2009)</p> <p>Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</p> <p>Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy)</p> <p>Tag: Result Status (0x42007E0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)</p> <p>Tag: Response Payload (0x4200790x42007C), Type: Structure (0x01), Data:</p> <p>Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 75da9be9-7867-49e5-886d-757f3d523d3f1ed28ea5-2b31-4145-bcf2-36d0756d3890</p> <p>42007801000000B04200770100000048420067010000002042006802000000040000000100000004200690200000004000000000000000042008F090000000080000000004AC0732242000D0200000004000000010000000042000F010000005842005A0500000040000000140000000042007C05000000004000000000000000004200790100000030420091070000002437356461396263392D373836372D343963352D383836642D373537663364353233643366000000042007B01000000B042007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040000000000000000004200920900000008000000004AFBE7C842000D0200000004000000010000000042000F010000005842005C0500000004000000140000000042007F0500000004000000000000000042007C0100000030420094070000002431656432386561352D32623312D343134352D626366322D33366430373536643338393000000000</p>
4	<p>Locate</p> <p>In: uuidKey</p> <p>Tag: Request Message (0x4200750x420078), Type: Structure (0x01), Data:</p> <p>Tag: Request Header (0x4200740x420077), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0)</p> <p>Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</p> <p>Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate)</p> <p>Tag: Request Payload (0x4200760x420079), Type: Structure (0x01), Data:</p> <p>Tag: Attribute (0x420008), Type: Structure (0x01), Data:</p> <p>Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Unique Identifier</p> <p>Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: 75da9be9-7867-49e5-886d-757f3d523d3f1ed28ea5-2b31-4145-bcf2-36d0756d3890</p> <p>42007501000000B84200740100000038420067010000002042006802000000040000000100000004200690200000004000000000000000042000F0100000007042005A0500000004000000080000000042007601000000058420008010000005042000A0700000011556E69717565204964656E74696669657200000000000000004200B070000002437356461396263392D373836372D343963352D383836642D373537663364353233643366000000042007901000000058420008010000005042000A0700000011556E69717565204964656E74696669657200000000000000004200B070000002431656432386561352D326233312D343134352D626366322D33366430373536643338393000000000</p> <p>42007801000000B84200770100000038420069010000002042006A020000000400000001000000042006B0200000004000000000000000042000D0200000004000000010000000042000F010000007042005C0500000004000000080000000042007901000000058420008010000005042000A0700000011556E69717565204964656E74696669657200000000000000004200B070000002431656432386561352D326233312D343134352D626366322D33366430373536643338393000000000</p> <p>Out: <empty response payload></p> <p>Tag: Response Message (0x420078), Type: Structure (0x01), Data:</p> <p>Tag: Response Header (0x420077), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version (0x420067), Type: Structure (0x01), Data:</p>

	<pre> Tag: Protocol Version Major (0x420068), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x420069), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x42008F), Type: Date-Time (0x09), Data: 0x000000004AC07323 (Mon Sep 28 10:26:11 CEST 2009) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005A), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Result Status (0x42007C), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x420079), Type: Structure (0x01), Data: null 4200780100000080420077010000004842006701000000204200680200000004000000010000000042006902000000040 000000000000000042008F090000000080000000004AC0732342000D0200000004000000010000000042000F010000002842 005A0500000004000000080000000042007C0500000004000000000000000042007901000000042007B0100000080420 07A0100000048420069010000002042006A0200000004000000010000000042006B020000000400000000000000004200 92090000000800000004AFBE7C842000D0200000004000000010000000042000F010000002842005C050000000400000 0080000000042007F0500000004000000000000000042007C0100000000 </pre>
--	---

68

69

70 **3.1.43.1.4 Use-case: Dual client use-case, ID Placeholder linked Locate & Get**
71 **batch**

72 This use-case has two clients performing operations on the same key. The first client initially registers a
73 template and creates a symmetric key using that template. The second client then does a batched Locate
74 and Get using the ID Placeholder to retrieve the key. The second client thereafter performs a number of
75 operations on the key (Get Attribute List, Get Attribute, Add Attribute, Modify Attribute and Delete
76 Attribute), before the first client finally destroys the key and the template. The first client also tries to Get
77 the key and the template after they have been destroyed, but the Get operation fails in both cases.

78

79 This use-case demonstrates the fact that it is possible for two clients to cooperate and use the same
80 managed object while only having knowledge of a single pre-agreed Name attribute value and without
81 having to share any other information. ~~Here, the identities of the two clients are not considered and since~~
82 ~~we do not include an Authentication field in the header, they could also be considered to be the same~~
83 ~~client. If the clients authenticate themselves to the server using different credentials, the server needs to~~
84 ~~employ another policy than the Default policy defined in the KMIP specification on the key object to allow~~
85 ~~both clients to access it.~~

86

Time	Request/Response messages
0	<p>Client A:</p> <p>Register (template)</p> <p>In: objectType='00000007', attributesTemplateAttribute=empty, Template={ CryptographicAlgorithm='AES', CryptographicLength='128', Name={ NameValue='Template1', NameType='00000001' },}</p> <p>Tag: Request Message (0x4200750x420078), Type: Structure (0x01), Data: Tag: Request Header (0x4200740x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)</p>

```

Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
  Tag: Operation (0x42005A_0x42005C), Type: Enumeration (0x05), Data: 0x00000003 (Register)
  Tag: Request Payload (0x420076_0x420079), Type: Structure (0x01), Data:
    Tag: Object Type (0x420055_0x420057), Type: Enumeration (0x05), Data: 0x00000006 (Template)
    Tag: Template-Attribute (0x42005E_0x420091), Type: Structure (0x01), Data: null
    Tag: Template (0x420090), Type: Structure (0x01), Data:
      Tag: Attribute (0x420008), Type: Structure (0x01), Data:
        Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Algorithm
        Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000003 (AES)
      Tag: Attribute (0x420008), Type: Structure (0x01), Data:
        Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Length
        Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x00000080 (128)
      Tag: Attribute (0x420008), Type: Structure (0x01), Data:
        Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name
        Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data:
          Tag: Name Value (0x420053_0x420055), Type: Text String (0x07), Data: Template1
          Tag: Name Type (0x420052_0x420054), Type: Enumeration (0x05), Data: 0x00000001
(Uninterpreted text string)

```

```

420075010000013042007401000000384200670100000020420068020000004000000010000000042006902000000040
000000000000000042000D020000000400000001000000042000F01000000842005A05000000400000003000000042
0076010000000D042005505000000040000000060000000042008E010000008420008010000003042000A0700000017437
27970746F6772617068696320416C676F726974686D0042000B0500000040000000300000004200080100000304200
0A070000001443727970746F67726170686963204C656E677468000000042000B02000000400000800000000042000
8010000004042000A0700000014E616D65000000042000B01000002842005307000000954656D706C617465310000
0000000000420052050000004000000100000000
42007801000001384200770100000038420069010000002042006A02000000400000001000000042006B02000000040
00000000000000042000D020000000400000001000000042000F01000000F042005C0500000040000003000000042
007901000000D842005705000000400000006000000042009101000000042009001000000B8420008010000030420
00A070000001743727970746F6772617068696320416C676F726974686D0042000B050000004000000300000004200
0801000003042000A070000001443727970746F67726170686963204C656E677468000000042000B02000000400000
080000000042000801000004042000A0700000044E616D65000000042000B01000002842005507000000954656D
706C61746531000000000042005405000000040000000100000000

```

Out: uuidTemplate

```

Tag: Response Message (0x420078_0x42007B), Type: Structure (0x01), Data:
  Tag: Response Header (0x420077_0x42007A), Type: Structure (0x01), Data:
    Tag: Protocol Version (0x420067_0x420069), Type: Structure (0x01), Data:
      Tag: Protocol Version Major (0x420068_0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)
      Tag: Protocol Version Minor (0x420069_0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)
    Tag: Time Stamp (0x42008F_0x420092), Type: Date-Time (0x09), Data: 0x000000004AC07323 (Mon Sep
28-0x00000004AFBED21 (Thu Nov 12 12:10:26:11 CEST25 CET 2009)
    Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)
  Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
    Tag: Operation (0x42005A_0x42005C), Type: Enumeration (0x05), Data: 0x00000003 (Register)
    Tag: Result Status (0x42007E_0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)
    Tag: Response Payload (0x420079_0x42007C), Type: Structure (0x01), Data:
      Tag: Unique Identifier (0x420091_0x420094), Type: Text String (0x07), Data: 8383198b-4600-
4388-955f-2802ee699e9e45d8629a-9ad1-41b3-9d09-941f2a595da3

```

```

42007801000000D04200770100000048420067010000002042006802000000400000001000000042006902000000040
0000000000000042008F0900000008000000004AC0732342000D020000000400000001000000042000F010000005842
005A0500000004100000030000000042007C0500000004100000000000000042007901000000304200910700000024383

```


0400000000420008010000003042000A0700000013436F6E7461637420496E666F726D6174696F6E000000000042000B0
700000003466F6F0000000000

Out: objectType='00000002', uuidKey

Tag: Response Message (0x4200780x42007B), Type: Structure (0x01), Data:
 Tag: Response Header (0x4200770x42007A), Type: Structure (0x01), Data:
 Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data:
 Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1)
 Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0)
 Tag: Time Stamp (0x4200800x420092), Type: Date-Time (0x09), Data: 0x000000004AC07324 (Mon Sep 28 0x000000004AFBED23 (Thu Nov 12 12:10:26:12 CEST 27 CET 2009)
 Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)
 Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
 Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x00000001 (Create)
 Tag: Result Status (0x42007C0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)
 Tag: Response Payload (0x4200790x42007C), Type: Structure (0x01), Data:
 Tag: Object Type (0x4200550x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key)
 Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 7fba0849-a3e2-448e-81dd-9a199947e47d0a33e83e-5b7a-4865-964a-8d1c3bbf9ae3

42007801000000C04200770100000048420067010000002042006802000000040000000100000000420069020000000400000000000042008F090000000080000000004Ac0732442000D02000000010000000010000000042000F010000006942005A05000000004000000010000000042007C05000000004000000000000000004200790100000040420055050000000040000000000420091070000002437666261343834392D61326332D346428632D383164642D3961313939393437653437640000000042007B01000000C042007A01000000484200690100000002042006A0200000004000000010000000042006B02000000004000000000000000004200920900000008000000004AFBED2342000D0200000004000000010000000042000F010000006842005C050000000400000001000000042007F050000000400000000000000000042007C0100000040420057050000004000000020000000420094070000002430613333653833652D356237612D343836352D393634612D386431633362663961653300000000

2

Client B:

Locate and Get (symmetric key by name)

In (header): batchOrderOption='TRUE'

In: attributes={ objectType = '00000002', Name={ Name='Key1', NameType='00000001' } }

In: <empty Get payload>

Tag: Request Message (0x4200750x420078), Type: Structure (0x01), Data:
 Tag: Request Header (0x4200740x420077), Type: Structure (0x01), Data:
 Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data:
 Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1)
 Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0)
 Tag: Batch Order Option (0x420010), Type: Boolean (0x06), Data: TRUE
 Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000002 (2)
 Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
 Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate)
 Tag: Unique Batch Item ID (0x4200900x420093), Type: Octet String (0x08), Data: 01F76942FF5A7A8A0E9E1875336E415E
 Tag: Request Payload (0x4200760x420079), Type: Structure (0x01), Data:
 Tag: Attribute (0x420008), Type: Structure (0x01), Data:
 Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Object Type


```

Tag: Request Message (0x4200750x420078), Type: Structure (0x01), Data:
  Tag: Request Header (0x4200740x420077), Type: Structure (0x01), Data:
    Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data:
      Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1)
      Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0)
    Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)
    Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
      Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get
Attributes)
      Tag: Request Payload (0x4200760x420079), Type: Structure (0x01), Data:
        Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 7fba0849-a3e2-
4d8e-81dd-9a199947e47d0a33e83e-5b7a-4865-964a-8d1c3bbf9ae3
        Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name
        Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Contact Information

42007501000000C0420074010000003842006701000000204200680200000004000000010000000042006902000000040
000000000000000042000D0200000004000000010000000042000F010000007842005A050000004000000B0000000042
00760100000060420091070000002437666261203834392D612263322D346438632D383164642D3961312939393437653
4376400000000042000A07000000044E616D650000000042000A0700000013436F6E7461637420496E666F726D6174696F
6E0000000000
42007801000000C04200770100000038420069010000002042006A0200000004000000010000000042006B02000000040
0000000000000042000D0200000004000000010000000042000F010000007842005C0500000040000000B0000000042
0079010000006042009407000000243061333653833652D356237612D343836352D393634612D386431633626266396
165330000000042000A07000000044E616D650000000042000A0700000013436F6E7461637420496E666F726D6174696F
6E0000000000

```

Out: `uuidKey, attributes={ Name={ Name='Key1', NameType='00000001' }, ContactInformation='Foo' }`

```

Tag: Response Message (0x4200780x42007B), Type: Structure (0x01), Data:
  Tag: Response Header (0x4200770x42007A), Type: Structure (0x01), Data:
    Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data:
      Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1)
      Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0)
      Tag: Time Stamp (0x42008F0x420092), Type: Date-Time (0x09), Data: 0x000000004AC07325 \(Mon Sep
0x000000004AFBED24 \(Thu Nov 12 12:10:28 +0:26:13 CEST CET 2009\)
      Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)
      Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
        Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get
Attributes)
        Tag: Result Status (0x42007C0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)
        Tag: Response Payload (0x4200790x42007C), Type: Structure (0x01), Data:
          Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 7fba0849-a3e2-
4d8e-81dd-9a199947e47d0a33e83e-5b7a-4865-964a-8d1c3bbf9ae3
          Tag: Attribute (0x420008), Type: Structure (0x01), Data:
            Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name
            Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data:
              Tag: Name Value (0x4200530x420055), Type: Text String (0x07), Data: Key1
              Tag: Name Type (0x4200520x420054), Type: Enumeration (0x05), Data: 0x00000001
(Uninterpreted text string)
            Tag: Attribute (0x420008), Type: Structure (0x01), Data:
              Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Contact Information
              Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: Foo

```

	<pre> 4200780100000128420077010000004842006701000000204200680200000004000000010000000042006902000000040 00000000000000042008F0900000008000000004AC0732542000D020000000400000001000000004200F01000000D042 005A0500000000400000000B00000000042007C0500000000400000000000000042007901000000A84200910700000024376 66261303834392D613363322D346438632D383164612D396131393939343765343764000000004200801000000384200 0A07000000044E616D650000000042000B010000002042005307000000044B65793100000000420052050000004000000 00100000000420008010000003042000A0700000013436F6E7461637420496E666F726D6174696F6E00000000042000B 0700000003466F6F00000000042007B010000012842007A0100000048420069010000002042006A0200000004000000 10000000042006B02000000040000000000000000420092090000008000000004AFBED2442000D0200000004000000 0000000042000F0100000D042005C05000000040000000B0000000042007F050000000400000000000000042007C010 00000A842009407000002430613333653833652D356237612D343836352D393634612D38643163336262663961653300 00000042008010000003842000A07000000044E616D650000000042000B010000002042005507000000044B657931000 0000042005405000000040000000100000000420008010000003042000A0700000013436F6E7461637420496E666F726D 6174696F6E000000000042000B070000003466F6F0000000000 </pre>
5	<p>Client B:</p> <p>Add attribute [batch]</p> <p>In: uuidKey, attribute={ x-attribute1='Value1'}</p> <p>In: uuidKey, attribute={ x-attribute2='Value2' }</p> <p>Tag: Request Message (0x4200750x420078), Type: Structure (0x01), Data:</p> <p> Tag: Request Header (0x4200740x420077), Type: Structure (0x01), Data:</p> <p> Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data:</p> <p> Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p> Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0)</p> <p> Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000002 (2)</p> <p> Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</p> <p> Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x0000000D (Add Attribute)</p> <p> Tag: Unique Batch Item ID (0x4200900x420093), Type: Octet String (0x08), Data: 290C75CAE59F39087A92DDA525EB158A</p> <p> Tag: Request Payload (0x4200760x420079), Type: Structure (0x01), Data:</p> <p> Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 7fba0849-a3e2-4d8c-81dd-9a199947e47d0a33e83e-5b7a-4865-964a-8d1c3bbf9ae3</p> <p> Tag: Attribute (0x420008), Type: Structure (0x01), Data:</p> <p> Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: x-attribute1</p> <p> Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: Value1</p> <p> Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</p> <p> Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x0000000D (Add Attribute)</p> <p> Tag: Unique Batch Item ID (0x4200900x420093), Type: Octet String (0x08), Data: BF48C307C95CC22E7230F6E4D3BEA249</p> <p> Tag: Request Payload (0x4200760x420079), Type: Structure (0x01), Data:</p> <p> Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 7fba0849-a3e2-4d8c-81dd-9a199947e47d0a33e83e-5b7a-4865-964a-8d1c3bbf9ae3</p> <p> Tag: Attribute (0x420008), Type: Structure (0x01), Data:</p> <p> Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: x-attribute2</p> <p> Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: Value2</p> <p> 420075010000016042007401000003842006701000000204200680200000004000000010000000042006902000000040 00000000000000042000D0200000004000000020000000042000F010000008842005A0500000004000000D00000000042 00900800000008290C75CAE59F39084200760100000060420091070000002437666261303834392D613363322D3464386 32D383164642D39613139393934376534376400000000420008010000002842000A070000000C782D6174747269627574 65310000000042000B070000000656616C756531000042000F010000008842005A0500000004000000D0000000042009 0080000008BF48C307C95CC22E7230F6E4D3BEA249 382164642D3961313939393437653437640000000420008010000002842000A070000000C782D6174747269627574653 20000000042000B070000000656616C7565320000 4200780100000160420077010000038420069010000002042006A0200000004000000010000000042006B02000000040 00000000000000042000D0200000004000000020000000042000F010000008842005C0500000004000000D0000000042 </p>

009308000000087A92DDA525EB158A4200790100000060420094070000002430613333653833652D356237612D3438363
52D393634612D38643163336262663961653300000004200801000002842000A07000000C782D6174747269627574
6531000000042000B07000000656616C756531000042000F010000008842005C0500000040000000D000000042009
308000000087230F6E4D3BEA2494200790100000060420094070000002430613333653833652D356237612D343836352D
393634612D38643163336262663961653300000004200801000002842000A07000000C782D6174747269627574653
20000000042000B070000000656616C7565320000

Out: `uuidKey, attribute={ x-attribute1='Value1'}`

Out: `uuidKey, attribute={ x-attribute2='Value2' }`

Tag: Response Message ([0x4200780x42007B](#)), Type: Structure (0x01), Data:
Tag: Response Header ([0x4200770x42007A](#)), Type: Structure (0x01), Data:
Tag: Protocol Version ([0x4200670x420069](#)), Type: Structure (0x01), Data:
Tag: Protocol Version Major ([0x4200680x42006A](#)), Type: Integer (0x02), Data: 0x00000001 (1)
Tag: Protocol Version Minor ([0x4200690x42006B](#)), Type: Integer (0x02), Data: 0x00000000 (0)
Tag: Time Stamp ([0x42008F0x420092](#)), Type: Date-Time (0x09), Data: [0x000000004AC07326 \(Mon Sep 28-0x000000004AFBED25 \(Thu Nov 12 12:10:26:14 CEST29 CET 2009\)](#)
Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000002 (2)
Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
Tag: Operation ([0x42005A0x42005C](#)), Type: Enumeration (0x05), Data: 0x0000000D (Add Attribute)
Tag: Unique Batch Item ID ([0x4200900x420093](#)), Type: Octet String (0x08), Data:
[290C75CAE59F39087A92DDA525EB158A](#)
Tag: Result Status ([0x42007C0x42007F](#)), Type: Enumeration (0x05), Data: 0x00000000 (Success)
Tag: Response Payload ([0x4200790x42007C](#)), Type: Structure (0x01), Data:
Tag: Unique Identifier ([0x4200910x420094](#)), Type: Text String (0x07), Data: [7fba0849-a3e2-4d8e-81dd-9a199947e47d0a33e83e-5b7a-4865-964a-8d1c3bbf9ae3](#)
Tag: Attribute (0x420008), Type: Structure (0x01), Data:
Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: x-attribute1
Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: Value1
Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
Tag: Operation ([0x42005A0x42005C](#)), Type: Enumeration (0x05), Data: 0x0000000D (Add Attribute)
Tag: Unique Batch Item ID ([0x4200900x420093](#)), Type: Octet String (0x08), Data:
[BF48C307C95CC22B7230F6E4D3BEEA249](#)
Tag: Result Status ([0x42007C0x42007F](#)), Type: Enumeration (0x05), Data: 0x00000000 (Success)
Tag: Response Payload ([0x4200790x42007C](#)), Type: Structure (0x01), Data:
Tag: Unique Identifier ([0x4200910x420094](#)), Type: Text String (0x07), Data: [7fba0849-a3e2-4d8e-81dd-9a199947e47d0a33e83e-5b7a-4865-964a-8d1c3bbf9ae3](#)
Tag: Attribute (0x420008), Type: Structure (0x01), Data:
Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: x-attribute2
Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: Value2

	<pre>430613333653833652D356237612D343836352D393634612D38643163336262663961653300000004200080100000028 42000A070000000C782D61747472696275746532000000042000B07000000656616C7565320000</pre>
6	<p>Client B:</p> <p>Modify attribute [batch]</p> <p>In: <code>uuidKey, attribute={ x-attribute1='ModifiedValue1' }</code></p> <p>In: <code>uuidKey, attribute={ x-attribute2='ModifiedValue2' }</code></p> <p>Tag: Request Message (<code>0x4200750x420078</code>), Type: Structure (0x01), Data: Tag: Request Header (<code>0x4200740x420077</code>), Type: Structure (0x01), Data: Tag: Protocol Version (<code>0x4200670x420069</code>), Type: Structure (0x01), Data: Tag: Protocol Version Major (<code>0x4200680x42006A</code>), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (<code>0x4200690x42006B</code>), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000002 (2) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (<code>0x42005A0x42005C</code>), Type: Enumeration (0x05), Data: 0x0000000E (Modify Attribute) Tag: Unique Batch Item ID (<code>0x4200900x420093</code>), Type: Octet String (0x08), Data: 42C6D3ED5BFF4F34BA3EA60548ECB699 Tag: Request Payload (<code>0x4200760x420079</code>), Type: Structure (0x01), Data: Tag: Unique Identifier (<code>0x4200910x420094</code>), Type: Text String (0x07), Data: 7fba0849-a3e2-4d8e-81ad-9a199947e47d0a33e83e-5b7a-4865-964a-8d1c3bbf9ae3 Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: x-attribute1 Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: ModifiedValue1 Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (<code>0x42005A0x42005C</code>), Type: Enumeration (0x05), Data: 0x0000000E (Modify Attribute) Tag: Unique Batch Item ID (<code>0x4200900x420093</code>), Type: Octet String (0x08), Data: A391110F7716FCFD321984E716274A3D Tag: Request Payload (<code>0x4200760x420079</code>), Type: Structure (0x01), Data: Tag: Unique Identifier (<code>0x4200910x420094</code>), Type: Text String (0x07), Data: 7fba0849-a3e2-4d8e-81ad-9a199947e47d0a33e83e-5b7a-4865-964a-8d1c3bbf9ae3 Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: x-attribute2 Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: ModifiedValue2 <pre>4200750100000170420074010000003842006701000000204200680200000004000000010000000042006902000000040 00000000000000042000D02000000040000000020000000042000F010000009042005A050000000040000000E0000000042 0090800000000842C6D3ED5BFF4F34BA3EA60548ECB699 4200760100000068420091070000002437666261303834392D613363322D3464386 32B282164642D39613139393437653437640000000420008010000003042000A070000000C782D6174747269627574 65310000000042000B070000000E4D6F64696669656456616C756531000042000F010000009042005A050000000400000 00E00000000420090080000008A391110F7716FCFD420076010000068420091070000002437666261303834392D6133 63322D346438632D383164642D39613139393437653437640000000420008010000003042000A070000000C782D617 47472696275746532000000042000B070000000E4D6F64696669656456616C7565320000 42007801000001704200770100000038420069010000002042006A020000000400000010000000042006B02000000040 00000000000000042000D02000000400000002000000042000F010000009042005C05000000040000000E0000000042 00930800000008BA3EA60548ECB69942007901000006842009407000000243061333653833652D356237612D3438363 52D393634612D3864316333626266396165330000000420008010000003042000A070000000C782D6174747269627574 65310000000042000B070000000E4D6F64696669656456616C756531000042000F010000009042005C050000000400000 00E00000004200930800000008321984E716274A3D420079010000006842009407000000243061333653833652D3562 37612D343836352D393634612D3864316333626266396165330000000420008010000003042000A070000000C782D617 47472696275746532000000042000B070000000E4D6F64696669656456616C7565320000 Out: <code>uuidKey, attribute={ x-attribute1='ModifiedValue1' }</code></pre></p>


```

In: uuidKey, attributeNames={'x-attribute1'}
In: uuidKey, attributeNames={'x-attribute2'}


Tag: Request Message (0x4200750x420078), Type: Structure (0x01), Data:
  Tag: Request Header (0x4200740x420077), Type: Structure (0x01), Data:
    Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data:
      Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1)
      Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0)
    Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000002 (2)
    Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
      Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x0000000F (Delete Attribute)
        Tag: Unique Batch Item ID (0x4200900x420093), Type: Octet String (0x08), Data:
FB10B7D6A5F8F02FD5C6DF842DAEECD8
        Tag: Request Payload (0x4200760x420079), Type: Structure (0x01), Data:
          Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 7fba0849-a3e2-4a8e-81dd-9a199947e47a0a33e83e-5b7a-4865-964a-8d1c3bbf9ae3
        Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: x-attribute1
      Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
        Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x0000000F (Delete Attribute)
          Tag: Unique Batch Item ID (0x4200900x420093), Type: Octet String (0x08), Data:
3B5C2DE222A01A87572D4F0D433DAB10
          Tag: Request Payload (0x4200760x420079), Type: Structure (0x01), Data:
            Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 7fba0849-a3e2-4a8e-81dd-9a199947e47a0a33e83e-5b7a-4865-964a-8d1c3bbf9ae3
          Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: x-attribute2

42007501000001304200740100000038420067010000002042006802000000400000001000000004200690200000004000000000042000D02000000400000002000000042000F010000007042005A0500000040000000F00000000420008000000008FD10B7D6A5F8F02FD4200760100000048420091070000002437666261303834392D613363322D346420632D393164642D396131393934376534376410000000042000F0F010000007042005A0500000040000000F00000000420092009000000000082P5C2DE222A01A874200760100000048420091070000002437666261303834392D613363322D346438632D383164642D396131393934376534376410000000042000A070000000C782D6174747269627574653200000000

42007801000001304200770100000038420069010000002042006A020000004000000010000000042006B0200000004000000000042000D02000000400000002000000042000F010000007042005C0500000040000000F000000004200930800000008D5C6DF842DAEECD84200790100000048420091070000002430613333653833652D356237612D34386352D393634612D386431633362626639616533000000042000F0F010000007042005C0500000040000000F000000004200930800000008572D4F0D433DAB104200790100000048420094070000002430613333653833652D356237612D343836352D393634612D386431633362626639616533000000042000A070000000C782D617474726962757465320000000

Out: uuidKey, attributeNames={'x-attribute1'}
Out: uuidKey, attributeNames={'x-attribute2'}


Tag: Response Message (0x4200780x42007B), Type: Structure (0x01), Data:
  Tag: Response Header (0x4200770x42007A), Type: Structure (0x01), Data:
    Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data:
      Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1)
      Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0)
    Tag: Time Stamp (0x42008F0x420092), Type: Date-Time (0x09), Data: 0x000000004AC07327 \(Mon-Sep
```


	<p>Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</p> <p>Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy)</p> <p>Tag: Request Payload (0x4200760x420079), Type: Structure (0x01), Data:</p> <p>Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 7fba0849-a3e2-4a8c-81dd-9a199947e47d0a33e83e-5b7a-4865-964a-8d1c3bbf9ae3</p> <p><u>420075010000009042007401000000384200670100000020420068020000000400000001000000004200690200000004000000000000000042000D0200000004000000010000000042000F010000004842005A05000000400000001400000004200760100000030420091070000002437666261303834392D613363322D346438632D383164642D396131393934376534376400000000</u></p> <p><u>42007801000000904200770100000038420069010000002042006A0200000004000000010000000042006B0200000004000000000000000042000D0200000004000000010000000042000F010000004842005C05000000400000001400000004200790100000030420094070000002430613333653833652D356231653300000000</u></p> <p>Out: uuidKey</p> <p>Tag: Response Message (0x4200780x42007B), Type: Structure (0x01), Data:</p> <p>Tag: Response Header (0x4200770x42007A), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0)</p> <p>Tag: Time Stamp (0x42008F0x420092), Type: Date-Time (0x09), Data: 0x000000004AC07327 (Mon Sep 28-0x00000004AFBED27 (Thu Nov 12 12:10:26:15 CEST31 CET 2009)</p> <p>Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</p> <p>Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy)</p> <p>Tag: Result Status (0x42007C0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)</p> <p>Tag: Response Payload (0x4200790x42007C), Type: Structure (0x01), Data:</p> <p>Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 7fba0849-a3e2-4a8c-81dd-9a199947e47d0a33e83e-5b7a-4865-964a-8d1c3bbf9ae3</p> <p><u>42007801000000B042007701000000484200670100000020420068020000000400000001000000004200690200000004000000000000000042008F09000000080000000004AC0732742000D02000000010000000010000000042000F010000005842005A0500000004000000014000000042007C05000000040000000000000000420079010000003042009107000000243766261303834392D613363322D346438632D383164642D39613139393437653437640000000042007B01000000B042007A0100000048420069010000002042006A0200000004000000010000000042006B020000000400000000000000004200920090000008000000004AFBED2742000D0200000004000000010000000042000F010000005842005C050000000400000014000000042007F0500000004000000000000000042007C0100000030420094070000002430613333653833652D356237612D343836352D393634612D38643163336262663961653300000000</u></p>
9	<p>Client A:</p> <p>Get (symmetric key)</p> <p>In: uuidKey</p> <p>Tag: Request Message (0x4200750x420078), Type: Structure (0x01), Data:</p> <p>Tag: Request Header (0x4200740x420077), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0)</p> <p>Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</p> <p>Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get)</p>

	<p>Tag: Request Payload (0x4200760x420079), Type: Structure (0x01), Data:</p> <p>Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 7fba0849-a3e2-4d8e-81dd-9a199947e47d0a33e83e-5b7a-4865-964a-8d1c3bbf9ae3</p> <pre><code>420075010000009042007401000003842006701000000204200680200000004000000010000000042006902000000040 000000000000000042000D020000000400000001000000042000F010000004842005A05000000040000000A000000042 00760100000030420091070000002437666261303834392D613363322D346138632D383161642D3961313939393437653 4376400000000</code></pre> <pre><code>4200780100000090420077010000038420069010000002042006A0200000004000000010000000042006B02000000040 00000000000000042000D020000000400000001000000042000F010000004842005C05000000040000000A000000042 00790100000030420094070000002430613333653833652D356237612D343836352D393634612D386431633362666396 1653300000000</code></pre>
	Out: Operation Failed, Item Not Found
	<p>Tag: Response Message (0x4200780x42007B), Type: Structure (0x01), Data:</p> <p>Tag: Response Header (0x4200770x42007A), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0)</p> <p>Tag: Time Stamp (0x42008F0x420092), Type: Date-Time (0x09), Data: 0x000000004AC07327 (Mon Sep 28-0x00000004AFBED27 (Thu Nov 12 12:10:26+15 CEST31 CET 2009)</p> <p>Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</p> <p>Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get)</p> <p>Tag: Result Status (0x42007C0x42007F), Type: Enumeration (0x05), Data: 0x00000001 (Operation Failed)</p> <p>Tag: Result Reason (0x42007B0x42007E), Type: Enumeration (0x05), Data: 0x00000001 (Item Not Found)</p> <p>Tag: Result Message (0x42007A0x42007D), Type: Text String (0x07), Data: No Cryptographic Object found with given Unique Identifier does not exist</p> <pre><code>42007801000000D042007701000004842006701000000204200680200000004000000010000000042006902000000040 00000000000000042008F0900000008000000004AC0732742000D02000000040000001000000004200F010000007842 005A05000000040000000A0000000042007C050000000400000010000000042007B0500000004000000100000000420 07A070000002A4E6F2043727970746F67726170696963204F626A65637420666F756E64207769746820676976656E2055 6E69717565204964656E7469666965720000000000042007B0100000A842007A0100000048420069010000002042006 A020000000400000010000000042006B020000004000000000000420092090000008000000004AFBED2742000D 020000000400000010000000042000F010000005042005C0500000040000000A0000000042007F05000000040000000 10000000042007E050000000400000010000000042007D07000000154F626A65637420646F6573206E6F742065786973 74000000</code></pre>
10	<p>Client A:</p> <p>Destroy (template)</p> <p>In: <code>uuidTemplate</code></p> <p>Tag: Request Message (0x4200750x420078), Type: Structure (0x01), Data:</p> <p>Tag: Request Header (0x4200740x420077), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0)</p> <p>Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</p> <p>Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy)</p>

	<p>Tag: Request Payload (0x4200760x420079), Type: Structure (0x01), Data:</p> <p>Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 8383198b-4600-4388-955f-2802ee699e9e45d8629a-9ad1-41b3-9d09-941f2a595da3</p> <p>420075010000009042007401000000384200670100000020420068020000000400000001000000042006902000000040000000000042000D020000000400000001000000042000F010000004842005A0500000040000001400000004200760100000030420091070000002438333833313938622D343630302D343338382D393535662D322830326363363939653963000000000</p> <p>42007801000000904200770100000038420069010000002042006A020000000400000001000000042006B02000000040000000000042000D020000000400000001000000042000F010000004842005C0500000040000001400000004200790100000030420094070000002434356438363239612D396164312D343162332D396430392D39343166326135393564613300000000</p> <p>Out: uuidTemplate</p> <p>Tag: Response Message (0x4200780x42007B), Type: Structure (0x01), Data:</p> <p>Tag: Response Header (0x4200770x42007A), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0)</p> <p>Tag: Time Stamp (0x42008F0x420092), Type: Date-Time (0x09), Data: 0x000000004AC07327 (Mon Sep 28-0x000000004AFBED27 (Thu Nov 12 12:10:26:15 CEST31 CET 2009)</p> <p>Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</p> <p>Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy)</p> <p>Tag: Result Status (0x42007C0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)</p> <p>Tag: Response Payload (0x4200790x42007C), Type: Structure (0x01), Data:</p> <p>Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 8383198b-4600-4388-955f-2802ee699e9e45d8629a-9ad1-41b3-9d09-941f2a595da3</p> <p>42007801000000B042007701000000484200670100000020420068020000000400000001000000042006902000000040000000000042008F0900000008000000004Ac0732742000D020000000100000001000000042000F010000005842005A0500000004000000140000000042007C05000000040000000000000000420079010000003042009107000000243833383313938622D343630302D343338382D393535662D32283032636336396539630000000042007B01000000B042007A01000000048420069010000002042006A020000000400000001000000042006B02000000040000000000000004200920900000008000000004AFBED2742000D020000000400000001000000042000F010000005842005C0500000004000000140000000042007F0500000004000000000000000042007C0100000030420094070000002434356438363239612D396164312D343162332D396430392D39343166326135393564613300000000</p>
--	--

11	<p>Client A:</p> <p>Get (template)</p> <p>In: uuidTemplate</p> <p>Tag: Request Message (0x4200750x420078), Type: Structure (0x01), Data:</p> <p>Tag: Request Header (0x4200740x420077), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0)</p> <p>Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</p> <p>Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get)</p> <p>Tag: Request Payload (0x4200760x420079), Type: Structure (0x01), Data:</p> <p>Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 8383198b-4600-4388-955f-2802ee699e9e45d8629a-9ad1-41b3-9d09-941f2a595da3</p>
----	--

420075010000009042007401000003842006701000000204200690200000040000001000000042006902000000400000000000042000D0200000040000001000000042000F01000004842005A050000004000000A000000042007601000000304200910700000243833383313938622D34362032D343338382D393525662D32383032636336393965396300000000

4200780100000090420077010000038420069010000002042006A0200000040000001000000042006B0200000040000000000042000D0200000040000001000000042000F01000004842005C050000004000000A0000000420079010000003042009407000002434356438363239612D396164312D343162332D396430392D3934316326135393564613300000000

Out: Operation Failed, Item Not Found

Tag: Response Message (0x4200780x42007B), Type: Structure (0x01), Data:

Tag: Response Header (0x4200770x42007A), Type: Structure (0x01), Data:

Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data:

Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1)

Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0)

Tag: Time Stamp (0x42008F0x420092), Type: Date-Time (0x09), Data: 0x0000000004AC07327 (Mon Sep 28 0x000000004AFBED27 (Thu Nov 12 12:10:26+15 CEST 31 CET 2009)

Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)

Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:

Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get)

Tag: Result Status (0x42007C0x42007F), Type: Enumeration (0x05), Data: 0x00000001 (Failed)

Tag: Result Reason (0x42007B0x42007E), Type: Enumeration (0x05), Data: 0x00000001 (Item Not Found)

Tag: Result Message (0x42007A0x42007D), Type: Text String (0x07), Data: No Cryptographic Object found with given Unique Identifier

42007801000000D0420077010000004842006701000000204200690200000040000001000000042006902000000400000000000042008F0900000000800000004AC0732742000D0200000040000001000000042000F010000078442005A0500000040000001000000042007C0500000040000001000000042007B0500000040000001000000042007A070000003A4E6F2043727970746F6772617068963204F626A65637420666F756E64207769716820676976656E20556E69717565204964656E74696669657200000000000042007B01000000D042007A0100000048420069010000002042006A020000000400000010000000042006B0200000004000000000000004200920900000008000000004AFBED2742000D020000000400000010000000042000F010000007842005C050000004000000A0000000042007F050000000400000001000000042007E050000000400000010000000042007D070000003A4E6F2043727970746F6772617068963204F626A65637420666F756E64207769746820676976656E20556E69717565204964656E746966696572000000000000

87

3.1.5 Use-case: Register / Destroy Secret Data

89 In this use-case the client issues a Register request containing a Secret Data object, whereby the server
90 registers the object and returns the Unique Identifier. To clean up, the client then performs a Destroy
91 operation to destroy the object.

92

Time	Request/Response messages
0	<u>Register (secret data)</u> <u>In: objectType='00000007' (Secret Data), attributes={ CryptographicUsageMask='00000002' }</u> <u>Tag: Request Message (0x420078), Type: Structure (0x01), Data:</u> <u> Tag: Request Header (0x420077), Type: Structure (0x01), Data:</u> <u> Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:</u>

```

Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)
Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)
Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)
Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000003 (Register)
Tag: Request Payload (0x420079), Type: Structure (0x01), Data:
Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000007 (Secret Data)
Tag: Template-Attribute (0x420091), Type: Structure (0x01), Data:
Tag: Attribute (0x420008), Type: Structure (0x01), Data:
Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Usage
Mask
Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x00000002 (Verify)
Tag: Secret Data (0x420085), Type: Structure (0x01), Data:
Tag: Secret Data Type (0x420086), Type: Enumeration (0x05), Data: 0x00000001
Tag: Key Block (0x420040), Type: Structure (0x01), Data:
Tag: Key Format Type (0x420042), Type: Enumeration (0x05), Data: 0x00000002
Tag: Key Value (0x420045), Type: Structure (0x01), Data:
Tag: Key Material (0x420043), Type: Octet String (0x08), Data:
53656372657450617373776F7264

42007801000001004200770100000038420069010000002042006A0200000004000000010000000042006B0200000004
0000000000000000000042000D0200000004000000010000000042000F01000000B842005C05000000040000000300000000
42007901000000A042005705000000400000007000000004200910100000038420008010000003042000A0700000018
43727970746F67726170686963205573616765204D61736B42000B020000000400000002000000004200850100000048
42008605000000040000000100000004200400100000030420042050000000400000002000000004200450100000018
420043080000000E53656372657450617373776F72640000

```

Out: uuidObject

```

Tag: Response Message (0x42007B), Type: Structure (0x01), Data:
Tag: Response Header (0x42007A), Type: Structure (0x01), Data:
Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:
Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)
Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)
Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B7924D1 (Mon Feb 15
11:41:21 CET 2010)
Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)
Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000003 (Register)
Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)
Tag: Response Payload (0x42007C), Type: Structure (0x01), Data:
Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 39622cc2-e5d4-4da9-
9f10-3bdf64b0e760

42007B01000000B042007A0100000048420069010000002042006A0200000004000000010000000042006B0200000004
000000000000000000004200920900000008000000004B7924D142000D020000000400000010000000042000F0100000058
42005C050000000400000003000000042007F05000000040000000000000000042007C01000000304200940700000024
33393632326363322D653564342D346461392D396631302D33626466363462306537363000000000

```

1

Destroy (secret data)
In: uuidObject

```

Tag: Request Message (0x420078), Type: Structure (0x01), Data:
  Tag: Request Header (0x420077), Type: Structure (0x01), Data:
    Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:
      Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)
      Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)
    Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)
    Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
      Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy)
      Tag: Request Payload (0x420079), Type: Structure (0x01), Data:
        Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 39622cc2-e5d4-4da9-
9f10-3bdf64b0e760

42007801000000904200770100000038420069010000002042006A0200000004000000010000000042006B0200000004
000000000000000042000D0200000004000000010000000042000F01000004842005C050000000400000140000000
420079010000003042009407000002433393632326363322D653564342D346461392D396631302D3362646636346230
6537363000000000

Out: uuidKey

Tag: Response Message (0x42007B), Type: Structure (0x01), Data:
  Tag: Response Header (0x42007A), Type: Structure (0x01), Data:
    Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:
      Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)
      Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)
    Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B7924D1 (Mon Feb 15
11:41:21 CET 2010)
    Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)
    Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
      Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy)
      Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)
      Tag: Response Payload (0x42007C), Type: Structure (0x01), Data:
        Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 39622cc2-e5d4-4da9-
9f10-3bdf64b0e760

42007B01000000B042007A0100000048420069010000002042006A0200000004000000010000000042006B0200000004
00000000000000004200920900000008000000004B7924D142000D0200000004000000010000000042000F010000058
42005C05000000040000014000000042007F0500000004000000000000000042007C0100000030420094070000024
33393632326363322D653564342D346461392D396631302D33626466363462306537363000000000

```

93

94

3.23.2 Use-case: Asynchronous Locate

96 This use-case tests the asynchronous capabilities of KMIP using the Locate operation. A key is created
97 and then a Locate request is sent containing the Name of the created key and with the message header
98 Asynchronous Indicator-field set to True. If the server returns an asynchronous response to the Locate,
99 the client then polls the server until the operation is ready. If the server responded asynchronously, a
100 subsequent Locate operation that is also handled asynchronously is then Cancelled, before the key is
101 finally destroyed.

102

103 This use-case shows the use of two clients with the same assumptions as in the use-case described in
104 Section 3.1.4 Since the client is unable to force the server to respond asynchronously, it is possible for a

105 server to respond synchronously to the requests issued at times 1 and 4, in which case the expected
 106 response are the ones shown at times 2 and 5, respectively. In the case of the server not responding
 107 asynchronously to the Locate requests, the client is permitted to skip the requests illustrated at time 7 and
 108 8.
 109

Time	Client A
0	<p>Client A:</p> <p>Create (symmetric key)</p> <p>In: objectType = '00000002', attributes={ CryptographicAlgorithm='AES', CryptographicLength='128', Name={ NameValue='Key1', NameType='00000001' }, CryptographicUsageMask='00000004', ObjectGroup='Group1' }</p> <p>Tag: Request Message (0x4200750x420078), Type: Structure (0x01), Data: Tag: Request Header (0x4200740x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x00000001 (Create) Tag: Request Payload (0x4200760x420079), Type: Structure (0x01), Data: Tag: Object Type (0x4200550x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Template-Attribute (0x42008E0x420091), Type: Structure (0x01), Data: Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Algorithm Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000003 (AES) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Length Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x00000080 (128) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data: Tag: Name Value (0x4200530x420055), Type: Text String (0x07), Data: Key1 Tag: Name Type (0x4200520x420054), Type: Enumeration (0x05), Data: 0x00000001 (Uninterpreted text string) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Usage Mask Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x00000004 (Encrypt) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Object Group Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: Group1</p> <p>42007501000001904200740100000038420067010000002042006802000000040000000100000000120069020000000400000000000042000D020000000040000000010000000042000F010000014842005A0500000004000000010000000042007601000001304200550500000004000000020000000042009E0100000118420008010000003042000A0700000001743727970746F67726170686963204166C676F726974686D0042000905000000040000000300000000420008010000003042000A0700000001443727970746F67726170686963204C656E677468000000042000B0200000004000000800000000420008010000003842000A07000000044E616D65000000042000B010000002042005307000000044B65793100000000420052050000000400000010000000420008010000003042000A070000001843727970746F677261706869632055736167652</p>

04D61736B42000B020000000400000004000000042000801000002842000A070000000C4F626A6563742047726F7570
0000000042000B07000000647726F7570310000

4200780100000190420077010000038420069010000002042006A0200000004000000010000000042006B02000000040
000000000000000042000D02000000400000001000000042000F01000014842005C0500000004000000010000000042
007901000001304200570500000004000000020000000420091010000011842000801000003042000A070000017437
27970746F6772617068696320416C676F726974686D0042000B0500000004000000030000000042000801000000304200
0A0T0000001443727970746F67726170686963204C656E6774680000000042000B0200000004000000080000000042000
8010000003842000A070000000044E616D650000000042000B010000002042005507000000044B65793100000000420054
050000000400000001000000000420008010000003042000A070000001843727970746F677261706869632055736167652
04D61736B42000B020000000400000004000000042000801000002842000A070000000C4F626A6563742047726F7570
0000000042000B07000000647726F7570310000

Out: objectType = '00000002', uuidKey

Tag: Response Message ([0x4200780x42007B](#)), Type: Structure (0x01), Data:
Tag: Response Header ([0x4200770x42007A](#)), Type: Structure (0x01), Data:
Tag: Protocol Version ([0x4200670x420069](#)), Type: Structure (0x01), Data:
Tag: Protocol Version Major ([0x4200680x42006A](#)), Type: Integer (0x02), Data: 0x00000001 (1)
Tag: Protocol Version Minor ([0x4200690x42006B](#)), Type: Integer (0x02), Data: 0x00000000 (0)
Tag: Time Stamp ([0x42008F0x420092](#)), Type: Date-Time (0x09), Data: [0x000000004AC0781B \(Mon Sep 28 0x000000004AFBED28 \(Thu Nov 12 12:10:47:23 CEST32 CET 2009\)](#)
Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)
Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
Tag: Operation ([0x42005A0x42005C](#)), Type: Enumeration (0x05), Data: 0x00000001 (Create)
Tag: Result Status ([0x42007C0x42007F](#)), Type: Enumeration (0x05), Data: 0x00000000 (Success)
Tag: Response Payload ([0x4200790x42007C](#)), Type: Structure (0x01), Data:
Tag: Object Type ([0x4200550x420057](#)), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key)
Tag: Unique Identifier ([0x4200910x420094](#)), Type: Text String (0x07), Data: [8b961211-97e7-40a6-8664-ed33491dab5e95a0e6b3-8edc-4ffb-a88e-e164539dbcca](#)

Client B:

Locate (symmetric key by name)

In: asynchronousIndicator='TRUE', attributes={ objectType = '00000002', Name={ Name='Key1', NameType='00000001' } }

Tag: Request Message (0x4200750x420078), Type: Structure (0x01), Data:
Tag: Request Header (0x4200740x420077), Type: Structure (0x01), Data:
Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data:
Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1)
Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0)
Tag: Asynchronous Indicator (0x420007), Type: Boolean (0x06), Data: TRUE
Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)
Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate)


```

Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0)
Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)
Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x0000001A (Poll)
Tag: Request Payload (0x4200760x420079), Type: Structure (0x01), Data:
Tag: Asynchronous Correlation Value (0x420006), Type: Octet String (0x08), Data:
D1DE142AC6367B4B130BC369AF005A7F

```

[42007501000000704200740100000038420067010000002042006802000000400000001000000042006902000000040000000000042000D020000000400000001000000042000F010000002842005A0500000040000001A0000000042007601000000104200060800000008D1DE142AC6367B4B](#)

[42007801000000704200770100000038420069010000002042006A02000000400000001000000042006B02000000040000000000042000D020000000400000001000000042000F010000002842005C0500000040000001A0000000042007901000000104200060800000008130BC369AF005A7F](#)

Out: uuidKey1

```

Tag: Response Message (0x4200780x42007B), Type: Structure (0x01), Data:
Tag: Response Header (0x4200770x42007A), Type: Structure (0x01), Data:
Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data:
Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1)
Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0)
Tag: Time Stamp (0x42008F0x420092), Type: Date-Time (0x09), Data: 0x000000004AC0781C (Mon Sep 28-0x00000004AFBED28 (Thu Nov 12 12:10:47+24 CET32 CET 2009))
Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)
Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate)
Tag: Result Status (0x42007C0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)
Tag: Response Payload (0x4200790x42007C), Type: Structure (0x01), Data:
Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 8b961211-97e7-40a6-8664-ed33491dab5e95a0e6b3-8edc-4ffb-a88e-e164539dbcca

```

[42007801000000B04200770100000048420067010000002042006802000000400000001000000042006902000000040000000000042008F0900000008000000004AC0781C42000D02000000400000001000000042000F010000005842005A05000000001000000800000000042007C050000000010000000000000004200790100000030420091070000002438623936313231312D393763372D343061362D383636342D656433333439316461623563000000042007B01000000B042007A0100000048420069010000002042006A02000000400000001000000042006B020000000400000000000000420092090000008000000004AFBED2842000D02000000400000001000000042000F010000005842005C050000000400000080000000042007F0500000004000000000000000042007C0100000030420094070000002439356130653662332D386564632D346666622D613838652D6531363435339646263636100000000](#)

3

Client B:

Get (symmetric key)

In: uuidKey1

```

Tag: Request Message (0x4200750x420078), Type: Structure (0x01), Data:
Tag: Request Header (0x4200740x420077), Type: Structure (0x01), Data:
Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data:
Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1)
Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0)
Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)
Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get)

```

	<pre> Tag: Request Payload (0x4200760x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 8b961211-97e7-40a6-8664-ed33491dab5e95a0e6b3-8edc-4ffb-a88e-e164539dbcca 420075010000009042007401000000384200670100000020420068020000004000000010000000420069020000000400000000000042000D020000000400000001000000042000F010000004842005A050000004000000A000000004200760100000030420091070000002438623936313231312D393763372D343061362D383636342D656433333439316461623563000000000 42007801000000904200770100000038420069010000002042006A02000000400000001000000042006B020000000400000000000042000D020000000400000001000000042000F010000004842005C050000004000000A000000004200790100000030420094070000002439356130653662332D386564632D34666622D613838652D65313634353339646263631000000000 Out: objectType = '00000002', uuidKey1, symmetricKey Tag: Response Message (0x4200780x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x4200770x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x42008F0x420092), Type: Date-Time (0x09), Data: 0x000000004AC0781D (Mon Sep 28-0x000000004AFBED29 (Thu Nov 12 12:10:47:25 CEST33 CET 2009) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get) Tag: Result Status (0x42007C0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x4200790x42007C), Type: Structure (0x01), Data: Tag: Object Type (0x4200550x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 8b961211-97e7-40a6-8664-ed33491dab5e95a0e6b3-8edc-4ffb-a88e-e164539dbcca Tag: Symmetric Key (0x42008E0x42008F), Type: Structure (0x01), Data: Tag: Key Block (0x42003E0x420040), Type: Structure (0x01), Data: Tag: Key Format Type (0x4200400x420042), Type: Enumeration (0x05), Data: 0x00000001 Tag: Key Value (0x4200430x420045), Type: Structure (0x01), Data: Tag: Key Material (0x4200440x420043), Type: Octet String (0x08), Data: A1DF7B733D8DF7056623FE2D880EPF62CBEF01F82DFB4682A01C2A08413834AAB Tag: Cryptographic Algorithm (0x4200260x420028), Type: Enumeration (0x05), Data: 0x00000003 (AES) Tag: Cryptographic Length (0x4200280x42002A), Type: Integer (0x02), Data: 0x00000080 (128) 4200780100000012042007701000000484200670100000020420068020000004000000010000000420069020000000400000000000042008F0900000008000000004AC0781D42000D020000000400000001000000042000F01000000C842005A050000000040000000A0000000042007C05000000040000000000000042007901000000A042005505000000004000000200000000420091070000002438623936313231312D393763372D343061362D383636342D6564333334393164616235630000000042008C010000005842003E0100000050420040050000000400000001000000042004301000000184200410800000010A1DF7B733D8DF7056623FE2D880EPF62C420026050000000400000003000000004200280200000004000000800000000042007B0100000012042007A0100000048420069010000002042006A0200000004000000010000000042006B0200000004000000000000000000004200920900000008000000004AFBED2942000D0200000004000000010000000042000F01000000C842005C05000000040000000A0000000042007F05000000040000000000000042007C01000000A04200570500000040000000200000000420094070000002439356130653662332D386564632D34666622D613838652D653136343533396462636310000000042008F0100000058420040010000005042004205000000040000000100000004200450100000184200430800000010BEF01F82DFB4682A01C2A08413834AAB420028050000000400000003000000042002A02000000400000008000000000 </pre>
4	Client B:

Locate (symmetric key by group)

In: asynchronousIndicator='TRUE', attributes={ objectType = '00000002', ObjectGroup='Group1' }

```
Tag: Request Message (0x4200750x420078), Type: Structure (0x01), Data:  
  Tag: Request Header (0x4200740x420077), Type: Structure (0x01), Data:  
    Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data:  
      Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1)  
      Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0)  
    Tag: Asynchronous Indicator (0x420007), Type: Boolean (0x06), Data: TRUE  
    Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)  
  Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:  
    Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate)  
    Tag: Request Payload (0x4200760x420079), Type: Structure (0x01), Data:  
      Tag: Attribute (0x420008), Type: Structure (0x01), Data:  
        Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Object Type  
        Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric  
Key)  
      Tag: Attribute (0x420008), Type: Structure (0x01), Data:  
        Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Object Group  
        Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: Group1
```

```
42007501000000D0420074010000004842006701000000204200680200000004000000010000000042006902000000040  
000000000000000042000706000000080000000000000000142000D0200000004000000010000000042000F010000007842  
005A05000000040000008000000004200760100000060420008010000002842000A070000000B4F626A6563742054797  
06500000000042000B05000000040000000200000000420008010000002842000A070000000C4F626A6563742047726F  
75700000000042000B07000000647726F7570310000  
  
42007801000000D04200770100000048420069010000002042006A0200000004000000010000000042006B02000000040  
0000000000000000420007060000008000000000000000142000D0200000004000000010000000042000F010000007842  
005C0500000040000008000000004200790100000060420008010000002842000A070000000B4F626A6563742054797  
06500000000042000B05000000040000000200000000420008010000002842000A070000000C4F626A6563742047726F  
75700000000042000B070000000647726F7570310000
```

Out: asyncCorrValue2

```
Tag: Response Message (0x4200780x42007B), Type: Structure (0x01), Data:  
  Tag: Response Header (0x4200770x42007A), Type: Structure (0x01), Data:  
    Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data:  
      Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1)  
      Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0)  
    Tag: Time Stamp (0x42008F0x420092), Type: Date-Time (0x09), Data: 0x000000004AC0781D (Mon Sep  
28-0x000000004AFBED29 (Thu Nov 12 12:10:47:25 CEST 2009)  
    Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)  
  Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:  
    Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate)  
    Tag: Result Status (0x42007C0x42007F), Type: Enumeration (0x05), Data: 0x00000002 (Pending)  
    Tag: Asynchronous Correlation Value (0x420006), Type: Octet String (0x08), Data:  
2DCF4F694617FC3048D43C207CD1FB3A
```

```
4200780100000088420077010000004842006701000000204200680200000004000000010000000042006902000000040  
000000000000000042008F0900000008000000004AC0781D42000D0200000004000000010000000042000F010000002042  
005A0500000004000000800000000042007C05000000040000000200000000420060800000082DCF4F694617FC30420  
07B010000008842007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040000  
000000000000420092090000000800000004AFBED2942000D0200000004000000010000000042000F010000003042005
```

	<u>C050000000400000080000000042007F0500000004000000020000000420006080000000848D43C207CD1FB3A</u>
5	<p>Client B:</p> <p>Poll*</p> <p>In: asyncCorrValue2</p> <pre> Tag: Request Message (<u>0x4200750x420078</u>), Type: Structure (0x01), Data: Tag: Request Header (<u>0x4200740x420077</u>), Type: Structure (0x01), Data: Tag: Protocol Version (<u>0x4200670x420069</u>), Type: Structure (0x01), Data: Tag: Protocol Version Major (<u>0x4200680x42006A</u>), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (<u>0x4200690x42006B</u>), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (<u>0x42005A0x42005C</u>), Type: Enumeration (0x05), Data: 0x0000001A (Poll) Tag: Request Payload (<u>0x4200760x420079</u>), Type: Structure (0x01), Data: Tag: Asynchronous Correlation Value (0x420006), Type: Octet String (0x08), Data: <u>2DCF4F694617FC3048D43C207CD1FB3A</u> <u>420075010000007042007401000000384200670100000020420068020000000400000001000000004200690200000004000000000000000000420000D0200000004000000010000000042000F010000002842005A05000000040000001A0000000042007601000000104200060800000082DCF4F694617FC30</u> <u>42007801000000704200770100000038420069010000002042006A0200000004000000010000000042006B0200000004000000000000000000420000D0200000004000000010000000042000F010000002842005C05000000040000001A00000000420079010000001042000608000000848D43C207CD1FB3A</u> </pre> <p>Out: uuidKey2</p> <pre> Tag: Response Message (<u>0x4200780x42007B</u>), Type: Structure (0x01), Data: Tag: Response Header (<u>0x4200770x42007A</u>), Type: Structure (0x01), Data: Tag: Protocol Version (<u>0x4200670x420069</u>), Type: Structure (0x01), Data: Tag: Protocol Version Major (<u>0x4200680x42006A</u>), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (<u>0x4200690x42006B</u>), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (<u>0x42008F0x420092</u>), Type: Date-Time (0x09), Data: <u>0x000000004AC0781D (Mon Sep 28-0x00000004AFBED29 (Thu Nov 12 12:10:47+25 CEST 33 CET 2009)</u> Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (<u>0x42005A0x42005C</u>), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Result Status (<u>0x42007C0x42007F</u>), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (<u>0x4200790x42007C</u>), Type: Structure (0x01), Data: Tag: Unique Identifier (<u>0x4200910x420094</u>), Type: Text String (0x07), Data: <u>8b961211-97e7-40a6-8664-ed33491dab5e95a0e6b3-8edc-4ffb-a88e-e164539dbcca</u> <u>42007801000000B042007701000000484200670100000020420068020000000400000001000000004200690200000004000000000000000042008F09000000008000000004AC0781D4200000200000004000000010000000042000F010000005842005A0500000004000000080000000042007C050000000400000000000000004200790100000030420091070000002438623936313231312D393763372D343061362D383636342D656433334393164616235630000000042007B01000000B042007A0100000048420069010000002042006A0200000004000000010000000042006B020000000400000000000000004200920900000008000000004AFBED2942000D0200000004000000010000000042000F010000005842005C0500000004000000080000000042007F0500000004000000000000000042007C0100000030420094070000002439356130653662332D386564632D346666622D613838652D65313634353339646263636100000000</u> </pre>
6	<p>Client B:</p> <p>Get (symmetric key)</p>

In: uuidKey2

```
Tag: Request Message (0x4200750x420078), Type: Structure (0x01), Data:  
  Tag: Request Header (0x4200740x420077), Type: Structure (0x01), Data:  
    Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data:  
      Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1)  
      Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0)  
    Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)  
  Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:  
    Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get)  
    Tag: Request Payload (0x4200760x420079), Type: Structure (0x01), Data:  
      Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 8b961211-97e7-  
40a6-8664-ed33491dab5e95a0e6b3-8edc-4ffb-a88e-e164539dbcca  
  
4200750100000090420074010000003842006701000000204200680200000004000000010000000012006902000000040  
000000000000000042000D0200000004000000010000000042000F010000004842005A050000004000000A0000000042  
00760100000030420091070000002438623936313231312D393763372D343061362D383636342D6564333334393164616  
23563000000000  
  
42007801000000904200770100000038420069010000002042006A020000004000000010000000042006B02000000040  
00000000000000042000D0200000004000000010000000042000F010000004842005C050000004000000A0000000042  
00790100000030420094070000002439356130653662332D386564632D34666622D613838652D6531363435333964626  
36361000000000
```

Out: objectType = '00000002', uuidKey2, symmetricKey

```
Tag: Response Message (0x4200780x42007B), Type: Structure (0x01), Data:  
  Tag: Response Header (0x4200770x42007A), Type: Structure (0x01), Data:  
    Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data:  
      Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1)  
      Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0)  
    Tag: Time Stamp (0x42008F0x420092), Type: Date-Time (0x09), Data: 0x000000004AC0781D (Mon Sep  
28-0x00000004AFBED29 (Thu Nov 12 12:10:47:25 CET 2009))  
  Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)  
  Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:  
    Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get)  
    Tag: Result Status (0x42007C0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)  
    Tag: Response Payload (0x4200790x42007C), Type: Structure (0x01), Data:  
      Tag: Object Type (0x4200550x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric  
Key)  
        Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 8b961211-97e7-  
40a6-8664-ed33491dab5e95a0e6b3-8edc-4ffb-a88e-e164539dbcca  
        Tag: Symmetric Key (0x42008E0x42008F), Type: Structure (0x01), Data:  
          Tag: Key Block (0x42003E0x420040), Type: Structure (0x01), Data:  
            Tag: Key Format Type (0x4200400x420042), Type: Enumeration (0x05), Data: 0x00000001  
            Tag: Key Value (0x4200430x420045), Type: Structure (0x01), Data:  
              Tag: Key Material (0x4200440x420043), Type: Octet String (0x08), Data:  
A1DE7B733D8DF7056623FE2D880EF62CBEF01F82DFB4682A01C2A08413834AAB  
            Tag: Cryptographic Algorithm (0x4200260x420028), Type: Enumeration (0x05), Data:  
0x00000003 (AES)  
            Tag: Cryptographic Length (0x4200280x42002A), Type: Integer (0x02), Data: 0x00000080  
(128)
```


	<pre> Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x42008F0x420092), Type: Date-Time (0x09), Data: 0x000000004AC0781E (Mon Sep 28-0x000000004AFBED29 (Thu Nov 12 12:10:47:26 CEST33 CET 2009) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Result Status (0x42007C0x42007F), Type: Enumeration (0x05), Data: 0x00000002 (Pending) Tag: Asynchronous Correlation Value (0x420006), Type: Octet String (0x08), Data: D48BDD01A8FFEC804D6BBFC35FE57FBA 420078010000008842007701000000484200670100000020420068020000000400000001000000004200690200000004000000000000000042008F0900000008000000004AC0781E42000D0200000004000000010000000042000F010000003042005A050000004000000080000000042007C05000000040000000200000004200060800000008D48BDD01A8FFEC8042007B010000008842007A0100000048420069010000002042006A020000000400000010000000042006B0200000004000000000000420092090000000800000004AFBED2942000D020000000400000010000000042000F010000003042005C0500000004000000080000000042007F0500000004000000020000000042000608000000084D6BBFC35FE57FBA </pre>
8	<p>Client B:</p> <p>Cancel</p> <p>In: asyncCorrValue5</p> <pre> Tag: Request Message (0x4200750x420078), Type: Structure (0x01), Data: Tag: Request Header (0x4200740x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x00000019 (Cancel) Tag: Request Payload (0x4200760x420079), Type: Structure (0x01), Data: Tag: Asynchronous Correlation Value (0x420006), Type: Octet String (0x08), Data: D48BDD01A8FFEC804D6BBFC35FE57FBA 420075010000007042007401000000384200670100000020420068020000000400000001000000004200690200000004000000000000000042000D0200000004000000010000000042000F010000002942005A050000000400000019000000004200760100000010420060800000008D48BDD01A8FFEC80 42007801000000704200770100000038420069010000002042006A0200000004000000010000000042006B0200000004000000000000000042000D0200000004000000010000000042000F010000002842005C0500000004000000190000000042007901000000104200608000000084D6BBFC35FE57FBA </pre> <p>Out: asyncCorrValue5, CancelResult='00000001'</p> <pre> Tag: Response Message (0x4200780x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x4200770x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x42008F0x420092), Type: Date-Time (0x09), Data: 0x000000004AC0781F (Mon Sep 28-0x000000004AFBED29 (Thu Nov 12 12:10:47:27 CEST33 CET 2009) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) </pre>

	<p>Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</p> <p>Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x00000019 (Cancel)</p> <p>Tag: Result Status (0x42007C0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)</p> <p>Tag: Response Payload (0x42007900x42007C), Type: Structure (0x01), Data:</p> <p>Tag: Asynchronous Correlation Value (0x420006), Type: Octet String (0x08), Data: D48BDD01A8FFEC804D6BBFC35FE57FBA</p> <p>Tag: Cancellation Result (0x420012), Type: Enumeration (0x05), Data: 0x00000001 (Cancelled)</p> <p>42007801000000A042007701000000484200670100000020420068020000000400000001000000004200690200000004000000000000000042008F090000000080000000004AC0781F42000D02000000040000001000000042000F010000004842005A0500000004000000190000000042007C0500000004000000000000000042007901000000204200608000000008D48BD01A8FFEC8042001205000000040000001000000042007B01000000A042007A0100000048420069010000002042006A020000000400000001000000042006B020000000400000000000000004200920900000008000000004AFBED294200D020000000400000001000000042000F010000004842005C050000000400000019000000042007F0500000004000000000000000042007C01000000204200608000000084D6BBFC35FE57FBA42001205000000040000000100000000</p>
9	<p>Client A:</p> <p>Destroy (symmetric key)</p> <p>In: uuidKey</p> <p>Tag: Request Message (0x4200750x420078), Type: Structure (0x01), Data:</p> <p>Tag: Request Header (0x4200740x420077), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0)</p> <p>Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</p> <p>Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy)</p> <p>Tag: Request Payload (0x4200760x420079), Type: Structure (0x01), Data:</p> <p>Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 8b961211-97e7-40a6-8664-ed33491dab5e95a0e6b3-8edc-4ffb-a88e-e164539dbcca</p> <p>420075010000009042007401000000384200670100000020420068020000000400000001000000004200690200000004000000000000000042000D0200000004000000010000000042000F010000004842005A05000000040000001400000004200760100000030420091070000002438623936313231312D393763372D343061362D383626342D65643333343931646162356300000000</p> <p>42007801000000904200770100000038420069010000002042006A0200000004000000010000000042006B0200000004000000000000000042000D0200000004000000010000000042000F010000004842005C05000000040000001400000004200790100000030420094070000002439356130653662332D386564632D34666622D613838652D65313634353339646263636100000000</p> <p>Out: uuidKey</p> <p>Tag: Response Message (0x4200780x42007B), Type: Structure (0x01), Data:</p> <p>Tag: Response Header (0x4200770x42007A), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0)</p> <p>Tag: Time Stamp (0x42008F0x420092), Type: Date-Time (0x09), Data: 0x000000004AC0781F (Mon Sep 28-0x000000004AFBED2A (Thu Nov 12 12:10:47:27 CEST34 CET 2009)</p> <p>Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</p> <p>Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy)</p>

	<pre> Tag: Result Status (0x42007C0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x4200790x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 8b961211-97c7- 40a6-8664-ed33491dab5e95a0e6b3-8edc-4ffb-a88e-e164539dbcca 42007801000000B0420077010000004842006701000000204200680200000004000000010000000042006902000000040 000000000000000042008F09000000080000000004AC0781F42000D0200000001000000010000000042000F010000005842 005A0500000004000000140000000042007C050000000400000000000000042007901000000304200910700000024386 23936313231312D393763372D342061362D383636342D656433333439316461623563000000042007B01000000B04200 7A0100000048420069010000002042006A020000004000000010000000042006B02000000400000000000000042009 2090000000800000004AFBED2A42000D020000004000000010000000042000F01000005842005C0500000004000000 140000000042007F050000004000000000000000042007C0100000030420094070000002439356130653662332D38656 4632D34666622D613838652D653136343533964626363610000000 </pre>
--	--

110 * = executed until response is ready

111

112

113 44 Key life cycle support

114

115 4.14.1 Use-case: Revoke scenario

116 This use-case tests the revocation aspect of the key life cycle support in KMIP. A key is created and a
 117 Get Attribute for the State-attribute reveals that the key is in Pre-active state. The Activation Date is then
 118 set, which changes the state to Active. The key is then revoked with a revocation reason of Compromised
 119 and the state subsequently changed to Compromised, but this does not stop a client from being able to
 120 add, modify and delete attributes or even get the key (since we assume here that the out-of-band
 121 registration has been used to make the server aware of the fact that the client is capable of interpreting
 122 the attributes of the key and determining what it is allowed to do with the key). To clean up, the created
 123 key is finally destroyed.

124

Time	Client A
0	<p>Client A:</p> <p>Create (symmetric key)</p> <p>In: objectType = '00000002', attributes={ CryptographicAlgorithm='AES', CryptographicLength='128', Name={ NameValue='Key1', NameType='00000001' }, CryptographicUsageMask='00000004' }</p> <p>Tag: Request Message (0x4200750x420078), Type: Structure (0x01), Data: Tag: Request Header (0x4200740x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x00000001 (Create) Tag: Request Payload (0x4200760x420079), Type: Structure (0x01), Data: Tag: Object Type (0x4200550x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Template-Attribute (0x42008E0x420091), Type: Structure (0x01), Data: Tag: Attribute (0x420008), Type: Structure (0x01), Data:</p>

```

Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Algorithm
Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000003 (AES)
Tag: Attribute (0x420008), Type: Structure (0x01), Data:
    Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Length
    Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x00000080 (128)
Tag: Attribute (0x420008), Type: Structure (0x01), Data:
    Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name
    Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data:
        Tag: Name Value (0x4200530x420055), Type: Text String (0x07), Data: Key1
        Tag: Name Type (0x4200520x420054), Type: Enumeration (0x05), Data: 0x00000001
(Uninterpreted text string)
    Tag: Attribute (0x420008), Type: Structure (0x01), Data:
        Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Usage
Mask
        Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x00000004 (Encrypt)

420075010000016042007401000000384200670100000020420068020000000400000001000000042006902000000040
000000000000000042000D020000000400000001000000042000F010000011842005A0500000040000001000000042
0076010000010042005505000000400000002000000042008E01000000E8420008010000003042000A0700000017437
27970746F6772617068696320416C676F726974686D0042000D0500000040000003000000042000801000000304200
0A070000001443727970746F67726170686963204C656E677468000000042000B02000000400000080000000042000
8010000003842000A0700000044E616D650000000042000B010000002042005307000000041B6579310000000420052
050000000400000010000000420008010000003042000A070000001843727970746F677261706869632055736167652
04D61736B42000B02000000040000000400000000

42007801000001604200770100000038420069010000002042006A020000000400000001000000042006B02000000040
000000000000000042000D020000000400000001000000042000F010000011842005C0500000040000001000000042
0079010000010042005705000000040000000200000004200910100000E8420008010000003042000A0700000017437
27970746F6772617068696320416C676F726974686D0042000B0500000040000003000000042000801000000304200
0A070000001443727970746F67726170686963204C656E677468000000042000B02000000400000080000000042000
8010000003842000A0700000044E616D650000000042000B01000000204200507000000044B65793100000000420054
050000000400000010000000420008010000003042000A070000001843727970746F677261706869632055736167652
04D61736B42000B02000000040000000400000000

```

Out: objectType = '00000002', uuidKey

```

Tag: Response Message (0x4200780x42007B), Type: Structure (0x01), Data:
    Tag: Response Header (0x4200770x42007A), Type: Structure (0x01), Data:
        Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data:
            Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1)
            Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0)
            Tag: Time Stamp (0x42008F0x420092), Type: Date-Time (0x09), Data: 0x000000004AC0781F \(Mon Sep 28-0x000000004AFBED2B \(Thu Nov 12 12:10:47:27 CEST35 CET 2009\)
            Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)
            Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
                Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x00000001 (Create)
                Tag: Result Status (0x42007C0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)
                Tag: Response Payload (0x4200790x42007C), Type: Structure (0x01), Data:
                    Tag: Object Type (0x4200550x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key)
                    Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 333de9b9-8e73-4fe6-a37b-42369f5a426221d28b8a-06df-43c0-b72f-2a161633ada9
42007801000000C042007701000000484200670100000020420068020000000400000001000000042006902000000040
000000000000000042008F09000000080000000004AC0781F42000D020000000100000001000000042000F010000006812
005A0500000004000000010000000042007C0500000004000000000000000042007901000000404200550500000004000
000020000000042009107000000243333361633962392D386537332D346666362D613337622D3432336396635613432

```

	<pre>36320000000042007B01000000C042007A0100000048420069010000002042006A0200000004000000010000000042006B020000000400000000000000004200920900000008000000004AFBED2B42000D0200000004000000010000000042000F010000006842005C0500000004000000010000000042007F0500000004000000000000042007C01000000404200570500000004000000020000000420094070000002432316432386238612D303664662D343363302D623732662D32613136313633336164613900000000</pre>
1	<p>Client A:</p> <p>Get attribute</p> <p>In: <code>uuidKey, attributeName={'State'}</code></p> <pre>Tag: Request Message (0x4200750x420078), Type: Structure (0x01), Data: Tag: Request Header (0x4200740x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes) Tag: Request Payload (0x4200760x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 333de9b9-8e73-4fe6-a37b-42369f5a426221d28b8a-06df-43c0-b72f-2a161633ada9 Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: State 42007501000000A042007401000000384200670100000020420068020000000400000001000000004200690200000004000000000000000042000D0200000004000000010000000042000F010000005842005A0500000040000000B00000000420076010000004042009107000000243333361633962392D386537332D346666362D613337622D34323336396635613432363200000000042000A07000000055374617465000000 42007801000000A04200770100000038420069010000002042006A0200000004000000010000000042006B0200000004000000000000000042000D0200000004000000010000000042000F010000005842005C05000000040000000B000000004200790100000040420094070000002432316432386238612D303664662D343363302D623732662D3261313631363333616461390000000042000A07000000055374617465000000 <p>Out: <code>uuidKey, attribute={ State='00000001' }</code></p> <pre>Tag: Response Message (0x4200780x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x4200770x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x42008F0x420092), Type: Date-Time (0x09), Data: 0x000000004AC07820 (Mon Sep 28-0x000000004AFBED2B (Thu Nov 12 12:10:47:28 CEST35 CET 2009) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes) Tag: Result Status (0x42007C0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x4200790x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 333de9b9-8e73-4fe6-a37b-42369f5a426221d28b8a-06df-43c0-b72f-2a161633ada9 Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: State</pre> </pre>

	<p>Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000001 (Pre-Active)</p> <pre>42007801000000D84200770100000048420067010000002042006802000000040000000100000000420069020000000400000000000042008F09000000008000000004AC0782042000D0200000004000000010000000042000F010000008042005A0500000004000000B0000000042007C0500000004000000000000000000001200790100000584200910700000024333323646339623992D386527332D346666362D613337622D343233363966356134323632000000042000801000000204200040070000000553746174650000042000B0500000004000000010000000042007F0500000004000000000000000042007C0100000058420094070000002432316432386238612D303664662D343363302D623732662D3261313631363336164613900000000420080100000204200A070000000553746174650000042000B0500000040000000100000000</pre>
2	<p>Client A:</p> <p><u>Add attribute</u></p> <p><u>Activate</u></p> <p>In: <code>uuidKey, attribute={ ActivationDate='2' }</code></p> <p>Tag: Request Message (0x4200750x420078), Type: Structure (0x01), Data:</p> <p>Tag: Request Header (0x4200740x420077), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0)</p> <p>Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</p> <p>Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x0000000D (Add Attribute0x00000012 (Activate))</p> <p>Tag: Request Payload (0x4200760x420079), Type: Structure (0x01), Data:</p> <p>Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 333de9b9-8e73-4ff6-a37b-42369f5a426221d28b8a-06df-43c0-b72f-2a161633ada9</p> <p>Tag: Attribute (0x420008), Type: Structure (0x01), Data+</p> <p>Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Activation Date</p> <p>Tag: Attribute Value (0x42000B), Type: Date-Time (0x09), Data: 0x0000000000000002 (Thu Jan 01 01:00:02 CBT 1970)</p> <p>42007501000000C04200740100000038420067010000002042006802000000040000000100000000420069020000000400000000000042000D0200000004000000010000000042000F010000007842005A05000000040000000D0000000042007601000000604200910700000024333333646339623992D386537332D346666362D613337622D34323336396635613432363200000000420008010000002842000A07000000F41637469766174696F6E20416174650042000B09000000008000000000002</p> <p>42007801000000904200770100000038420069010000002042006A0200000004000000010000000042006B020000000400000000000042000D0200000004000000010000000042000F010000004842005C050000000400000012000000004200790100000030420094070000002432316432386238612D303664662D343363302D623732662D3261313631363336164613900000000</p> <p>Out: <code>uuidKey, attribute={ ActivationDate='2' }</code></p> <p>Tag: Response Message (0x4200780x42007B), Type: Structure (0x01), Data:</p> <p>Tag: Response Header (0x4200770x42007A), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0)</p> <p>Tag: Time Stamp (0x42008F0x420092), Type: Date-Time (0x09), Data: 0x000000004AC07820 (Mon Sep</p>

	<pre> 28-0x00000004AFBED2B (Thu Nov 12 12:10:47+28 CEST-35 CET 2009) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005A_0x42005C), Type: Enumeration (0x05), Data: 0x0000000D (Add Attribute0x00000012 (Activate)) Tag: Result Status (0x42007E_0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x420079_0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420091_0x420094), Type: Text String (0x07), Data: 333de9b9-8e73- 4ff6-a37b-42369f5a426221d28b8a-06df-43c0-b72f-2a161633ada9 Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Activation Date Tag: Attribute Value (0x42000B), Type: Date Time (0x09), Data: 0x0000000000000002 (Thu Jan 01 01:00:02 CET 1970) 42007801000000E042007701000000484200670100000020420068020000004000000010000000042006902000000040 000000000000000042008F090000000080000000004AC0782042000D0200000004000000010000000042000F010000008842 005A0500000000400000000D040000000042007C05000000004000000000000000042007901000000604200910700000024333 333de9b9-42369f5a426221d28b8a-06df-43c0-b72f-2a161633ada9 0x070000000F41637469766174696F6E20446174650042000D09000000800000000000000002 42007B01000000B042007A0100000048420069010000002042006A020000004000000010000000042006B02000000040 00000000000000004200920900000008000000004AFBED2B42000D0200000004000000010000000042000F010000005842 005C0500000004000000120000000042007F0500000004000000000000000042007C01000000304200940700000024323 16432386238612D303664662D343363302D623732662D3261313631363333614613900000000 </pre>
3	<p>Client A:</p> <p>Get attribute</p> <p>In: uuidKey, attributeName={ 'State' }</p> <pre> Tag: Request Message (0x420075_0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420074_0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420067_0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x420068_0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x420069_0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005A_0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes) Tag: Request Payload (0x420076_0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420091_0x420094), Type: Text String (0x07), Data: 333de9b9-8e73- 4ff6-a37b-42369f5a426221d28b8a-06df-43c0-b72f-2a161633ada9 Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: State 42007501000000A042007401000000384200670100000020420068020000004000000010000000042006902000000040 000000000000000042000D0200000004000000010000000042000F010000005842005A0500000040000000B0000000042 0076010000004042009107000000243333361633962392D386537332D34666362D613337622D343333639663561343 2363200000000042000A07000000055374617465000000 42007801000000A04200770100000038420069010000002042006A020000004000000010000000042006B02000000040 000000000000000042000D0200000004000000010000000042000F010000005842005C0500000040000000B0000000042 00790100000040420094070000002432316432386238612D303664662D343363302D623732662D3261313631363333616 461390000000042000A07000000055374617465000000 </pre> <p>Out: uuidKey, attribute={ State='00000002' }</p>

	<pre> Tag: Response Message (0x4200780x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x4200770x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x42008F0x420092), Type: Date-Time (0x09), Data: 0x000000004AC07820 (Mon Sep 28-0x00000004AFBED2B (Thu Nov 12 12:10:47:28 CEST35 CET 2009) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes) Tag: Result Status (0x42007C0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x4200790x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 333de9b9-8e73-4f66-a37b-42369f5a426221d28b8a-06df-43c0-b72f-2a161633ada9 Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: State Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000002 (Active) 42007801000000D8420077010000004842006701000000204200680200000004000000010000000042006902000000040000000000042008F09000000008000000004Ac0782042000D02000000010000000010000000042000F010000008042005A050000000040000000B0000000042007C050000000040000000000000000042007901000000584200910700000024333333261633962392D386537332D34666362D613337622D34323326396635613432363200000000420098010000002042000A01000000005537461746500000042000B050000000040000000020000000042007B01000000D842007A0100000048420069010000002042006A0200000004000000010000000042006B0200000004000000000000000042009209000000080000000042007F050000000400000000000000000000000042007C0100000058420094070000002432316432386238612D303664662D343363302D623732662D3261313631363336164613900000000420080100000204200A0700000005537461746500000042000B0500000040000000200000000 </pre>
4	<p>Client B:</p> <p>Locate (symmetric key by name)</p> <p>In: objectType = '00000002', attributes={ Name={ Name='Key1', NameType='00000001' } }</p> <pre> Tag: Request Message (0x4200750x420078), Type: Structure (0x01), Data: Tag: Request Header (0x4200740x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Request Payload (0x4200760x420079), Type: Structure (0x01), Data: Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Object Type Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data: Tag: Name Value (0x4200530x420055), Type: Text String (0x07), Data: Key1 Tag: Name Type (0x4200520x420054), Type: Enumeration (0x05), Data: 0x00000001 (Uninterpreted text string) </pre>

	<pre>42007501000000D04200740100000038420067010000002042006802000000040000000100000000420069020000000400000000000042000D0200000004000000010000000042000F010000008842005A05000000040000008000000004200760100000070420008010000002842000A07000000B4F626A6563742054797065000000000042000B0500000004000000200000000420008010000003842000A0700000044E616D650000000042000B010000002042005307000000044B6579310000000042005205000000040000000100000000</pre> <pre>42007801000000D04200770100000038420069010000002042006A0200000004000000010000000042006B020000000400000000000042000D0200000004000000010000000042000F010000008842005C050000000400000080000000042000B0500000004000000200000000420008010000003842000A0700000044E616D650000000042000B010000002042005507000000044B6579310000000042005405000000040000000100000000</pre> <p>Out: uuidKey</p> <p>Tag: Response Message (0x4200780x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x4200770x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x42008F0x420092), Type: Date-Time (0x09), Data: 0x000000004AC07821 (Mon Sep 28-0x000000004AFBED2B (Thu Nov 12 12:10:47+29 CET35 CET 2009) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Result Status (0x42007C0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x4200790x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 333de9b9-8e73-4ff6-a37b-42369f5a426221d28b8a-06df-43c0-b72f-2a161633ada9</p> <pre>42007801000000D04200770100000048420067010000002042006802000000040000000100000000420069020000000400000000000042008F09000000080000000004AC0782142000D0200000004000000010000000042000F010000005842005A05000000040000000800000000042007C05000000040000000000000004200790100000030420091070000002432333616339623962392D386537332D346666362D613337622D3432333639663561343236320000000042007B01000000B042007A0100000048420069010000002042006A020000004000000010000000042006B02000000040000000000000004200920900000008000000004AFBED2B42000D020000004000000010000000042000F010000005842005C0500000004000000080000000042007F050000000400000000000000042007C0100000030420094070000002432316432386238612D303664662D343363302D623732662D3261313631363336164613900000000</pre>
5	<p>Client B:</p> <p>Get (symmetric key)</p> <p>In: uuidKey</p> <p>Tag: Request Message (0x4200750x420078), Type: Structure (0x01), Data: Tag: Request Header (0x4200740x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get) Tag: Request Payload (0x4200760x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 333de9b9-8e73-4ff6-a37b-42369f5a426221d28b8a-06df-43c0-b72f-2a161633ada9</p>

Tag: Request Message ([0x4200750x420078](#)), Type: Structure (0x01), Data:
 Tag: Request Header ([0x4200740x420077](#)), Type: Structure (0x01), Data:
 Tag: Protocol Version ([0x4200670x420069](#)), Type: Structure (0x01), Data:
 Tag: Protocol Version Major ([0x4200680x42006A](#)), Type: Integer (0x02), Data: 0x00000001 (1)
 Tag: Protocol Version Minor ([0x4200690x42006B](#)), Type: Integer (0x02), Data: 0x00000000 (0)
 Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)
 Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
 Tag: Operation ([0x42005A0x42005C](#)), Type: Enumeration (0x05), Data: 0x00000013 (Revoke)
 Tag: Request Payload ([0x4200760x420079](#)), Type: Structure (0x01), Data:
 Tag: Unique Identifier ([0x4200910x420094](#)), Type: Text String (0x07), Data: [333de9b9-8e73-4fff-a37b-42369f5a426221d28b8a-06df-43c0-b72f-2a161633ada9](#)
 Tag: Revocation Reason ([0x42007E0x420081](#)), Type: Structure (0x01), Data:
 Tag: Revocation Reason Code ([0x42007F0x420082](#)), Type: Enumeration (0x05), Data: 0x00000002 (Key Compromise)
 Tag: Compromise Occurrence Date ([0x42001F0x420021](#)), Type: Date-Time (0x09), Data: 0x0000000000000006 (Thu Jan 01 01:00:06 CET 1970)

[42007501000000B842007401000000384200670100000020420068020000000400000001000000004200690200000004000000000000000042000D0200000004000000010000000010000000042000F010000007042005A0500000004000000013000000004200760100000058420091070000002413333364633962392D386537332D346666362D613337622D343233363966356134323632000000042007E010000001042007F0500000004000000020000000042001F0900000008000000000000000006](#)
[42007801000000B84200770100000038420069010000002042006A0200000004000000010000000042006B0200000004000000000000000042000D0200000004000000010000000042000F010000007042005C0500000004000000013000000004200790100000058420094070000002432316432386238612D303664662D343363302D623732662D32613136313633361646139000000004200810100000010420082050000000400000002000000004200210900000008000000000000000006](#)

Out: uuidKey

Tag: Response Message ([0x4200780x42007B](#)), Type: Structure (0x01), Data:
 Tag: Response Header ([0x4200770x42007A](#)), Type: Structure (0x01), Data:
 Tag: Protocol Version ([0x4200670x420069](#)), Type: Structure (0x01), Data:
 Tag: Protocol Version Major ([0x4200680x42006A](#)), Type: Integer (0x02), Data: 0x00000001 (1)
 Tag: Protocol Version Minor ([0x4200690x42006B](#)), Type: Integer (0x02), Data: 0x00000000 (0)
 Tag: Time Stamp ([0x42008F0x420092](#)), Type: Date-Time (0x09), Data: [0x0000000004AC07822-\(Mon Sep 28-0x00000004AFBED2B \(Thu Nov 12 12:10:47+30 CEST35 CET 2009\)](#)
 Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)
 Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
 Tag: Operation ([0x42005A0x42005C](#)), Type: Enumeration (0x05), Data: 0x00000013 (Revoke)
 Tag: Result Status ([0x42007C0x42007F](#)), Type: Enumeration (0x05), Data: 0x00000000 (Success)
 Tag: Response Payload ([0x4200790x42007C](#)), Type: Structure (0x01), Data:
 Tag: Unique Identifier ([0x4200910x420094](#)), Type: Text String (0x07), Data: [333de9b9-8e73-4fff-a37b-42369f5a426221d28b8a-06df-43c0-b72f-2a161633ada9](#)
[42007801000000B042007701000000484200670100000020420068020000000400000001000000004200690200000004000000000000000042008F09000000080000000042007C0782242000D0200000004000000010000000042000F010000005842005A05000000040000000130000000042007E020000000400000000000000004200790100000030420091070000002433364632392D386537332D346666362D613337622D343233363966356134323632000000042007B01000000B042007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040000000000000000420092090000008000000004AFBED2B42000D0200000004000000010000000042000F010000005842005C05000000040000000130000000042007F0500000004000000000000000042007C0100000030420094070000002432316432386238612D30366462D343363302D623732662D3261313631363336164613900000000](#)

In: `uuidKey, attributeName={ 'State' }`

```
Tag: Request Message (0x4200750x420078), Type: Structure (0x01), Data:  
  Tag: Request Header (0x4200740x420077), Type: Structure (0x01), Data:  
    Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data:  
      Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1)  
      Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0)  
    Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)  
  Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:  
    Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get  
Attributes)  
    Tag: Request Payload (0x4200760x420079), Type: Structure (0x01), Data:  
      Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 333de9b9-8e73-  
4ff6-a37b-42369f5a426221d28b8a-06df-43c0-b72f-2a161633ada9  
    Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: State
```

```
42007501000000A0420074010000003842006701000000204200680200000004000000010000000042006902000000040  
000000000000000042000D0200000004000000010000000042000F010000005842005A050000004000000B0000000042  
0076010000004042009107000000243333364633962392D386537332D346666362D613337622D3432333639663561343  
236320000000042000A0700000055374617465000000
```

```
42007801000000A04200770100000038420069010000002042006A020000004000000010000000042006B02000000040  
0000000000000042000D0200000004000000010000000042000F010000005842005C050000004000000B0000000042  
00790100000040420094070000002432316432386238612D303664662D343363302D623732662D3261313631363333616  
461390000000042000A0700000055374617465000000
```

Out: `uuidKey, attribute={ State='00000004' }`

```
Tag: Response Message (0x4200780x42007B), Type: Structure (0x01), Data:  
  Tag: Response Header (0x4200770x42007A), Type: Structure (0x01), Data:  
    Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data:  
      Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1)  
      Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0)  
    Tag: Time Stamp (0x42008F0x420092), Type: Date-Time (0x09), Data: 0x000000004AC07822 (Mon Sep  
28-0x00000004AFBED2C (Thu Nov 12 12:10:47:30 CEST36 CET 2009)  
    Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)  
  Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:  
    Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get  
Attributes)  
    Tag: Result Status (0x42007C0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)  
    Tag: Response Payload (0x4200790x42007C), Type: Structure (0x01), Data:  
      Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 333de9b9-8e73-  
4ff6-a37b-42369f5a426221d28b8a-06df-43c0-b72f-2a161633ada9  
    Tag: Attribute (0x420008), Type: Structure (0x01), Data:  
      Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: State  
      Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000004 (Compromised)
```

```
42007801000000D8420077010000004842006701000000204200680200000004000000010000000042006902000000040  
0000000000000042008F0900000008000000004AC0782242000D0200000001000000010000000042000F010000008042  
005A05000000040000000B0000000042007C050000000400000000000000004200790100000058420091070000002433  
33261633962392D386537332D346666362D613337622D3432333639663561343236320000000042000801000000204200  
0A0700000005537461746500000042000B05000000040000000040000000042007B01000000D842007A010000004842006  
90100000002042006A0200000004000000010000000042006B020000000400000000000000004200920900000008000000  
004AFBED2C42000D0200000004000000010000000042000F010000008042005C05000000040000000B0000000042007F0
```

	<p>5000000040000000000000000000000042007C010000005842009407000002432316432386238612D303664662D343363302D62 3732662D32613136313633361646139000000004200801000002042000A07000000053746174650000042000B050 0000004000000040000000</p>
8	<p>Client A:</p> <p>Get attribute list</p> <p>In: uuidKey</p> <pre> Tag: Request Message (0x4200750x420078), Type: Structure (0x01), Data: Tag: Request Header (0x4200740x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x0000000C (Get Attribute List) Tag: Request Payload (0x4200760x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 333de9b9-8e73-4ff6-a37b-42369f5a426221d28b8a-06df-43c0-b72f-2a161633ada9 420075010000009042007401000000384200670100000020420068020000000400000001000000004200690200000004000000000042000D0200000004000000010000000042000F010000004842005A0500000040000000C000000004200760100000030420091070000002433333361633962392D386537332D34666362D613337622D343233363966356134323632000000000 42007801000000904200770100000038420069010000002042006A0200000004000000010000000042006B0200000004000000000042000D0200000004000000010000000042000F010000004842005C0500000040000000C000000004200790100000030420094070000002432316432386238612D303664662D34336302D623732662D32613136313633336146139000000000 </pre> <p>Out: uuidKey, attributes = { * }</p> <pre> Tag: Response Message (0x4200780x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x4200770x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x42008F0x420092), Type: Date-Time (0x09), Data: 0x000000004AC07822 (Mon Sep 28-0x000000004AFBED2C (Thu Nov 12 12:10:47:30 CEST36 CET 2009) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x0000000C (Get Attribute List) Tag: Result Status (0x42007C0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x4200790x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 333de9b9-8e73-4ff6-a37b-42369f5a426221d28b8a-06df-43c0-b72f-2a161633ada9 Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Length Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Algorithm Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: State Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Compromise Occurrence Date Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Compromise Date </pre>

	<pre> Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Digest Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Initial Date Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Activation Date Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Revocation Reason Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Unique Identifier Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Usage Mask Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Object Type Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Last <u>Changed</u><u>Change</u> Date </pre> <p>42007801000002284200770100000048420067010000002042006802000000040000000100000000120069020000000400000000000042008F0900000008000000004Ac0782242000D0200000004000000010000000042000F01000001A84200910700000024333332361632962392D386537332D34666362D613337622D343233363966356134323632000000042000A070000001443727970746P6772617068696320416C676F726974686D0042000A0700000005537416746500000042000A0700000001A436F6D70726F6D69736520446174650042000A0700000006446967657374000042000A07000000C496E697469616C20416174650000000042000A070000000F41637469766174696F6E20446174650042000A07000000011556E69717565204964656E74696669657200000000000042000A07000000044E616D650000000042000A070000001843727970746F67726170686963205573616765B04D61736B42000A070000000B4F626A6563742054797065000000000042000A07000000104C617374204368616E67652044617465</p>
9	<p>Client A:</p> <p>Get attributes</p> <p>In: <code>uuidKey, attributeName = { 'State' }</code></p> <pre> Tag: Request Message (<u>0x4200750x420078</u>), Type: Structure (0x01), Data: Tag: Request Header (<u>0x4200740x420077</u>), Type: Structure (0x01), Data: Tag: Protocol Version (<u>0x4200670x420069</u>), Type: Structure (0x01), Data: Tag: Protocol Version Major (<u>0x4200680x42006A</u>), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (<u>0x4200690x42006B</u>), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (<u>0x42005A0x42005C</u>), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes) Tag: Request Payload (<u>0x4200760x420079</u>), Type: Structure (0x01), Data: Tag: Unique Identifier (<u>0x4200910x420094</u>), Type: Text String (0x07), Data: <u>333de9b9-8e73-4f6e-a37b-42369f5a426221d28b8a-06df-43c0-b72f-2a161633ada9</u> Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: State </pre> <p>420075010000004200740100000038420067010000002042006802000000040000000100000000120069020000000400000000000042000D0200000004000000010000000042000F010000005842005A050000004000000B00000000420076010000004042009107000000243333361633962392D386537332D34666362D613337622D343233363966356134323632000000042000A07000000055374167465000000</p>

	<pre>42007801000000A04200770100000038420069010000002042006A02000000400000001000000042006B020000000400000000042000D020000000400000001000000042000F010000005842005C050000004000000B00000004200790100000040420094070000002432316432386238612D303664662D343363302D623732662D326131363136333361646139000000042000A0700000055374617465000000</pre> <p>Out: uuidKey, attribute={ State='00000004' }</p> <p>Tag: Response Message (0x4200780x42007B), Type: Structure (0x01), Data:</p> <ul style="list-style-type: none"> Tag: Response Header (0x4200770x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data: <ul style="list-style-type: none"> Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x42008F0x420092), Type: Date-Time (0x09), Data: 0x000000004AC07822 (Mon Sep 28-0x00000004AFBED2C (Thu Nov 12 12:10:47:30 CEST36 CET 2009) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes) Tag: Result Status (0x42007C0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x4200790x42007C), Type: Structure (0x01), Data: <ul style="list-style-type: none"> Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 333de9b9-8e73-4ff6-a37b-42369f5a426221d28b8a-06df-43c0-b72f-2a161633ada9 Tag: Attribute (0x420008), Type: Structure (0x01), Data: <ul style="list-style-type: none"> Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: State Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000004 (Compromised) <pre>42007801000000D8420077010000004842006701000000204200680200000004000000010000000420069020000000400000000042008F0900000008000000004AC0782242000D02000000040000001000000042000F010000008042005A0500000004000000B0000000042007C05000000040000000000000000042007901000000584200910700000024333364633962392D386537332D346666362D613337622D343233363966356134323632000000042008010000002042000A070000000553746174650000042000B05000000400000004000000042007B01000000D842007A0100000048420069010000002042006A02000000040000001000000042006B020000000400000000000000042009209000000008000000042009F004AFBED2C42000D020000000400000001000000042000F010000008042005C05000000040000000B0000000042007F0500000004000000000000000042007C010000005842009407000002432316432386238612D303664662D343363302D623732662D326131363136333361646139000000042008010000002042000A070000005537461746500000042000B05000000400000000400000000</pre>
10	<p>Client A:</p> <p>Add attribute [batch]</p> <p>In: uuidKey, attribute={ x-attribute1='Value1' }</p> <p>In: uuidKey, attribute={ x-attribute2='Value2' }</p> <p>Tag: Request Message (0x4200750x420078), Type: Structure (0x01), Data:</p> <ul style="list-style-type: none"> Tag: Request Header (0x4200740x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data: <ul style="list-style-type: none"> Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000002 (2) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x0000000D (Add Attribute) Tag: Unique Batch Item ID (0x42009000x420093), Type: Octet String (0x08), Data: 5CD7C98FC5B52FF79D407FFB45C95672 Tag: Request Payload (0x4200760x420079), Type: Structure (0x01), Data:

```

Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 333de9b9-8e73-4fe6-a37b-42369f5a426221d28b8a-06df-43c0-b72f-2a161633ada9
Tag: Attribute (0x420008), Type: Structure (0x01), Data:
  Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: x-attribute1
  Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: Value1
Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
  Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x0000000D (Add Attribute)
  Tag: Unique Batch Item ID (0x4200900x420093), Type: Octet String (0x08), Data: F0CB35D89BB9D251D62107C3158409D8
  Tag: Request Payload (0x4200760x420079), Type: Structure (0x01), Data:
    Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 333de9b9-8e73-4fe6-a37b-42369f5a426221d28b8a-06df-43c0-b72f-2a161633ada9
    Tag: Attribute (0x420008), Type: Structure (0x01), Data:
      Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: x-attribute2
      Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: Value2

4200750100000160420074010000003842006701000000204200680200000004000000010000000042006902000000040000000000042000D02000000040000000020000000042000F010000008842005A05000000040000000D0000000042009008000000085CD7C98FC5B52FF742007601000006042009107000002433333364633962392D386537332D3466663
62D613337622D3432333639663561343236320000000042000801000002842000A070000000C782D6174747269627574
6521000000042000D070000000656616C75653100042000F01000008842005A05000000040000000D000000004200900800000089F0CB35D89BB9D2514200760100000604200910700000243333364633962392D386537332D346666362D
613337622D3432333639663561343236320000000042000801000002842000A070000000C782D6174747269627574653
20000000042000B070000000656616C7565320000

42007801000001604200770100000038420069010000002042006A020000000400000001000000042006B02000000040000000000042000D02000000040000000020000000042000F010000008842005C05000000040000000D0000000042009308000000089D407FB45C956724200790100000604200940700000243231643238612D303664662D3433633
02D623732662D326131363136333616461390000000042000801000002842000A070000000C782D6174747269627574
6531000000042000B070000000656616C75653100042000F01000008842005C05000000040000000D000000004200930800000089D62107C3158409D842007901000006042009407000002432316432386238612D303664662D343363302D
623732662D326131363136333616461390000000042000801000002842000A070000000C782D6174747269627574653
20000000042000B070000000656616C7565320000

```

Out: uuidKey, attribute={ x-attribute1='Value1' }

Out: uuidKey, attribute={ x-attribute2='Value2' }

```

Tag: Response Message (0x4200780x42007B), Type: Structure (0x01), Data:
  Tag: Response Header (0x4200770x42007A), Type: Structure (0x01), Data:
    Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data:
      Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1)
      Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0)
      Tag: Time Stamp (0x42008F0x420092), Type: Date-Time (0x09), Data: 0x000000004AC07823 \(Mon Sep 28-0x000000004AFBED2C \(Thu Nov 12 12:10:47:31 CEST36 CET 2009\)
      Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000002 (2)
      Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
        Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x0000000D (Add Attribute)
        Tag: Unique Batch Item ID (0x4200900x420093), Type: Octet String (0x08), Data: 5CD7C98FC5B52FF79D407FFB45C95672
        Tag: Result Status (0x42007E0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)
        Tag: Response Payload (0x4200790x42007C), Type: Structure (0x01), Data:
          Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 333de9b9-8e73-4fe6-a37b-42369f5a426221d28b8a-06df-43c0-b72f-2a161633ada9
          Tag: Attribute (0x420008), Type: Structure (0x01), Data:
            Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: x-attribute1
            Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: Value1

```


3D9CF6E0445252B808019A230A05E9E1

Tag: Request Payload ([0x4200760x420079](#)), Type: Structure (0x01), Data:

Tag: Unique Identifier ([0x4200910x420094](#)), Type: Text String (0x07), Data: [333de9b9-8e73-4fe6-a37b-42369f5a426221d28b8a-06df-43c0-b72f-2a161633ada9](#)

Tag: Attribute (0x420008), Type: Structure (0x01), Data:

Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: x-attribute2

Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: ModifiedValue2

[4200750100000170420074010000003842006701000000204200680200000004000000010000000042006902000000040000000000042000D020000000400000002000000042000F010000009042005A05000000040000000E0000000042000800000008C06597c23C952144200760100000684200910700000243333364633962392D386537332D346666362D613337622D243233363966356134323632000000042000801000003042000A070000000C782D61747472696275746531000000042000B0700000004D6F64696669656456616C756531000042000F010000009042005A0500000004000000083D9CF6E0445252B84200760100000684200910700000243333364633962392D386537332D346666362D613337622D243233363966356134323632000000042000801000003042000A070000000C782D61747472696275746531000000042000B0700000004D6F64696669656456616C756531000042000F010000009042005C0500000004000000004200080000000847FB42CCECA3F6EC4200790100000684200940700000243231643238612D303646662D32613136313633361646139000000042000801000003042000A070000000C782D61747472696275746531000000042000B0700000004E4D6F64696669656456616C756531000042000F010000009042005C0500000004000000004200093080000000847FB42CCECA3F6EC4200790100000684200940700000243231643238612D303646662D32613136313633361646139000000042000801000003042000A070000000C782D61747472696275746531000000042000B0700000004D6F64696669656456616C7565320000](#)

Out: uuidKey, attribute={ x-attribute1='ModifiedValue1' }

Out: uuidKey, attribute={ x-attribute2='ModifiedValue2' }

Tag: Response Message ([0x4200780x42007B](#)), Type: Structure (0x01), Data:

Tag: Response Header ([0x4200770x42007A](#)), Type: Structure (0x01), Data:

Tag: Protocol Version ([0x4200670x420069](#)), Type: Structure (0x01), Data:

Tag: Protocol Version Major ([0x4200680x42006A](#)), Type: Integer (0x02), Data: 0x00000001 (1)

Tag: Protocol Version Minor ([0x4200690x42006B](#)), Type: Integer (0x02), Data: 0x00000000 (0)

Tag: Time Stamp ([0x42009F0x420092](#)), Type: Date-Time (0x09), Data: [0x000000004AC07823 \(Mon Sep 28-0x00000004AFBED2D \(Thu Nov 12 12:10:47:31 CET+37 CET 2009\)](#)

Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000002 (2)

Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:

Tag: Operation ([0x42005A0x42005C](#)), Type: Enumeration (0x05), Data: 0x0000000E (Modify Attribute)

Tag: Unique Batch Item ID ([0x4200900x420093](#)), Type: Octet String (0x08), Data: [C06597c23C95214447FB42CCECA3F6EC](#)

Tag: Result Status ([0x42007C0x42007F](#)), Type: Enumeration (0x05), Data: 0x00000000 (Success)

Tag: Response Payload ([0x4200790x42007C](#)), Type: Structure (0x01), Data:

Tag: Unique Identifier ([0x4200910x420094](#)), Type: Text String (0x07), Data: [333de9b9-8e73-4fe6-a37b-42369f5a426221d28b8a-06df-43c0-b72f-2a161633ada9](#)

Tag: Attribute (0x420008), Type: Structure (0x01), Data:

Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: x-attribute1

Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: ModifiedValue1

Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:

Tag: Operation ([0x42005A0x42005C](#)), Type: Enumeration (0x05), Data: 0x0000000E (Modify Attribute)

Tag: Unique Batch Item ID ([0x4200900x420093](#)), Type: Octet String (0x08), Data: [3D9CF6E0445252B808019A230A05E9E1](#)

Tag: Result Status ([0x42007C0x42007F](#)), Type: Enumeration (0x05), Data: 0x00000000 (Success)

Tag: Response Payload ([0x4200790x42007C](#)), Type: Structure (0x01), Data:

```

Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 333de9b9-8e73-
4ff6-a37b-42369f5a426221d28b8a-06df-43c0-b72f-2a161633ada9

Tag: Attribute (0x420008), Type: Structure (0x01), Data:
  Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: x-attribute2
  Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: ModifiedValue2

42007801000001A04200770100000048420067010000002042006802000000400000001000000042006902000000040
000000000000000042008F09000000008000000004AC0782342000D020000004000000200000042000F01000000A042
005A05000000040000000E0000000420090080000008C06597C23C95214442007C050000004000000000000000420
0790100000684200910700000243333364633962392D386537332D346666362D613337622D34323336396635613432
3632000000000420008010000003042000A070000000C782D61747472696275746531000000042000B070000000E4D6F6
4696669656456616C756531000042000F01000000A042005A050000004000000E0000000042009008000000083D9CF6
E0445252D842007C0500000040000000000000004200790100000684200910700000243333364633962392D38653
7332D346666362D613227622D343233363966356134323363200000004200801000003042000A070000000C782D6174
74726962757465320000000042000B070000000E4D6F64696669656456616C756532000042007B01000001A042007A010
0000048420069010000002042006A020000004000000010000000042006B020000000400000000000000004200920900
00000800000004AFBED2D42000D020000000400000002000000042000F01000000A042005C0500000040000000E000
00000420093080000000847FB42CECA3F6EC42007F05000000400000000000000042007C010000068420094070000
002432316432386238612D303664662D343363302D623732662D3261313631363336164613900000000420080100000
03042000A070000000C782D617474726962757465310000000042000B070000000E4D6F64696669656456616C75653100
0042000F01000000A042005C050000004000000E00000000420093080000000808019A230A05E9E142007F050000000
40000000000000000000000042007C010000068420094070000002432316432386238612D303664662D343363302D623732662D
3261313631363336164613900000000420008010000003042000A070000000C782D61747472696275746532000000004
2000B070000000E4D6F64696669656456616C7565320000
```

12	<p>Client A:</p> <p>Delete attribute [batch]</p> <p>In: uuidKey, attributeNames={ 'x-attribute1' }</p> <p>In: uuidKey, attributeNames={ 'x-attribute2' }</p> <p>Tag: Request Message (0x4200750x420078), Type: Structure (0x01), Data:</p> <p> Tag: Request Header (0x4200740x420077), Type: Structure (0x01), Data:</p> <p> Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data:</p> <p> Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p> Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0)</p> <p> Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000002 (2)</p> <p> Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</p> <p> Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x0000000F (Delete Attribute)</p> <p> Tag: Unique Batch Item ID (0x4200900x420093), Type: Octet String (0x08), Data: 1A1B48172DF57ABC3E2C080FA8806057</p> <p> Tag: Request Payload (0x4200760x420079), Type: Structure (0x01), Data:</p> <p> Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 333de9b9-8e73- 4ff6-a37b-42369f5a426221d28b8a-06df-43c0-b72f-2a161633ada9</p> <p> Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: x-attribute1</p> <p> Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</p> <p> Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x0000000F (Delete Attribute)</p> <p> Tag: Unique Batch Item ID (0x4200900x420093), Type: Octet String (0x08), Data: B77FD0753B7C95ED9D55988D43D23B82</p> <p> Tag: Request Payload (0x4200760x420079), Type: Structure (0x01), Data:</p> <p> Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 333de9b9-8e73- 4ff6-a37b-42369f5a426221d28b8a-06df-43c0-b72f-2a161633ada9</p> <p> Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: x-attribute2</p> <p>42007501000001304200740100000038420067010000002042006802000000400000001000000042006902000000040 000000000000000042000D020000000400000002000000042000F010000007042005A050000004000000F000000042</p>
----	--

```
009008000000081A1B48172DF57ABC4200760100000484200910700000243333361633962392D386537332D3466663  
62D613337622D343233363966256134323632000000042000A07000000C782D61747472696275716531000000004200  
0F010000007042005A05000000040000000F00000004200900800000008B77FD0753B7C95ED420076010000004842009  
107000000243333361633962392D386537332D346666362D613337622D343233363966356134323632000000042000A  
070000000C782D617474726962757465320000000
```

```
420078010000013042007701000003842006901000002042006A0200000040000001000000042006B02000000040  
000000000000042000D0200000040000002000000042000F010000007042005C050000004000000F0000000042  
009308000000083E2C080FA880605742007901000004842009407000000243231643238612D303664662D3433633  
02D623732662D3261313631363336164613900000042000A07000000C782D6174747269627574653100000004200  
0F010000007042005C050000004000000F00000004200930800000089D55988D43D23B82420079010000004842009  
4070000002432316432386238612D303664662D343363302D623732662D32613136313633361646139000000042000A  
070000000C782D617474726962757465320000000
```

Out: `uuidKey, attributeNames={ 'x-attribute1' }`

Out: `uuidKey, attributeNames={ 'x-attribute2' }`

```
Tag: Response Message (0x4200780x42007B), Type: Structure (0x01), Data:  
  Tag: Response Header (0x4200770x42007A), Type: Structure (0x01), Data:  
    Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data:  
      Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1)  
      Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0)  
      Tag: Time Stamp (0x42009F0x420092), Type: Date-Time (0x09), Data: 0x000000004AC07826 \(Mon Sep 28-0x00000004AFBED2D \(Thu Nov 12 12:10:47:34 CEST 2009\)  
        Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000002 (2)  
        Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:  
          Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x0000000F (Delete Attribute)  
          Tag: Unique Batch Item ID (0x4200900x420093), Type: Octet String (0x08), Data: 1A1B48172DF57ABC3E2C080FA8806057  
          Tag: Result Status (0x42007C0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)  
          Tag: Response Payload (0x4200790x42007C), Type: Structure (0x01), Data:  
            Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 333de9b9-8e73-4fe6-a27b-42369f5a426221d28b8a-06df-43c0-b72f-2a161633ada9  
            Tag: Attribute (0x420008), Type: Structure (0x01), Data:  
              Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: x-attribute1  
              Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: ModifiedValue1  
            Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:  
              Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x0000000F (Delete Attribute)  
              Tag: Unique Batch Item ID (0x4200900x420093), Type: Octet String (0x08), Data: B77FD0753B7C95ED9D55988D43D23B82  
              Tag: Result Status (0x42007C0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)  
              Tag: Response Payload (0x4200790x42007C), Type: Structure (0x01), Data:  
                Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 333de9b9-8e73-4fe6-a27b-42369f5a426221d28b8a-06df-43c0-b72f-2a161633ada9  
                Tag: Attribute (0x420008), Type: Structure (0x01), Data:  
                  Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: x-attribute2  
                  Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: ModifiedValue2  
  
42007801000001A0420077010000004842006701000000204200680200000040000001000000042006902000000040  
00000000000000042008F0900000008000000004AC0782642000D0200000040000002000000042000F01000000A042  
005A0500000004000000F000000042009008000000081A1B48172DF57ABC42007C0500000040000000000000000420  
0790100000684200910700000243333361633962392D386537332D346666362D613337622D34323336396635613432  
3632000000042000801000003042000A07000000C782D61747472696275746531000000042000B070000000E4D6F6
```

	<pre>4696669656456616C756531000042000F01000000A042005A05000000040000000F000000004200900800000008B77FD0 753B7C95ED42007C0500000004000000000000000042007901000006842009107000002433333361633962392D38653 7332D346666362D613337622D343233363966356134323632000000042000801000003042000A070000000C782D6174 7472696275746532000000042000B07000000F4D6F64696669656456616C756532000042007B0100001A042007A010 000004842006901000002042006A020000000400000001000000042006B020000000400000000000000004200920900 00000800000004AFBED2D42000D0200000004000000020000000042000F01000000A042005C05000000040000000F000 000004200930800000083E2C080FA880605742007F0500000004000000000000000042007C0100000068420094070000 002432316432386238612D303664662D343363302D623732662D3261313631363336164613900000000420080100000 03042000A070000000C782D61747472696275746531000000042000B070000000E4D6F64696669656456616C75653100 0042000F0100000A042005C05000000040000000F000000004200930800000089D55988D43D23B8242007F050000000 400000000000000000042007C01000006842009407000002432316432386238612D303664662D343363302D623732662D 32613136313633361646139000000042000801000003042000A070000000C782D61747472696275746532000000004 2000B070000000E4D6F64696669656456616C7565320000</pre>
13	<p>Client A:</p> <p>Get (symmetric key)</p> <p>In: uuidKey</p> <p>Tag: Request Message (0x4200750x420078), Type: Structure (0x01), Data:</p> <p>Tag: Request Header (0x4200740x420077), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0)</p> <p>Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</p> <p>Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get)</p> <p>Tag: Request Payload (0x4200760x420079), Type: Structure (0x01), Data:</p> <p>Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 333d-e9b9-8e73-4ff6-a37b-42369f5a426221d28b8a-06df-43c0-b72f-2a161633ada9</p> <p>4200750100000090420074010000038420067010000002042006902000000040000000100000000420069020000000400 000000000000000042000D0200000004000000010000000042000F010000004842005A05000000040000000A0000000042 0076010000003042009107000000243333361633962392D386537332D346666362D613337622D3432333639663561343 23632000000000</p> <p>4200780100000090420077010000038420069010000002042006A0200000004000000010000000042006B020000000400 000000000000000042000D0200000004000000010000000042000F010000004842005C05000000040000000A0000000042 00790100000030420094070000002432316432386238612D303664662D343363302D623732662D326131363136333616 46139000000000</p> <p>Out: objectType = '00000002', uuidKey, symmetricKey</p> <p>Tag: Response Message (0x4200780x42007B), Type: Structure (0x01), Data:</p> <p>Tag: Response Header (0x4200770x42007A), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0)</p> <p>Tag: Time Stamp (0x42008F0x420092), Type: Date-Time (0x09), Data: 0x000000004AC07827 (Mon Sep 28-0x000000004AFBED2D (Thu Nov 12 12:10:47:35 CEST37 CET 2009)</p> <p>Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</p> <p>Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get)</p> <p>Tag: Result Status (0x42007C0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)</p> <p>Tag: Response Payload (0x4200790x42007C), Type: Structure (0x01), Data:</p> <p>Tag: Object Type (0x4200550x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key)</p>

	<pre> Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x42008F0x420092), Type: Date-Time (0x09), Data: 0x000000004AC07827 (Mon Sep 28-0x000000004AFBED2E (Thu Nov 12 12:10:47+35 CEST38 CET 2009) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Result Status (0x42007C0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x4200790x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 333de9b9-8e73-4ff6-a37b-42369f5a426221d28b8a-06df-43c0-b72f-2a16163ada9 42007801000000B042007701000000484200670100000020420068020000000400000001000000004200690200000004000000000000000042008F090000000080000000004AC0782742000D0200000001000000010000000042000F010000005842005A05000000004000000140000000042007C05000000040000000000000004200790100000030420091070000002433333361633962392D386537332D346666362D613337622D3432332639663561343236320000000042007B01000000B042007A0100000048420069010000002042006A0200000004000000010000000042006B020000000400000000000000004200920900000008000000004AFBED2E42000D0200000004000000010000000042000F010000005842005C0500000004000000140000000042007F0500000004000000000000000042007C0100000030420094070000002432316432386238612D303664662D343363302D623732662D3261313631363336164613900000000 </pre>
--	---

125

126

55 Auditing and reporting

127

5.15.1 Use-case: Get usage allocation scenario

130 This use-case tests the usage management functionality of KMIP. A key is created and the Activation
 131 Date and Protect Stop Date attributes are set in such a way as to allow the Get Usage Allocation
 132 operation to be performed. The value of the Usage Limits attribute is set to 1000 bytes, and two
 133 subsequent requests for 500 bytes succeed, (one of them also verifying the amount that can be received
 134 using the Check operation), while a third fails since the usage allocation has been used up. The key is
 135 finally revoked and destroyed. This use-case shows the use of multiple clients with the assumptions
 136 regarding the clients being the same as in the use-case described in Section 3.1.4

137

Time	Client A
0	<p>Client A:</p> <p>Create (symmetric key)</p> <p>In: objectType = '00000002', attributes={ CryptographicAlgorithm='AES', CryptographicLength='128', NameValue={ Name='Key1', NameType='00000001' }, CryptographicUsageMask='00000004' }</p> <p>Tag: Request Message (0x4200750x420078), Type: Structure (0x01), Data: Tag: Request Header (0x4200740x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</p>

```

Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x00000001 (Create)
Tag: Request Payload (0x4200760x420079), Type: Structure (0x01), Data:
  Tag: Object Type (0x4200550x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key)
  Tag: Template-Attribute (0x42008E0x420091), Type: Structure (0x01), Data:
    Tag: Attribute (0x420008), Type: Structure (0x01), Data:
      Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Algorithm
      Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000003 (AES)
    Tag: Attribute (0x420008), Type: Structure (0x01), Data:
      Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Length
      Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x00000080 (128)
    Tag: Attribute (0x420008), Type: Structure (0x01), Data:
      Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name
      Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data:
        Tag: Name Value (0x4200530x420055), Type: Text String (0x07), Data: Key1
        Tag: Name Type (0x4200520x420054), Type: Enumeration (0x05), Data: 0x00000001 (Uninterpreted text string)
      Tag: Attribute (0x420008), Type: Structure (0x01), Data:
        Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Usage Mask
        Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x00000004 (Encrypt)

4200750100000160420074010000003842006701000000204200690200000004000000010000000042006902000000040000000000042000D0200000004000000010000000042000F010000011842005A0500000004000000010000000042007601000001004200550500000004000000002000000042008E01000000E8420008010000003042000A070000001743727970746F6772617068696320416C676F726974686D0042000B050000000400000000300000000420008010000003042000A07000001442727970746F67726170686963204C656E6774680000000042000B0200000004000000800000000042000801000003842000A07000000044E616D650000000042000B01000000204200530700000044B657931000000004200520500000040000000100000000420008010000003042000A070000001843727970746F67726170686963205573616765204D61736B42000B020000000400000040000000
42007801000001604200770100000038420069010000002042006A0200000004000000010000000042006B02000000040000000000042000D0200000004000000010000000042000F010000011842005C0500000004000000010000000042007901000001004200570500000004000000020000000042009101000000E8420008010000003042000A070000001743727970746F6772617068696320416C676F726974686D0042000B050000000400000000300000000420008010000003042000A070000001443727970746F67726170686963204C656E6774680000000042000B0200000004000000800000000042000801000003842000A07000000044E616D650000000042000B010000002042005507000000044B6579310000000042005405000000400000000100000000420008010000003042000A070000001843727970746F67726170686963205573616765204D61736B42000B0200000004000000040000000

```

Out: objectType = '00000002', uuidKey

```

Tag: Response Message (0x4200780x42007B), Type: Structure (0x01), Data:
Tag: Response Header (0x4200770x42007A), Type: Structure (0x01), Data:
  Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data:
    Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1)
    Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0)
    Tag: Time Stamp (0x42008F0x420092), Type: Date-Time (0x09), Data: 0x000000004AC07828 \(Mon Sep 28 10:47:36 CEST 2009\)0x000000004B98E05A \(Thu Mar 11 13:21:46 CET 2010\)
    Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)
  Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
    Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x00000001 (Create)
    Tag: Result Status (0x4200760x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)
    Tag: Response Payload (0x4200790x42007C), Type: Structure (0x01), Data:
      Tag: Object Type (0x4200550x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key)

```



```
0000000000000042000D0200000004000000020000000042000F01000008842005C05000000040000000D000000004200  
930800000008D7FE2477E364AE1A420079010000006042009407000002465363936656264302D386562612D343036652D  
626532312D64393035396532396261316400000000420008010000002842000A070000000F41637469766174696F6E2044  
6174650042000B09000000080000000000000000242000F010000009042005C05000000040000000D000000004200930800  
0000089696012991BC8A59420079010000006842009407000002465363936656264302D386562612D343036652D626532  
312D6439303539653239626131640000000420008010000003042000A07000001150726F746563742053746F70204461  
746500000000000042000B090000000800000004B98E2B3
```

Out: uuidKey, attribute={ ActivationDate='2' }
Out: uuidKey, attribute={ ProtectStopDate='<NOW+10min>' }

```
Tag: Response Message (0x4200780x42007B), Type: Structure (0x01), Data:  
  Tag: Response Header (0x4200770x42007A), Type: Structure (0x01), Data:  
    Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data:  
      Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1)  
      Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0)  
    Tag: Time Stamp (0x42008F0x420092), Type: Date-Time (0x09), Data: 0x000000004AC07828 \(Mon Sep 28 100x00000004B98E05B \(Thu Mar 11 13:21:47+36 CEST 2009 CET 2010\)  
  Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000002 (2)  
  Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:  
    Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x0000000D (Add Attribute)  
    Tag: Unique Batch Item ID (0x4200900x420093), Type: Octet String (0x08), Data:  
E1AE8A5206CC749AD7FE2477E364AE1A  
    Tag: Result Status (0x42007C0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)  
    Tag: Response Payload (0x4200790x42007C), Type: Structure (0x01), Data:  
      Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 4Fee3a59-b217-4abf-84ad-af1547024615e696ebd0-8eba-406e-be21-d9059e29ba1d  
      Tag: Attribute (0x420008), Type: Structure (0x01), Data:  
        Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Activation Date  
        Tag: Attribute Value (0x42000B), Type: Date-Time (0x09), Data: 0x0000000000000002 (Thu Jan 01 01:00:02 CET 1970)  
      Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:  
        Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x0000000D (Add Attribute)  
        Tag: Unique Batch Item ID (0x4200900x420093), Type: Octet String (0x08), Data:  
ECCAA6E0C409336F9696012991BC8A59  
        Tag: Result Status (0x42007C0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)  
        Tag: Response Payload (0x4200790x42007C), Type: Structure (0x01), Data:  
          Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 4Fee3a59-b217-4abf-84ad-af1547024615e696ebd0-8eba-406e-be21-d9059e29ba1d  
          Tag: Attribute (0x420008), Type: Structure (0x01), Data:  
            Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Protect Stop Date  
            Tag: Attribute Value (0x42000B), Type: Date-Time (0x09), Data: 0x000000004AC07A80 \(Mon Sep 28 10:57:36 CEST 2009 0x00000004B98E2B3 \(Thu Mar 11 13:31:47 CET 2010\)
```

```
420078010000019842007701000000484200670100000204200680200000004000000010000000420069020000000400  
0000000000000042008F0900000008000000004AC0782842000D02000000040000002000000042000F01000000984200  
5A05000000040000000D000000004200900800000008E1AE8A5206CC749AD7FE24007C0500000004000000000000000420079  
010000006042009107000000243466563336135392D623231372D346162662D282461642D6166313534372D3234363125  
00000000420008010000002842000A07000000041637469766174696F6E20446171650042000B090000000080000000000000  
00000242000F01000000A042005A05000000040000000D000000004200900800000008C6CAAE0C409336F42007C050000  
00040000000000000004200790100000068420091070000002434665632236135392D623231372D346162662D28246164  
2D6166312534373022343631350000000420008010000003042000A070000001150726F746563742053746F7020446174  
65000000000000042000B090000000800000004AC07A8042007B010000019842007A01000004842006901000002042  
006A02000000400000001000000042006B020000004000000000000042009209000000800000004B98E05B4200  
0D02000000400000002000000042000F01000009842005C0500000040000000D00000004200930800000008D7FE24  
77E364AE1A42007F05000000400000000000000042007C0100000060420094070000002465363936656264302D386562
```


	<p>Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x0000000D (Add Attribute)</p> <p>Tag: Result Status (0x42007C0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)</p> <p>Tag: Response Payload (0x4200790x42007C), Type: Structure (0x01), Data:</p> <p>Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 4fee3a59b217 4abf84adaf1547024615e696ebd0-8eba-406e-be21-d9059e29bald</p> <p>Tag: Attribute (0x420008), Type: Structure (0x01), Data:</p> <p>Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Usage Limits</p> <p>Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data:</p> <p>Tag: Usage Limits Total Bytes (0x4200950x420097), Type: BigLong Integer (0x040x03), Data: 00000000000000002E800x00000000000000003E8 (1000)</p> <p>Tag: Usage Limits Byte Count (0x4200930x420096), Type: BigLong Integer (0x040x03), Data: 00000000000000002E800x00000000000000003E8 (1000)</p> <p>42007801000000F84200770100000048420067010000002042006802000000040000000100000000420069020000000400 000000000000000042008F090000000800000004AC0782A12000D0200000004000000010000000042000F01000000A04200 5A050000000040000000D0000000042007C0500000004000000000000000042007901000000784200910700000024346665 63336135392D623231272D346162662D383461642B61663135343720322343631250000000420008010000004042000A07 0000000C5573616765204C696D6974730000000042000B01000000204200950400000080000000000000003E84200930400 0000080000000000000003E8 Tag: Usage Limits Unit (0x420098), Type: Enumeration (0x05), Data: 0x00000001 (Byte)</p> <p>42007B010000010842007A0100000048420069010000002042006A0200000004000000010000000042006B020000000400 00000000000000420092090000000800000004B98E05C42000D0200000004000000010000000042000F01000000B04200 5C050000000040000000D0000000042007F0500000004000000000000000042007C01000000884200940700000024653639 36656264302D386562612D343036652D626532312D64393035396532396261316400000000420008010000005042000A07 0000000C5573616765204C696D6974730000000042000B01000000304200970300000080000000000000003E84200960300 0000080000000000000003E8420098050000000400000010000000</p>
--	--

3	<p>Client B:</p> <p>Locate (symmetric key by name)</p> <p>In: objectType = '00000002', attributes={ Name={ Name='Key1', NameType= '00000001' } }</p> <p>Tag: Request Message (0x4200750x420078), Type: Structure (0x01), Data:</p> <p>Tag: Request Header (0x4200740x420077), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0)</p> <p>Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</p> <p>Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate)</p> <p>Tag: Request Payload (0x4200760x420079), Type: Structure (0x01), Data:</p> <p>Tag: Attribute (0x420008), Type: Structure (0x01), Data:</p> <p>Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Object Type</p> <p>Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key)</p> <p>Tag: Attribute (0x420008), Type: Structure (0x01), Data:</p> <p>Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name</p> <p>Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data:</p> <p>Tag: Name Value (0x4200530x420055), Type: Text String (0x07), Data: Key1</p> <p>Tag: Name Type (0x4200520x420054), Type: Enumeration (0x05), Data: 0x00000001 (Uninterpreted text string)</p> <p>42007501000000D04200740100000038420067010000002042006802000000040000000100000000420069020000000400 0000000000000042000D0200000004000000010000000042000F010000008842005A050000000400000008000000004200 76010000007042008010000002842000A07000000B4F626A656374205479706500000000004200B0500000004000000</p>
---	--

	<pre> 020000000042000801000003842000A07000000044E616D65000000042000B0100000204200530700000044B657931 00000000420052050000000040000000100000000 42007801000000D042007701000003842006901000002042006A0200000040000001000000042006B02000000400 0000000000000042000D02000000040000001000000042000F01000008842005C050000004000000800000004200 7901000007042000801000002842000A07000000B4F626A6563742054797065000000004200B050000004000000 020000000042000801000003842000A0700000044E616D65000000042000B0100000204200550700000044B657931 000000004200540500000004000000100000000 </pre> <p>Out: uuidKey</p> <pre> Tag: Response Message (0x4200780x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x4200770x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x42008F0x420092), Type: Date-Time (0x09), Data: 0x000000004AC0782A (Mon Sep 28 10:47:38 CEST 20090x000000004B98E05C (Thu Mar 11 13:21:48 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Result Status (0x42007E0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x4200790x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 4fee3a59-b217-4abf-84ad-af1547024615e696ebd0-8eba-406e-be21-d9059e29ba1d 42007801000000B042007701000000484200670100000020420069020000000400000010000000420069020000000400 0000000000000042008F09000000008000000004AC0782A12000D02000000040000001000000012000F01000000584200 5A0500000000400000000000000042007C05000000040000000000000042007901000000304200910700000024346665 63326135292D623231372D346162662D383461642D616631353437202234363125000000042007B0100000B042007A01 00000048420069010000002042006A02000000040000001000000042006B020000000400000000000000004200920900 000008000000004B98E05C42000D0200000040000001000000042000F01000005842005C050000000400000080000 000042007F0500000040000000000000000042007C0100000030420094070000002465363936656264302D386562612D34 3036652D626532312D64393035396532396261316400000000 </pre>
4	<p>Client B:</p> <p>Get (symmetric key)</p> <p>In: uuidKey</p> <pre> Tag: Request Message (0x4200750x420078), Type: Structure (0x01), Data: Tag: Request Header (0x4200740x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get) Tag: Request Payload (0x4200760x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 4fee3a59-b217-4abf-84ad-af1547024615e696ebd0-8eba-406e-be21-d9059e29ba1d 420075010000009042007401000000384200670100000020420069020000000400000010000000420069020000000400 0000000000000042000D02000000040000001000000042000F010000004842005A0500000004000000100000004200 760100000030420091070000002434666563336135392D623231372D346162662D383461642D61663135343730322343631 35000000000 </pre>

42007801000000904200770100000038420069010000002042006A0200000004000000010000000042006B020000000400
00000000000000042000D0200000040000001000000042000F01000004842005C0500000004000000A00000004200
79010000003042009407000002465363936656264302D386562612D343036652D626532312D6439303539653239626131
6400000000

Out: objectType = '00000002', uuidKey, symmetricKey

Tag: Response Message ([0x4200780x42007B](#)), Type: Structure (0x01), Data:
Tag: Response Header ([0x4200770x42007A](#)), Type: Structure (0x01), Data:
Tag: Protocol Version ([0x4200670x420069](#)), Type: Structure (0x01), Data:
Tag: Protocol Version Major ([0x4200680x42006A](#)), Type: Integer (0x02), Data: 0x00000001 (1)
Tag: Protocol Version Minor ([0x4200690x42006B](#)), Type: Integer (0x02), Data: 0x00000000 (0)
Tag: Time Stamp ([0x42008F0x420092](#)), Type: Date-Time (0x09), Data: [0x000000004AC0782A \(Mon Sep 28 10:47:38 CEST 2009\)0x00000004B98E05C \(Thu Mar 11 13:21:48 CET 2010\)](#)
Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)
Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
Tag: Operation ([0x42005A0x42005C](#)), Type: Enumeration (0x05), Data: 0x0000000A (Get)
Tag: Result Status ([0x42007C0x42007F](#)), Type: Enumeration (0x05), Data: 0x00000000 (Success)
Tag: Response Payload ([0x4200790x42007C](#)), Type: Structure (0x01), Data:
Tag: Object Type ([0x4200550x420057](#)), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key)
Tag: Unique Identifier ([0x4200910x420094](#)), Type: Text String (0x07), Data: [4fee3a59-b217-4abf-84ad-af1547024615e696ebd0-8eba-406e-be21-d9059e29ba1d](#)
Tag: Symmetric Key ([0x42008C0x42008F](#)), Type: Structure (0x01), Data:
Tag: Key Block ([0x42003E0x420040](#)), Type: Structure (0x01), Data:
Tag: Key Format Type ([0x4200400x420042](#)), Type: Enumeration (0x05), Data: 0x00000001
Tag: Key Value ([0x4200430x420045](#)), Type: Structure (0x01), Data:
Tag: Key Material ([0x4200410x420043](#)), Type: Octet String (0x08), Data: [3D41DF1C5C20E272212D86D762A8C7D4674B32B1A3266DF1253B0F2C4440B0B0](#)
Tag: Cryptographic Algorithm ([0x4200260x420028](#)), Type: Enumeration (0x05), Data: 0x00000003 (AES)
Tag: Cryptographic Length ([0x4200280x42002A](#)), Type: Integer (0x02), Data: 0x00000080
(128)

	<pre>42007801000000904200770100000038420069010000002042006A02000000004000000010000000042006B02000000040000000000400000000004200D02000000400000001000000042000F01000004842005C0500000004000000A0000000420079010000003042009407000002465363936656264302D386562612D343036652D626532312D6439303539653239626131640000000</pre> <p>Out: objectType = '00000002', uuidKey, symmetricKey</p> <pre>Tag: Response Message (0x4200780x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x4200770x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x4200690x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x42008F0x420092), Type: Date-Time (0x09), Data: 0x0000000004AC0782A (Mon Sep 28 10:47:38 CEST 20090x00000004B98E05C (Thu Mar 11 13:21:48 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get) Tag: Result Status (0x42007C0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x4200790x42007C), Type: Structure (0x01), Data: Tag: Object Type (0x4200550x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 4fee3a59-b217-4abf-84ad-af1547024615e696ebd0-8eba-406e-be21-d9059e29bal Tag: Symmetric Key (0x42008C0x42008F), Type: Structure (0x01), Data: Tag: Key Block (0x42003E0x420040), Type: Structure (0x01), Data: Tag: Key Format Type (0x4200400x420042), Type: Enumeration (0x05), Data: 0x00000001 Tag: Key Value (0x4200430x420045), Type: Structure (0x01), Data: Tag: Key Material (0x4200410x420043), Type: Octet String (0x08), Data: 3D41DF1C5C20E272212D86D762A8C7D4674B32B1A3266DF1253B0F2C4440B0B0 Tag: Cryptographic Algorithm (0x4200260x420028), Type: Enumeration (0x05), Data: 0x00000003 (AES) Tag: Cryptographic Length (0x4200280x42002A), Type: Integer (0x02), Data: 0x00000080 (128) <pre>42007801000001204200770100000048420067010000002042006802000000400000001000000004200690200000004000000000042008F0900000000800000004AC0782A4200090200000004000000010000000042000F01000000C842005A050000000040000000A0000000042007C0500000004000000000000000042007901000000A042005505000000040000000200000000420091070000002434666563336135392D623231372D3416162662D3834161642D6166313534373032234363135000000042008C010000005842003E0100000050420040050000004000000010000000042004301000000184200410800000103D41DF1C5C20E272212D86D762A8C7D442002605000000040000000300000000420028020000000400000000000000000042007B010000012042007A0100000048420069010000002042006A0200000004000000010000000042006B0200000004000000000000000000420092090000008000000004B98E05C42000D0200000004000000010000000042000F01000000C842005C050000000040000000A0000000042007F0500000004000000000000000042007C01000000A0420057050000000400000020000000042009407000002465363936656264302D386562612D343036652D626532312D6439303539653239626131640000000042008F01000000584200400100000050420042050000004000000010000000042004501000000184200430800000010674B32B1A3266DF1253B0F2C4440B0B042002805000000400000003000000042002A0200000004000000800000000</pre> </pre>
5	<p>Client B:</p> <p>Check</p> <p>Get usage allocation</p> <p>In (header): BatchOrderOption='true'</p> <p>In: uuidKey, UsageLimitsByteCountUsageLimitsCount='500'</p> <p>In: uuidKey, UsageLimitsCount='500'</p>

```
Tag: Request Message (0x4200750x420078), Type: Structure (0x01), Data:  
Tag: Request Header (0x4200740x420077), Type: Structure (0x01), Data:  
    Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data:  
        Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1)  
        Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0)  
    Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) 0x00000002 (2)  
Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:  
    Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x00000011 (Get Usage  
Allocation 0x00000009 (Check))  
    Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 19D4F3DC9635307A  
    Tag: Request Payload (0x4200760x420079), Type: Structure (0x01), Data:  
        Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 4fee3a59 b217  
4abf 84ad af1547024615e696ebd0-8eba-406e-be21-d9059e29ba1d  
        Tag: Usage Limits Byte Count (0x4200930x420096), Type: BigLong Integer (0x04), Data: 01F4  
(500)
```

~~Out: uuidKey~~

```
Tag: Response Message (0x420078), Type: Structure (0x01_0x03), Data: 0x0000000000000001F4 (500)
Tag: Response Header (0x420077), Type: Structure (0x01), Data:
Tag: Protocol Version (0x420067), Type: Structure (0x01), Data:
Tag: Protocol Version Major (0x420068), Type: Integer (0x02), Data: 0x00000001 (1)
Tag: Protocol Version Minor (0x420069), Type: Integer (0x02), Data: 0x00000000 (0)
Tag: Time Stamp (0x42008F), Type: Date Time (0x09), Data: 0x000000004AC0782A (Mon Sep 28
10:47:38 CEST 2009)
Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)
Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
Tag: Operation (0x42005A_0x42005C), Type: Enumeration (0x05), Data: 0x00000011 (Get Usage
Allocation)
Tag: Result Status (0x42007C) Unique Batch Item ID (0x420093), Type: Enumeration (0x05_Octet
String (0x08), Data: 0x00000000 (Success) 20C8DFFD55BDEEEE
Tag: ResponseRequest Payload (0x420079), Type: Structure (0x01), Data:
Tag: Unique Identifier (0x420091_0x420094), Type: Text String (0x07), Data: 4fee3a59_b217
4abf_84ad_af1547024615e696ebd0-8eba-406e-be21-d9059e29bal
```

Out: uuidKey

Out: uuidKey

```
Tag: Response Message (0x42007B), Type: Structure (0x01), Data:  
  Tag: Response Header (0x42007A), Type: Structure (0x01), Data:  
    Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:  
      Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)  
      Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)  
    Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B98E05D (Thu Mar 11  
13:21:49 CET 2010)  
    Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000002 (2)  
  Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:  
    Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000009 (Check)  
    Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 19D4F3DC9635307A  
    Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)  
    Tag: Response Payload (0x42007C), Type: Structure (0x01), Data:  
      Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: e696ebd0-8eba-406e-be21-  
d9059e29bald  
    Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:  
      Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000011 (Get Usage Allocation)  
      Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 20C8DFFD55BDEEE8  
      Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)  
      Tag: Response Payload (0x42007C), Type: Structure (0x01), Data:  
        Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: e696ebd0-8eba-406e-be21-  
d9059e29bald
```

42007B010000013042007A01000004842006901000002042006A020000000400000001000000042006B020000000400
00000000000004200920900000008000000004B98E05D42000D02000000040000002000000042000F01000000684200
5C050000000400000000900000000420093080000000819D4F3DC9635307A42007F05000000004000000000000000042007C
010000003042009407000002465363936656264302D386562612D343036652D626532312D643930353965323962613164
0000000042000F010000006842005C0500000004000000110000000420093080000000820C8DFFD55BDEEE842007F0500
0000040000000000000000042007C01000003042009407000002465363936656264302D386562612D343036652D626532
312D64393035396532396261316400000000

6

Client A:

Get usage allocation

In: uuidKey, UsageLimitsByteCountUsageLimitsCount='500'

```
Tag: Request Message (0x4200750x420078), Type: Structure (0x01), Data:  
  Tag: Request Header (0x4200740x420077), Type: Structure (0x01), Data:  
    Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data:  
      Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1)  
      Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0)  
    Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)  
  Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:  
    Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x00000011 (Get Usage  
Allocation)  
    Tag: Request Payload (0x4200760x420079), Type: Structure (0x01), Data:  
      Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 4fee3a59-b217-  
4abf-84ad-af1547024615e696ebd0-8eba-406e-be21-d9059e29bald  
      Tag: Usage Limits Byte-Count (0x4200930x420096), Type: Big-Long Integer (0x040x03), Data:
```

	<pre>01F40x0000000000000001F4 (500) 42007501000000A04200740100000038420067010000002042006802000000040000000100000000420069020000000400 00000000000000042000D0200000004000000010000000042000F010000005842005A050000000400000011000000004200 7601000000040420091070000002434666563336135392D623231372D346162662D383461642D6166313534373032343631 3500000000042009304000000080000000000000001F4 42007801000000A04200770100000038420069010000002042006A0200000004000000010000000042006B020000000400 00000000000000042000D0200000004000000010000000042000F010000005842005C050000000400000011000000004200 7901000000040420094070000002465363936656264302D386562612D6439303539653239626131 6400000000042009603000000080000000000000001F4</pre> <p>Out: <code>uuidKey</code></p> <pre>Tag: Response Message (0x4200780x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x4200770x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x42008F0x420092), Type: Date-Time (0x09), Data: 0x0000000004AC0782B (Mon Sep 28 10:47:39 CEST 20090x00000004B98E05D (Thu Mar 11 13:21:49 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x00000011 (Get Usage Allocation) Tag: Result Status (0x420070x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x4200790x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 4fee3a59 b217 4abf 84ad af1547024615e696ebd0-8eba-406e-be21-d9059e29ba1d</pre> <pre>42007801000000B04200770100000048420067010000002042006802000000040000000100000000420069020000000400 00000000000000042008F0900000008000000004AC0782D42000D0200000004000000010000000042000F01000000584200 5A05000000004000000110000000042007C05000000004000000000000000000000042007901000000304200910700000024346665 63336135392D623231372D346162662D383461642D6166313534373032343631350000000042007B01000000B042007A01 00000048420069010000002042006A020000000400000010000000042006B0200000004000000000000000000004200920900 000008000000004B98E05D42000D0200000004000000010000000042000F010000005842005C0500000004000000110000 000042007F0500000040000000000000000000042007C0100000030420094070000002465363936656264302D386562612D34 3036652D626532312D64393035396532396261316400000000</pre>
7	<p>Client C:</p> <p>Locate (symmetric key by name)</p> <p>In: <code>objectType = '00000002', attributes={ Name={ Name='Key1', NameType='00000001' } }</code></p> <pre>Tag: Request Message (0x4200750x420078), Type: Structure (0x01), Data: Tag: Request Header (0x4200740x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Request Payload (0x4200760x420079), Type: Structure (0x01), Data: Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Object Type Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric</pre>


```

Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)
Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
  Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get)
  Tag: Request Payload (0x4200760x420079), Type: Structure (0x01), Data:
    Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 4Fee3a59-b217-4abf-84ad-af1547024615e696ebd0-8eba-406e-be21-d9059e29ba1d

42007501000000904200740100000038420067010000002042006902000000040000000100000000420069020000000400
000000000000000042000D0200000004000000010000000042000F01000004842005A05000000040000000A000000004200
7601000000304200910700000243466563336135392D623231372D346162662D383461642D6166313534373032343631
3500000000

42007801000000904200770100000038420069010000002042006A0200000004000000010000000042006B020000000400
000000000000000042000D0200000004000000010000000042000F01000004842005C05000000040000000A000000004200
79010000003042009407000002465363936656264302D386562612D343036652D626532312D6439303539653239626131
6400000000

```

Out: objectType = '00000002', uuidKey, symmetricKey

```

Tag: Response Message (0x4200780x42007B), Type: Structure (0x01), Data:
Tag: Response Header (0x4200770x42007A), Type: Structure (0x01), Data:
  Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data:
    Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1)
    Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0)
    Tag: Time Stamp (0x42008F0x420092), Type: Date-Time (0x09), Data: 0x000000004AC0782B (Mon Sep
28 10:47:39 CEST 20090x000000004B98E05D (Thu Mar 11 13:21:49 CET 2010))
  Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)
  Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
    Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get)
    Tag: Result Status (0x42007C0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)
    Tag: Response Payload (0x4200790x42007C), Type: Structure (0x01), Data:
      Tag: Object Type (0x4200550x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric
Key)
      Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 4Fee3a59-b217-
4abf-84ad-af1547024615e696ebd0-8eba-406e-be21-d9059e29ba1d
      Tag: Symmetric Key (0x42008C0x42008F), Type: Structure (0x01), Data:
        Tag: Key Block (0x42003E0x420040), Type: Structure (0x01), Data:
          Tag: Key Format Type (0x4200400x420042), Type: Enumeration (0x05), Data: 0x00000001
          Tag: Key Value (0x4200430x420045), Type: Structure (0x01), Data:
            Tag: Key Material (0x4200410x420043), Type: Octet String (0x08), Data:
3D41DF1C5C20E272212D86D762A8C7D4674B32B1A3266DF1253B0F2C4440B0B0
          Tag: Cryptographic Algorithm (0x4200260x420028), Type: Enumeration (0x05), Data:
          0x00000003 (AES)
          Tag: Cryptographic Length (0x4200280x42002A), Type: Integer (0x02), Data: 0x00000080
          (128)

420078010000120420077010000048420067010000002042006902000000040000000100000000420069020000000400
000000000000000042008F09000000008000000004AC0782B42000D020000000400000010000000042000F01000000C84200
5A050000000040000000A0000000042007C0500000004000000000000000042007901000000A04200550500000004000000
02000000004200910700000243466563336135392D623231372D346162662D383461642D616631353437303234363135
0000000042008C010000005842003E0100000005042004005000000040000000100000000420043010000001842004110800
0000103D41DF1C5C20E272212D86D762A8C7D4420026050000000400000003000000004200280200000004000000800000
000042007B01000012042007A010000048420069010000002042006A020000004000000010000000042006B02000000
040000000000000042009209000000800000004B98E05D42000D0200000004000000010000000042000F01000000C8
42005C0500000004000000A000000042007F05000000400000000000000042007C01000000A042005705000000400
00002000000042009407000002465363936656264302D386562612D343036652D626532312D64393035396532396261
31640000000042008F01000005842004001000005042004205000000400000001000000004200450100000018420043

```

	0800000010674B32B1A3266DF1253B0F2C4440B0B042002805000000400000003000000042002A02000000400000080 00000000
9	<p>Client C:</p> <p>Get usage allocation</p> <p>In: <u>uuidKey</u>, <u>UsageLimitsByteCount</u><u>UsageLimitsCount</u>='500'</p> <pre> Tag: Request Message (0x4200750x420078), Type: Structure (0x01), Data: Tag: Request Header (0x4200740x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x00000011 (Get Usage Allocation) Tag: Request Payload (0x4200760x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 4fee3a59-b217-4abf-84ad-af1547024615e696ebd0-8eba-406e-be21-d9059e29ba1d Tag: Usage Limits Byte-Count (0x4200930x420096), Type: Big-Long Integer (0x040x03), Data: 01F40x0000000000000001F4 (500) </pre> <p>42007501000000A0420074010000003842006701000000204200690200000004000000010000000420069020000000400000000000042000D0200000004000000010000000042000F010000005842005A050000000400000011000000004200760100000040420091070000002434666563336135792D623231372D346162662D383461642D616631353437303234363135000000004200930400000080000000000000001F4</p> <p>42007801000000A04200770100000038420069010000002042006A020000000400000001000000042006B020000000400000000000042000D0200000004000000010000000042000F010000005842005C050000000400000011000000004200790100000040420094070000002465363936656264302D386562612D343036652D626532312D64393035396532396261316400000000420096030000008000000000000001F4</p> <p>Out: <u>uuidKeyOperation Failed, Permission Denied</u></p> <pre> Tag: Response Message (0x4200780x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x4200770x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x42008F0x420092), Type: Date-Time (0x09), Data: 0x000000004AC0782D (Mon Sep 28 10:47:39 CEST 2009)0x000000004B98E05D (Thu Mar 11 13:21:49 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x00000011 (Get Usage Allocation) Tag: Result Status (0x42007E0x42007F), Type: Enumeration (0x05), Data: 0x00000001 (Operation Failed) Tag: Result Reason (0x42007D0x42007E), Type: Enumeration (0x05), Data: 0x0000000C (Permission Denied) Tag: Result Message (0x42007A0x42007D), Type: Text String (0x07), Data: Unable to allocate requested byte-amount </pre> <p>42007801000000B8420077010000004842006701000000204200690200000004000000010000000420069020000000400000000000042008F0900000000000000004AC0782D42000D02000000040000001000000042000F010000006042005A050000000400000011000000042007C05000000040000001000000042007D05000000040000000C0000000042007A</p>

	<p>Client A:</p> <p>Revoke (symmetric key as cessation of operation) and Destroy (symmetric key)</p> <p><u>In (header): batchOrderOption='TRUE'</u></p> <p><u>In: uuidKey, revocationReasonCode='6'</u></p> <p><u>In: uuidKey</u></p> <p>Tag: Request Message (<u>0x4200750x420078</u>), Type: Structure (0x01), Data: <u>Tag: Request Header (0x4200740x420077)</u>, Type: Structure (0x01), Data: <u>Tag: Protocol Version (0x4200670x420069)</u>, Type: Structure (0x01), Data: <u>Tag: Protocol Version Major (0x4200680x42006A)</u>, Type: Integer (0x02), Data: 0x00000001 (1) <u>Tag: Protocol Version Minor (0x4200690x42006B)</u>, Type: Integer (0x02), Data: 0x00000000 (0) <u>Tag: Batch Order Option (0x420010)</u>, Type: Boolean (0x06), Data: TRUE <u>Tag: Batch Count (0x42000D)</u>, Type: Integer (0x02), Data: <u>0x00000001 (10x00000002 (2))</u> <u>Tag: Batch Item (0x42000F)</u>, Type: Structure (0x01), Data: <u>Tag: Operation (0x42005A0x42005C)</u>, Type: Enumeration (0x05), Data: <u>0x00000014 (Destroy0x00000013 (Revoke))</u> <u>Tag: Unique Batch Item ID (0x420093)</u>, Type: Octet String (0x08), Data: <u>727A212BC674B4EA</u> <u>Tag: Request Payload (0x4200760x420079)</u>, Type: Structure (0x01), Data: <u>Tag: Unique Identifier (0x4200910x420094)</u>, Type: Text String (0x07), Data: <u>4fee3a59-b217-4abf-84ad-af1547024615e696ebd0-8eba-406e-be21-d9059e29ba1d</u></p> <p><u>42007501000000904200740100000038420067010000002042006802000000040000000100000000420069020000000400000000004200760100000030420091070000002434666563336135392D623231372D346162662D3834616142D61663135343730323436313500000000</u></p> <p>Out: uuidKey</p> <p><u>Tag: Response Message (0x420078)</u>, Type: Structure (0x01), Data: <u>Tag: Response Header (0x420077Revocation Reason (0x420081))</u>, Type: Structure (0x01), Data: <u>Tag: Protocol Version (0x420067Revocation Reason Code (0x420082))</u>, Type: <u>Structure (0x01)Enumeration (0x05)</u>, Data: <u>Tag: Protocol Version Major (0x420068)</u>, Type: Integer (0x02), Data: 0x00000001 (1) <u>Tag: Protocol Version Minor (0x420069)</u>, Type: Integer (0x02), Data: 0x00000000 (0) <u>Tag: Time Stamp (0x42008F)</u>, Type: Date Time (0x09), Data: 0x000000004AC0782C (Mon Sep 28 10:47:40 CEST 2009) <u>Tag: Batch Count (0x42000D)</u>, Type: Integer (0x02), Data: <u>0x00000001 (10x00000006 (Cessation of Operation))</u> <u>Tag: Batch Item (0x42000F)</u>, Type: Structure (0x01), Data: <u>Tag: Operation (0x42005A0x42005C)</u>, Type: Enumeration (0x05), Data: 0x00000014 (Destroy) <u>Tag: Result Status (0x42007CUnique Batch Item ID (0x420093))</u>, Type: <u>Enumeration (0x05Octet String (0x08))</u>, Data: <u>0x00000000 (Success)1D0EBF826109B0A5</u> <u>Tag: ResponseRequest Payload (0x420079)</u>, Type: Structure (0x01), Data: <u>Tag: Unique Identifier (0x4200910x420094)</u>, Type: Text String (0x07), Data: <u>4fee3a59-b217-4abf-84ad-af1547024615e696ebd0-8eba-406e-be21-d9059e29ba1d</u></p> <p><u>42007801000000B04200770100000048420067010000002042006802000000040000000100000000420069020000000400000000004200760100000030420091070000002434666563336135392D623231372D346162662D3834616142D61663135343730323436313500000000</u></p>
--	--

138

139

140

111

142

142

66 Key Interchange, Key Exchange

6.16.1 Use-case: Import of a Third-party Key

144 This use-case tests the import of a foreign key using the Register operation. To validate that the
 145 registered key is treated the same as a locally created key, an attribute is added to the key and then
 146 modified. Finally, the key is destroyed.

147

Time	Request/Response messages
0	<p>Register (symmetric key)</p> <p>In: objectType = '00000002', attributes={ CryptographicUsageMask='00000004' }, foreignSymmetricKey</p> <p>Tag: Request Message (0x4200750x420078), Type: Structure (0x01), Data: Tag: Request Header (0x4200740x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x00000003 (Register) Tag: Request Payload (0x4200760x420079), Type: Structure (0x01), Data: Tag: Object Type (0x4200550x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Template-Attribute (0x42009E0x420091), Type: Structure (0x01), Data: Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Usage Mask Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x00000004 (Encrypt) Tag: Symmetric Key (0x42008C0x42008F), Type: Structure (0x01), Data: Tag: Key Block (0x42003E0x420040), Type: Structure (0x01), Data: Tag: Key Format Type (0x4200400x420042), Type: Enumeration (0x05), Data: 0x00000001 Tag: Key Value (0x4200430x420045), Type: Structure (0x01), Data: Tag: Key Material (0x4200410x420043), Type: Octet String (0x08), Data: 0123456789ABCDEF0123456789ABCDEF Tag: Cryptographic Algorithm (0x4200260x420028), Type: Enumeration (0x05), Data: 0x00000003 (AES) Tag: Cryptographic Length (0x4200280x42002A), Type: Integer (0x02), Data: 0x00000080 (128)</p> <p>420075010000011042007401000000384200670100000020420068020000004000000010000000042006902000000040000000000042000D02000000040000000010000000042000F01000000C842005A05000000400000003000000042007601000000B0420055050000000040000000020000000042009E0100000028420008010000003042000A070000001843727970746F67726170686963205573616765204D61736B42000B02000000040000000100000000420043010000001842004108000000100123456789ABCDEF0123456789ABCDEF42002605000000040000000300000000420028020000000400000008000000000 42007801000001104200770100000038420069010000002042006A020000004000000010000000042006B02000000040000000000042000D02000000040000000010000000042000F01000000C842005C050000004000000030000000042007901000000B042005705000000040000000200000000420091F0100000038420008010000003042000A070000001843727970746F67726170686963205573616765204D61736B42000B020000000400000004000000042008F0100000058420040010000005042004205000000040000000100000000420045010000001842004308000000100123456789ABCDEF0123456789ABCDEF4200280500000004000000030000000042002A020000000400000080000000000</p> <p>Out: uuidKey</p> <p>Tag: Response Message (0x4200780x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x4200770x42007A), Type: Structure (0x01), Data:</p>

```

Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data:
    Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1)
    Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0)
    Tag: Time Stamp (0x42008F0x420092), Type: Date-Time (0x09), Data: 0x000000004AC0782C (Mon Sep
28-0x000000004AFBED32 (Thu Nov 12 12:10:47:40 CEST42 CET 2009)
    Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)
    Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
        Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x00000003 (Register)
        Tag: Result Status (0x42007C0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)
        Tag: Response Payload (0x4200790x42007C), Type: Structure (0x01), Data:
            Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: bb806453-5e75-
42e2-80bd-4e52f1ceeb57b6ela5a83-8113-4260-b40d-966f231b91b7

42007801000000B042007701000000484200670100000020420068020000004000000010000000042006902000000040
000000000000000042008F09000000080000000004AC0782C42000D0200000004000000010000000042000F010000005842
005A0500000004000000030000000042007C050000000400000000000000042007901000000304200910700000024626
23830363435332D356337352D343263322D383062642D3465353266316365623537620000000042007B01000000B04200
7A0100000048420069010000002042006A0200000004000000010000000042006B0200000004000000000000000042009
2090000000800000004AFBED3242000D0200000004000000010000000042000F010000005842005C0500000004000000
030000000042007F050000000400000000000000042007C0100000030420094070000002436653161356138332D38313
1332D343236302D623430642D39363666323331623931623700000000

```

1	<p>Add attribute</p> <p>In: <code>uuidKey, attribute={ x-provider='unknown' }</code></p> <pre> Tag: Request Message (0x4200750x420078), Type: Structure (0x01), Data: Tag: Request Header (0x4200740x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x0000000D (Add Attribute) Tag: Request Payload (0x4200760x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: bb806453-5e75- 42e2-80bd-4e52f1ceeb57b6ela5a83-8113-4260-b40d-966f231b91b7 Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: x-provider Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: unknown 42007501000000C042007401000000384200670100000020420068020000004000000010000000042006902000000040 0000000000000042000D0200000004000000010000000042000F010000007842005A0500000040000000D0000000042 00760100000060420091070000002462623830363435332D356337352D343263322D383062642D3465353266316365623 537620000000420008010000002842000A07000000A782D70726F76696465720000000000042000B0700000007756E 6B6E6F776E00 42007801000000C04200770100000038420069010000002042006A020000004000000010000000042006B02000000040 0000000000000042000D0200000004000000010000000042000F010000007842005C0500000040000000D0000000042 00790100000060420094070000002436653161356138332D383131332D343236302D623430642D3936366632333162393 162370000000420008010000002842000A07000000A782D70726F76696465720000000000042000B0700000007756E 6B6E6F776E00 </pre> <p>Out: <code>uuidKey, attribute={ x-provider='unknown' }</code></p> <pre> Tag: Response Message (0x4200780x42007B), Type: Structure (0x01), Data: </pre>
---	--

```

Tag: Response Header (0x4200770x42007A), Type: Structure (0x01), Data:
  Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data:
    Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1)
    Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0)
    Tag: Time Stamp (0x42008E0x420092), Type: Date-Time (0x09), Data: 0x000000004AC0782E (Mon Sep
28-0x00000004AFBED32 (Thu Nov 12 12:10:47+42 CESTCET 2009)
    Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)
    Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
      Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x0000000D (Add Attribute)
      Tag: Result Status (0x42007C0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)
      Tag: Response Payload (0x4200790x42007C), Type: Structure (0x01), Data:
        Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: bb806453-5e75-
42e2-80bd-4e52f1eeb57b6e1a5a83-8113-4260-b40d-966f231b91b7
        Tag: Attribute (0x420008), Type: Structure (0x01), Data:
          Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: x-provider
          Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: unknown

42007801000000E0420077010000004842006701000000204200680200000004000000010000000042006902000000040
00000000000000042008F090000000080000000004AC0782E42000D0200000004000000010000000042000F010000008842
005A0500000000400000000D0000000042007C050000000040000000000000042007901000000604200910700000024626
23830363435332D356337352D343263322D383062642D346535266316365623537620000000042000801000000284200
0A070000000A782D70726F766964657200000000000042000B0700000007756E6B6E6F776E0042007B01000000E042007
A0100000048420069010000002042006A02000000400000001000000042006B02000000400000000000000042009
0900000008000000004AFBED3242000D02000000400000001000000042000F010000008842005C0500000004000000
D000000042007F0500000004000000000000000042007C010000060420094070000002436653161356138332D383131
332D343236302D623430642D3936366323331623931623700000004200801000002842000A07000000A782D70726
F766964657200000000000042000B0700000007756E6B6E6F776E00

```

2

Modify attribute

In: `uuidKey, attribute={ x-provider='third party' }`

```

Tag: Request Message (0x4200750x420078), Type: Structure (0x01), Data:
  Tag: Request Header (0x4200740x420077), Type: Structure (0x01), Data:
    Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data:
      Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1)
      Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0)
      Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)
      Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
        Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x0000000E (Modify
Attribute)
        Tag: Request Payload (0x4200760x420079), Type: Structure (0x01), Data:
          Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: bb806453-5e75-
42e2-80bd-4e52f1eeb57b6e1a5a83-8113-4260-b40d-966f231b91b7
          Tag: Attribute (0x420008), Type: Structure (0x01), Data:
            Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: x-provider
            Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: third party

42007501000000C842007401000000384200670100000020420068020000004000000010000000042006902000000040
0000000000000042000D02000000400000001000000042000F010000008042005A05000000040000000E0000000042
00760100000068420091070000002462623830363435332D356337352D343263322D383062642D346535266316365623
537620000000420008010000003042000A070000000A782D70726F766964657200000000000042000B07000000B7468
697264207061727479000000000
42007801000000C84200770100000038420069010000002042006A02000000400000001000000042006B02000000040
0000000000000042000D02000000400000001000000042000F010000008042005C05000000040000000E0000000042
00790100000068420094070000002436653161356138332D38313132D343236302D623430642D3936366632333162393
162370000000042008010000003042000A070000000A782D70726F766964657200000000000042000B07000000B7468

```

	<p>6972642070617274790000000000</p> <p>Out: uuidKey, attribute={ x-provider='third party' }</p> <p>Tag: Response Message (0x4200780x42007B), Type: Structure (0x01), Data:</p> <p> Tag: Response Header (0x4200770x42007A), Type: Structure (0x01), Data:</p> <p> Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data:</p> <p> Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p> Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0)</p> <p> Tag: Time Stamp (0x42008F0x420092), Type: Date-Time (0x09), Data: 0x000000001AC0782E (Mon Sep 28-0x000000004AFBED32 (Thu Nov 12 12:10:47+42 CEST CET 2009)</p> <p> Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p> Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</p> <p> Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x0000000E (Modify Attribute)</p> <p> Tag: Result Status (0x42007C0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)</p> <p> Tag: Response Payload (0x4200790x42007C), Type: Structure (0x01), Data:</p> <p> Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 0b806453-5e75-42e2-80bd-1e52f1ceeb57b6e1a5a83-8113-4260-b40d-966f231b91b7</p> <p> Tag: Attribute (0x420008), Type: Structure (0x01), Data:</p> <p> Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: x-provider</p> <p> Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: third party</p> <p>42007801000000584200770100000048420067010000002042006802000000040000000100000000420069020000000400000000000042008F090000000080000000000042007C0782E42000D02000000004000000010000000042000F010000009042005A0500000000400000000E00000000042007C0500000000400000000000000000004200790100000068420091070000002462622820363435322D356337352D343263322D383062642D34653532663163656235376200000000420008010000003042000A070000000A782D70726F766961657200000000000042000B070000000B74686972642070617274790000000000</p>
3	<p>Destroy (symmetric key)</p> <p>In: uuidKey</p> <p>Tag: Request Message (0x4200750x420078), Type: Structure (0x01), Data:</p> <p> Tag: Request Header (0x4200740x420077), Type: Structure (0x01), Data:</p> <p> Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data:</p> <p> Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p> Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0)</p> <p> Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p> Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</p> <p> Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy)</p> <p> Tag: Request Payload (0x4200760x420079), Type: Structure (0x01), Data:</p> <p> Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: 0b806453-5e75-42e2-80bd-1e52f1ceeb57b6e1a5a83-8113-4260-b40d-966f231b91b7</p> <p>42007501000000904200740100000038420067010000002042006802000000040000000100000000420069020000000400000000000042000D02000000004000000010000000042000F010000004842005A0500000000400000014000000042007601000000030420091070000002462622820363435322D356337352D343263322D383062642D34653532663163656235376200000000420007801000000904200770100000038420069010000002042006A0200000004000000010000000042006B0200000004000000000000</p>

```
00000000000000042000D020000000400000001000000042000F010000004842005C050000000400000014000000042
0079010000003042009407000002436653161356138332D383131332D343236302D623430642D3936366632333162393
1623700000000
```

Out: uuidKey

```
Tag: Response Message (0x4200780x42007B), Type: Structure (0x01), Data:
  Tag: Response Header (0x4200770x42007A), Type: Structure (0x01), Data:
    Tag: Protocol Version (0x4200670x420069), Type: Structure (0x01), Data:
      Tag: Protocol Version Major (0x4200680x42006A), Type: Integer (0x02), Data: 0x00000001 (1)
      Tag: Protocol Version Minor (0x4200690x42006B), Type: Integer (0x02), Data: 0x00000000 (0)
    Tag: Time Stamp (0x42008F0x420092), Type: Date-Time (0x09), Data: 0x000000004AC0782E \(Mon Sep 28-0x00000004AFBED32 (Thu Nov 12 12:10:47+42 CEST CET 2009)
    Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)
    Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
      Tag: Operation (0x42005A0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy)
      Tag: Result Status (0x42007C0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)
      Tag: Response Payload (0x4200790x42007C), Type: Structure (0x01), Data:
        Tag: Unique Identifier (0x4200910x420094), Type: Text String (0x07), Data: bb806453-5e75-42e2-80bd-1e52f1eeb57b6e1a5a83-8113-4260-b40d-966f231b91b7

42007801000000B04200770100000048420067010000002042006802000000400000001000000004200690200000040
000000000000000042008F0900000000800000000042C0782E42000D0200000004000000010000000042000F010000005842
005A0500000000140000000042007C050000000040000000000000000042007901000000304200910700000024626
23830363435332D356337352D343263322D383062642D3465353266316365623537620000000042007B01000000B04200
7A0100000048420069010000002042006A020000004000000010000000042006B020000004000000000000000042009
20900000008000000004AFBED3242000D020000004000000010000000042000F010000005842005C0500000004000000
140000000042007F0500000004000000000000000042007C0100000030420094070000002436653161356138332D38313
1332D343236302D623430642D3936366632333162393162370000000
```

148

149

150

77 Vendor Extensions

151 These use-cases test the handling of unknown message extensions with vendor-specific content.

153

7.47.1 Use-case: Unrecognized Message Extension with Criticality Indicator false

156 A create request is issued and the request contains a Message Extension with the Criticality Indicator set to false. The server does not understand the extension, but since it is non-critical, the create request is processed normally. Subsequently, the created key is deleted.

159

Time	Client A
0	Create (symmetric key) In: objectType='00000002', attributes={ CryptographicAlgorithm='AES', CryptographicLength='128', CryptographicUsageMask='0000000C' }, MessageExtension={ VendorIdentification='Acme', CriticalityIndicator='false', VendorExtension={ tag='0x540001', type='text string', value='na' } }

```

Tag: Request Message (0x420078), Type: Structure (0x01), Data:
  Tag: Request Header (0x420077), Type: Structure (0x01), Data:
    Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:
      Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)
      Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)
      Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)
    Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
      Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000001 (Create)
    Tag: Request Payload (0x420079), Type: Structure (0x01), Data:
      Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key)
      Tag: Template-Attribute (0x420091), Type: Structure (0x01), Data:
        Tag: Attribute (0x420008), Type: Structure (0x01), Data:
          Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Length
          Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x00000080 (128)
        Tag: Attribute (0x420008), Type: Structure (0x01), Data:
          Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Algorithm
          Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000003 (AES)
        Tag: Attribute (0x420008), Type: Structure (0x01), Data:
          Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Usage
Mask
  Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x0000000C (Encrypt, Decrypt)
  Tag: Message Extension (0x420051), Type: Structure (0x01), Data:
  Tag: Criticality Indicator (0x420026), Type: Boolean (0x06), Data: FALSE
  Tag: Vendor Identification (0x42009D), Type: Text String (0x07), Data: Acme
  Tag: Vendor Extension (0x42009C), Type: Structure (0x01), Data:
    Tag: Unknown tag (0x014242), Type: Text String (0x07), Data: na

```

42007801000001604200770100000038420069010000002042006A020000000400000001000000042006B0200000004000000000042000D020000000400000001000000042000F010000011842005C050000000400000001000000042007901000000C0420057050000000400000002000000042009101000000A8420008010000003042000A07000000144372797046F67726170686963204C656E6774680000000042000B020000004000008000000000420008010000003042000A070000001743727970746F6772617068696320416C676F726974686D0042000B0500000040000000300000000420008010000003042000A070000001843727970746F67726170686963205573616765204D61736B42000B0200000040000000C00000000420051010000003842002606000000800000000000000042009D070000000441636D650000000042009C01000000100142420700000026E6100000000000000

Out: objectType='00000002', uuidKey

```

Tag: Response Message (0x42007B), Type: Structure (0x01), Data:
  Tag: Response Header (0x42007A), Type: Structure (0x01), Data:
    Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:
      Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)
      Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)
      Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B73BF1C (Thu Feb 11 09:26:04 CET 2010)
    Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)
    Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
      Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000001 (Create)
      Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)
      Tag: Response Payload (0x42007C), Type: Structure (0x01), Data:
        Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key)

```

	<p><u>Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 052eff73-b35e-4702-9db9-37c12f0151d3</u></p> <p><u>42007B01000000C042007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040000000000004200920900000008000000004B73BF1C42000D0200000004000000010000000042000F010000006842005C0500000004000000010000000042007F0500000004000000000000000042007C01000000404200570500000004000000200000000420094070000002430353265666637332D623335652D343730322D396462392D33376331326630313531643300000000</u></p>
1	<p>Destroy (symmetric key)</p> <p>In: <code>uuidKey</code></p> <p><u>Tag: Request Message (0x420078), Type: Structure (0x01), Data:</u></p> <p><u> Tag: Request Header (0x420077), Type: Structure (0x01), Data:</u></p> <p><u> Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:</u></p> <p><u> Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)</u></p> <p><u> Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)</u></p> <p><u> Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)</u></p> <p><u> Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</u></p> <p><u> Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy)</u></p> <p><u> Tag: Request Payload (0x420079), Type: Structure (0x01), Data:</u></p> <p><u> Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 052eff73-b35e-4702-9db9-37c12f0151d3</u></p> <p><u>42007801000000904200770100000038420069010000002042006A0200000004000000010000000042006B020000000400000000000042000D0200000004000000010000000042000F010000004842005C050000000400000014000000004200790100000030420094070000002430353265666637332D623335652D343730322D396462392D33376331326630313531643300000000</u></p> <p>Out: <code>uuidKey</code></p> <p><u>Tag: Response Message (0x42007B), Type: Structure (0x01), Data:</u></p> <p><u> Tag: Response Header (0x42007A), Type: Structure (0x01), Data:</u></p> <p><u> Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:</u></p> <p><u> Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)</u></p> <p><u> Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)</u></p> <p><u> Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B73BF1C (Thu Feb 11 09:26:04 CET 2010)</u></p> <p><u> Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)</u></p> <p><u> Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</u></p> <p><u> Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy)</u></p> <p><u> Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)</u></p> <p><u> Tag: Response Payload (0x42007C), Type: Structure (0x01), Data:</u></p> <p><u> Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 052eff73-b35e-4702-9db9-37c12f0151d3</u></p> <p><u>42007B01000000B042007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040000000000004200920900000008000000004B73BF1C42000D0200000004000000010000000042000F010000005842005C0500000004000000140000000042007F0500000004000000000000000042007C0100000030420094070000002430353265666637332D623335652D343730322D396462392D33376331326630313531643300000000</u></p>

160

161

162 **7.27.2 Use-case: Unrecognized Message Extension with Criticality**
 163 **Indicator true**

164 A create request is issued and the request contains a Message Extension with the Criticality Indicator set
 165 to true. The server does not understand the extension, and since it is critical, the create request fails and
 166 an error is returned.

167

Time	Client A
0	<p>Create (symmetric key)</p> <p>In: objectType='00000002', attributes={ CryptographicAlgorithm='AES', CryptographicLength='128', CryptographicUsageMask='0000000C' }, MessageExtension={ VendorIdentification='Acme', CriticalityIndicator='true', VendorExtension={ tag='0x540001', type='text string', value='na' } }</p> <p><u>Tag: Request Message (0x420078), Type: Structure (0x01), Data:</u> <u>Tag: Request Header (0x420077), Type: Structure (0x01), Data:</u> <u>Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:</u> <u>Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)</u> <u>Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)</u> <u>Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)</u> <u>Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</u> <u>Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000001 (Create)</u> <u>Tag: Request Payload (0x420079), Type: Structure (0x01), Data:</u> <u>Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key)</u> <u>Tag: Template-Attribute (0x420091), Type: Structure (0x01), Data:</u> <u>Tag: Attribute (0x420008), Type: Structure (0x01), Data:</u> <u>Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Length</u> <u>Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x00000080 (128)</u> <u>Tag: Attribute (0x420008), Type: Structure (0x01), Data:</u> <u>Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Algorithm</u> <u>Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000003 (AES)</u> <u>Tag: Attribute (0x420008), Type: Structure (0x01), Data:</u> <u>Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Usage Mask</u> <u>Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x0000000C (Encrypt, Decrypt)</u> <u>Tag: Message Extension (0x420051), Type: Structure (0x01), Data:</u> <u>Tag: Criticality Indicator (0x420026), Type: Boolean (0x06), Data: TRUE</u> <u>Tag: Vendor Identification (0x42009D), Type: Text String (0x07), Data: Acme</u> <u>Tag: Vendor Extension (0x42009C), Type: Structure (0x01), Data:</u> <u>Tag: Unknown tag (0x014242), Type: Text String (0x07), Data: na</u></p> <p><u>42007801000001604200770100000038420069010000002042006A0200000004000000010000000042006B020000000400000000042000D02000000040000000100000000042000F010000011842005C0500000004000000010000000042007901000000C04200570500000004000000020000000042009101000000A8420008010000003042000A070000001443727970746F67726170686963204C656E677468000000042000B020000004000008000000000420008010000003042000A070000001743727970746F6772617068696320416C676F726974686D0042000B05000000040000000300000000420008010000003042000A070000001843727970746F67726170686963205573616765204D61736B42000B02000000040000000C000000004200510100000384200260600000080000000000000142009D070000000441636D650000000042009C01000000100142420700000026E6100000000000000</u></p>

Out: Operation Failed, Feature Not Supported

```
Tag: Response Message (0x42007B), Type: Structure (0x01), Data:  
  Tag: Response Header (0x42007A), Type: Structure (0x01), Data:  
    Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:  
      Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)  
      Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)  
      Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B73BF1D (Thu Feb 11  
09:26:05 CET 2010)  
    Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)  
    Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:  
      Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000001 (Create)  
      Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000001 (Operation Failed)  
      Tag: Result Reason (0x42007E), Type: Enumeration (0x05), Data: 0x00000008 (Feature Not  
Supported)  
      Tag: Result Message (0x42007D), Type: Text String (0x07), Data: Critical Message Extension  
not recognized  
  
42007B01000000C042007A0100000048420069010000002042006A020000000400000001000000042006B02000000040  
000000000000004200920900000008000000004B73BF1D42000D020000000400000001000000042000F010000006842  
005C0500000004000000010000000042007F0500000004000000010000000042007E050000000400000008000000000420  
07D0700000029437269746963616C204D65737361676520457874656E73696F6E206E6F74207265636F676E697A656400  
000000000000
```

168

169

170

171 88 Asymmetric keys

172

173 Creation of keys using “Create Key Pair” operation, locating pair using Link attribute.

174 8.18.1 Use-case: Create a Key Pair

175 Create a new private/public key pair. Make sure they are linked correctly by issuing Locate commands
176 with the assigned Unique Identifiers. Finally delete both key halves.

177

Time	Client A
0	<p>Create Key Pair</p> <p>In: commonAttributes={ CryptographicAlgorithm='RSA', CryptographicLength='1024', CryptographicUsageMask='0000000C' }, privateKeyAttributes={ Name={ NameValue='PrivateKey', NameType='00000001' }, CryptographicUsageMask='00000001' }, publicKeyAttributes={ NameValue='PublicKey', NameType='00000001' }, CryptographicUsageMask='00000002' }</p> <pre>Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)</pre>

```

Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)
Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000002 (Create Key Pair)
Tag: Request Payload (0x420079), Type: Structure (0x01), Data:
Tag: Common Template-Attribute (0x42001F), Type: Structure (0x01), Data:
Tag: Attribute (0x420008), Type: Structure (0x01), Data:
Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Algorithm
Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000004 (RSA)
Tag: Attribute (0x420008), Type: Structure (0x01), Data:
Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Length
Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x00000400 (1024)
Tag: Private Key Template-Attribute (0x420065), Type: Structure (0x01), Data:
Tag: Attribute (0x420008), Type: Structure (0x01), Data:
Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name
Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data:
Tag: Name Value (0x420055), Type: Text String (0x07), Data: PrivateKey1
Tag: Name Type (0x420054), Type: Enumeration (0x05), Data: 0x00000001 (Uninterpreted
text string)
Tag: Attribute (0x420008), Type: Structure (0x01), Data:
Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Usage
Mask
Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x00000001 (Sign)
Tag: Public Key Template-Attribute (0x42006E), Type: Structure (0x01), Data:
Tag: Attribute (0x420008), Type: Structure (0x01), Data:
Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name
Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data:
Tag: Name Value (0x420055), Type: Text String (0x07), Data: PublicKey1
Tag: Name Type (0x420054), Type: Enumeration (0x05), Data: 0x00000001 (Uninterpreted
text string)
Tag: Attribute (0x420008), Type: Structure (0x01), Data:
Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Usage
Mask
Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x00000002 (Verify)

```

```

42007801000001E84200770100000038420069010000002042006A0200000004000000010000000042006B020000000040
000000000000000042000D0200000004000000010000000042000F01000001A042005C0500000004000000020000000042
0079010000018842001F010000007042000801000003042000A070000001743727970746F6772617068696320416C676
F726974686D0042000B050000000400000004000000042000801000003042000A070000001443727970746F67726170
686963204C656E6774680000000042000B020000000400000004200650100000080420008010000004042000
A07000000044E616D650000000042000B01000000428420055070000000B507269766174654B6579310000000000420054
0500000000400000000420008010000003042000A070000001843727970746F677261706869632055736167652
04D61736B42000B0200000004000000010000000042006E0100000080420008010000004042000A07000000044E616D65
0000000042000B010000028420055070000000A5075626C69634B657931000000000000420054050000000400000010
000000042000801000003042000A070000001843727970746F67726170686963205573616765204D61736B42000B0200
0000040000000200000000

```

Out: uuidPrivateKey, uuidPublicKey

```

Tag: Response Message (0x42007B), Type: Structure (0x01), Data:
Tag: Response Header (0x42007A), Type: Structure (0x01), Data:
Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:
Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)
Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)

```

	<pre> Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B73C13A (Thu Feb 11 09:35:06 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000002 (Create Key Pair) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 895f72c2-b20a-49d8-9504- 6dc2115cc042 Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: a242fca4-ebf0-4398-ac65- 879bab490259 42007B01000000E042007A0100000048420069010000002042006A02000000400000001000000042006B02000000040 0000000000000000420092090000008000000004B73C13A42000D02000000400000001000000042000F010000008842 005C05000000040000002000000042007F0500000004000000000000000042007C01000000604200940700000024383 93566373263322D623230612D343964382D393530342D366463323131356363303432000000042009407000000246132 3432666361342D656266302D343339382D616336352D38373962616234393032353900000000 </pre>
1	<p>Locate (Public Key)</p> <p>In: attributes={ objectType='PublicKey', Link={ LinkType='PrivateKeyLink', LinkedObjectIdentifier=uuidPrivateKey } }</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Object Type Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000003 (Public Key) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Link Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data: Tag: Link Type (0x42004B), Type: Enumeration (0x05), Data: 0x00000103 (Private Key Link) Tag: Linked Object Identifier (0x42004C), Type: Text String (0x07), Data: a242fca4- ebf0-4398-ac65-879bab490259 42007801000000F04200770100000038420069010000002042006A02000000400000001000000042006B02000000040 000000000000000042000D02000000400000001000000042000F01000000A842005C0500000040000008000000042 00790100000090420008010000002842000A07000000B4F626A6563742054797065000000000042000B050000004000 0000300000000420008010000005842000A0700000044C696E6B0000000042000B010000004042004B0500000040000 01030000000042004C07000000246132343266361342D656266302D343339382D616336352D383739626162343930323 53900000000 </pre> <p>Out: uuidPublicKey</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: </pre>

	<pre> Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B73C13B (Thu Feb 11 09:35:07 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 895f72c2-b20a-49d8-9504- 6dc2115cc042 </pre> <p>42007B01000000B042007A0100000048420069010000002042006A020000000400000001000000042006B02000000040 000000000000004200920900000008000000004B73C13B4200D020000000400000001000000042000F010000005842 005C0500000004000000080000000042007F0500000004000000000000000042007C01000000304200940700000024383 93566373263322D623230612D343964382D393530342D36646332313135636330343200000000</p>
2	<p>Locate (Private Key)</p> <p>In: attributes={ objectType='PrivateKey', Link={ LinkType='PublicKeyLink', LinkedObjectIdentifier=uuidPublicKey } }</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Object Type Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000004 (Private Key) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Link Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data: Tag: Link Type (0x42004B), Type: Enumeration (0x05), Data: 0x00000102 (Public Key Link) Tag: Linked Object Identifier (0x42004C), Type: Text String (0x07), Data: 895f72c2- b20a-49d8-9504-6dc2115cc042 </pre> <p>42007801000000F04200770100000038420069010000002042006A020000000400000001000000042006B02000000040 0000000000000042000D020000000400000001000000042000F01000000A842005C050000000400000080000000042 00790100000090420008010000002842000A07000000B4F626A6563742054797065000000000042000B0500000004000 00004000000000420008010000005842000A07000000044C696E6B0000000042000B010000004042004B05000000040000 01020000000042004C070000002438393566373263322D623230612D343964382D393530342D366463323131356363303 432000000000</p> <p>Out: uuidPrivateKey</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: </pre>

	<pre> Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B73C13B (Thu Feb 11 09:35:07 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: a242fca4-ebf0-4398-ac65- 879bab490259 </pre> <p>42007B01000000B042007A0100000048420069010000002042006A020000000400000001000000042006B02000000040 000000000000004200920900000008000000004B73C13B42000D020000000400000001000000042000F010000005842 005C0500000004000000080000000042007F050000000400000000000000042007C0100000304200940700000024613 23432666361342D656266302D343339382D616336352D38373962616234393032353900000000</p>
3	<p>Destroy</p> <p>In: uuidPrivateKey</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: a242fca4-ebf0-4398-ac65- 879bab490259 </pre> <p>42007801000000904200770100000038420069010000002042006A020000000400000001000000042006B02000000040 0000000000000042000D020000000400000001000000042000F010000004842005C05000000040000014000000042 00790100000030420094070000002461323432666361342D656266302D343339382D616336352D3837396261623439303 23539000000000</p> <p>Out: uuidPrivateKey</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B73C13B (Thu Feb 11 09:35:07 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: </pre>

	<p>Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: a242fca4-ebf0-4398-ac65-879bab490259</p> <p>42007B01000000B042007A0100000048420069010000002042006A0200000004000000010000000042006B020000000400000000000000004200920900000008000000004B73C13B4200D0200000004000000010000000042000F010000005842005C0500000004000000140000000042007F0500000004000000000000000042007C0100000030420094070000002461323432666361342D65626302D343339382D616336352D38373962616234393032353900000000</p>
4	<p>Destroy</p> <p>In: uuidPublicKey</p> <p>Tag: Request Message (0x420078), Type: Structure (0x01), Data:</p> <p>Tag: Request Header (0x420077), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)</p> <p>Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</p> <p>Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy)</p> <p>Tag: Request Payload (0x420079), Type: Structure (0x01), Data:</p> <p>Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 895f72c2-b20a-49d8-9504-6dc2115cc042</p> <p>42007801000000904200770100000038420069010000002042006A0200000004000000010000000042006B0200000004000000000000000042000D0200000004000000010000000042000F010000004842005C05000000040000001400000004200790100000030420094070000002438393566373263322D623230612D343964382D393530342D36646332313135636330343200000000</p> <p>Out: uuidPublicKey</p> <p>Tag: Response Message (0x42007B), Type: Structure (0x01), Data:</p> <p>Tag: Response Header (0x42007A), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)</p> <p>Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x0000000004B73C13B (Thu Feb 11 09:35:07 CET 2010)</p> <p>Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</p> <p>Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy)</p> <p>Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)</p> <p>Tag: Response Payload (0x42007C), Type: Structure (0x01), Data:</p> <p>Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 895f72c2-b20a-49d8-9504-6dc2115cc042</p> <p>42007B01000000B042007A0100000048420069010000002042006A0200000004000000010000000042006B020000000400000000000000004200920900000008000000004B73C13B4200D0200000004000000010000000042000F010000005842005C0500000004000000140000000042007F0500000004000000000000000042007C0100000030420094070000002438393566373263322D623230612D343964382D393530342D36646332313135636330343200000000</p>

179

8.28.2 Use-case: Register Both Halves of a Key Pair

180 Register a private key and a public key and set the Link attribute to point to each other. Verify the links
 181 were set correctly by locating the keys based on the link attributes, and then delete both objects.

182

Time	Client A
0	<p>Register (Private Key) In: objectType='00000004', attributes={ CryptographicUsageMask='0000000C'00000001 }, foreignPrivateKey</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000003 (Register) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000004 (Private Key) Tag: Template-Attribute (0x420091), Type: Structure (0x01), Data: Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Usage Mask Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x00000001 (Sign) Tag: Private Key (0x420064), Type: Structure (0x01), Data: Tag: Key Block (0x420040), Type: Structure (0x01), Data: Tag: Key Format Type (0x420042), Type: Enumeration (0x05), Data: 0x00000004 Tag: Key Value (0x420045), Type: Structure (0x01), Data: Tag: Key Material (0x420043), Type: Octet String (0x08), Data: 3082027602100300D06092A864886F70D0101010500048202603082025C020100028180930451C9ECD94F5BB9DA17D D09381BD23BE43ECA8C7539F301FC8A8CD5D5274C3E7699DBDC711C97A7AA91E2C50A82BD0B1034F0DF493DEC16362427 E58ACCE7F6CE0F9BCC617BBD8C90D0094A2703BA0D09EB19D1005F2FB265526AAC75AF32FBC782CD82A57F811E03EAF 67A944DE5E78413DCA8F232D074E6DCEA4CEC9F02030100010281800B6A7D736199EA48A420E4537CA0C7C046784DCBEA A63BAEBC0BC132787449CDE8D7CAD0C0C863C0FEFB06C3062BEFC50033ECF87B4E33A9BE7BCBC8F1511AE215E80DEB5D8 AF2BD31319D7821196640935A0CD67C94599579F2100D65E038831FDAFB0DBE2BBDAC00A696E67E756350E1C99ACE11A3 6DABAC3ED3E730960059024100DDP672FBCC5BDA3D73AFC4E791E0C03390224405D69CCAABC749FAA0DCD4C2583C71DD E8941A7B9AA030F52EF1451466C074D4D338FE677892ACD9E10FD35BD024100A98FBC3ED6B4C6F860F97165AC2F7BB6F2 E2CB192A9ABD49795BE5BCF37D8EE69A6E169C24E5C32E4E7FA33265461407F952BA49E204818A2F785F113F922B8B024 0253F9470390D39049303777DDBC9750E9D64849CE0903EAE704DC9F589B7680DEB9D609F5BCD4DECD6F120542E5CFF5 D76F2A43C8615FB5B3A9213463797AA9024100A1DDF023C0CD94C019BB26D09B9E3CA8FA971CB16AA58B9BAF79D6081A1 DBBA452BA53653E2804BA98FF69E8BB1B3A161EA225EA501463216A8DAB9B88A75E5F02406178646E112CF79D921A8A4 3F17F6E7FF974F688122365BF6690CDFC996E1890952EB3820D1890EC1C8619E87A2BD38F9D03B37FAC742EFB748C788 5942C39 Tag: Cryptographic Algorithm (0x420028), Type: Enumeration (0x05), Data: 0x00000004 (RSA) Tag: Cryptographic Length (0x42002A), Type: Integer (0x02), Data: 0x00000400 (1024) 42007801000003804200770100000038420069010000002042006A02000000400000001000000042006B02000000040 0000000000000042000D02000000400000001000000042000F010000033842005C0500000040000003000000042 0079010000032042005705000000400000004000000042009101000003842000801000003042000A0700000018437 27970746F67726170686963205573616765204D61736B42000B0200000040000000100000004200640100002C84200 400100002C0420042050000004000000040000000420045010000288420043080000027A30820276020100300D060 92A864886F70D01010500048202603082025C02010002818100930451C9ECD94F5BB9DA17DD09381BD23BE43ECA8C75 39F301FC8A8CD5D5274C3E7699DBDC711C97A7AA91E2C50A82BD0B1034F0DF493DEC16362427E58ACCE7F6CE0F9BCC617 </pre>

	<pre>BBD8C90D0094A2703BA0D09EB19D1005F2FB265526AAC75AF32F8BC782CDED2A57F811E03EAF67A944DE5E78413DC8A8F2 32D074E6DCEA4CEC9F02030100010281800B6A7D736199EA48A420E4537CA0C7C046784DCBEEA63BAEBC0BC132787449C DE8D7CAD0C0C863C0FEFB06C3062BEFC50033ECF87B4E33A9BE7BCBC8F1511AE215E80DEB5D8AF2BD31319D7821196640 935A0CD67C94599579F2100D65E038831FDFAB0DBE2BBDAC00A696E67E756350E1C99ACE11A36DABAC3ED3E7309600590 24100DDF672FBCC5BDA3D73AFFC4E791E0C03390224405D69CCAAABC749FAA0DCD4C2583C71DDE8941A7B9AA030F52EF14 51466C074D4D338FE677892ACD9E10FD35BD024100A98FBC3ED6B4C6F860F97165AC2F7BB6F2E2CB192A9ABD49795BE5B CF37D8E69A6E169C24E5C32E4E7FA33265461407F952BA49E204818A2F785F113F922B8B0240253F9470390D39049303 777DBBC9750E9D64849CE0903EAE704DC9F589B7680DEB9D609FD5BCD4DECDF6F120542E5CFF5D76F2A43C8615FB5B3A92 13463797AA9024100A1DDF023C0CD94C019BB26D09B9E3CA8FA971CB16AA58B9BAF79D6081A1DBBA452BA53653E2804BA 98FF69E8BB1B3A161EA225EA501463216A8DAB9E88A75E5F02406178646E112CF79D921A8A843F17F6E7FF974F6881223 65BF6690CDFC996E1890952EB3820DD1890EC1C8619E87A2BD38F9D03B37FAC742EFB748C7885942C3900000000000042 0028050000000400000004000000042002A02000000040000040000000000</pre> <p>Out: uuidPrivateKey</p> <pre>Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B73C4A1 (Thu Feb 11 09:49:37 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000003 (Register) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: fa06068c-6fb1-42ea-b6a2-d66d27b11943 42007B01000000B042007A0100000048420069010000002042006A020000000400000010000000042006B02000000040 00000000000000004200920900000008000000004B73C4A142000D020000000400000010000000042000F010000005842 005C05000000040000003000000042007F05000000400000000000000042007C01000000304200940700000024666 13036303638632D366662312D343265612D623661322D64363664323762313139343300000000</pre>
1	<p>Register (Public Key)</p> <p>In: objectType='00000004', attributes={ CryptographicUsageMask='0000000C'00000002', Link={ LinkType='PrivateKeyLink', LinkedObjectIdentifier=uuidPrivateKey }, foreignPublicKey</p> <pre>Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000003 (Register) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000003 (Public Key) Tag: Template-Attribute (0x420091), Type: Structure (0x01), Data: Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Usage Mask Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x00000002 (Verify)</pre>

	<pre> Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Link Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data: Tag: Link Type (0x42004B), Type: Enumeration (0x05), Data: 0x00000103 (Private Key Link) Tag: Linked Object Identifier (0x42004C), Type: Text String (0x07), Data: fa06068c-6fb1-42ea-b6a2-d66d27b11943 Tag: Public Key (0x42006D), Type: Structure (0x01), Data: Tag: Key Block (0x420040), Type: Structure (0x01), Data: Tag: Key Format Type (0x420042), Type: Enumeration (0x05), Data: 0x00000005 Tag: Key Value (0x420045), Type: Structure (0x01), Data: Tag: Key Material (0x420043), Type: Octet String (0x08), Data: 30819F300D06092A864886F70D0101050003818D0030818902818100930451C9ECD94F5BB9DA17DD09381BD23BE43EC A8C7539F301FC8A8CD5D5274C3E7699DBDC711C97A7AA91E2C50A82BD0B1034F0DF493DEC16362427E58ACCE7F6CE0F9B CC617BBD8C90D0094A2703BA0D09EB19D1005F2FB265526AAC75AF32F8BC782CDED2A57F811E03EAFF67A944DE5E78413D CA8F232D074E6DCEA4CEC9F0203010001 Tag: Cryptographic Algorithm (0x420028), Type: Enumeration (0x05), Data: 0x00000004 (RSA) Tag: Cryptographic Length (0x42002A), Type: Integer (0x02), Data: 0x00000400 (1024) 42007801000002084200770100000038420069010000002042006A0200000004000000010000000042006B02000000040 000000000000000042000D0200000004000000010000000042000F01000001C042005C05000000040000003000000042 007901000001A842005705000000040000000300000000420091010000098420008010000003042000A0700000018437 27970746F6726170686963205573616765204D61736B42000B0200000040000002000000042000801000000584200 0A07000000044C696E6B0000000042000B010000004042004B05000000040000103000000042004C070000002466613 036303638632D366662312D343265612D623661322D643636643237623131393433000000042006D01000000F0420040 01000000E84200420500000040000005000000042004501000000B042004308000000A230819F300D06092A864886F 70D010101050003818D0030818902818100930451C9ECD94F5BB9DA17DD09381BD23BE43ECA8C7539F301FC8A8CD5D527 4C3E7699DBDC711C97A7AA91E2C50A82BD0B1034F0DF493DEC16362427E58ACCE7F6CE0F9BCC617BBD8C90D0094A2703B A0D09EB19D1005F2FB265526AAC75AF32F8BC782CDED2A57F811E03EAFF67A944DE5E78413DCA8F232D074E6DCEA4CEC9F 02030100010000000000042002805000000040000000040000000042002A0200000004000004000000000000</pre>
	Out: uuidPublicKey
	<pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B73C4A2 (Thu Feb 11 09:49:38 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000003 (Register) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 79cbf228-16df-4fb1-a385- 443546935e74 42007B01000000B042007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040 00000000000000004200920900000008000000004B73C4A24200D0200000004000000010000000042000F010000005842 005C0500000004000000030000000042007F0500000004000000000000000042007C01000000304200940700000024373 96362663232382D313664662D346662312D613338352D34343335343639333565373400000000</pre>
2	Add attribute In: uuidPrivateKey, attribute={ Link={ LinkType='PublicKeyLink', LinkedObjectIdentifier=uuidPublicKey } }

Tag: Request Message (0x420078), Type: Structure (0x01), Data:
Tag: Request Header (0x420077), Type: Structure (0x01), Data:
Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:
Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)
Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)
Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)
Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000D (Add Attribute)
Tag: Request Payload (0x420079), Type: Structure (0x01), Data:
Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: fa06068c-6fb1-42ea-b6a2-d66d27b11943
Tag: Attribute (0x420008), Type: Structure (0x01), Data:
Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Link
Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data:
Tag: Link Type (0x42004B), Type: Enumeration (0x05), Data: 0x00000102 (Public Key Link)
Tag: Linked Object Identifier (0x42004C), Type: Text String (0x07), Data: 79cbf228-16df-4fb1-a385-443546935e74

42007801000000F042007701000003842006901000002042006A020000000400000001000000042006B020000000400000000000000042000D020000000400000001000000042000F01000000A842005C0500000040000000D000000004200790100000090420094070000002466613036303638632D366662312D343265612D623661322D6436366432376231313934330000000420008010000005842000A07000000444C696E6B000000042000B010000004042004B050000000400000102000000042004C070000002437396362663232382D313664662D346662312D613338352D34343335343639333565373400000000

Out: `uuidPrivateKey, attribute={ Link={ LinkType='PublicKeyLink', LinkedObjectIdentifier=uuidPublicKey }`

Tag: Response Message (0x42007B), Type: Structure (0x01), Data:
Tag: Response Header (0x42007A), Type: Structure (0x01), Data:
Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:
Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)
Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)
Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B73C4A2 (Thu Feb 11 09:49:38 CET 2010)
Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)
Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000D (Add Attribute)
Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)
Tag: Response Payload (0x42007C), Type: Structure (0x01), Data:
Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: fa06068c-6fb1-42ea-b6a2-d66d27b11943
Tag: Attribute (0x420008), Type: Structure (0x01), Data:
Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Link
Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data:
Tag: Link Type (0x42004B), Type: Enumeration (0x05), Data: 0x00000102 (Public Key Link)

	<p>Tag: Linked Object Identifier (0x42004C), Type: Text String (0x07), Data: 79cbf228-16df-4fb1-a385-443546935e74</p> <p>42007B010000011042007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040000000000004200920900000008000000004B73C4A24200D0200000004000000010000000042000F01000000B842005C05000000040000000D0000000042007F050000000400000000000000042007C0100000090420094070000002466613036303638632D366662312D343265612D623661322D64363664323762313139343300000000420008010000005842000A070000000044C696E6B0000000042000B010000004042004B0500000004000001020000000042004C07000000243739636266323282D313664662D346662312D613338352D34343335343639333565373400000000</p>
3	<p>Locate (Public Key)</p> <p>In: attributes={ objectType='PublicKey', Link={ LinkType='PrivateKeyLink', LinkedObjectIdentifier=uuidPrivateKey } }</p> <p>Tag: Request Message (0x420078), Type: Structure (0x01), Data:</p> <p>Tag: Request Header (0x420077), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)</p> <p>Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</p> <p>Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate)</p> <p>Tag: Request Payload (0x420079), Type: Structure (0x01), Data:</p> <p>Tag: Attribute (0x420008), Type: Structure (0x01), Data:</p> <p>Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Object Type</p> <p>Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000003 (Public Key)</p> <p>Tag: Attribute (0x420008), Type: Structure (0x01), Data:</p> <p>Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Link</p> <p>Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data:</p> <p>Tag: Link Type (0x42004B), Type: Enumeration (0x05), Data: 0x00000103 (Private Key Link)</p> <p>Tag: Linked Object Identifier (0x42004C), Type: Text String (0x07), Data: fa06068c-6fb1-42ea-b6a2-d66d27b11943</p> <p>42007801000000F04200770100000038420069010000002042006A0200000004000000010000000042006B020000000400000000000042000D0200000004000000010000000042000F01000000A842005C050000000400000008000000004200790100000090420008010000002842000A070000000B4F626A65637420547970650000000000042000B05000000040000000300000000420008010000005842000A07000000044C696E6B0000000042000B010000004042004B0500000004000001030000000042004C070000002466613036303638632D366662312D343265612D623661322D64363664323762313139343300000000</p> <p>Out: uuidPublicKey</p> <p>Tag: Response Message (0x42007B), Type: Structure (0x01), Data:</p> <p>Tag: Response Header (0x42007A), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)</p> <p>Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B73C4A2 (Thu Feb 11 09:49:38 CET 2010)</p> <p>Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</p> <p>Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate)</p>

	<pre> Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 79cbf228-16df-4fb1-a385-443546935e74 </pre> <p><u>42007B01000000B042007A0100000048420069010000002042006A02000000400000001000000042006B02000000040000000000004200920900000008000000004B73C4A24200D0200000040000001000000042000F010000005842005C0500000004000000080000000042007F050000000400000000000000042007C0100000030420094070000002437396362663232382D313664662D346662312D613338352D34343335343639333565373400000000</u> </p>
4	<p>Locate (Private Key)</p> <p>In: attributes={ objectType='PrivateKey', Link={ LinkType='PublicKeyLink', LinkedObjectIdentifier=uuidPublicKey } }</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Object Type Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000004 (Private Key) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Link Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data: Tag: Link Type (0x42004B), Type: Enumeration (0x05), Data: 0x00000102 (Public Key Link) Tag: Linked Object Identifier (0x42004C), Type: Text String (0x07), Data: 79cbf228-16df-4fb1-a385-443546935e74 </pre> <p><u>42007801000000F04200770100000038420069010000002042006A02000000400000001000000042006B02000000040000000000042000D020000000400000001000000042000F01000000A842005C0500000004000000800000004200790100000090420008010000002842000A070000000B4F626A6563742054797065000000000042000B050000000400000004000000000420008010000005842000A07000000044C696E6B000000042000B010000004042004B0500000004000001020000000042004C070000002437396362663232382D313664662D346662312D613338352D34343335343639333565373400000000</u></p> <p>Out: uuidPrivateKey</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B73C4A3 (Thu Feb 11 09:49:39 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate) </pre>

	<p>Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)</p> <p>Tag: Response Payload (0x42007C), Type: Structure (0x01), Data:</p> <p>Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: fa06068c-6fb1-42ea-b6a2-d66d27b11943</p> <p><u>42007B01000000B042007A0100000048420069010000002042006A02000000400000001000000042006B02000000040000000000004200920900000008000000004B73C4A34200D0200000040000001000000042000F010000005842005C050000000400000080000000042007F050000000400000000000000042007C0100000030420094070000002466613036303638632D366662312D343265612D623661322D64363664323762313139343300000000</u></p>
5	<p>Destroy</p> <p>In: uuidPrivateKey</p> <p>Tag: Request Message (0x420078), Type: Structure (0x01), Data:</p> <p>Tag: Request Header (0x420077), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)</p> <p>Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</p> <p>Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy)</p> <p>Tag: Request Payload (0x420079), Type: Structure (0x01), Data:</p> <p>Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: fa06068c-6fb1-42ea-b6a2-d66d27b11943</p> <p><u>42007801000000904200770100000038420069010000002042006A02000000400000001000000042006B020000000400000000000042000D020000000400000001000000042000F010000004842005C0500000040000001400000004200790100000030420094070000002466613036303638632D366662312D343265612D623661322D64363664323762313139343300000000</u></p> <p>Out: uuidPrivateKey</p> <p>Tag: Response Message (0x42007B), Type: Structure (0x01), Data:</p> <p>Tag: Response Header (0x42007A), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)</p> <p>Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B73C4A3 (Thu Feb 11 09:49:39 CET 2010)</p> <p>Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</p> <p>Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy)</p> <p>Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)</p> <p>Tag: Response Payload (0x42007C), Type: Structure (0x01), Data:</p> <p>Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: fa06068c-6fb1-42ea-b6a2-d66d27b11943</p> <p><u>42007B01000000B042007A0100000048420069010000002042006A02000000400000001000000042006B02000000040000000000004200920900000008000000004B73C4A34200D0200000040000001000000042000F010000005842005C050000000400000014000000042007F050000000400000000000000042007C0100000030420094070000002466613036303638632D366662312D343265612D623661322D64363664323762313139343300000000</u></p>
6	Destroy

	<p>In: uuidPublicKey</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 79cbf228-16df-4fb1-a385-443546935e74 </pre> <p><u>42007801000000904200770100000038420069010000002042006A0200000004000000010000000042006B02000000040000000000042000D0200000004000000010000000042000F010000004842005C0500000004000001400000004200790100000030420094070000002437396362663232382D313664662D346662312D613338352D34343335343639333565373400000000</u></p> <p>Out: uuidPublicKey</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B73C4A3 (Thu Feb 11 09:49:39 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 79cbf228-16df-4fb1-a385-443546935e74 </pre> <p><u>42007B01000000B042007A0100000048420069010000002042006A0200000004000000010000000042006B0200000004000000000004200920900000008000000004B73C4A34200D0200000004000000010000000042000F010000005842005C0500000004000000140000000042007F050000000400000000000000042007C0100000030420094070000002437396362663232382D313664662D346662312D613338352D34343335343639333565373400000000</u></p>
--	---

183

184

185

99 Key Roll-over

186

187 These use-cases test manual key roll-over using the “Re-key” operation. In particular, they test the
 188 formatting of the Re-key command, the handling and server-side processing of the various Time
 189 attributes and the setting of some other attributes that are not automatically copied from the existing key
 190 to the new key.

191

9.19.1 Use-case: Create a Key, Re-key

192 Create a symmetric key with a specific name, and then use Locate to find the key. After using Re-key to
 193 create a new key, verify that the name was removed from the existing key and copied to the new key.
 194 Also verify that the key material for the old key is still retrievable. To clean up, both keys are deleted.

195

Time	Client A
0	<p>Create (symmetric key)</p> <p>In: objectType='00000002', attributes={ CryptographicAlgorithm='AES', CryptographicLength='128', CryptographicUsageMask='0000000C', Name={ NameValue='rekeyKey', NameType='00000001' } }</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000001 (Create) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Template-Attribute (0x420091), Type: Structure (0x01), Data: Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Algorithm Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000003 (AES) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Length Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x00000080 (128) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Usage Mask Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x0000000C (Encrypt, Decrypt) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data: Tag: Name Value (0x420055), Type: Text String (0x07), Data: rekeyKey Tag: Name Type (0x420054), Type: Enumeration (0x05), Data: 0x00000001 (Uninterpreted text string) 42007801000001604200770100000038420069010000002042006A0200000004000000010000000042006B0200000004000000000042000D0200000004000000010000000042000F010000011842005C050000000400000010000000042007901000001004200570500000004000000020000000042009101000000E8420008010000003042000A070000001743727970746F6772617068696320416C676F726974686D0042000B050000000400000030000000420008010000003042000A070000001443727970746F67726170686963204C656E677468000000042000B0200000040000008000000000420008010000003042000A070000001843727970746F67726170686963205573616765204D61736B42000B0200000040000000C00000000420008010000003842000A07000000044E616D650000000042000B0100000020420055070000000872656B65794B6579420054050000000400000001000000000 Out: objectType='00000002', uuidKey </pre>

	<pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B73C8BA (Thu Feb 11 10:07:06 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000001 (Create) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: fb560735-ef6f-4085-9e0a- eb6f1394c218 42007B01000000C042007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040 000000000000000042009209000000080000000004B73C8BA42000D0200000004000000010000000042000F010000006842 005C05000000004000000010000000042007F0500000004000000000000000042007C01000000404200570500000004000 000020000000042009407000000246662353630373352D656636662D343038352D396530612D65623666313339346332 313800000000 </pre>
1	<p>Locate</p> <p>In: attributes={ Name={ NameValue='rekeyKey', NameType='00000001' } }</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data: Tag: Name Value (0x420055), Type: Text String (0x07), Data: rekeyKey Tag: Name Type (0x420054), Type: Enumeration (0x05), Data: 0x00000001 (Uninterpreted text string) 42007801000000A04200770100000038420069010000002042006A0200000004000000010000000042006B02000000040 000000000000000042000D0200000004000000010000000042000F010000005842005C05000000400000080000000042 0079010000004042008010000003842000A0700000044E616D650000000042000B01000000204200550700000008726 56B65794B657942005405000000040000000100000000 </pre> <p>Out: uuidKey</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) </pre>

	<pre> Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B73C8BA (Thu Feb 11 10:07:06 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: fb560735-ef6f-4085-9e0a- eb6f1394c218 </pre> <p>42007B01000000B042007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040 0000000000000004200920900000008000000004B73C8BA42000D0200000004000000010000000042000F010000005842 005C0500000004000000080000000042007F0500000004000000000000000042007C01000000304200940700000024666 2353630373352D656636662D343038352D396530612D65623666313339346332313800000000</p>
2	<p>Rekey In: uuidKey</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000004 (Re-key) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: fb560735-ef6f-4085-9e0a- eb6f1394c218 </pre> <p>42007801000000904200770100000038420069010000002042006A0200000004000000010000000042006B02000000040 00000000000000042000D0200000004000000010000000042000F010000004842005C0500000004000000040000000042 0079010000003042009407000000246662353630373352D656636662D343038352D396530612D6562366631333934633 2313800000000</p> <p>Out: uuidNewKey</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B73C8BB (Thu Feb 11 10:07:07 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000004 (Re-key) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: bf6cc1d4-f914-4099-b4d4- 453050d8bcf4 </pre>

	<pre>42007B01000000B042007A0100000048420069010000002042006A0200000004000000010000000042006B020000000400000000000000004200920900000008000000004B73C8BB4200D0200000004000000010000000042000F010000005842005C0500000004000000040000000042007F0500000004000000000000000042007C01000000304200940700000024626636633164342D663931342D343039392D623464342D34353330353064386263663400000000</pre>
3	<p>Locate</p> <p>In: attributes={ Name={ NameValue='rekeyKey', NameType='00000001' } }</p> <pre>Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data: Tag: Name Value (0x420055), Type: Text String (0x07), Data: rekeyKey Tag: Name Type (0x420054), Type: Enumeration (0x05), Data: 0x00000001 (Uninterpreted text string)</pre> <pre>42007801000000A04200770100000038420069010000002042006A0200000004000000010000000042006B0200000004000000000000000042000D0200000004000000010000000042000F010000005842005C050000000400000008000000004200790100000040420008010000003842000A07000000044E616D650000000042000B0100000020420055070000000872656B65794B657942005405000000040000000100000000</pre> <p>Out: uuidNewKey</p> <pre>Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B73C8BB (Thu Feb 11 10:07:07 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: bf6cc1d4-f914-4099-b4d4-453050d8bcf4</pre> <pre>42007B01000000B042007A0100000048420069010000002042006A0200000004000000010000000042006B020000000400000000000000004200920900000008000000004B73C8BB4200D0200000004000000010000000042000F010000005842005C0500000004000000080000000042007F0500000004000000000000000042007C01000000304200940700000024626636633164342D663931342D343039392D623464342D34353330353064386263663400000000</pre>
4	Get Attribute

	<p>In: <code>uuidKey, attributeName={'Name'}</code></p> <p>Out: Operation Failed, Item Not Found</p> <pre>Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: fb560735-ef6f-4085-9e0a-eb6f1394c218 Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name 42007801000000A04200770100000038420069010000002042006A0200000004000000010000000042006B02000000040000000000042000D0200000004000000010000000042000F010000005842005C0500000004000000B000000004200790100000040420094070000002466623536303733352D656636662D343038352D396530612D656236663133393463323138000000042000A0700000044E616D6500000000 </pre> <p>Out: uuidKey</p> <pre>Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B73C8BB (Thu Feb 11 10:07:07 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: fb560735-ef6f-4085-9e0a-eb6f1394c218 42007B01000000B042007A0100000048420069010000002042006A0200000004000000010000000042006B0200000004000000000004200920900000008000000004B73C8BB42000D0200000004000000010000000042000F010000005842005C0500000004000000B0000000042007F0500000004000000000000000042007C0100000030420094070000002466623536303733352D656636662D343038352D396530612D6562366631333934633231380000000 </pre>
5	<p>Get (symmetric key)</p> <p>In: <code>uuidKey</code></p> <pre>Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) </pre>

	<pre> Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: fb560735-ef6f-4085-9e0a-eb6f1394c218 42007801000000904200770100000038420069010000002042006A02000000400000001000000042006B020000000400000000042000D02000000400000001000000042000F010000004842005C050000004000000A0000000420079010000003042009407000000246662353630373352D656636662D343038352D396530612D65623666313339346332313800000000 </pre> <p>Out: objectType = '00000002', uuidKey, symmetricKey</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B73C8BB (Thu Feb 11 10:07:07 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: fb560735-ef6f-4085-9e0a-eb6f1394c218 Tag: Symmetric Key (0x42008F), Type: Structure (0x01), Data: Tag: Key Block (0x420040), Type: Structure (0x01), Data: Tag: Key Format Type (0x420042), Type: Enumeration (0x05), Data: 0x00000001 Tag: Key Value (0x420045), Type: Structure (0x01), Data: Tag: Key Material (0x420043), Type: Octet String (0x08), Data: BC25617991C49D06536008D076017462 Tag: Cryptographic Algorithm (0x420028), Type: Enumeration (0x05), Data: 0x00000003 (AES) Tag: Cryptographic Length (0x42002A), Type: Integer (0x02), Data: 0x00000080 (128) 42007B010000012042007A0100000048420069010000002042006A02000000400000001000000042006B020000000400000000042009209000000800000004B73C8BB42000D020000000400000001000000042000F01000000C842005C0500000004000000A0000000042007F0500000004000000000000000042007C01000000A0420057050000000400000000042009407000000246662353630373352D656636662D343038352D396530612D6562366631333934633231380000000042008F01000000584200400100000504200420500000040000001000000042004501000000184200430800000010BC25617991C49D06536008D0760174624200280500000040000003000000042002A020000004000000800000000 </pre>
6	<p>Destroy</p> <p>In: uuidKey</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) </pre>

	<pre> Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: fb560735-ef6f-4085-9e0a-eb6f1394c218 </pre>
--	--

	<pre> 42007801000000904200770100000038420069010000002042006A0200000004000000010000000042006B02000000040000000000042000D0200000004000000010000000042000F010000004842005C0500000004000000140000000420079010000003042009407000000246662353630373352D656636662D343038352D396530612D65623666313339346332313800000000 </pre>
--	--

	Out: uuidKey
--	--------------

	<pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B73C8BC (Thu Feb 11 10:07:08 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: fb560735-ef6f-4085-9e0a-eb6f1394c218 </pre>
--	---

	<pre> 42007B01000000B042007A0100000048420069010000002042006A0200000004000000010000000042006B0200000004000000000004200920900000008000000004B73C8BC42000D0200000004000000010000000042000F010000005842005C0500000004000000140000000042007F0500000004000000000000000042007C010000003042009407000000246662353630373352D656636662D343038352D396530612D65623666313339346332313800000000 </pre>
--	---

7	
---	--

	Destroy
--	---------

	In: uuidNewKey
--	----------------

	<pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: bf6cc1d4-f914-4099-b4d4-453050d8bcf4 </pre>
--	--

	<pre> 42007801000000904200770100000038420069010000002042006A0200000004000000010000000042006B02000000040000000000042000D0200000004000000010000000042000F010000004842005C050000000400000014000000042007901000000304200940700000024626636633164342D663931342D343039392D623464342D3435333035306438626 </pre>
--	--

	<p>3663400000000</p> <p>Out: uuidNewKey</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B73C8BC (Thu Feb 11 10:07:08 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: bf6cc1d4-f914-4099-b4d4- 453050d8bcf4 42007B01000000B042007A0100000048420069010000002042006A020000000400000001000000042006B02000000040 00000000000000004200920900000008000000004B73C8BC42000D020000000400000001000000042000F010000005842 005C050000000400000014000000042007F050000000400000000000000042007C0100000304200940700000024626 63663633164342D663931342D343039392D623464342D343533035306438626366340000000 </pre>
--	---

196

197

198 [9.29.2 Use-case: Existing Key Expired, Re-key with Same lifecycle](#)

199 Create a new symmetric key ~~with a name~~. Then add the *Activation Date* and *Deactivation Date* attributes
200 based on the timestamp in the response to the Create request. The *Activation Date* is set to a time in the
201 past and the *Deactivation Date* to a time in the near future. Repeated Get Attribute calls are performed to
202 verify that the state is first “Active”, then subsequently “~~Deactive~~~~Deactivated~~”. Then issue a Re-key
203 request, including an *Activation Date* attribute with the value set to the previously specified *Deactivation*
204 *Date* of the existing key. Verify from the response that the *Activation Date* and *Deactivation Date*
205 attributes were set correctly (if they are not returned, issue a Get Attribute request). Do a Get Attribute
206 operation to verify that the state of the new key is “Active”. To clean up, both keys are deleted.

207

Time	Client A
0	<p>Create (symmetric key)</p> <p>In: objectType='00000002', attributes={ CryptographicAlgorithm='AES', CryptographicLength='128', CryptographicUsageMask='0000000C' }</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: </pre>

```

Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000001 (Create)
Tag: Request Payload (0x420079), Type: Structure (0x01), Data:
Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key)
Tag: Template-Attribute (0x420091), Type: Structure (0x01), Data:
Tag: Attribute (0x420008), Type: Structure (0x01), Data:
Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Algorithm
Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000003 (AES)
Tag: Attribute (0x420008), Type: Structure (0x01), Data:
Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Length
Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x00000080 (128)
Tag: Attribute (0x420008), Type: Structure (0x01), Data:
Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Usage Mask
Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x0000000C (Encrypt, Decrypt)
Tag: Attribute (0x420008), Type: Structure (0x01), Data:
Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name
Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data:
Tag: Name Value (0x420055), Type: Text String (0x07), Data: rekeyKey
Tag: Name Type (0x420054), Type: Enumeration (0x05), Data: 0x00000001 (Uninterpreted text string)

```

```

42007801000001604200770100000038420069010000002042006A020000000400000001000000042006B02000000040
00000000000000042000D020000000400000001000000042000F010000011842005C050000000400000001000000042
0079010000010042005705000000040000000200000004200910100000E8420008010000003042000A0700000017437
27970746F6772617068696320416C676F726974686D0042000B0500000040000003000000042000801000000304200
0A070000001443727970746F67726170686963204C656E677468000000042000B020000004000000800000000042000
8010000003042000A070000001843727970746F67726170686963205573616765204D61736B42000B020000004000000
0C0000000042000801000003842000A0700000044E616D65000000042000B010000002042005507000000872656B6
5794B657942005405000000400000010000000

```

Out: objectType='00000002', uuidKey

```

Tag: Response Message (0x42007B), Type: Structure (0x01), Data:
Tag: Response Header (0x42007A), Type: Structure (0x01), Data:
Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:
Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)
Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)
Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B73FFC7 (Thu Feb 11
14:01:59 CET 2010)
Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)
Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000001 (Create)
Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)
Tag: Response Payload (0x42007C), Type: Structure (0x01), Data:
Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key)
Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: fbc5f3e5-48bf-4294-b754-
0575a41d93b6

```

```

42007B01000000C042007A0100000048420069010000002042006A020000000400000001000000042006B02000000040
0000000000000004200920900000008000000004B73FFC742000D020000000400000001000000042000F010000006842
005C050000000400000010000000042007F0500000004000000000000000042007C01000000404200570500000004000
000200000000420094070000002466626335663365352D343862662D343239342D623735342D30353735613431643933

```

	<u>623600000000</u>
1	<p>Add Activation Date, Deactivation Date attributes based on Timestamp in previous response (batch)</p> <p>In: <code>uuidKey, attribute={ ActivationDate=' <Timestamp in previous response - 365 days>' }</code></p> <p>In: <code>uuidKey, attribute={ DeactivationDate='<Timestamp in previous response + 2 minutes>' }</code></p> <p><u>Tag: Request Message (0x420078), Type: Structure (0x01), Data:</u> <u>Tag: Request Header (0x420077), Type: Structure (0x01), Data:</u> <u>Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:</u> <u>Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)</u> <u>Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)</u> <u>Tag: Batch Order Option (0x420010), Type: Boolean (0x06), Data: TRUE</u> <u>Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000002 (2)</u> <u>Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</u> <u>Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000D (Add Attribute)</u> <u>Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: BAC4A9CECC650259</u> <u>Tag: Request Payload (0x420079), Type: Structure (0x01), Data:</u> <u>Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: fbc5f3e5-48bf-4294-b754-0575a41d93b6</u> <u>Tag: Attribute (0x420008), Type: Structure (0x01), Data:</u> <u>Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Activation Date</u> <u>Tag: Attribute Value (0x42000B), Type: Date-Time (0x09), Data: 0x000000004992CC47 (Wed Feb 11 14:01:59 CET 2009)</u> <u>Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</u> <u>Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000D (Add Attribute)</u> <u>Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 582C952324F4552F</u> <u>Tag: Request Payload (0x420079), Type: Structure (0x01), Data:</u> <u>Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: fbc5f3e5-48bf-4294-b754-0575a41d93b6</u> <u>Tag: Attribute (0x420008), Type: Structure (0x01), Data:</u> <u>Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Deactivation Date</u> <u>Tag: Attribute Value (0x42000B), Type: Date-Time (0x09), Data: 0x000000004B74003F (Thu Feb 11 14:03:59 CET 2010)</u></p> <p><u>42007801000001784200770100000048420069010000002042006A020000000400000010000000042006B020000000400000000000420010060000008000000000000000142000D0200000004000000020000000042000F010000008842005C05000000040000000D000000004200930800000008BAC4A9CECC6502594200790100000060420094070000002466626335663365352D343862662D343239342D623735342D3035373561343164393362360000000420008010000002842000A070000000F41637469766174696F6E20446174650042000B09000000800000004992CC4742000F010000009042005C05000000040000000D0000000420093080000008582C952324F4552F4200790100000068420094070000002466626335663365352D343862662D343239342D623735342D3035373561343164393362360000000420008010000003042000A0700000011446561637469766174696F6E204461746500000000000042000B0900000008000000004B74003F</u></p> <p>Out: <code>uuidKey, attribute={ ActivationDate=' <Timestamp in previous response - 1 year>' }</code></p> <p>Out: <code>uuidKey, attribute={ DeactivationDate='<Timestamp in previous response + 2 minutes>' }</code></p> <p><u>Tag: Response Message (0x42007B), Type: Structure (0x01), Data:</u> <u>Tag: Response Header (0x42007A), Type: Structure (0x01), Data:</u> <u>Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:</u> <u>Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)</u> <u>Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)</u> <u>Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B73FFC7 (Thu Feb 11 05:59:59 CET 2010)</u></p>

	<pre> 14:01:59 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000002 (2) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000D (Add Attribute) Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: BAC4A9CECC650259 Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: fbc5f3e5-48bf-4294-b754-0575a41d93b6 Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Activation Date Tag: Attribute Value (0x42000B), Type: Date-Time (0x09), Data: 0x000000004992CC47 (Wed Feb 11 14:01:59 CET 2009) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000D (Add Attribute) Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 582C952324F4552F Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: fbc5f3e5-48bf-4294-b754-0575a41d93b6 Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Deactivation Date Tag: Attribute Value (0x42000B), Type: Date-Time (0x09), Data: 0x000000004B74003F (Thu Feb 11 14:03:59 CET 2010) 42007B010000019842007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040000000000004200920900000008000000004B73FFC742000D020000000400000002000000042000F010000009842005C0500000004000000D00000004200930800000008BAC4A9CECC65025942007F0500000004000000000000000042000992CC4742000F01000000A042005C05000000040000000D000000004200930800000008582C952324F4552F42007F0500000004000000000000000042007C0100000068420094070000002466626335663365352D343862662D343239342D623735342D3035373561343164393362360000000420008010000002842000A070000000F41637469766174696F6E20446174650042000B0900000008000000004B74003F </pre>
2	<p>Get Attribute * Repeated until state changes to Deactivated</p> <p>In: uuidKey, attributeName={'State'}</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: fbc5f3e5-48bf-4294-b754-0575a41d93b6 Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: State 42007801000000A04200770100000038420069010000002042006A0200000004000000010000000042006B020000000400000000000042000D0200000004000000010000000042000F010000005842005C05000000040000000B000000004200790100000040420094070000002466626335663365352D343862662D343239342D623735342D3035373561343164393 </pre>

	<p><u>362360000000042000A070000005537461746500000</u></p> <p>Out: <code>uuidKey, attribute={ State='Active' }</code></p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B73FFC7 (Thu Feb 11 14:01:59 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: fbc5f3e5-48bf-4294-b754- 0575a41d93b6 Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: State Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000002 (Active) <u>42007B01000000D842007A0100000048420069010000002042006A0200000004000000010000000042006B020000000040 00000000000000004200920900000008000000004B73FFC742000D0200000004000000010000000042000F010000008042 005C05000000040000000B0000000042007F0500000004000000000000000042007C01000000584200940700000024666 26335663365352D343862662D343239342D623735342D303537356134316439362360000000042000801000000204200 0A070000000553746174650000042000B05000000040000000200000000</u> </pre>
3	<p>Get Attribute</p> <p>In: <code>uuidKey, attributeName={'State'}</code></p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: fbc5f3e5-48bf-4294-b754- 0575a41d93b6 Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: State <u>42007801000000A04200770100000038420069010000002042006A0200000004000000010000000042006B02000000040 000000000000000042000D0200000004000000010000000042000F010000005842005C0500000004000000B0000000042 00790100000040420094070000002466626335663365352D343862662D343239342D623735342D3035373561343164393 362360000000042000A0700000005537461746500000</u> </pre> <p>Out: <code>uuidKey, attribute={ State='Deactive' } Deactivated }</code></p>

	<pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B740040 (Thu Feb 11 14:04:00 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: fbc5f3e5-48bf-4294-b754- 0575a41d93b6 Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: State Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000003 (Deactivated) 42007B01000000D842007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040 0000000000000004200920900000008000000004B74004042000D0200000004000000010000000042000F010000008042 005C05000000040000000B0000000042007F0500000004000000000000000042007C01000000584200940700000024666 26335663365352D343862662D343239342D623735342D30353735613431643936236000000042000801000000204200 0A070000000553746174650000042000B050000004000000030000000 </pre>
4	<p>Rekey</p> <p>In: <code>uuidKey, attribute={ offset='018B8200'FE747E00' (300 days backwards)}</code></p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000004 (Re-key) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: fbc5f3e5-48bf-4294-b754- 0575a41d93b6 Tag: Offset (0x420058), Type: Interval (0x0A), Data: 0xFE747E00 42007801000000A04200770100000038420069010000002042006A0200000004000000010000000042006B02000000040 00000000000000042000D0200000004000000010000000042000F010000005842005C050000000400000004000000042 00790100000040420094070000002466626335663365352D343862662D343239342D623735342D3035373561343164393 36236000000004200580A00000004FE747E0000000000 </pre> <p>Out: <code>uuidNewKey</code></p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) </pre>

	<pre> Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B740040 (Thu Feb 11 14:04:00 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000004 (Re-key) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 389602b1-ca02-4c3c-b5a3- c3789e7f2c92 42007B01000000B042007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040 00000000000000004200920900000008000000004B74004042000D0200000004000000010000000042000F01000005842 005C050000000400000004000000042007F0500000004000000000000000042007C0100000304200940700000024333 83936303262312D636130322D346333632D623561332D6333373839653766326339320000000 </pre>
5	<p>Get Attribute</p> <p>In: <code>uuidNewKey, attributeName={'ActivationDate', 'DeactivationDate'}</code></p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 389602b1-ca02-4c3c-b5a3- c3789e7f2c92 Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Activation Date Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Deactivation Date 42007801000000C84200770100000038420069010000002042006A0200000004000000010000000042006B02000000040 000000000000000042000D0200000004000000010000000042000F010000008042005C05000000040000000B0000000042 00790100000068420094070000002433383936303262312D636130322D346333632D623561332D6333373839653766326 3393200000000042000A070000000F41637469766174696F6E20446174650042000A070000001144656163746976617469 6F6E20446174650000000000000000 </pre> <p>Out: <code>uuidNewKey, attribute={ ActivationDate=' <Value of ActivationTime in existing key + 30065 days>', DeactivationDate='<Value of DeactivationDate of existing key + 30065 days>' }</code></p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B740040 (Thu Feb 11 14:04:00 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) </pre>

	<pre> Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 389602b1-ca02-4c3c-b5a3- c3789e7f2c92 Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Activation Date Tag: Attribute Value (0x42000B), Type: Date-Time (0x09), Data: 0x0000000049E87DC6 (Fri Apr 17 15:01:58 CEST 2009) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Deactivation Date Tag: Attribute Value (0x42000B), Type: Date-Time (0x09), Data: 0x000000004BC9B1BE (Sat Apr 17 15:03:58 CEST 2010) 42007B010000011842007A010000048420069010000002042006A020000004000000010000000042006B02000000040 00000000000000420092090000008000000004B7400404200D020000004000000010000000042000F01000000C042 005C05000000040000000B0000000042007F0500000004000000000000000042007C0100000984200940700000024333 83936303262312D636130322D346333632D623561332D633337383965376632633932000000042000801000000284200 0A07000000F41637469766174696F6E20446174650042000B090000008000000049E87DC642000801000000304200 A070000011446561637469766174696F6E204461746500000000000042000B09000000800000004BC9B1BE </pre>
6	<p>Get Attribute</p> <p>In: <code>uuidNewKey, attributeName={'State'}</code></p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 389602b1-ca02-4c3c-b5a3- c3789e7f2c92 Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: State </pre> <pre> 4200780100000A0420077010000038420069010000002042006A020000004000000010000000042006B02000000040 0000000000000042000D020000004000000010000000042000F010000005842005C0500000040000000B0000000042 00790100000040420094070000002433383936303262312D636130322D346333632D623561332D6333373839653766326 339320000000042000A0700000055374617465000000 </pre> <p>Out: <code>uuidNewKey, attribute={ State='Active' }</code></p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B740040 (Thu Feb 11 14:04:00 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) </pre>

	<pre> Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 389602b1-ca02-4c3c-b5a3- c3789e7f2c92 Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: State Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000002 (Active) </pre> <p>42007B01000000D842007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040 0000000000000004200920900000008000000004B7400404200D0200000004000000010000000042000F010000008042 005C05000000040000000B0000000042007F0500000004000000000000000042007C01000000584200940700000024333 83936303262312D636130322D346333632D623561332D6333373839653766326339320000000042000801000000204200 0A0700000005537461746500000042000B05000000040000000200000000</p>
7	<p>Destroy In: uuidKey</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: fbc5f3e5-48bf-4294-b754- 0575a41d93b6 </pre> <p>42007801000000904200770100000038420069010000002042006A0200000004000000010000000042006B02000000040 00000000000000042000D0200000004000000010000000042000F010000004842005C0500000004000000140000000042 00790100000030420094070000002466626335663365352D343862662D343239342D623735342D3035373561343164393 3623600000000</p> <p>Out: uuidKey</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x0000000004B740040 (Thu Feb 11 14:04:00 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: fbc5f3e5-48bf-4294-b754- 0575a41d93b6 </pre> <p>42007B01000000B042007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040 0000000000000004200920900000008000000004B7400404200D0200000004000000010000000042000F010000005842 005C050000000400000014000000042007F0500000004000000000000000042007C01000000304200940700000024333</p>

	<u>26335663365352D343862662D343239342D623735342D30353735613431643933623600000000</u>
8	<p>Destroy</p> <p><u>Revoke (symmetric key as cessation of operation) and Destroy</u></p> <p><u>In (header): batchOrderOption='TRUE'</u></p> <p><u>In: uuidKey, revocationReasonCode='6'</u></p> <p><u>In: uuidNewKey</u></p> <pre> <u>Tag: Request Message (0x420078), Type: Structure (0x01), Data:</u> <u> Tag: Request Header (0x420077), Type: Structure (0x01), Data:</u> <u> Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:</u> <u> Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)</u> <u> Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)</u> <u> Tag: Batch Order Option (0x420010), Type: Boolean (0x06), Data: TRUE</u> <u> Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000002 (2)</u> <u> Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</u> <u> Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000013 (Revoke)</u> <u> Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 7012417AA1B7394B</u> <u> Tag: Request Payload (0x420079), Type: Structure (0x01), Data:</u> <u> Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 389602b1-ca02-4c3c-b5a3-c3789e7f2c92</u> <u> Tag: Revocation Reason (0x420081), Type: Structure (0x01), Data:</u> <u> Tag: Revocation Reason Code (0x420082), Type: Enumeration (0x05), Data: 0x00000006 (Cessation of Operation)</u> <u> Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</u> <u> Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy)</u> <u> Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 3F8F4F1759704555</u> <u> Tag: Request Payload (0x420079), Type: Structure (0x01), Data:</u> <u> Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 389602b1-ca02-4c3c-b5a3-c3789e7f2c92</u> </pre> <p><u>42007801000001284200770100000048420069010000002042006A02000000400000001000000042006B0200000004000000000420010060000008000000000000000142000D020000000400000002000000042000F010000007042005C050000000400000013000000042009308000000087012417AA1B7394B4200790100000048420094070000002433383936303262312D636130322D346333632D623561332D633337383965376632633932000000042008101000000104200820500000004000000060000000042000F010000005842005C050000000400000014000000042009308000000083F8F4F17597045554200790100000030420094070000002433383936303262312D636130322D346333632D623561332D63333738396537663263393200000000</u></p> <p><u>Out: uuidNewKey</u></p> <p><u>Out: uuidNewKey</u></p> <pre> <u>Tag: Response Message (0x42007B), Type: Structure (0x01), Data:</u> <u> Tag: Response Header (0x42007A), Type: Structure (0x01), Data:</u> <u> Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:</u> <u> Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)</u> <u> Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)</u> <u> Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B740040 (Thu Feb 11 14:04:00 CET 2010)</u> <u> Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000002 (2)</u> <u> Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</u> </pre>

Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x000000013 (Revoke)
Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 7012417AA1B7394B
Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)
Tag: Response Payload (0x42007C), Type: Structure (0x01), Data:
Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 389602b1-ca02-4c3c-b5a3-c3789e7f2c92
Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy)
Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 3F8F4F1759704555
Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)
Tag: Response Payload (0x42007C), Type: Structure (0x01), Data:
Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 389602b1-ca02-4c3c-b5a3-c3789e7f2c92

42007B010000013042007A010000048420069010000002042006A0200000004000000010000000042006B0200000004000000000000000042009209000000800000004B7400404200D020000000400000002000000004200F010000006842005C050000000400000013000000042009308000000087012417AA1B7394B42007F0500000004000000000000000000000042007C0100000030420094070000002433383936303262312D636130322D346333632D623561332D6333373839653766326339320000000042000F010000006842005C0500000004000000140000000042009308000000083F8F4F175970455542007F0500000004000000000000000042007C0100000030420094070000002433383936303262312D636130322D346333632D623561332D63333738396537663263

208

209 | **9.39.3** Use-case: Existing Key Compromised, Re-key with same lifecycle

210 Create a new symmetric key with the *Activation Date* in the past. Do a Get Attribute operation on the
211 State attribute to verify the key is “Active”. Then revoke the key as compromised, verify that the state has
212 changed to “Compromised”. Create a replacement key using Re-key with the offset set to ‘0’ to indicate
213 that the times are to be copied from the existing key. Do a Get Attribute operation to verify that the state
214 of the new key is “Active”. To clean up, both keys are deleted.

215

Time	Client A
0	<p>Create (symmetric key)</p> <p>In: objectType='00000002', attributes={ CryptographicAlgorithm='AES', CryptographicLength='128', CryptographicUsageMask='0000000C', Name={ NameValue='rekeyKey', NameType='00000001' }, ActivationDate='2'<NOW>' }</p> <p><u>Tag: Request Message (0x420078), Type: Structure (0x01), Data:</u></p> <p><u>Tag: Request Header (0x420077), Type: Structure (0x01), Data:</u></p> <p><u>Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:</u></p> <p><u>Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)</u></p> <p><u>Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)</u></p> <p><u>Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)</u></p> <p><u>Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</u></p> <p><u>Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000001 (Create)</u></p> <p><u>Tag: Request Payload (0x420079), Type: Structure (0x01), Data:</u></p> <p><u>Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key)</u></p> <p><u>Tag: Template-Attribute (0x420091), Type: Structure (0x01), Data:</u></p> <p><u>Tag: Attribute (0x420008), Type: Structure (0x01), Data:</u></p> <p><u>Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Algorithm</u></p> <p><u>Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000003 (AES)</u></p>

```

Tag: Attribute (0x420008), Type: Structure (0x01), Data:
    Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Length
    Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x00000080 (128)
Tag: Attribute (0x420008), Type: Structure (0x01), Data:
    Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Usage
Mask
    Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x0000000C (Encrypt,
Decrypt)
Tag: Attribute (0x420008), Type: Structure (0x01), Data:
    Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Activation Date
    Tag: Attribute Value (0x42000B), Type: Date-Time (0x09), Data: 0x000000004B741047 (Thu
Feb 11 15:12:23 CET 2010)
Tag: Attribute (0x420008), Type: Structure (0x01), Data:
    Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name
    Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data:
        Tag: Name Value (0x420055), Type: Text String (0x07), Data: rekeyKey
    Tag: Name Type (0x420054), Type: Enumeration (0x05), Data: 0x00000001 (Uninterpreted
text string)

42007801000001904200770100000038420069010000002042006A020000000400000001000000042006B02000000040
0000000000000042000D020000000400000001000000042000F010000014842005C050000000400000001000000042
007901000001304200570500000040000000200000004200910100000118420008010000003042000A0700000017437
27970746F6772617068696320416C676F726974686D0042000B05000000400000003000000042000801000000304200
0A070000001443727970746F67726170686963204C656E677468000000042000B020000000400000080000000042000
8010000003042000A070000001843727970746F67726170686963205573616765204D61736B42000B0200000004000000
0C0000000042000801000002842000A070000000F41637469766174696F6E20446174650042000B09000000080000000
04B74104742000801000003842000A07000000044E616D65000000042000B010000002042005507000000872656B65
794B657942005405000000040000000100000000
```

Out: objectType='00000002', uuidKey

```

Tag: Response Message (0x42007B), Type: Structure (0x01), Data:
    Tag: Response Header (0x42007A), Type: Structure (0x01), Data:
        Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:
            Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)
            Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)
        Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B741048 (Thu Feb 11
15:12:24 CET 2010)
        Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)
        Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
            Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000001 (Create)
            Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)
            Tag: Response Payload (0x42007C), Type: Structure (0x01), Data:
                Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key)
                Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: eea742b4-96ed-4238-afd2-
53189c79f781

42007B01000000C042007A0100000048420069010000002042006A020000000400000001000000042006B02000000040
000000000000004200920900000008000000004B74104842000D020000000400000001000000042000F010000006842
005C050000000400000010000000042007F0500000004000000000000000042007C0100000040420057050000004000
000020000000042009407000002465656137343262342D393665642D34323382D616664322D35333138396337396637
383100000000
```

1 Get Attribute

	<p>In: uuidKey, attributeName={'State'}</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: eea742b4-96ed-4238-af2d-53189c79f781 Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: State </pre> <p>42007801000000A04200770100000038420069010000002042006A0200000004000000010000000042006B02000000040000000000042000D0200000004000000010000000042000F010000005842005C050000004000000B000000004200790100000040420094070000002465656137343262342D393665642D343233382D616664322D353331383963373966373831000000042000A07000000055374617465000000</p> <p>Out: uuidKey, attribute={ State='Active' }</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B741048 (Thu Feb 11 15:12:24 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: eea742b4-96ed-4238-af2d-53189c79f781 Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: State Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000002 (Active) 42007B01000000D842007A0100000048420069010000002042006A0200000004000000010000000042006B0200000004000000000004200920900000008000000004B74104842000D0200000004000000010000000042000F010000008042005C0500000004000000B0000000042007F050000004000000000000000042007C0100000058420094070000002465656137343262342D393665642D343233382D616664322D3533313839633739663738310000000420008010000002042000A0700000005537461746500000042000B05000000040000000200000000 </pre>
2	<p>Revoke (symmetric key as compromised)</p> <p>In: uuidKey, RevocationReason='00000002', CompromiseOccurrenceDate='6'<NOW>'</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: </pre>

	<pre> Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000013 (Revoke) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: eea742b4-96ed-4238-afd2-53189c79f781 Tag: Revocation Reason (0x420081), Type: Structure (0x01), Data: Tag: Revocation Reason Code (0x420082), Type: Enumeration (0x05), Data: 0x00000002 (Key Compromise) Tag: Compromise Occurrence Date (0x420021), Type: Date-Time (0x09), Data: 0x000000004B741048 (Thu Feb 11 15:12:24 CET 2010) 42007801000000B84200770100000038420069010000002042006A0200000004000000010000000042006B02000000040000000000042000D0200000004000000010000000042000F010000007042005C050000000400000130000000420079010000005842009407000000246565613734262342D393665642D34323382D616664322D353331383963373966373831000000042008101000000104200820500000040000002000000042002109000000800000004B741048 </pre>
--	--

Out: uuidKey

	<pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B741049 (Thu Feb 11 15:12:25 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000013 (Revoke) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: eea742b4-96ed-4238-afd2-53189c79f781 42007B01000000B042007A0100000048420069010000002042006A0200000004000000010000000042006B0200000004000000000004200920900000008000000004B74104942000D0200000004000000010000000042000F010000005842005C0500000004000000130000000042007F050000000400000000000000042007C010000003042009407000000246565613734262342D393665642D34323382D616664322D3533313839633739663738310000000 </pre>
--	---

3

Get Attribute

In: uuidKey, attributeName='State'

	<pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: </pre>
--	---

	<pre> Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: eea742b4-96ed-4238-afd2-53189c79f781 Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: State 42007801000000A04200770100000038420069010000002042006A0200000004000000010000000042006B0200000004000000000000000042000D0200000004000000010000000042000F010000005842005C05000000040000000B000000004200790100000040420094070000002465656137342342D393665642D343233382D616664322D3533313839633739663738310000000042000A0700000005537461746500000042000B05000000040000000400000000 </pre> <p>Out: <code>uuidKey, attribute={ State='Compromised' }</code></p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B741049 (Thu Feb 11 15:12:25 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: eea742b4-96ed-4238-afd2-53189c79f781 Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: State Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000004 (Compromised) 42007B01000000D842007A0100000048420069010000002042006A0200000004000000010000000042006B020000000400000000000000004200920900000008000000004B74104942000D0200000004000000010000000042000F010000008042005C05000000040000000B0000000042007F0500000004000000000000000042007C0100000058420094070000002465656137342342D393665642D343233382D616664322D353331383963373966373831000000004200801000000204200A0700000005537461746500000042000B05000000040000000400000000 </pre>
4	<p>Rekey</p> <p>In: <code>uuidKey, offset=0</code></p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000004 (Re-key) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: eea742b4-96ed-4238-afd2-53189c79f781 </pre>

	<pre>42007801000000904200770100000038420069010000002042006A020000000400000001000000042006B020000000400000000042000D020000000400000001000000042000F010000004842005C0500000040000000400000004200790100000030420094070000002465656137343262342D393665642D34323382D616664322D35333138396337396637383100000000</pre> <p>Out: uuidNewKey</p> <pre>Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B741049 (Thu Feb 11 15:12:25 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000004 (Re-key) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: ad3cb774-d00d-4591-a634-6ea36a801824</pre> <pre>42007B01000000B042007A0100000048420069010000002042006A020000000400000001000000042006B02000000040000000004200920900000008000000004B74104942000D020000000400000001000000042000F010000005842005C0500000004000000040000000042007F0500000004000000000000000042007C01000000304200940700000024616433636237342D643030642D343539312D613633342D36656133366138303138323400000000</pre>
5	<p>Get Attribute</p> <p>In: uuidNewKey, attributeName={'State'}</p> <pre>Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: ad3cb774-d00d-4591-a634-6ea36a801824 Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: State</pre> <pre>42007801000000A04200770100000038420069010000002042006A020000000400000001000000042006B020000000400000000042000D020000000400000001000000042000F010000005842005C05000000040000000B000000042007901000000404200940700000024616433636237342D643030642D343539312D613633342D3665613336613830313832340000000042000A0700000055374617465000000</pre> <p>Out: uuidNewKey, attribute={'State='Active'}</p> <pre>Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data:</pre>

	<pre> Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B741049 (Thu Feb 11 15:12:25 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: ad3cb774-d00d-4591-a634- 6ea36a801824 Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: State Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000002 (Active) </pre> <p><u>42007B01000000D842007A0100000048420069010000002042006A02000000400000001000000042006B02000000040 000000000000004200920900000008000000004B7410494200D02000000400000001000000042000F010000008042 005C05000000040000000B0000000042007F05000000400000000000000042007C01000000584200940700000024616 43363623737342D643030642D343539312D61363342D3665613336613830313832340000000042000801000000204200 0A0700000005537461746500000042000B05000000040000000200000000</u></p>
6	<p>Destroy</p> <p>In: uuidKey</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: eea742b4-96ed-4238-afd2- 53189c79f781 </pre> <p><u>42007801000000904200770100000038420069010000002042006A02000000400000001000000042006B02000000040 0000000000000042000D020000000400000001000000042000F010000004842005C05000000400000014000000042 00790100000030420094070000002465656137343262342D393665642D343233382D616664322D3533313839633739663 7383100000000</u></p> <p>Out: uuidKey</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B741049 (Thu Feb 11 15:12:25 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) </pre>

	<pre> Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x000000014 (Destroy) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x000000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: eea742b4-96ed-4238-afd2-53189c79f781 </pre>
	<pre> 42007B01000000B042007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040 00000000000000004200920900000008000000004B74104942000D0200000004000000010000000042000F010000005842 005C050000000400000014000000042007F0500000004000000000000000042007C01000000304200940700000024656 5613734262342D393665642D343233382D616664322D35333138396337396637383100000000 </pre>
7	<p><u>Revoke (symmetric key as cessation of operation) and Destroy</u></p> <p>In <u>(header): batchOrderOption='TRUE'</u></p> <p>In <u>: uuidNewKey, revocationReasonCode='6'</u></p> <p>In <u>: uuidNewKey</u></p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Order Option (0x420010), Type: Boolean (0x06), Data: TRUE Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000002 (2) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000013 (Revoke) Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 7131695CF636735E Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: ad3cb774-d00d-4591-a634-6ea36a801824 Tag: Revocation Reason (0x420081), Type: Structure (0x01), Data: Tag: Revocation Reason Code (0x420082), Type: Enumeration (0x05), Data: 0x00000006 (Cessation of Operation) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 1845BCBBF09B5A66 Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: ad3cb774-d00d-4591-a634-6ea36a801824 </pre> <pre> 4200780100001284200770100000048420069010000002042006A0200000004000000010000000042006B02000000040 00000000000000004200100600000008000000000000000142000D020000000400000020000000042000F010000007042 005C0500000004000000130000000042009308000000087131695CF636735E42007901000000484200940700000024616 43363623737342D643030642D343539312D613633342D3665613336613830313832340000000042008101000000104200 82050000000400000060000000042000F010000005842005C0500000004000000140000000042009308000000081845B CBBF09B5A664200790100000030420094070000002461643363623737342D643030642D343539312D613633342D366561 33366138303138323400000000 </pre> <p>Out: <u>uuidNewKey</u></p> <p>Out: <u>uuidNewKey</u></p>
	<pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: </pre>

	<pre> Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B741049 (Thu Feb 11 15:12:25 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000002 (2) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000013 (Revoke) Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 7131695CF636735E Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: ad3cb774-d00d-4591-a634- 6ea36a801824 Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 1845BCBBF09B5A66 Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: ad3cb774-d00d-4591-a634- 6ea36a801824 42007B010000013042007A0100000048420069010000002042006A020000000400000001000000042006B02000000040 00000000000000004200920900000008000000004B74104942000D020000000400000002000000042000F010000006842 005C05000000040000000130000000042009308000000087131695CF636735E42007F05000000040000000000000000420 07C0100000030420094070000002461643363623737342D643030642D343539312D613633342D36656133366138303138 32340000000042000F010000006842005C050000000400000014000000042009308000000081845BCBBF09B5A6642007 F050000000400000000000000000042007C0100000030420094070000002461643363623737342D643030642D343539312D 613633342D36656133366138303138323400000000 </pre>
--	---

216

217

218 9.49.4 Use-case: Create key, Re-key with new lifecycle

219 Create a symmetric key with a specific name, then use Locate to find the key. After using Re-key to
 220 create a new key, verify that the name was removed from the existing key and copied to the new key. To
 221 clean up, both keys are deleted.

222

Time	Client A
0	<p>Create (symmetric key)</p> <p>In: objectType='00000002', attributes={ CryptographicAlgorithm='AES', CryptographicLength='128', CryptographicUsageMask='0000000C', Name={ NameValue='rekeyKey', NameType='00000001' } }</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: </pre>

```

Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000001 (Create)
Tag: Request Payload (0x420079), Type: Structure (0x01), Data:
Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key)
Tag: Template-Attribute (0x420091), Type: Structure (0x01), Data:
Tag: Attribute (0x420008), Type: Structure (0x01), Data:
Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Algorithm
Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000003 (AES)
Tag: Attribute (0x420008), Type: Structure (0x01), Data:
Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Length
Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x00000080 (128)
Tag: Attribute (0x420008), Type: Structure (0x01), Data:
Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Usage Mask
Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x0000000C (Encrypt, Decrypt)
Tag: Attribute (0x420008), Type: Structure (0x01), Data:
Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name
Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data:
Tag: Name Value (0x420055), Type: Text String (0x07), Data: rekeyKey
Tag: Name Type (0x420054), Type: Enumeration (0x05), Data: 0x00000001 (Uninterpreted text string)

```

```

42007801000001604200770100000038420069010000002042006A020000000400000001000000042006B02000000040
00000000000000042000D020000000400000001000000042000F010000011842005C050000000400000001000000042
0079010000010042005705000000040000000200000004200910100000E8420008010000003042000A0700000017437
27970746F6772617068696320416C676F726974686D0042000B0500000040000003000000042000801000000304200
0A070000001443727970746F67726170686963204C656E677468000000042000B020000004000000800000000042000
8010000003042000A070000001843727970746F67726170686963205573616765204D61736B42000B020000004000000
0C0000000042000801000003842000A0700000044E616D65000000042000B010000002042005507000000872656B6
5794B657942005405000000400000010000000

```

Out: objectType='00000002', uuidKey

```

Tag: Response Message (0x42007B), Type: Structure (0x01), Data:
Tag: Response Header (0x42007A), Type: Structure (0x01), Data:
Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:
Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)
Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)
Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B742475 (Thu Feb 11
16:38:29 CET 2010)
Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)
Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000001 (Create)
Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)
Tag: Response Payload (0x42007C), Type: Structure (0x01), Data:
Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key)
Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: f0342590-f78a-4d34-a2f4-
4d6fc85a56ef

```

```

42007B01000000C042007A0100000048420069010000002042006A020000000400000001000000042006B02000000040
0000000000000004200920900000008000000004B74247542000D020000000400000001000000042000F010000006842
005C050000000400000010000000042007F0500000004000000000000000042007C01000000404200570500000004000
0000200000000420094070000002466303334323539302D663738612D346433342D613266342D34643666633835613536

```

	<u>656600000000</u>
1	<p>Locate</p> <p>In: attributes={ Name={ NameValue='rekeyKey', NameType='00000001' } }</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data: Tag: Name Value (0x420055), Type: Text String (0x07), Data: rekeyKey Tag: Name Type (0x420054), Type: Enumeration (0x05), Data: 0x00000001 (Uninterpreted text string) </pre> <p>42007801000000A04200770100000038420069010000002042006A0200000004000000010000000042006B02000000040000000000042000D0200000004000000010000000042000F010000005842005C05000000040000008000000004200790100000040420008010000003842000A07000000044E616D65000000042000B0100000020420055070000000872656B65794B657942005405000000040000000100000000</p> <p>Out: uuidKey</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B742476 (Thu Feb 11 16:38:30 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: f0342590-f78a-4d34-a2f4-4d6fc85a56ef </pre> <p>42007B01000000B042007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040000000000042009209000000080000000004B74247642000D0200000004000000010000000042000F010000005842005C0500000004000000080000000042007F0500000004000000000000000042007C0100000030420094070000002466303334323539302D663738612D346433342D613266342D3464366633835613536656600000000</p>
2	<p>Rekey</p> <p>In: uuidKey, attributes={ ActivationDate='0000000043B7B630', ProcessStartDate='0000000043B7B630', ProtectStopDate='000000005E0C7BB0', DeactivationDate='000000005E0C7BB0' }</p>

```

Tag: Request Message (0x420078), Type: Structure (0x01), Data:
  Tag: Request Header (0x420077), Type: Structure (0x01), Data:
    Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:
      Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)
      Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)
      Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)
      Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
        Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000004 (Re-key)
        Tag: Request Payload (0x420079), Type: Structure (0x01), Data:
          Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: f0342590-f78a-4d34-a2f4-4d6fc85a56ef
          Tag: Template-Attribute (0x420091), Type: Structure (0x01), Data:
            Tag: Attribute (0x420008), Type: Structure (0x01), Data:
              Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Activation Date
              Tag: Attribute Value (0x42000B), Type: Date-Time (0x09), Data: 0x0000000043B7B630 (Sun Jan 01 12:00:00 CET 2006)
            Tag: Attribute (0x420008), Type: Structure (0x01), Data:
              Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Process Start Date
              Tag: Attribute Value (0x42000B), Type: Date-Time (0x09), Data: 0x0000000043B7B630 (Sun Jan 01 12:00:00 CET 2006)
            Tag: Attribute (0x420008), Type: Structure (0x01), Data:
              Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Protect Stop Date
              Tag: Attribute Value (0x42000B), Type: Date-Time (0x09), Data: 0x000000005E0C7BB0 (Wed Jan 01 12:00:00 CET 2020)
            Tag: Attribute (0x420008), Type: Structure (0x01), Data:
              Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Deactivation Date
              Tag: Attribute Value (0x42000B), Type: Date-Time (0x09), Data: 0x000000005E0C7BB0 (Wed Jan 01 12:00:00 CET 2020)

42007801000001704200770100000038420069010000002042006A020000000400000001000000042006B020000000400000000042000D020000000400000001000000042000F010000012842005C050000000400000004000000042000790100000110420094070000002466303334323539302D663738612D34643342D613266342D346436666338356135366566000000042009101000000D8420008010000002842000A070000000F41637469766174696F6E20446174650042000B09000000080000000043B7B630420008010000003042000A070000001250726F63657373205374617274204461746500000000042000B09000000080000000043B7B630420008010000003042000A070000001150726F746563742053746F702044617465000000000000042000B0900000008000000005E0C7BB0420008010000003042000A0700000011446561637469766174696F6E20446174650000000000000042000B0900000008000000005E0C7BB0

```

Out: uuidNewKey

```

Tag: Response Message (0x42007B), Type: Structure (0x01), Data:
  Tag: Response Header (0x42007A), Type: Structure (0x01), Data:
    Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:
      Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)
      Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)
      Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B742477 (Thu Feb 11 16:38:31 CET 2010)
      Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)
      Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
        Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000004 (Re-key)
        Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)
        Tag: Response Payload (0x42007C), Type: Structure (0x01), Data:
          Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: a3fa6e5c-1397-4ab4-9d12-

```

	<u>ff6ffaa75fbcd</u> <u>42007B01000000B042007A0100000048420069010000002042006A0200000004000000010000000042006B020000000400000000000000004200920900000008000000004B74247742000D0200000004000000010000000042000F010000005842005C0500000004000000040000000042007F0500000004000000000000000042007C010000003042009407000000246133661366535632D313339372D346162342D396431322D6666366666161373566626400000000</u>
3	<p>Get Attribute</p> <p>In: <code>uuidKey, attributeName={'Name'}</code></p> <p>Out: Operation Failed, Item Not Found</p> <pre>Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: f0342590-f78a-4d34-a2f4-4d6fc85a56ef Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name <u>42007801000000A04200770100000038420069010000002042006A0200000004000000010000000042006B020000000400000000000042000D0200000004000000010000000042000F010000005842005C05000000040000000B000000004200790100000040420094070000002466303334323539302D663738612D346433342D613266342D3464366663383561353665660000000042000A07000000044E616D6500000000</u> <p>Out: uuidKey</p> <pre>Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B742477 (Thu Feb 11 16:38:31 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: f0342590-f78a-4d34-a2f4-4d6fc85a56ef <u>42007B01000000B042007A0100000048420069010000002042006A0200000004000000010000000042006B020000000400000000000000004200920900000008000000004B74247742000D0200000004000000010000000042000F010000005842005C05000000040000000B0000000042007F0500000004000000000000000042007C0100000030420094070000002466303334323539302D663738612D346433342D613266342D34643666633835613536656600000000</u> </pre></pre>
4	<p>Get Attribute</p> <p>In: <code>uuidKey, attributeName={'ActivationDate', 'ProcessStartDate', 'ProtectStopDate', 'DeactivationDate'}</code></p>

Tag: Request Message (0x420078), Type: Structure (0x01), Data:
Tag: Request Header (0x420077), Type: Structure (0x01), Data:
Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:
Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)
Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)
Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)
Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes)
Tag: Request Payload (0x420079), Type: Structure (0x01), Data:
Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: a3fa6e5c-1397-4ab4-9d12-ff6ffaa75fdb
Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Activation Date
Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Process Start Date
Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Protect Stop Date
Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Deactivation Date

Out: `uuidKey, attribute={ ActivationDate='0000000043B7B630', ProcessStartDate='0000000043B7B630', ProtectStopDate='000000005E0C7BB0', DeactivationDate='000000005E0C7BB0' }`

Tag: Response Message (0x42007B), Type: Structure (0x01), Data:
Tag: Response Header (0x42007A), Type: Structure (0x01), Data:
Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:
Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)
Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)
Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B742477 (Thu Feb 11
16:38:31 CET 2010)
Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)
Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes)
Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)
Tag: Response Payload (0x42007C), Type: Structure (0x01), Data:
Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: a3fa6e5c-1397-4ab4-9d12-
ff6ffaa75fbdb
Tag: Attribute (0x420008), Type: Structure (0x01), Data:
Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Activation Date
Tag: Attribute Value (0x42000B), Type: Date-Time (0x09), Data: 0x0000000043B7B630 (Sun
Jan 01 12:00:00 CET 2006)
Tag: Attribute (0x420008), Type: Structure (0x01), Data:
Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Process Start Date
Tag: Attribute Value (0x42000B), Type: Date-Time (0x09), Data: 0x0000000043B7B630 (Sun
Jan 01 12:00:00 CET 2006)
Tag: Attribute (0x420008), Type: Structure (0x01), Data:
Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Protect Stop Date
Tag: Attribute Value (0x42000B), Type: Date-Time (0x09), Data: 0x000000005E0C7BB0 (Wed

	<pre> Jan 01 12:00:00 CET 2020) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Deactivation Date Tag: Attribute Value (0x42000B), Type: Date-Time (0x09), Data: 0x00000005E0C7BB0 (Wed Jan 01 12:00:00 CET 2020) 42007B010000018842007A0100000048420069010000002042006A020000000400000001000000042006B02000000040 000000000000004200920900000008000000004B74247742000D020000000400000001000000042000F010000013042 005C050000000040000000B0000000042007F0500000004000000000000000042007C01000001084200940700000024613 36661366535632D31339372D346162342D396431322D6666366666161373566264000000042000801000000284200 0A070000000F41637469766174696F6E20446174650042000B09000000080000000043B7B630420008010000003042000 A070000001250726F63657373205374617274204461746500000000000042000B09000000080000000043B7B630420008 010000003042000A070000001150726F746563742053746F7020446174650000000000000042000B09000000080000000 05E0C7BB042000801000003042000A070000011446561637469766174696F6E20446174650000000000000042000B09 0000008000000005E0C7BB0 </pre>
5	<p>Locate</p> <p>In: attributes={ Name={ NameValue='rekeyKey', NameType='00000001' } }</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data: Tag: Name Value (0x420055), Type: Text String (0x07), Data: rekeyKey Tag: Name Type (0x420054), Type: Enumeration (0x05), Data: 0x00000001 (Uninterpreted text string) 42007801000000A04200770100000038420069010000002042006A020000000400000001000000042006B02000000040 0000000000000042000D020000000400000001000000042000F010000005842005C05000000040000008000000042 00790100000040420008010000003842000A0700000044E616D650000000042000B010000020420055700000008726 56B65794B657942005405000000040000000100000000 </pre> <p>Out: uuidNewKey</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B742477 (Thu Feb 11 16:38:31 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) </pre>

	<pre> Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: a3fa6e5c-1397-4ab4-9d12-ff6ffaa75fb </pre> <p>42007B01000000B042007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040000000000004200920900000008000000004B74247742000D0200000004000000010000000042000F010000005842005C0500000004000000080000000042007F0500000004000000000000000042007C0100000030420094070000002461336661366535632D313339372D346162342D396431322D6666366666161373566626400000000 </p>
6	<p>Destroy</p> <p>In: <code>uuidKey</code></p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: f0342590-f78a-4d34-a2f4-4d6fc85a56ef </pre> <p>42007801000000904200770100000038420069010000002042006A0200000004000000010000000042006B020000000400000000000042000D0200000004000000010000000042000F010000004842005C0500000004000001400000004200790100000030420094070000002466303334323539302D663738612D346433342D613266342D346436666338356135366600000000</p> <p>Out: <code>uuidKey</code></p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B742478 (Thu Feb 11 16:38:32 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: f0342590-f78a-4d34-a2f4-4d6fc85a56ef </pre> <p>42007B01000000B042007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040000000000004200920900000008000000004B74247842000D0200000004000000010000000042000F010000005842005C0500000004000000140000000042007F0500000004000000000000000042007C0100000030420094070000002466303334323539302D663738612D346433342D613266342D34643666633835613536656600000000</p>
7	<p><u>Revoke (symmetric key as cessation of operation) and Destroy</u></p> <p>In <code>(header): batchOrderOption='TRUE'</code></p>

In: uuidNewKey, revocationReasonCode='6'

In: uuidNewKey

```

Tag: Request Message (0x420078), Type: Structure (0x01), Data:
  Tag: Request Header (0x420077), Type: Structure (0x01), Data:
    Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:
      Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)
      Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)
      Tag: Batch Order Option (0x420010), Type: Boolean (0x06), Data: TRUE
      Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000002 (2)
      Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
        Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000013 (Revoke)
        Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 3DC816BB39869D07
        Tag: Request Payload (0x420079), Type: Structure (0x01), Data:
          Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: a3fa6e5c-1397-4ab4-9d12-ff6ffaa75fb
        Tag: Revocation Reason (0x420081), Type: Structure (0x01), Data:
        Tag: Revocation Reason Code (0x420082), Type: Enumeration (0x05), Data: 0x00000006 (Cessation of Operation)
      Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
        Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy)
        Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 32B517312FD5B558
        Tag: Request Payload (0x420079), Type: Structure (0x01), Data:
          Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: a3fa6e5c-1397-4ab4-9d12-ff6ffaa75fb

```

42007801000001284200770100000048420069010000002042006A0200000004000000010000000042006B0200000004000000000004200100600000080000000000000000142000D020000000400000002000000042000F010000007042005C0500000004000000130000000042009308000000083DC816BB39869D074200790100000048420094070000002461336661366535632D313339372D346162342D396431322D666661613735666264000000042008101000000104200820500000004000000060000000042000F010000005842005C0500000004000000140000000420093080000000832B517312FD5B5584200790100000030420094070000002461336661366535632D313339372D346162342D396431322D6666636666161373566626400000000

Out: uuidNewKey

Out: uuidNewKey

```

Tag: Response Message (0x42007B), Type: Structure (0x01), Data:
  Tag: Response Header (0x42007A), Type: Structure (0x01), Data:
    Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:
      Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)
      Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)
      Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B742478 (Thu Feb 11 16:38:32 CET 2010)
      Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000002 (2)
      Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
        Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000013 (Revoke)
        Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 3DC816BB39869D07
        Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)
        Tag: Response Payload (0x42007C), Type: Structure (0x01), Data:
          Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: a3fa6e5c-1397-4ab4-9d12-

```

	<pre>ff6ffaa75fbcd Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 32B517312FD5B558 Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: a3fa6e5c-1397-4ab4-9d12- ff6ffaa75fbcd 42007B010000013042007A010000048420069010000002042006A0200000004000000010000000042006B02000000040 000000000000000420092090000008000000004B7424784200D0200000004000000200000004200F01000006842 005C050000000400000013000000004200930800000083DC816BB39869D0742007F05000000040000000000000000420 07C0100000030420094070000002461336661366535632D313339372D346162342D396431322D6666366666161373566 6264000000042000F01000006842005C050000000400000014000000042009308000000832B517312FD5B55842007 F0500000004000000000000000042007C010000030420094070000002461336661366535632D313339372D346162342D 396431322D666636666616137356626400000000</pre>
--	--

223

224

225 **9.59.5 Use-case: Obtain Lease for Expired Key**

226 Create a symmetric key with a specific name and obtain a lease. Revoke the key with state
 227 “Compromised” and re-key the key. Try to obtain a lease on the old key which fails. Locate the new key
 228 with the original name. Get the new key and obtain a lease.

229

Time	Client A	Client B
0	<p>Client A:</p> <p>Create (symmetric key)</p> <p>In: objectType='00000002', attributes={ CryptographicAlgorithm='AES', CryptographicLength='128', CryptographicUsageMask='0000000C', Name={ NameValue='rekeyKey', NameType='00000001' }, ActivationDate='2"<NOW>' }</p> <pre>Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000001 (Create) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key)</pre>	

<pre> Tag: Template-Attribute (0x420091), Type: Structure (0x01), Data: Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Algorithm Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000003 (AES) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Length Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x00000080 (128) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Usage Mask Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x0000000C (Encrypt, Decrypt) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data: Tag: Name Value (0x420055), Type: Text String (0x07), Data: rekeyKey Tag: Name Type (0x420054), Type: Enumeration (0x05), Data: 0x00000001 (Uninterpreted text string) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Activation Date Tag: Attribute Value (0x42000B), Type: Date-Time (0x09), Data: 0x00000004B74262C (Thu Feb 11 16:45:48 CET 2010) 4200780100000190420077010000003842006901000002042006A02000000040 00000010000000042006B0200000004000000000000000042000D020000000400 00000100000000042000F010000014842005C0500000004000000010000000420 0790100000130420057050000000400000002000000042009101000001184200 08010000003042000A070000001743727970746F6772617068696320416C676F7 26974686D0042000B0500000004000000030000000420008010000003042000A 070000001443727970746F67726170686963204C656E6774680000000042000B0 20000000040000000800000000420008010000003042000A070000001843727970 746F67726170686963205573616765204D61736B42000B02000000040000000C0 0000000420008010000003842000A07000000044E616D650000000042000B0100 00002042005507000000872656B65794B6579420054050000000400000001000 00000420008010000002842000A070000000F41637469766174696F6E20446174 650042000B0900000008000000004B74262C</pre> <p>Out: objectType='00000002', uuidKey</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data:</pre>	
---	--

	<pre> 0x000000004B74262D (Thu Feb 11 16:45:49 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000001 (Create) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: ca368e33-dc3d-4c7c-8f6d-262895bc31ce 42007B01000000C042007A010000004842006901000002042006A02000000040 00000010000000042006B02000000040000000000000000420092090000000800 000004B74262D42000D0200000004000000010000000042000F0100000068420 05C0500000004000000010000000042007F050000000400000000000000004200 7C0100000040420057050000004000000020000000420094070000002463613 336386533332D646333642D346337632D386636642D3236323839356263333163 6500000000 </pre>	
1	<p><u>Client A:</u></p> <p>Get (symmetric key)</p> <p>In: uuidKey</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: ca368e33-dc3d-4c7c-8f6d-262895bc31ce 4200780100000090420077010000003842006901000002042006A02000000040 00000010000000042006B0200000004000000000000000042000D020000000400 0000010000000042000F010000004842005C05000000040000000A00000000420 07901000003042009407000000246361333638653332D646333642D34633763 2D386636642D32363238393562633316365000000000 </pre> <p>Out: objectType = '00000002', uuidKey, symmetricKey</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), </pre>	

	<pre> Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B74262D (Thu Feb 11 16:45:49 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: ca368e33-dc3d-4c7c-8f6d-262895bc31ce Tag: Symmetric Key (0x42008F), Type: Structure (0x01), Data: Tag: Key Block (0x420040), Type: Structure (0x01), Data: Tag: Key Format Type (0x420042), Type: Enumeration (0x05), Data: 0x00000001 Tag: Key Value (0x420045), Type: Structure (0x01), Data: Tag: Key Material (0x420043), Type: Octet String (0x08), Data: F43C7798AACB22B1411A8773C199708B Tag: Cryptographic Algorithm (0x420028), Type: Enumeration (0x05), Data: 0x00000003 (AES) Tag: Cryptographic Length (0x42002A), Type: Integer (0x02), Data: 0x00000080 (128) 42007B010000012042007A010000004842006901000002042006A0200000040000001000000042006B020000004000000000000042009209000000080000004B74262D42000D0200000040000001000000042000F01000000C842005C0500000004000000A000000042007F0500000004000000000000000042007C01000000A0420057050000000400000002000000042009407000000246361333638653332D646333642D346337632D386636642D323632383935626333316365000000042008F010000005842004001000000504200420500000004000000010000000042004501000000184200430800000010F43C7798AACB22B1411A8773C199708B420028050000004000000030000000042002A020000004000000800000000 </pre>	
2	<p><u>Client A:</u></p> <p>Obtain Lease</p> <p>In: uuidKey</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: </pre>	

	<pre> 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000010 (Obtain Lease) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: ca368e33-dc3d-4c7c-8f6d-262895bc31ce 4200780100000090420077010000003842006901000002042006A02000000040 00000010000000042006B02000000400000000000000042000D020000000400 0000010000000042000F010000004842005C0500000004000000100000000420 0790100000304200940700000246361333638653332D646333642D34633763 2D386636642D32363238393562633316365000000004200490A00000004000000 1000000000420048090000000800000004B74262D </pre> <p>Out: <code>uuidKey, leaseTime, lastChangeDate</code></p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B74262E (Thu Feb 11 16:45:50 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000010 (Obtain Lease) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: ca368e33-dc3d-4c7c-8f6d-262895bc31ce Tag: Lease Time (0x420049), Type: Interval (0x0A), Data: 0x000000010 Tag: Last Change Date (0x420048), Type: Date-Time (0x09), Data: 0x000000004B74262D (Thu Feb 11 16:45:49 CET 2010) 42007B01000000D042007A01000004842006901000002042006A02000000040 00000010000000042006B020000004000000000000000420092090000000800 0000004B74262E42000D0200000004000000010000000042000F0100000078420 05C0500000000400000010000000042007F050000000400000000000000004200 7C01000000504200940700000246361333638653332D646333642D346337632 D386636642D32363238393562633316365000000004200490A00000004000000 1000000000420048090000000800000004B74262D </pre>	
3	<p><u>Client B:</u></p> <p><u>Revoke (symmetric key as compromised)</u></p> <p><u>In: <code>uuidKey, RevocationReason='00000002', CompromiseOccurrenceDate='<NOW>'</code></u></p>	<p><u>Revoke (symmetric key as compromised)</u></p> <p><u>In: <code>uuidKey, RevocationReason='00000002', CompromiseOccurrenceDate='6'</code></u></p>

<pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000013 (Revoke) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: ca368e33-dc3d-4c7c-8f6d-262895bc31ce Tag: Revocation Reason (0x420081), Type: Structure (0x01), Data: Tag: Revocation Reason Code (0x420082), Type: Enumeration (0x05), Data: 0x00000002 (Key Compromise) Tag: Compromise Occurrence Date (0x420021), Type: Date-Time (0x09), Data: 0x000000004B74262E (Thu Feb 11 16:45:50 CET 2010) 42007801000000B84200770100000038420069010000002042006A02000000040 00000010000000042006B0200000004000000000000000042000D020000000400 0000010000000042000F010000007042005C0500000004000001300000000420 07901000005842009407000002463613336386533332D646333642D34633763 2D386636642D32363238393562633331636500000000420081010000001042008 205000000040000000200000004200210900000008000000004B74262E </pre>	<p>Out: <code>uuidKey</code></p>
<pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B74262E (Thu Feb 11 16:45:50 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000013 (Revoke) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: ca368e33-dc3d-4c7c-8f6d-262895bc31ce 42007B01000000B042007A0100000048420069010000002042006A02000000040 00000010000000042006B02000000040000000000000000420092090000000800 </pre>	

	<pre>0000004B74262E42000D0200000004000000010000000042000F0100000058420 05C0500000004000000130000000042007F05000000040000000000000000004200 7C010000003042009407000000246361333638653332D646333642D346337632 D386636642D323632383935626333163650000000</pre>	
4	<p><u>Client B:</u></p> <p><u>Rekey</u></p> <p><u>In: uuidKey</u></p> <pre>Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000004 (Re-key) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: ca368e33-dc3d-4c7c-8f6d-262895bc31ce 4200780100000090420077010000003842006901000002042006A02000000040 00000010000000042006B0200000004000000000000000042000D020000000400 0000010000000042000F010000004842005C05000000040000000400000000420 079010000003042009407000000246361333638653332D646333642D346337632 2D386636642D3236323839356263331636500000000</pre> <p><u>Out: uuidNewKey</u></p> <pre>Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B74262F (Thu Feb 11 16:45:51 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000004 (Re-key) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 59fbf81d-574f-4f4f-9581-7785dc593f5f</pre>	<p><u>Rekey</u></p> <p><u>In: uuidKey, offset='0'</u></p> <p><u>Out: uuidNewKey</u></p>

	<pre>42007B01000000B042007A0100000048420069010000002042006A02000000040 00000010000000042006B02000000040000000000000000420092090000000800 0000004B74262F42000D0200000004000000010000000042000F0100000058420 05C050000000400000004000000042007F050000000400000000000000004200 7C01000003042009407000002435396662663831642D353734662D346634662 D393538312D37373835646335393366356600000000</pre>	
5	<p>Client A:</p> <p>Obtain Lease</p> <p>In: uuidKey</p> <pre>Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000010 (Obtain Lease) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: ca368e33-dc3d-4c7c-8f6d-262895bc31ce 42007801000000904200770100000038420069010000002042006A02000000040 00000010000000042006B0200000004000000000000000042000D020000000400 0000010000000042000F010000004842005C05000000040000001000000000420 079010000030420094070000024631333638653332D646333642D34633763 2D386636642D3236323839356263331636500000000</pre> <p>Out: Operation Failed, Permission Denied</p> <pre>Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B74262F (Thu Feb 11 16:45:51 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000010 (Obtain Lease) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000001 (Operation Failed) Tag: Result Reason (0x42007E), Type: Enumeration (0x05),</pre>	

	<pre> Data: 0x0000000C (Permission Denied) Tag: Result Message (0x42007D), Type: Text String (0x07), Data: CO is in state Compromised, no lease given 42007B01000000C042007A010000004842006901000002042006A02000000040 00000010000000042006B02000000040000000000000000420092090000000800 0000004B74262F42000D020000000400000001000000042000F0100000068420 05C050000000400000010000000042007F05000000400000001000000004200 7E0500000004000000C000000042007D070000002A434F20697320696E20737 461746520436F6D70726F6D697365642C206E6F206C6561736520676976656E00 000000000 </pre>	
6	<p><u>Client A:</u></p> <p>Locate (symmetric key)</p> <p>In: attributes={ Name={ NameValue='rekeyKey', NameType='00000001' } }</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data: Tag: Name Value (0x420055), Type: Text String (0x07), Data: rekeyKey Tag: Name Type (0x420054), Type: Enumeration (0x05), Data: 0x00000001 (Uninterpreted text string) 42007801000000A0420077010000003842006901000002042006A02000000040 00000010000000042006B0200000004000000000000000042000D020000000400 000001000000042000F010000005842005C05000000040000008000000004200 079010000040420008010000003842000A0700000044E616D65000000004200 0B010000002042005507000000872656B65794B6579420054050000000400000 00100000000 </pre> <p>Out: uuidNewKey</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer </pre>	

	<pre>(0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B74262F (Thu Feb 11 16:45:51 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 59fbf81d-574f-4f4f-9581-7785dc593f5f 42007B01000000B042007A010000004842006901000002042006A0200000040 00000010000000042006B0200000040000000000000000420092090000000800 0000004B74262F42000D0200000040000001000000042000F0100000058420 05C050000004000000080000000042007F0500000004000000000000000004200 7C010000003042009407000002435396662663831642D353734662D346634662 D393538312D37373835646335393366356600000000</pre>	
7	<p>Client A:</p> <p>Get (symmetric key)</p> <p>In: uuidNewKey</p> <pre>Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 59fbf81d-574f-4f4f-9581-7785dc593f5f 4200780100000090420077010000003842006901000002042006A0200000040 00000010000000042006B020000004000000000000000042000D020000000400 0000010000000042000F010000004842005C05000000040000000A00000000420 079010000003042009407000002435396662663831642D353734662D34663466 2D393538312D37373835646335393366356600000000</pre> <p>Out: objectType = '00000002', uuidNewKey, newSymmetricKey</p> <pre>Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data:</pre>	

	<pre> Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x00000004B74262F (Thu Feb 11 16:45:51 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 59fbf81d-574f-4f4f-9581-7785dc593f5f Tag: Symmetric Key (0x42008F), Type: Structure (0x01), Data: Tag: Key Block (0x420040), Type: Structure (0x01), Data: Tag: Key Format Type (0x420042), Type: Enumeration (0x05), Data: 0x00000001 Tag: Key Value (0x420045), Type: Structure (0x01), Data: Tag: Key Material (0x420043), Type: Octet String (0x08), Data: 173E9499F7C573712AFB9883B5DF2BCE Tag: Cryptographic Algorithm (0x420028), Type: Enumeration (0x05), Data: 0x00000003 (AES) Tag: Cryptographic Length (0x42002A), Type: Integer (0x02), Data: 0x00000080 (128) 42007B010000012042007A0100000048420069010000002042006A02000000040 00000010000000042006B02000000040000000000000000420092090000000800 0000004B74262F42000D0200000004000000010000000042000F01000000C8420 05C05000000040000000A0000000042007F050000000400000000000000004200 7C01000000A04200570500000040000000200000000420094070000002435396 662663831642D353734662D346634662D393538312D3737383564633539336635 660000000042008F0100000058420040010000005042004205000000040000000 1000000004200450100000184200430800000010173E9499F7C573712AFB9883 B5DF2BCE420028050000004000000030000000042002A0200000004000000800 00000000 </pre>	
8	<p><u>Client A:</u></p> <p>Obtain Lease</p> <p>In: uuidNewKey</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) </pre>	

	<pre> Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000010 (Obtain Lease) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 59fbf81d-574f-4f4f-9581-7785dc593f5f </pre> <hr/> <pre> 42007801000000904200770100000038420069010000002042006A02000000040 00000010000000042006B0200000004000000000000000042000D020000000400 0000010000000042000F010000004842005C0500000004000001000000000420 07901000003042009407000002435396662663831642D353734662D34663466 2D393538312D37373835646335393366356600000000 </pre> <p>Out: uuidNewKey, leaseTime, lastChangeDate</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B74262F (Thu Feb 11 16:45:51 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000010 (Obtain Lease) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 59fbf81d-574f-4f4f-9581-7785dc593f5f Tag: Lease Time (0x420049), Type: Interval (0x0A), Data: 0x00000000 Tag: Last Change Date (0x420048), Type: Date-Time (0x09), Data: 0x000000004B74262F (Thu Feb 11 16:45:51 CET 2010) </pre> <hr/> <pre> 42007B01000000D042007A0100000048420069010000002042006A02000000040 00000010000000042006B02000000040000000000000000420092090000000800 0000004B74262F42000D020000000400000010000000042000F0100000078420 05C050000000400000010000000042007F050000000400000000000000004200 7C010000005042009407000002435396662663831642D353734662D346634662 D393538312D373738356463353933663566000000004200490A00000004000000 00000000042004809000000800000004B74262F </pre>	
9	<p><u>Client A:</u></p> <p>Destroy</p> <p>In: uuidKey</p>	

	<pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: ca368e33-dc3d-4c7c-8f6d-262895bc31ce 4200780100000090420077010000003842006901000002042006A02000000040 00000010000000042006B0200000004000000000000000042000D020000000400 0000010000000042000F010000004842005C050000000400000140000000420 0790100000304200940700000246361333638653332D646333642D34633763 2D386636642D3236323839356263331636500000000 </pre> <p>Out: uuidKey</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B74262F (Thu Feb 11 16:45:51 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: ca368e33-dc3d-4c7c-8f6d-262895bc31ce 42007B01000000B042007A010000004842006901000002042006A02000000040 00000010000000042006B02000000040000000000000000420092090000000800 0000004B74262F42000D02000000040000001000000042000F0100000058420 05C05000000040000014000000042007F0500000040000000000000004200 7C01000000304200940700000246361333638653332D646333642D346337632 D386636642D3236323839356263331636500000000 </pre>	
10	<p><u>Client A:</u></p> <p><u>Revoke (symmetric key as cessation of operation) and Destroy</u></p>	

<pre> In <u>(header): batchOrderOption='TRUE'</u> In: <u>uuidNewKey, revocationReasonCode='6'</u> In: <u>uuidNewKey</u> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Order Option (0x420010), Type: Boolean (0x06), Data: TRUE Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000002 (2) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000013 (Revoke) Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 3748B9E243205BA7 Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 59fbf81d-574f-4f4f-9581-7785dc593f5f Tag: Revocation Reason (0x420081), Type: Structure (0x01), Data: Tag: Revocation Reason Code (0x420082), Type: Enumeration (0x05), Data: 0x00000006 (Cessation of Operation) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 04EAF416D0BEB50D Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 59fbf81d-574f-4f4f-9581-7785dc593f5f 4200780100000128420077010000004842006901000002042006A02000000040 00000010000000042006B02000000040000000000000000420010060000000800 0000000000000142000D020000000400000002000000042000F0100000070420 05C05000000040000013000000042009308000000083748B9E243205BA74200 790100000048420094070000002435396662663831642D353734662D346634662 D393538312D373738356463353933663566000000004200810100000010420082 050000000400000006000000042000F010000005842005C05000000040000001 40000000042009308000000804EAF416D0BEB50D420079010000003042009407 0000002435396662663831642D353734662D346634662D393538312D373738356 463353933663566000000000 Out: <u>uuidNewKey</u> Out: <u>uuidNewKey</u> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: </pre>	
--	--

	<pre> Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x00000004B74262F (Thu Feb 11 16:45:51 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000002 (2) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000013 (Revoke) Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 3748B9E243205BA7 Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 59fbf81d-574f-4f4f-9581-7785dc593f5f Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 04EAF416D0BEB50D Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 59fbf81d-574f-4f4f-9581-7785dc593f5f 42007B010000013042007A0100000048420069010000002042006A02000000040 00000010000000042006B02000000040000000000000000420092090000000800 0000004B74262F42000D02000000040000000020000000042000F0100000068420 05C0500000004000000013000000042009308000000083748B9E243205BA74200 7F0500000004000000000000000042007C01000000030420094070000002435396 662663831642D353734662D346634662D393538312D3737383564633539336635 660000000042000F01000006842005C050000000400000014000000004200930 80000000804EAF416D0BEB50D42007F0500000004000000000000000042007C01 000000304200940700000243539662663831642D353734662D346634662D393 538312D37373835646335393366356600000000 </pre>
--	--

230

10.10 Archival

231

232 These use-cases test archiving and locating keys using the off-line indicator. If the server performs the
 233 Archive and Recover operations asynchronously, the client Polls the server until the operations complete.
 234 The client indicates in the request that it supports asynchronous responses.

10.110.1 Use-case: Create a Key, Archive and Recover it

235 Create a symmetric key with a specified name, then use Locate to find the key and get the key. Archive
 236 the key (asynchronous operation, use Poll until it completes) and use Get and Locate on it, but both fail.
 237 Add the Storage Status Mask to the Locate-command, indicating to the server to search in both online

240 and archived storage. The Locate finds the key. Recover the key from the archive (also asynchronous),
 241 both Locate and Get succeed.
 242

Time	Client A
0	<p>Create (symmetric key)</p> <p>In: objectType='00000002', attributes={ CryptographicAlgorithm='AES', CryptographicLength='128', CryptographicUsageMask='0000000C', Name={ NameValue='archiveKey', NameType='00000001' } }</p> <p>Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000001 (Create) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Template-Attribute (0x420091), Type: Structure (0x01), Data: Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Algorithm Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000003 (AES) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Length Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x00000080 (128) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Usage Mask Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x0000000C (Encrypt, Decrypt) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data: Tag: Name Value (0x420055), Type: Text String (0x07), Data: archiveKey Tag: Name Type (0x420054), Type: Enumeration (0x05), Data: 0x00000001 (Uninterpreted text string)</p> <p>42007801000001684200770100000038420069010000002042006A0200000004000000010000000042006B0200000004000000000042000D0200000004000000010000000042000F010000012042005C05000000040000001000000004200790100000108420057050000000400000002000000042009101000000F0420008010000003042000A070000001743727970746F6772617068696320416C676F726974686D0042000B050000000400000030000000420008010000003042000A070000001443727970746F67726170686963204C656E677468000000042000B02000000040000008000000004200080100000003042000A070000001843727970746F67726170686963205573616765204D61736B42000B02000000040000000C00000000420008010000004042000A07000000044E616D650000000042000B0100000028420055070000000A617263686976654B65790000000000042005405000000040000000100000000</p> <p>Out: objectType='00000002', uuidKey</p> <p>Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data:</p>

	<pre> Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B751FA3 (Fri Feb 12 10:30:11 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000001 (Create) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 0d552160-fb04-4f7c-8a73- fef905b21c0f </pre> <p>42007B01000000C042007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040 0000000000000004200920900000008000000004B751FA342000D0200000004000000010000000042000F010000006842 005C0500000004000000010000000042007F0500000004000000000000000042007C01000000404200570500000004000 0000200000000420094070000002430643535323136302D666230342D346637632D386137332D66656639303562323163 306600000000 </p>
1	<p>Locate</p> <p>In: attributes={ Name={ NameValue='archiveKey', NameType='00000001' } }</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Object Type Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data: Tag: Name Value (0x420055), Type: Text String (0x07), Data: archiveKey Tag: Name Type (0x420054), Type: Enumeration (0x05), Data: 0x00000001 (Uninterpreted text string) </pre> <p>42007801000000D84200770100000038420069010000002042006A0200000004000000010000000042006B02000000040 00000000000000042000D0200000004000000010000000042000F010000009042005C050000000400000008000000042 00790100000078420008010000002842000A070000000B4F626A6563742054797065000000000042000B0500000004000 0000200000000420080010000004042000A07000000044E616D650000000042000B0100000028420055070000000A6172 63686976654B6579000000000042005405000000040000000100000000 </p> <p>Out: uuidKey</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: </pre>

	<pre> Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B751FA6 (Fri Feb 12 10:30:14 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 0d552160-fb04-4f7c-8a73- fef905b21c0f </pre> <p>42007B01000000B042007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040 0000000000000004200920900000008000000004B751FA642000D0200000004000000010000000042000F010000005842 005C0500000004000000080000000042007F0500000004000000000000000042007C0100000304200940700000024306 43535323136302D666230342D346637632D386137332D66656639303562323163306600000000 </p>
2	<p>Get (symmetric key)</p> <p>In: uuidKey</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 0d552160-fb04-4f7c-8a73- fef905b21c0f </pre> <p>42007801000000904200770100000038420069010000002042006A0200000004000000010000000042006B02000000040 00000000000000042000D0200000004000000010000000042000F010000004842005C0500000004000000A0000000042 00790100000030420094070000002430643535323136302D666230342D346637632D386137332D6665663930356232316 33066000000000 </p> <p>Out: objectType = '00000002', uuidKey, symmetricKey</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B751FA7 (Fri Feb 12 10:30:15 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) </pre>

	<pre> Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: Od552160-fb04-4f7c-8a73-fef905b21c0f Tag: Symmetric Key (0x42008F), Type: Structure (0x01), Data: Tag: Key Block (0x420040), Type: Structure (0x01), Data: Tag: Key Format Type (0x420042), Type: Enumeration (0x05), Data: 0x00000001 Tag: Key Value (0x420045), Type: Structure (0x01), Data: Tag: Key Material (0x420043), Type: Octet String (0x08), Data: C3200B1291BA648DB9089DED3073DE74 Tag: Cryptographic Algorithm (0x420028), Type: Enumeration (0x05), Data: 0x00000003 (AES) Tag: Cryptographic Length (0x42002A), Type: Integer (0x02), Data: 0x00000080 (128) 42007B010000012042007A0100000048420069010000002042006A0200000004000000010000000042006B020000000400000000000000004200920900000008000000004B751FA74200D0200000004000000010000000042000F01000000C842005C05000000040000000A0000000042007F0500000004000000000000000042007C01000000A042005705000000004000000200000000420094070000002430643535323136302D666230342D346637632D386137332D66656639303562323163306600000042008F0100000058420040010000005042004205000000400000010000000042004501000000184200430800000010C3200B1291BA648DB9089DED3073DE744200280500000004000000030000000042002A020000000400000008000000000 </pre>
3	<p>Archive</p> <p>In: <code>uuidKey, asynchronousIndicator='true'</code></p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Asynchronous Indicator (0x420007), Type: Boolean (0x06), Data: TRUE Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000015 (Archive) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: Od552160-fb04-4f7c-8a73-fef905b21c0f 42007801000000A04200770100000048420069010000002042006A0200000004000000010000000042006B0200000004000000000000000042000706000000080000000000000000142000D0200000004000000010000000042000F010000004842005C0500000004000000015000000004200790100000030420094070000002430643535323136302D666230342D346637632D386137332D66656639303562323163306600000000 </pre> <p>Out: <code>asynchronousCorrelationValue</code></p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x0000000004B751FA7 (Fri Feb 12 10:30:15 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) </pre>

	<pre> Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000015 (Archive) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000002 (Operation Pending) Tag: Asynchronous Correlation Value (0x420006), Type: Octet String (0x08), Data: F17893DB51652969 </pre> <p>42007B010000008842007A0100000048420069010000002042006A020000000400000001000000042006B020000000400000000000000004200920900000008000000004B751FA742000D020000000400000001000000042000F010000003042005C050000000400000015000000042007F050000000400000002000000004200060800000008F17893DB51652969</p>
4	<p>Poll*</p> <p>In: asynchronousCorrelationValue</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000001A (Poll) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Asynchronous Correlation Value (0x420006), Type: Octet String (0x08), Data: F17893DB51652969 </pre> <p>42007801000000704200770100000038420069010000002042006A0200000004000000010000000042006B0200000004000000000000000042000D0200000004000000010000000042000F010000002842005C05000000040000001A0000000042007901000000104200060800000008F17893DB51652969</p> <p>Out: uuidKey</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B751FAA (Fri Feb 12 10:30:18 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000015 (Archive) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 0d552160-fb04-4f7c-8a73-fef905b21c0f </pre> <p>42007B01000000B042007A0100000048420069010000002042006A020000000400000001000000042006B020000000400000000000000004200920900000008000000004B751FAA42000D020000000400000001000000042000F010000005842005C050000000400000015000000042007F0500000004000000000000000042007C0100000030420094070000002430643535323136302D666230342D346637632D386137332D6665663930356232316330660000000</p>
5	Get (symmetric key)

	<p>In: <u>uuidKey</u></p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 0d552160-fb04-4f7c-8a73-fef905b21c0f </pre> <p><u>42007801000000904200770100000038420069010000002042006A020000000400000001000000042006B02000000040000000000042000D020000000400000001000000042000F010000004842005C0500000004000000A000000004200790100000030420094070000002430643535323136302D666230342D346637632D386137332D66656639303562323163306600000000</u></p> <p>Out: Operation Failed, <u>Item Not Found Object Archived</u></p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B751FAC (Fri Feb 12 10:30:20 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000001 (Operation Failed) Tag: Result Reason (0x42007E), Type: Enumeration (0x05), Data: 0x0000000D (Object Archived) Tag: Result Message (0x42007D), Type: Text String (0x07), Data: Object is archived </pre> <p><u>42007B01000000A842007A0100000048420069010000002042006A020000000400000001000000042006B0200000004000000000004200920900000008000000004B751FAC42000D020000000400000001000000042000F010000005042005C0500000004000000A0000000042007F050000000400000001000000042007E0500000004000000D0000000042007D07000000124F626A6563742069732061726368697665640000000000000</u></p>
6	<p><u>Get Attribute (Archive Date)</u></p> <p>In: <u>uuidKey, attributeName='ArchiveDate'</u></p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes) </pre>

	<pre> Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 0d552160-fb04-4f7c-8a73- fef905b21c0f Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Archive Date 42007801000000A84200770100000038420069010000002042006A02000000400000001000000042006B02000000040 00000000000000042000D020000000400000001000000042000F010000006042005C0500000040000000B000000042 00790100000048420094070000002430643535323136302D666230342D346637632D386137332D6665663930356232316 330660000000042000A070000000C41726368697665204461746500000000 </pre> <p>Out: <u>uuidKey, attribute={ ArchiveDate }</u></p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B751FAC (Fri Feb 12 10:30:20 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 0d552160-fb04-4f7c-8a73- fef905b21c0f Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Archive Date Tag: Attribute Value (0x42000B), Type: Date-Time (0x09), Data: 0x000000004B751FAA (Fri Feb 12 10:30:18 CET 2010) 42007B01000000E042007A0100000048420069010000002042006A02000000400000001000000042006B02000000040 0000000000000004200920900000008000000004B751FAC42000D020000000400000001000000042000F010000008842 005C0500000004000000B0000000042007F050000000400000000000000042007C01000000604200940700000024306 43535323136302D666230342D346637632D386137332D666566393035623231633066000000042000801000000284200 0A070000000C4172636869766520446174650000000042000B0900000008000000004B751FAA </pre>
--	---

67

	<p>Locate</p> <p>In: attributes={ Name={ NameValue='archiveKey', NameType='00000001' } }</p> <p>Out: <u>Operation Failed, Item Not Found</u></p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Object Type Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric </pre>
--	---

Key)

```

Tag: Attribute (0x420008), Type: Structure (0x01), Data:
  Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name
  Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data:
    Tag: Name Value (0x420055), Type: Text String (0x07), Data: archiveKey
    Tag: Name Type (0x420054), Type: Enumeration (0x05), Data: 0x00000001 (Uninterpreted
text string)

42007801000000D84200770100000038420069010000002042006A0200000004000000010000000042006B02000000040
00000000000000042000D0200000004000000010000000042000F010000009042005C05000000040000008000000042
00790100000078420008010000002842000A07000000B4F626A656374205479706500000000042000B050000004000
000020000000420008010000004042000A0700000044E616D65000000042000B01000002842005507000000A6172
63686976654B657900000000004200540500000040000000100000000

```

Out: <empty response payload>

```

Tag: Response Message (0x42007B), Type: Structure (0x01), Data:
  Tag: Response Header (0x42007A), Type: Structure (0x01), Data:
    Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:
      Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)
      Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)
      Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B751FAC (Fri Feb 12
10:30:20 CET 2010)
      Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)
      Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
        Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate)
        Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)
        Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: null

42007B010000008042007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040
000000000000004200920900000008000000004B751FAC42000D0200000004000000010000000042000F010000002842
005C050000000400000080000000042007F0500000004000000000000000042007C0100000000

```

78

Locate

In: storageStatusMask='00000003', attributes={ Name={ NameValue='archiveKey', NameType='00000001' } }

```

Tag: Request Message (0x420078), Type: Structure (0x01), Data:
  Tag: Request Header (0x420077), Type: Structure (0x01), Data:
    Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:
      Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)
      Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)
      Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)
      Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
        Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate)
        Tag: Request Payload (0x420079), Type: Structure (0x01), Data:
          Tag: Storage Status Mask (0x42008E), Type: Integer (0x02), Data: 0x00000003 (3)
          Tag: Attribute (0x420008), Type: Structure (0x01), Data:
            Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Object Type
            Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric
Key)
            Tag: Attribute (0x420008), Type: Structure (0x01), Data:

```

	<pre> Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data: Tag: Name Value (0x420055), Type: Text String (0x07), Data: archiveKey Tag: Name Type (0x420054), Type: Enumeration (0x05), Data: 0x00000001 (Uninterpreted text string) 42007801000000E84200770100000038420069010000002042006A02000000400000001000000042006B02000000040 000000000000042000D02000000400000001000000042000F01000000A042005C05000000400000008000000042 0079010000008842008E020000004000000030000000420008010000002842000A070000000B4F626A6563742054797 065000000000042000B050000000400000020000000420008010000004042000A0700000044E616D65000000004200 0B0100000028420055070000000A617263686976654B657900000000000042005405000000040000000100000000 </pre> <p>Out: uuidKey</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B751FAC (Fri Feb 12 10:30:20 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 0d552160-fb04-4f7c-8a73- fef905b21c0f 42007B01000000B042007A0100000048420069010000002042006A02000000400000001000000042006B02000000040 00000000000004200920900000008000000004B751FAC42000D02000000400000001000000042000F010000005842 005C050000000400000080000000042007F050000000400000000000000042007C01000000304200940700000024306 43535323136302D666230342D346637632D386137332D66656639303562323163306600000000 </pre>
89	<p>Recover</p> <p>In: uuidKey, asynchronousIndicator='true'</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Asynchronous Indicator (0x420007), Type: Boolean (0x06), Data: TRUE Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000016 (Recover) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 0d552160-fb04-4f7c-8a73- fef905b21c0f 42007801000000A04200770100000048420069010000002042006A02000000400000001000000042006B02000000040 000000000000042007060000008000000000000000142000D02000000400000001000000042000F010000004842 005C05000000040000001600000004200790100000030420094070000002430643535323136302D666230342D3466376 </pre>

	<p><u>32D386137332D66656639303562323163306600000000</u></p> <p>Out: asynchronousCorrelationValue</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B751FAC (Fri Feb 12 10:30:20 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000016 (Recover) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000002 (Operation Pending) Tag: Asynchronous Correlation Value (0x420006), Type: Octet String (0x08), Data: <u>DDBB075607727F3F</u> </pre> <p><u>42007B010000008842007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040 000000000000004200920900000008000000004B751FAC42000D0200000004000000010000000042000F010000003042 005C0500000004000000160000000042007F05000000040000000200000004200060800000008DDBB075607727F3F</u></p>
<u>910</u>	<p>Poll*</p> <p>In: asynchronousCorrelationValue</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000001A (Poll) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Asynchronous Correlation Value (0x420006), Type: Octet String (0x08), Data: <u>DDBB075607727F3F</u> </pre> <p><u>42007801000000704200770100000038420069010000002042006A0200000004000000010000000042006B02000000040 0000000000000042000D0200000004000000010000000042000F010000002842005C05000000040000001A0000000042 007901000000104200060800000008DDBB075607727F3F</u></p> <p>Out: uuidKey</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B751FB3 (Fri Feb 12 10:30:27 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) </pre>

	<pre> Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000016 (Recover) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: Od552160-fb04-4f7c-8a73-fef905b21c0f 42007B01000000B042007A0100000048420069010000002042006A020000000400000001000000042006B020000000400000000000000004200920900000008000000004B751FB34200D020000000400000001000000042000F010000005842005C0500000004000000160000000042007F0500000004000000000000000042007C010000003042009407000000243064353532136302D666230342D346637632D386137332D66656639303562323163306600000000 </pre>
4011	<p>Get (symmetric key)</p> <p>In: uuidKey</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: Od552160-fb04-4f7c-8a73-fef905b21c0f 42007801000000904200770100000038420069010000002042006A020000000400000001000000042006B0200000004000000000000000042000D0200000004000000010000000042000F010000004842005C0500000004000000A00000000420079010000003042009407000000243064353532136302D666230342D346637632D386137332D66656639303562323163306600000000 </pre> <p>Out: objectType = '00000002', uuidKey, symmetricKey</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x0000000004B751FB3 (Fri Feb 12 10:30:27 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: Od552160-fb04-4f7c-8a73-fef905b21c0f Tag: Symmetric Key (0x42008F), Type: Structure (0x01), Data: Tag: Key Block (0x420040), Type: Structure (0x01), Data: Tag: Key Format Type (0x420042), Type: Enumeration (0x05), Data: 0x00000001 </pre>

	<pre> Tag: Key Value (0x420045), Type: Structure (0x01), Data: Tag: Key Material (0x420043), Type: Octet String (0x08), Data: C3200B1291BA648DB9089DED3073DE74 Tag: Cryptographic Algorithm (0x420028), Type: Enumeration (0x05), Data: 0x00000003 (AES) Tag: Cryptographic Length (0x42002A), Type: Integer (0x02), Data: 0x00000080 (128) 42007B010000012042007A0100000048420069010000002042006A020000000400000001000000042006B02000000040 00000000000000004200920900000008000000004B751FB34200D02000000040000000100000004200F01000000C842 005C0500000004000000A0000000042007F050000000400000000000000042007C01000000A04200570500000004000 0000200000000420094070000002430643535323136302D666230342D346637632D386137332D66656639303562323163 3066000000042008F0100000058420040010000050420042050000000400000010000000420045010000001842004 308000000010C3200B1291BA648DB9089DED3073DE744200280500000040000003000000042002A020000004000000 8000000000 </pre>
4112	<p>Destroy</p> <p>In: uuidKey</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 0d552160-fb04-4f7c-8a73- fef905b21c0f 42007801000000904200770100000038420069010000002042006A020000000400000001000000042006B02000000040 000000000000000042000D020000000400000001000000042000F010000004842005C05000000040000014000000042 00790100000030420094070000002430643535323136302D666230342D346637632D386137332D6665663930356232316 33066000000000 </pre> <p>Out: uuidKey</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B751FB4 (Fri Feb 12 10:30:28 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 0d552160-fb04-4f7c-8a73- fef905b21c0f 42007B01000000B042007A0100000048420069010000002042006A020000000400000001000000042006B02000000040 00000000000000004200920900000008000000004B751FB44200D020000000400000001000000042000F010000005842 </pre>

005C050000000400000014000000042007F050000004000000000000000000042007C0100000304200940700000024306
43535323136302D666230342D346637632D386137332D6665663930356232316330660000000

243

244

245 11 Access Control, Policies

246

247 These use-cases test attributes and objects related to access control and server policy.

248 11.1 Use-case: Credential, Operation Policy, Destroy Date

249 Pass a Credential object in the message header in all requests for identification purposes (how the
250 Credential object is used is defined in [\[KMIP-Prof\]](#)). Create a symmetric key and set the Operation Policy
251 Name attribute to “default”. Using another Credential, attempt to perform a Get operation batched with a
252 Get Attribute List on the created symmetric key – according to the Default Operation Policy, both these
253 request SHALL fail, and with the Batch Error Continuation Option set to “Continue”, the client SHALL also
254 receive both response payloads. Using the initially used Credential, destroy the object and get the
255 Destroy Date attribute.

256 The message exchanges in this use case are based on a certain server policy (e.g. handling of
257 Credentials) that in some aspects differs from the policy assumed in earlier use cases (e.g. in this use
258 case, the Destroy Date is retained). As mentioned in Section 1, the message exchanges shown in this
259 document are not the only correct alternatives.

260

Time	Request/Response
0	<p>Create (symmetric key)</p> <p>In (header): credential={ credentialType='1', credentialValue={ username="Fred", password="password1" } }</p> <p>In: objectType='00000002', attributes={ CryptographicAlgorithm='AES', CryptographicLength='128', CryptographicUsageMask='0000000C', Name={ NameValue='PolicyKey', NameType='00000001' }, OperationPolicyName='default', CryptographicParameters={ BlockCipherMode='1', PaddingMethod='3', HashingAlgorithm='4' } }</p> <p>Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Authentication (0x42000C), Type: Structure (0x01), Data: Tag: Credential (0x420023), Type: Structure (0x01), Data: Tag: Credential Type (0x420024), Type: Enumeration (0x05), Data: 0x00000001 (Username and Password) Tag: Credential Value (0x420025), Type: Structure (0x01), Data: Tag: Username (0x420099), Type: Text String (0x07), Data: Fred Tag: Password (0x4200A1), Type: Text String (0x07), Data: password1 Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000001 (Create) Tag: Request Payload (0x420079), Type: Structure (0x01), Data:</p>

```

Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key)
Tag: Template-Attribute (0x420091), Type: Structure (0x01), Data:
Tag: Attribute (0x420008), Type: Structure (0x01), Data:
Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Algorithm
Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000003 (AES)
Tag: Attribute (0x420008), Type: Structure (0x01), Data:
Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Length
Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x00000080 (128)
Tag: Attribute (0x420008), Type: Structure (0x01), Data:
Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Usage
Mask
Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x0000000C (Encrypt,
Decrypt)
Tag: Attribute (0x420008), Type: Structure (0x01), Data:
Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name
Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data:
Tag: Name Value (0x420055), Type: Text String (0x07), Data: PolicyKey
Tag: Name Type (0x420054), Type: Enumeration (0x05), Data: 0x00000001 (Uninterpreted
text string)
Tag: Attribute (0x420008), Type: Structure (0x01), Data:
Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Operation Policy Name
Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: default
Tag: Attribute (0x420008), Type: Structure (0x01), Data:
Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic
Parameters
Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data:
Tag: Block Cipher Mode (0x420011), Type: Enumeration (0x05), Data: 0x00000001 (CBC)
Tag: Padding Method (0x42005F), Type: Enumeration (0x05), Data: 0x00000003 (PKCS5)
Tag: Hashing Algorithm (0x420038), Type: Enumeration (0x05), Data: 0x00000004 (SHA-1)

42007801000002504200770100000088420069010000002042006A0200000004000000010000000042006B020000000040
00000000000000042000C0100000048420023010000004042002405000000040000000100000000420025010000002842
0099070000000446726564000000004200A1070000000970617373776F72643100000000000000042000D0200000004000
000010000000042000F01000001B842005C0500000004000000010000000042007901000001A042005705000000040000
0002000000004200910100000188420008010000003042000A070000001743727970746F6772617068696320416C676F7
26974686D0042000B05000000040000000300000000420008010000003042000A070000001443727970746F6772617068
6963204C656E677468000000042000B020000000400000008000000004200080100000003042000A07000000184372797
0746F67726170686963205573616765204D61736B42000B02000000040000000C00000000420008010000004042000A07
000000044E616D65000000042000B01000000284200550700000009506F6C6963794B6579000000000000000420054050
00000040000000100000000420008010000003042000A07000000154F7065726174696F6E20506F6C696379204E616D65
00000042000B070000000764656661756C7400420008010000005842000A070000001843727970746F677261706869632
0506172616D657465727342000B010000003042001105000000400000001000000042005F0500000004000000030000
00004200380500000004000000040000000
```

Out: objectType='00000002', uuidKey

```

Tag: Response Message (0x42007B), Type: Structure (0x01), Data:
Tag: Response Header (0x42007A), Type: Structure (0x01), Data:
Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:
Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)
Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)
Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B9F8B4B (Tue Mar 16
14:44:43 CET 2010)
Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)
```

	<pre> Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000001 (Create) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 63478615-8b6d-4c70-bc23-8d164817555b 42007B01000000C042007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040000000000004200920900000008000000004B9F8B4B42000D0200000004000000010000000042000F010000006842005C050000000400000010000000042007F0500000004000000000000000042007C0100000040420057050000000400000020000000042009407000002436333437383631352D386236642D346337302D626332332D38643136343831373535356200000000 </pre>
1	<p><u>Client A</u></p> <p><u>Get Attributes, Get</u></p> <pre> In (header): credential={ credentialType='1', credentialValue={ username="Fred", password="password1" } } In: attributeName='Operation Policy Name' In: uuidKey </pre> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Authentication (0x42000C), Type: Structure (0x01), Data: Tag: Credential (0x420023), Type: Structure (0x01), Data: Tag: Credential Type (0x420024), Type: Enumeration (0x05), Data: 0x00000001 (Username and Password) Tag: Credential Value (0x420025), Type: Structure (0x01), Data: Tag: Username (0x420099), Type: Text String (0x07), Data: Fred Tag: Password (0x4200A1), Type: Text String (0x07), Data: password1 Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000002 (2) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes) Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 4CBB6751574C4DA8 Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 63478615-8b6d-4c70-bc23-8d164817555b Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Operation Policy Name Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get) Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 0EA05EE703DA997B Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 63478615-8b6d-4c70-bc23-8d164817555b </pre> <pre> 42007801000001704200770100000088420069010000002042006A0200000004000000010000000042006B020000000400000000000042000C01000000484200230100000040420024050000000400000001000000004200250100000028420099070000000446726564000000004200A1070000000970617373776F726431000000000000000042000D02000000040000002000000042000F010000007842005C05000000040000000B0000000042009308000000084CBB6751574C4DA842007901000005042009407000002436333437383631352D386236642D346337302D626332332D3864313634383137353535 </pre>

5620000000042000A07000000154F7065726174696F6E20506F6C696379204E616D6500000042000F01000005842005C
050000000040000000A000000042009308000000080EA05EE703DA997B42007901000000304200940700000243633343
7383631352D386236642D346337302D626332332D38643136343831373535620000000

Out: attributes={ OperationPolicyName='Default' }

Out: objectType = '00000002', uuidKey, symmetricKey

Tag: Response Message (0x42007B), Type: Structure (0x01), Data:
Tag: Response Header (0x42007A), Type: Structure (0x01), Data:
Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:
Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)
Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)
Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B9F8B4C (Tue Mar 16
14:44:44 CET 2010)
Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000002 (2)
Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes)
Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 4CBB6751574C4DA8
Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)
Tag: Response Payload (0x42007C), Type: Structure (0x01), Data:
Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 63478615-8b6d-4c70-bc23-
8d164817555b
Tag: Attribute (0x420008), Type: Structure (0x01), Data:
Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Operation Policy Name
Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: default
Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get)
Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 0EA05EE703DA997B
Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)
Tag: Response Payload (0x42007C), Type: Structure (0x01), Data:
Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key)
Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 63478615-8b6d-4c70-bc23-
8d164817555b
Tag: Symmetric Key (0x42008F), Type: Structure (0x01), Data:
Tag: Key Block (0x420040), Type: Structure (0x01), Data:
Tag: Key Format Type (0x420042), Type: Enumeration (0x05), Data: 0x00000001
Tag: Key Value (0x420045), Type: Structure (0x01), Data:
Tag: Key Material (0x420043), Type: Octet String (0x08), Data:
C520FCA4E681F7BFFB3523D71427D594
Tag: Cryptographic Algorithm (0x420028), Type: Enumeration (0x05), Data: 0x00000003
(AES)
Tag: Cryptographic Length (0x42002A), Type: Integer (0x02), Data: 0x00000080 (128)

42007B01000001D842007A0100000048420069010000002042006A020000000400000001000000042006B02000000040
00000000000000004200920900000008000000004B9F8B4C42000D020000000400000002000000042000F01000000A042
005C0500000004000000B0000000042009308000000084CBB6751574C4DA842007F05000000400000000000000000420
07C01000006842009407000002436333437383631352D386236642D346337302D626332332D38643136343831373535
35620000000420008010000003042000A07000000154F7065726174696F6E20506F6C696379204E616D6500000042000
B0700000076465661756C740042000F01000000D842005C050000004000000A000000042009308000000080EA05E
E703DA997B42007F0500000040000000000000000042007C01000000A042005705000000040000000200000004200940
70000002436333437383631352D386236642D346337302D626332332D3864313634383137353562000000042008F01
0000005842004001000005042004205000000400000001000000042004501000000184200430800000010C520FCA4E
681F7BFFB3523D71427D59442002805000000400000003000000042002A0200000040000008000000000

2

Client B[Get \(symmetric key\), Get Attribute List](#)

```
In (header): credential={ credentialType='1', credentialValue={ username="Barney", password="secret2" } }, BatchOrderOption='true', BatchErrorContinuationOption='Continue'
```

In: uuidKey

In: uuidKey

```
Tag: Request Message (0x420078), Type: Structure (0x01), Data:  

  Tag: Request Header (0x420077), Type: Structure (0x01), Data:  

    Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:  

      Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)  

      Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)  

    Tag: Authentication (0x42000C), Type: Structure (0x01), Data:  

      Tag: Credential (0x420023), Type: Structure (0x01), Data:  

        Tag: Credential Type (0x420024), Type: Enumeration (0x05), Data: 0x00000001 (Username and Password)  

        Tag: Credential Value (0x420025), Type: Structure (0x01), Data:  

          Tag: Username (0x420099), Type: Text String (0x07), Data: Barney  

          Tag: Password (0x4200A1), Type: Text String (0x07), Data: secret2  

      Tag: Batch Order Option (0x420010), Type: Boolean (0x06), Data: TRUE  

      Tag: Batch Error Continuation Option (0x42000E), Type: Enumeration (0x05), Data: 0x00000001  

      Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000002 (2)  

    Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:  

      Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get)  

      Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: E3E72D5A352687D8  

      Tag: Request Payload (0x420079), Type: Structure (0x01), Data:  

        Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 63478615-8b6d-4c70-bc23-8d164817555b  

      Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:  

        Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000C (Get Attribute List)  

        Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: A9A1D60B0C62ECAF  

        Tag: Request Payload (0x420079), Type: Structure (0x01), Data:  

          Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 63478615-8b6d-4c70-bc23-8d164817555b
```

```
420078010000016842007701000000A0420069010000002042006A0200000004000000010000000042006B02000000040000000000042000C010000004042002301000000384200240500000004000000010000000042002501000000204200990700000064261726E657900004200A1070000007736563726574320042001006000000080000000000000000142000E05000000004000000010000000042000D0200000004000000020000000042000F010000005842005C05000000040000000A00000000420093080000008E3E72D5A352687D84200790100000030420094070000002436333437383631352D3862336642D346337302D626332332D38643136343831373535362000000042000F010000005842005C05000000040000000C00000000420093080000008A9A1D60B0C62ECAF4200790100000030420094070000002436333437383631352D386236642D346337302D626332332D3864313634383137353536200000000
```

Out: Operation Failed, Permission Denied

Out: Operation Failed, Permission Denied

```
Tag: Response Message (0x42007B), Type: Structure (0x01), Data:  

  Tag: Response Header (0x42007A), Type: Structure (0x01), Data:  

    Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:
```

	<pre> Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B9F8B4D (Tue Mar 16 14:44:45 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000002 (2) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get) Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: E3E72D5A352687D8 Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000001 (Operation Failed) Tag: Result Reason (0x42007E), Type: Enumeration (0x05), Data: 0x0000000C (Permission Denied) Tag: Result Message (0x42007D), Type: Text String (0x07), Data: Access denied Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000C (Get Attribute List) Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: A9A1D60B0C62ECAF Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000001 (Operation Failed) Tag: Result Reason (0x42007E), Type: Enumeration (0x05), Data: 0x0000000C (Permission Denied) Tag: Result Message (0x42007D), Type: Text String (0x07), Data: Access denied </pre> <p>42007B010000011042007A010000048420069010000002042006A020000000400000001000000042006B02000000040000000000004200920900000008000000004B9F8B4D42000D020000000400000002000000042000F010000005842005C05000000040000000A000000004200930800000008E3E72D5A352687D842007F050000000400000010000000042007E05000000040000000C0000000042007D070000000D4163636573732064656E69656400000042000F010000005842005C05000000040000000C000000004200930800000008A9A1D60B0C62ECAF42007F0500000004000000010000000042007E05000000040000000C0000000042007D070000000D4163636573732064656E696564000000</p>
--	--

3

	<p><u>Destroy</u></p> <pre> In (header): credential={ credentialType='1', credentialValue={ username="Fred", password="password1" }} In: uuidKey </pre> <p>Tag: Request Message (0x420078), Type: Structure (0x01), Data:</p> <p>Tag: Request Header (0x420077), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)</p> <p>Tag: Authentication (0x42000C), Type: Structure (0x01), Data:</p> <p>Tag: Credential (0x420023), Type: Structure (0x01), Data:</p> <p>Tag: Credential Type (0x420024), Type: Enumeration (0x05), Data: 0x00000001 (Username and Password)</p> <p>Tag: Credential Value (0x420025), Type: Structure (0x01), Data:</p> <p>Tag: Username (0x420099), Type: Text String (0x07), Data: Fred</p> <p>Tag: Password (0x4200A1), Type: Text String (0x07), Data: password1</p> <p>Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</p> <p>Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy)</p> <p>Tag: Request Payload (0x420079), Type: Structure (0x01), Data:</p> <p>Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 63478615-8b6d-4c70-bc23-8d164817555b</p> <p>42007801000000E04200770100000088420069010000002042006A020000000400000001000000042006B02000000040000000000042000C0100000048420023010000004042002405000000040000000100000004200250100000028420099070000000446726564000000004200A1070000000970617373776F7264310000000000000042000D0200000004000000010000000042000F010000004842005C05000000040000001400000004200790100000304200940700000243633</p>
--	---

3437383631352D386236642D346337302D626332332D386431363438313735356200000000

Out: uuidKey

```
Tag: Response Message (0x42007B), Type: Structure (0x01), Data:  
  Tag: Response Header (0x42007A), Type: Structure (0x01), Data:  
    Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:  
      Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)  
      Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)  
      Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B9F8B4D (Tue Mar 16  
14:44:45 CET 2010)  
      Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)  
      Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:  
        Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy)  
        Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)  
      Tag: Response Payload (0x42007C), Type: Structure (0x01), Data:  
        Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 63478615-8b6d-4c70-bc23-  
8d164817555b
```

42007B01000000B042007A0100000048420069010000002042006A020000000400000001000000042006B02000000040
00000000000000004200920900000008000000004B9F8B4D42000D020000000400000001000000042000F010000005842
005C050000000400000014000000042007F050000000400000000000000042007C01000000304200940700000024363
33437383631352D386236642D346337302D626332332D386431363438313735356200000000

4

Get Attributes

```
In (header): credential={ credentialType='1', credentialValue={ username="Fred", password="password1"  
}}  
In: uuidKey, attributeNames={'Destroy Date'}
```

```
Tag: Request Message (0x420078), Type: Structure (0x01), Data:  
  Tag: Request Header (0x420077), Type: Structure (0x01), Data:  
    Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:  
      Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)  
      Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)  
      Tag: Authentication (0x42000C), Type: Structure (0x01), Data:  
        Tag: Credential (0x420023), Type: Structure (0x01), Data:  
          Tag: Credential Type (0x420024), Type: Enumeration (0x05), Data: 0x00000001 (Username and  
Password)  
          Tag: Credential Value (0x420025), Type: Structure (0x01), Data:  
            Tag: Username (0x420099), Type: Text String (0x07), Data: Fred  
            Tag: Password (0x4200A1), Type: Text String (0x07), Data: password1  
          Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)  
          Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:  
            Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes)  
            Tag: Request Payload (0x420079), Type: Structure (0x01), Data:  
              Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 63478615-8b6d-4c70-bc23-  
8d164817555b  
              Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Destroy Date
```

42007801000000F84200770100000088420069010000002042006A020000000400000001000000042006B02000000040
000000000000000042000C010000004842002301000000404200240500000004000000010000000420025010000002842
0099070000000446726564000000004200A1070000000970617373776F726431000000000000000042000D0200000004000

	<pre>00001000000042000F010000006042005C0500000040000000B0000000420079010000004842009407000000243633 3437383631352D386236642D346337302D626332332D3864313634383137353562000000042000A07000000C44657 374726F7920446174650000000</pre>
--	--

Out: uuidKey, attributes={ DestroyDate='0x00000004B9F8B4D' }

	<pre>Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B9F8B4E (Tue Mar 16 14:44:46 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 63478615-8b6d-4c70-bc23- 8d164817555b Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Destroy Date Tag: Attribute Value (0x42000B), Type: Date-Time (0x09), Data: 0x000000004B9F8B4D (Tue Mar 16 14:44:45 CET 2010) 42007B01000000E042007A0100000048420069010000002042006A02000000400000001000000042006B02000000040 000000000000004200920900000008000000004B9F8B4E42000D020000000400000001000000042000F010000008842 005C05000000040000000B0000000042007F0500000004000000000000000042007C01000000604200940700000024363 33437383631352D386236642D346337302D626332332D3864313634383137353562000000042000801000000284200 0A070000000C44657374726F792044617465000000042000B09000000800000004B9F8B4D</pre>
--	--

261

262

12 Query, Maximum Response Size

264

This use case tests the Query operation and the Maximum Response Size header field.

266

12.1 Use-case: Query, Maximum Response Size

267

Perform a Query operation, querying the Operations and Objects supported by the server, with a restriction on the Maximum Response Size set in the request header. Since the resulting Query response is too big, an error is returned. Increase the Maximum Response Size, resubmit the Query request, and get a successful response.

271

Time	Request/Response
0	<u>Query (operations, objects)</u> <u>In (header): maximumResponseSize='256'</u> <u>In: queryFunctions={'00000001', '00000002'}</u>

	<pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Maximum Response Size (0x420050), Type: Integer (0x02), Data: 0x00000100 (256) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000018 (Query) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Query Function (0x420074), Type: Enumeration (0x05), Data: 0x00000001 (Operations) Tag: Query Function (0x420074), Type: Enumeration (0x05), Data: 0x00000002 (Objects) 42007801000000904200770100000048420069010000002042006A0200000004000000010000000042006B02000000040 0000000000000004200500200000004000001000000000042000D0200000004000000010000000042000F010000003842 005C0500000000400000018000000004200790100000020420074050000000400000001000000004200740500000004000 000200000000</pre> <p>Out: Operation Failed, Response Too Large</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B7918AA (Mon Feb 15 10:49:30 CET 2010) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000001 (Operation Failed) Tag: Result Reason (0x42007E), Type: Enumeration (0x05), Data: 0x00000002 (Response Too Large) Tag: Result Message (0x42007D), Type: Text String (0x07), Data: Response size: 568, Maximum Response Size indicated in request: 256 Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000000 (0) 42007B01000000C042007A01000000B8420069010000002042006A0200000004000000010000000042006B02000000040 0000000000000004200920900000008000000004B7918AA42007F0500000004000000010000000042007E050000000400 0000020000000042007D0700000043526573706F6E73652073697A653A203536382C204D6178696D756D20526573706F6 E73652053697A6520696E6469636174656420696E20726571756573743A2032353600000000042000D02000000040000 000000000000</pre>
--	---

1

	<p><u>Query (operations, objects)</u></p> <p><u>In (header): maximumResponseSize='2048'</u></p> <p><u>In: queryFunctions=['00000001', '00000002']</u></p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Maximum Response Size (0x420050), Type: Integer (0x02), Data: 0x00000800 (2048) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</pre>
--	---

	<p>Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000018 (Query)</p> <p>Tag: Request Payload (0x420079), Type: Structure (0x01), Data:</p> <p>Tag: Query Function (0x420074), Type: Enumeration (0x05), Data: 0x00000001 (Operations)</p> <p>Tag: Query Function (0x420074), Type: Enumeration (0x05), Data: 0x00000002 (Objects)</p>
--	---

```
42007801000000904200770100000048420069010000002042006A0200000004000000010000000042006B02000000040
0000000000000004200500200000040000800000000004200D0200000004000000010000000042000F010000003842
005C050000000400000018000000004200790100000020420074050000000400000001000000004200740500000004000
0000200000000
```

Out: operations, objects

	<p>Tag: Response Message (0x42007B), Type: Structure (0x01), Data:</p> <p>Tag: Response Header (0x42007A), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)</p> <p>Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B7918AA (Mon Feb 15 10:49:30 CET 2010)</p> <p>Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</p> <p>Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000018 (Query)</p> <p>Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)</p> <p>Tag: Response Payload (0x42007C), Type: Structure (0x01), Data:</p> <p>Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000001 (Create)</p> <p>Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000002 (Create Key Pair)</p> <p>Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000003 (Register)</p> <p>Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000004 (Re-key)</p> <p>Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate)</p> <p>Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000009 (Check)</p> <p>Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get)</p> <p>Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes)</p> <p>Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000C (Get Attribute List)</p> <p>Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000D (Add Attribute)</p> <p>Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000E (Modify Attribute)</p> <p>Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000F (Delete Attribute)</p> <p>Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000010 (Obtain Lease)</p> <p>Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000011 (Get Usage Allocation)</p> <p>Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000012 (Activate)</p> <p>Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000013 (Revoke)</p> <p>Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy)</p> <p>Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000015 (Archive)</p> <p>Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000016 (Recover)</p> <p>Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000018 (Query)</p> <p>Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000019 (Cancel)</p> <p>Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000001A (Poll)</p> <p>Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000001 (Certificate)</p> <p>Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key)</p> <p>Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000003 (Public Key)</p>
--	---

Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000004 (Private Key)
Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000006 (Template)

42007B010000023042007A01000004842006901000002042006A0200000040000001000000042006B02000000040
000000000000000420092090000008000000004B7918AA4200D020000004000000100000004200F01000001D842
005C05000000040000018000000042007F0500000040000000000000042007C01000001B042005C0500000004000
00001000000042005C0500000040000002000000042005C0500000040000003000000042005C05000000040000
0004000000042005C0500000040000008000000042005C0500000040000009000000042005C050000000400000
00A0000000042005C050000004000000B000000042005C050000004000000C000000042005C0500000004000000
0D0000000042005C050000004000000E0000000042005C050000004000000F0000000042005C05000000040000001
00000000042005C050000004000000110000000042005C050000004000000120000000042005C050000000400000013
0000000042005C05000000400000014000000042005C05000000400000015000000042005C0500000004000000160
000000042005C050000004000000180000000042005C050000004000000190000000042005C05000000040000001A00
0000004200570500000004000000010000000042005705000000040000000200000000420057050000000400000003000
000004200570500000004000000042005705000000040000000600000000

272

4113 Implementation Conformance

274 This document is intended to be informational only and as such has no conformance clauses. The
275 conformance requirements for the KMIP specification can be found in the "KMIP
276 Specification" document itself, at the URL noted on the cover page of this document.

277

278

279 A. Acknowledgments

280
281 The following individuals have participated in the creation of this specification and are gratefully
282 acknowledged:

283 **Original Authors of the initial contribution:**

284 David Babcock, HP
285 Joseph Birr-Pixton, Thales/nCipher
286 Mathias Björkqvist, IBM (editor)
287 John Clark, HP
288 Stan Feather, HP
289 Jon Geater, nCipher
290 Bob Griffin, EMC
291 Robert Haas, IBM
292 Jack Harwood, EMC
293 Vlad Libershteyn, HP
294 Mark Lin, EMC/RSA
295 Brian Metzger, HP
296 Madhav Mutualik, EMC/RSA
297 Anthony Nadalin, IBM
298 René Pawlitzek, IBM (editor)
299 Bruce Rich, IBM
300 Parameswaran Seshan, EMC/RSA
301 John Tattan, EMC

302 **Participants:**

303
304 [Mike Allen, PGP Corporation](#)
305 Gordon Arnold, IBM
306 Todd Arnold, IBM
307 [Matthew Ball, Sun Microsystems Oracle Corporation](#)
308 Elaine Barker, NIST
309 Peter Bartok, Venafi, Inc.
310 Mathias Björkqvist, IBM
311 Kevin Bocek, Thales e-Security
312 Kelley Burgin, National Security Agency
313 Jon Callas, PGP Corporation
314 Tom Clifford, Symantec Corp.
315 Graydon Dodson, Lexmark International Inc.
316 Chris Dunn, SafeNet, Inc.
317 Paul Earsy, SafeNet, Inc.
318 Stan Feather, [HP Hewlett-Packard](#)
319 Indra Fitzgerald, [HP Hewlett-Packard](#)
320 Alan Frindell, SafeNet, Inc.
321 Judith Furlong, EMC Corporation
322 Jonathan Geater, Thales e-Security
323 Robert Griffin, EMC Corporation
324 Robert Haas, IBM
325 Thomas Hardjono, M.I.T.
326 [Kurt Heberlein, 3PAR, Inc.](#)
327 Marc Hocking, BeCrypt Ltd.
328 Larry Hofer, Emulex Corporation
329 Brandon Hoff, Emulex Corporation
330 Walt Hubis, LSI Corporation

331 | Wyllis Ingersoll, [Sun Microsystems Oracle Corporation](#)
332 | Jay Jacobs, Target Corporation
333 | Glen Jaquette, IBM
334 | Scott Kipp, Brocade Communications Systems, Inc.
335 | David Lawson, Emulex Corporation
336 | [Hal Lockhart, Oracle Corporation](#)
337 | Robert Lockhart, Thales e-Security
338 | Shyam Mankala, EMC Corporation
339 | [Upendra Mardikar, PayPal Inc.](#)
340 | Marc Massar, Individual
341 | Don McAlister, Associate
342 | Hyrum Mills, Mitre Corporation
343 | [Bob Nixon, Emulex Corporation](#)
344 | Landon [Curt Noll, Cisco Systems, Inc.](#)
345 | René Pawlitzek, IBM
346 | Rob Philpott, EMC Corporation
347 | [Scott Rea, Individual](#)
348 | Bruce Rich, IBM
349 | Scott Rotondo, [Sun Microsystems Oracle Corporation](#)
350 | [Saikat Saha, Vormetric, Inc.](#)
351 | Anil Saldhana, Red Hat
352 | Subhash Sankuratripati, NetApp
353 | Mark Schiller, [HP Hewlett-Packard](#)
354 | Jitendra Singh, Brocade Communications Systems, Inc.
355 | Servesh Singh, EMC Corporation
356 | [Terence Spies, Voltage Security](#)
357 | Sandy Stewart, [Sun Microsystems Oracle Corporation](#)
358 | Marcus Streets, Thales e-Security
359 | Brett Thompson, SafeNet, Inc.
360 | Benjamin Tomhave, Individual
361 | Sean Turner, IECA, Inc.
362 | Paul Turner, Venafi, Inc.
363 | Marko [Vukolić](#), IBM
364 | Rod Wideman, Quantum Corporation
365 | Steven Wierenga, [HP Hewlett-Packard](#)
366 | Peter Yee, EMC Corporation
367 | Krishna Yellepeddy, IBM
368 | Peter Zelechoski, [Associate](#)

369
370

[Election Systems & Software](#)
[Grace Zhang, Skyworth TTG Holdings Limited](#)

371

B. Revision History

Revision	Date	Editor	Changes Made
ed-0.98	2009-04-28	Mathias Björkqvist	Initial conversion of input document to OASIS format.
ed-0.98	2009-08-06	Mathias Björkqvist	Changes to layout and message content to reflect the recent changes to the KMIP specification, added descriptions to the use-cases for which they were missing.
ed-0.98	2009-09-28	Mathias Björkqvist	Updated messages and TTLV encodings to conform with KMIP specification ed-0.98 rev 17.
draft-01	2009-10-08	Mathias Björkqvist	Removed normative words "must", "shall", "required", "will" and "can"; updated messages and TTLV encodings to conform to KMIP specification ed-0.98 rev 19; added normative references; added minor edits
draft-02	2009-10-15	Mathias Björkqvist	Replaced the TBDs, changed status to Committee Draft, changed use-cases to use protocol major version 1 and minor version 0
draft-03	2009-10-15	Mathias Björkqvist	Corrected names of TC chairs
draft-04	2009-11-05	Mathias Björkqvist	Added list of participants, added reference to Profiles document, line spacing change to list of original contributors, added related documents
cd-05	2009-11-06	Mathias Björkqvist	Changes to various naming aspects on front page and document footer. This is the tentative version for public review.

372

cd-06	2009-11-12	Mathias Björkqvist	Updated tags.
cd-07	2010-02-17	Mathias Björkqvist	Addressed public review comments, added line numbering.
cd-08	2010-03-17	Mathias Björkqvist	Registration of Templates changed to use the Template object, Usage Allocation changes (Add Attribute, Check, Get Usage Allocation), batched Revoke requests with Destroy requests when destroying objects in the Active state, adopted new format for Username and Password Credential object.
cd-09	2010-03-18	Mathias Björkqvist	Updated participants' list. Editorial fixes.

373