



Key Management Interoperability Protocol Use Cases Version 1.0

Committee Draft 09 / Public Review 02

18 March 2010

Specification URIs:

This Version:

<http://docs.oasis-open.org/kmip/usecases/v1.0/cd09/kmip-usecases-1.0-cd-09.html>
<http://docs.oasis-open.org/kmip/usecases/v1.0/cd09/kmip-usecases-1.0-cd-09.doc> (Authoritative)
<http://docs.oasis-open.org/kmip/usecases/v1.0/cd09/kmip-usecases-1.0-cd-09.pdf>

Previous Version:

<http://docs.oasis-open.org/kmip/usecases/v1.0/cd05/kmip-usecases-1.0-cd-05.html>
<http://docs.oasis-open.org/kmip/usecases/v1.0/cd05/kmip-usecases-1.0-cd-05.doc>
<http://docs.oasis-open.org/kmip/usecases/v1.0/cd05/kmip-usecases-1.0-cd-05.pdf>

Latest Version:

<http://docs.oasis-open.org/kmip/usecases/v1.0/kmip-usecases-1.0.html>
<http://docs.oasis-open.org/kmip/usecases/v1.0/kmip-usecases-1.0.doc>
<http://docs.oasis-open.org/kmip/usecases/v1.0/kmip-usecases-1.0.pdf>

Technical Committee:

OASIS Key Management Interoperability Protocol (KMIP) TC

Chair(s):

Robert Griffin, EMC Corporation <robert.griffin@rsa.com>
Subhash Sankuratripati, NetApp <Subhash.Sankuratripati@netapp.com>

Editor(s):

Mathias Björkqvist, IBM <mbj@zurich.ibm.com>
René Pawlitzek, IBM <rpa@zurich.ibm.com>

Related work:

This specification replaces or supersedes:

- None

This specification is related to:

- [Key Management Interoperability Protocol Specification Version 1.0](#)
- [Key Management Interoperability Protocol Profiles Version 1.0](#)
- [Key Management Interoperability Protocol Usage Guide Version 1.0](#)

Abstract:

This document is intended for developers and architects who wish to design systems and applications that interoperate using the Key Management Interoperability Protocol specification.

Status:

This document was last revised or approved by the Key Management Interoperability Protocol TC on the above date. The level of approval is also listed above. Check the “Latest Version” or “Latest Approved Version” location noted above for possible later revisions of this document.

Technical Committee members should send comments on this specification to the Technical Committee's email list. Others should send comments to the Technical Committee by using the "Send A Comment" button on the Technical Committee's web page at <http://www.oasis-open.org/committees/kmip/>.

For information on whether any patents have been disclosed that may be essential to implementing this specification, and any offers of patent licensing terms, please refer to the Intellectual Property Rights section of the Technical Committee web page (<http://www.oasis-open.org/committees/kmip/ipr.php>).

The non-normative errata page for this specification is located at <http://www.oasis-open.org/committees/kmip/>.

Notices

Copyright © OASIS® 2010. All Rights Reserved.

All capitalized terms in the following text have the meanings assigned to them in the OASIS Intellectual Property Rights Policy (the "OASIS IPR Policy"). The full Policy may be found at the OASIS website.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to OASIS, except as needed for the purpose of developing any document or deliverable produced by an OASIS Technical Committee (in which case the rules applicable to copyrights, as set forth in the OASIS IPR Policy, must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and OASIS **DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.**

OASIS requests that any OASIS Party or any other party that believes it has patent claims that would necessarily be infringed by implementations of this OASIS Committee Specification or OASIS Standard, to notify OASIS TC Administrator and provide an indication of its willingness to grant patent licenses to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this specification.

OASIS invites any party to contact the OASIS TC Administrator if it is aware of a claim of ownership of any patent claims that would necessarily be infringed by implementations of this specification by a patent holder that is not willing to provide a license to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this specification. OASIS may include such claims on its website, but disclaims any obligation to do so.

OASIS takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this document or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on OASIS' procedures with respect to rights in any document or deliverable produced by an OASIS Technical Committee can be found on the OASIS website. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this OASIS Committee Specification or OASIS Standard, can be obtained from the OASIS TC Administrator. OASIS makes no representation that any information or list of intellectual property rights will at any time be complete, or that any claims in such list are, in fact, Essential Claims.

The names "OASIS", [insert specific trademarked names and abbreviations here] are trademarks of OASIS, the owner and developer of this specification, and should be used only to refer to the organization and its official outputs. OASIS welcomes reference to, and implementation and use of, specifications, while reserving the right to enforce its marks against misleading uses. Please see <http://www.oasis-open.org/who/trademark.php> for above guidance.

Table of Contents

3	Table of Contents.....	4
4	1 Introduction	5
5	1.1 Normative References	5
6	2 Message exchange	5
7	3 Centralized Management	5
8	3.1 Basic functionality	5
9	3.1.1 Use-case: Create / Destroy	6
10	3.1.2 Use-case: Register / Create / Get attributes / Destroy.....	8
11	3.1.3 Use-case: Create / Locate / Get / Destroy	14
12	3.1.4 Use-case: Dual client use-case, ID Placeholder linked Locate & Get batch	19
13	3.1.5 Use-case: Register / Destroy Secret Data	33
14	3.2 Use-case: Asynchronous Locate	35
15	4 Key life cycle support	45
16	4.1 Use-case: Revoke scenario.....	46
17	5 Auditing and reporting	62
18	5.1 Use-case: Get usage allocation scenario	62
19	6 Key Interchange, Key Exchange.....	75
20	6.1 Use-case: Import of a Third-party Key	75
21	7 Vendor Extensions.....	79
22	7.1 Use-case: Unrecognized Message Extension with Criticality Indicator false	80
23	7.2 Use-case: Unrecognized Message Extension with Criticality Indicator true.....	82
24	8 Asymmetric keys.....	83
25	8.1 Use-case: Create a Key Pair	83
26	8.2 Use-case: Register Both Halves of a Key Pair.....	89
27	9 Key Roll-over	97
28	9.1 Use-case: Create a Key, Re-key	97
29	9.2 Use-case: Existing Key Expired, Re-key with Same lifecycle	104
30	9.3 Use-case: Existing Key Compromised, Re-key with same lifecycle.....	114
31	9.4 Use-case: Create key, Re-key with new lifecycle	122
32	9.5 Use-case: Obtain Lease for Expired Key	131
33	10 Archival	142
34	10.1 Use-case: Create a Key, Archive and Recover it.....	142
35	11 Access Control, Policies.....	155
36	11.1 Use-case: Credential, Operation Policy, Destroy Date	155
37	12 Query, Maximum Response Size.....	162
38	12.1 Use-case: Query, Maximum Response Size	162
39	13 Implementation Conformance	165
40	A. Acknowledgments	166
41	B. Revision History	167

42 1 Introduction

43 The purpose of this document is to describe use-cases to demonstrate the Key Management
44 Interoperability Protocol (KMIP) **[KMIP-Spec]**. The use-cases indicate if all concepts within the protocol
45 are sound and if the protocol is usable when implementing typical scenarios in real life. These use-cases
46 are not intended to fully test an implementation of KMIP. Thus, the use-cases do not contain typical
47 Quality Assurance scenarios which would stress an implementation. The use-cases are based on v1.0 of
48 the protocol.

49
50 The use-cases define a number of client-to-server request-response pairs for a number of operations. For
51 each request-response message pair the operation is stated, along with the relevant parameters needed
52 for the request or response message. This is followed by two different illustrations of the messages: first,
53 a human-readable construction which shows the fields tags, types and values, followed by the TTLV-
54 encoding of the message. These are included to facilitate the implementation of the message creation
55 and parsing functionality. The use-cases show one possible way to construct the messages, and the
56 messages shown are not necessarily the only correct constructions (e.g. it is possible to omit the attribute
57 index if it is zero). Also note that many values change dynamically when running the use-cases (the
58 server-generated timestamps, Unique Identifiers and key material in responses, as well as Batch Item ID
59 values in client-generated requests).

60 In many situations in the use cases defined in this document, the server behavior depends on the server's
61 policy. The illustrated message exchanges and their contents are not the only possible variants (see
62 **[KMIP-Spec]**). E.g., the server response messages shown in this document correspond to a server policy
63 of completely destroying a managed object, along with all of its attributes, when receiving a Destroy
64 request.

65 Multiple use cases describe several clients operating on the same managed object(s). For this to work,
66 the clients SHALL have authenticated themselves to the server using the same credentials (see **[KMIP-**
67 **Prof]**). Alternatively, the server policy applied to the relevant managed object(s) SHALL be such that the
68 clients all have access to the managed object(s) in question.

69 1.1 Normative References

- | | |
|-----------------------|---|
| 70 [KMIP-Spec] | OASIS Committee Draft 10, <i>Key Management Interoperability Protocol</i>
71 <i>Specification Version 1.0</i> , Mar 2010,
72 http://docs.oasis-open.org/kmip/spec/v1.0/cd10/kmip-spec-1.0-cd-10.doc |
| 73 [KMIP-Prof] | OASIS Committee Draft 05, <i>Key Management Interoperability Protocol Profiles</i>
74 <i>Version 1.0</i> , Mar 2010,
75 http://docs.oasis-open.org/kmip/profiles/v1.0/cd05/kmip-profiles-1.0-cd-05.doc |

77 2 Message exchange

78 The message exchange between clients and the server to test the following use-case scenarios is
79 performed with TTLV encoding over the TLS/SSL transport as defined in **[KMIP-Spec]** and **[KMIP-Prof]**.

80

81 3 Centralized Management

82 3.1 Basic functionality

83 These use-cases test the basic features of KMIP including key creation, template and secret data
84 registration, attribute functionality, access methods, and batch operation.

86 3.1.1 Use-case: Create / Destroy

87 In this use-case the client issues a Create request, whereby the server creates a new symmetric key and
88 returns the Unique Identifier. To clean up, the client then performs a Destroy operation to destroy the key.

89

	<pre> Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004AFBE7C2 (Thu Nov 12 11:47:30 CET 2009) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000001 (Create) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: fc8833de-70d2-4ece- b063-fede3a3c59fe 42007B01000000C042007A01000004842006901000002042006A02000000400000001000000042006B0200000004 000000000000000042009209000000800000004AFBE7C242000D0200000040000001000000042000F010000068 42005C050000000400000001000000042007F05000000400000000000000042007C010000040420057050000004 0000002000000004200940700000246663383833364652D373064322D346563652D623036332D6665646533613363 3539666500000000 </pre>
1	<p>Destroy (symmetric key)</p> <p>In: <code>uuidKey</code></p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: fc8833de-70d2-4ece- b063-fede3a3c59fe 420078010000009042007701000003842006901000002042006A02000000400000001000000042006B0200000004 000000000000000042000D02000000400000001000000042000F01000004842005C050000000400000140000000 4200790100000304200940700000246663383833364652D373064322D346563652D623036332D6665646533613363 3539666500000000 </pre> <p>Out: <code>uuidKey</code></p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004AFBE7C3 (Thu Nov 12 11:47:31 CET 2009) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) </pre>

	<pre> Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: fc8833de-70d2-4ece- b063-fede3a3c59fe 42007B01000000B042007A0100000048420069010000002042006A020000004000000010000000042006B0200000004 000000000000000042009209000000800000004AFBE7C342000D020000004000000010000000042000F0100000058 42005C050000000400000014000000042007B050000004000000000000000042007C01000000304200940700000024 66633838333364652D373064322D346563652D623036332D66656465336133633539666500000000 </pre>
--	--

90

91

92 3.1.2 Use-case: Register / Create / Get attributes / Destroy

93 Here the client first registers a template object and then creates a symmetric key using the registered
94 template. To verify that the attributes of the key were set correctly from the template, the client then
95 issues a Get Attributes command, after which it destroys first the key and then the template.

96

Time	Request/Response messages
0	<p>Register (template)</p> <p>In: objectType='00000007', TemplateAttribute=empty, Template={ ObjectGroup='Group1', ApplicationSpecificInformation='ssl, www.example.com', ContactInformation='Joe', x-Purpose='demonstration', Name={ NameValue='Template1', NameType='00000001' } }</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000003 (Register) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000006 (Template) Tag: Template-Attribute (0x420091), Type: Structure (0x01), Data: null Tag: Template (0x420090), Type: Structure (0x01), Data: Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Object Group Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: Group1 Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Application Specific Information Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data: Tag: Application Namespace (0x420003), Type: Text String (0x07), Data: ssl Tag: Application Data (0x420002), Type: Text String (0x07), Data: www.example.com Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Contact Information Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: Joe Tag: Attribute (0x420008), Type: Structure (0x01), Data: </pre>

	<pre> Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: x-Purpose Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: demonstration Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data: Tag: Name Value (0x420055), Type: Text String (0x07), Data: Template1 Tag: Name Type (0x420054), Type: Enumeration (0x05), Data: 0x00000001 (Uninterpreted text string) 42007801000001C842007701000003842006901000002042006A0200000040000001000000042006B0200000040 000000000000042000D020000004000000100000004200F01000018042005C0500000040000003000000042 007901000001684200570500000040000006000000042009101000000042009001000014842008010000028420 00A070000000C4F626A656374204726F75700000004200B07000000647726F7570310000420080100000584200 0A0700000204170706C69636174696F6E20537065636966696320496E666F726D6174696F6E42000B01000002842000 307000000373736C000000004200207000000F777772E6578616D706C652E636F6D04200801000003042000A 0700000013436F6E7461637420496E666F726D6174696F6E0000000004200B0700000034A6F6500000000004200080 10000003042000A070000009782D507572706F736500000000000004200B070000000D64656D6F6E7374726174696F 6E000000420008010000004042000A07000000044E616D6500000004200B010000002842005507000000954656D706 C61746531000000000000042005405000000040000000100000000 </pre> <p>Out: uuidTemplate</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004AFBE7C4 (Thu Nov 12 11:47:32 CET 2009) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000003 (Register) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: a6ebbb6f-4c54-4bbb-ad29- be6bad4ecad5 42007B01000000B042007A0100000048420069010000002042006A0200000040000001000000042006B0200000040 000000000000042009209000000800000004AFBE7C442000D020000004000000100000004200F01000005842 005C0500000040000003000000042007F0500000040000000000000042007C0100000304200940700000024613 66562626236662D346335342D346262622D616432392D6265366261643465636164350000000 </pre>
1	<p>Create (symmetric key using template)</p> <p>In: objectType='00000002', template={ NameValue='Template1', NameType='00000001' }, attributes={ CryptographicAlgorithm='AES', CryptographicLength='128', CryptographicUsageMask='0000000C' }</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: </pre>

	<pre> Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000001 (Create) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Template-Attribute (0x420091), Type: Structure (0x01), Data: Tag: Name (0x420053), Type: Structure (0x01), Data: Tag: Name Value (0x420055), Type: Text String (0x07), Data: Template1 Tag: Name Type (0x420054), Type: Enumeration (0x05), Data: 0x00000001 (Uninterpreted text string) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Algorithm Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000003 (AES) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Length Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x00000080 (128) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Usage Mask Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x0000000C (Encrypt, Decrypt) 42007801000001504200770100000038420069010000002042006A0200000040000001000000042006B02000000040 00000000000000042000D02000000400000001000000042000F010000010842005C0500000040000001000000042 007901000000F042005705000000040000000200000004200910100000D842005301000000284200550700000009546 56D706C61746531000000000000042005405000000400000010000000420008010000003042000A0700000174372 797046F6772617068696320416C676F726974686D0042000B05000000400000030000000420008010000003042000 A070000001443727970746F67726170686963204C656E6774680000000042000B020000004000000800000000420008 010000003042000A070000001843727970746F67726170686963205573616765204D61736B42000B0200000040000000 C00000000</pre> <p>Out: objectType='00000002', uuidKey</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004AFBE7C5 (Thu Nov 12 11:47:33 CET 2009) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x4200F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000001 (Create) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 61b10614-d8b5-46f9-8d17- 2fa6eald747a 42007B01000000C042007A0100000048420069010000002042006A0200000040000001000000042006B02000000040 000000000000042009209000000800000004AFBE7C542000D0200000040000001000000042000F01000006842 005C0500000040000001000000042007F05000000400000000000000042007C010000040420057050000004000 00020000000420094070000002436316231303631342D643862352D343666392D386431372D32666136656131643734 376100000000</pre>
2	Get attributes

In: `uuidKey, attributeNames={'ObjectGroup', 'ApplicationSpecificInformation', 'ContactInformation', 'x-Purpose'}`

```
Tag: Request Message (0x420078), Type: Structure (0x01), Data:  
  Tag: Request Header (0x420077), Type: Structure (0x01), Data:  
    Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:  
      Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)  
      Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)  
    Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)  
  Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:  
    Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes)  
    Tag: Request Payload (0x420079), Type: Structure (0x01), Data:  
      Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 61b10614-d8b5-46f9-8d17-  
2fa6eald747a  
      Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Object Group  
      Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Application Specific  
Information  
      Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Contact Information  
      Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: x-Purpose
```

```
42007801000001084200770100000038420069010000002042006A020000000400000001000000042006B02000000040  
00000000000000042000D020000000400000001000000042000F01000000C042005C0500000004000000B0000000042  
007901000000A8420094070000002436316231303631342D643862352D343666392D386431372D3266613665613164373  
437610000000042000A0700000000C4F626A6563742047726F7570000000042000A07000000204170706C69636174696F  
6E20537065636966696320496E666F726D6174696F6E42000A0700000013436F6E7461637420496E666F726D6174696F6  
E000000000042000A0700000009782D507572706F7365000000000000000000
```

Out: `uuidKey, attributes={ ObjectGroup='Group1', ApplicationSpecificInformation='ssl,
www.example.com', ContactInformation='Joe Miller', x-Purpose='demonstration' }`

```
Tag: Response Message (0x42007B), Type: Structure (0x01), Data:  
  Tag: Response Header (0x42007A), Type: Structure (0x01), Data:  
    Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:  
      Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)  
      Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)  
    Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004AFBE7C6 (Thu Nov 12  
11:47:34 CET 2009)  
    Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)  
  Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:  
    Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes)  
    Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)  
    Tag: Response Payload (0x42007C), Type: Structure (0x01), Data:  
      Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 61b10614-d8b5-46f9-8d17-  
2fa6eald747a  
      Tag: Attribute (0x420008), Type: Structure (0x01), Data:  
        Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Object Group  
        Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: Group1  
      Tag: Attribute (0x420008), Type: Structure (0x01), Data:  
        Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Application Specific  
Information  
        Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data:
```


	<pre> Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 61b10614-d8b5-46f9-8d17-2fa6eald747a 42007B01000000B042007A0100000048420069010000002042006A0200000004000000010000000042006B020000000400000000000004200920900000008000000004AFBE7C64200D0200000004000000010000000042000F010000005842005C050000000400000014000000042007F0500000004000000000000000042007C0100000030420094070000002436316231303631342D643862352D343666392D386431372D3266613665613164373437610000000 </pre>
4	<p>Destroy (template)</p> <p>In: <code>uuidTemplate</code></p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: a6ebbb6f-4c54-4bbb-ad29-be6bad4ecad5 42007801000000904200770100000038420069010000002042006A0200000004000000010000000042006B020000000400000000000042000D0200000004000000010000000042000F010000004842005C05000000040000001400000004200790100000030420094070000002461366562626236662D346335342D346262622D616432392D62653662616434656361643500000000 </pre> <p>Out: <code>uuidTemplate</code></p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004AFBE7C6 (Thu Nov 12 11:47:34 CET 2009) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: a6ebbb6f-4c54-4bbb-ad29-be6bad4ecad5 42007B01000000B042007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040000000000004200920900000008000000004AFBE7C64200D0200000004000000010000000042000F010000005842005C050000000400000014000000042007F0500000004000000000000000042007C01000000304200940700000024613665626236662D346335342D346262622D616432392D62653662616434656361643500000000 </pre>

99 3.1.3 Use-case: Create / Locate / Get / Destroy

100 This use-case tests the Locate and Get operations, in addition to the previously used operations Create
 101 and Destroy. A symmetric key is first created, and then a lookup is performed on the Name attribute using
 102 the Locate operation. Subsequently, a Get request is issued to retrieve the located key, after which the
 103 key on the server is destroyed.

104

Time	Request/Response messages
0	<p>Create (symmetric key)</p> <p>In: objectType = '00000002', attributes={ Name={ NameValue='Key1', NameType='00000001' }, CryptographicAlgorithm='DES', CryptographicLength='56', CryptographicUsageMask='0000000C', ContactInformation='Joe' }</p> <p>Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000001 (Create) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Template-Attribute (0x420091), Type: Structure (0x01), Data: Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data: Tag: Name Value (0x420055), Type: Text String (0x07), Data: Key1 Tag: Name Type (0x420054), Type: Enumeration (0x05), Data: 0x00000001 (Uninterpreted text string) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Algorithm Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000002 (3DES) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Length Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x000000A8 (168) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Usage Mask Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x0000000C (Encrypt, Decrypt) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Contact Information Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: Joe</p> <p>42007801000001984200770100000038420069010000002042006A020000000400000001000000042006B02000000040000000000042000D020000000400000001000000042000F010000015042005C050000000400000001000000042000790100000138420057050000004000000020000000420091010000012042008010000003842000A0700000044E616D65000000042000B010000002042005507000000044B65793100000004200540500000004000000010000000042008010000003042000A070000001743727970746F6772617068696320416C676F726974686D0042000B0500000004000000200000000420008010000003042000A070000001443727970746F67726170686963204C656E677468000000042000B</p>

	<pre>0200000004000000A80000000420008010000003042000A07000001843727970746F677261706869632055736167652 04D61736B42000B020000004000000C0000000420008010000003042000A070000013436F6E7461637420496E666F 726D6174696F6E00000000042000B0700000034A6F650000000000</pre> <p>Out: objectType = '00000002', uuidKey</p> <pre>Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004AFBE7C7 (Thu Nov 12 11:47:35 CET 2009) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000001 (Create) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 1ed28ea5-2b31-4145-bcf2- 36d0756d3890 42007B01000000C042007A0100000048420069010000002042006A02000000400000001000000042006B02000000040 00000000000000042009209000000800000004AFBE7C742000D02000000400000001000000042000F010000006842 005C05000000040000001000000042007F05000000400000000000000042007C0100000404200570500000004000 000020000000420094070000002431656432386561352D326233312D343134352D626366322D33366430373536643338 393000000000</pre>
1	<p>Locate (symmetric key)</p> <p>In: attributes={ objectType = '00000002', Name={ Name='Key1', NameType='00000001' } }</p> <pre>Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Object Type Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data: Tag: Name Value (0x420055), Type: Text String (0x07), Data: Key1 Tag: Name Type (0x420054), Type: Enumeration (0x05), Data: 0x00000001 (Uninterpreted text string) 42007801000000D04200770100000038420069010000002042006A02000000400000001000000042006B02000000040</pre>

	<pre>000000000000000042000D020000000400000001000000042000F010000008842005C050000000400000008000000004200790100000070420008010000002842000A07000000B4F626A6563742054797065000000000042000B0500000004000000200000000420008010000003842000A0700000044E616D650000000042000B010000002042005507000000044B6579310000000042005405000000040000000100000000</pre> <p>Out: uuidKey</p> <pre>Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004AFBE7C8 (Thu Nov 12 11:47:36 CET 2009) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 1ed28ea5-2b31-4145-bcf2-36d0756d3890 42007B01000000B042007A0100000048420069010000002042006A020000000400000001000000042006B02000000040000000000004200920900000008000000004AFBE7C842000D020000000400000001000000042000F010000005842005C0500000004000000080000000042007F0500000004000000000000000042007C0100000030420094070000002431656432386561352D326233312D343134352D626366322D33366430373536643338393000000000</pre>
2	<p>Get (symmetric key)</p> <p>In: uuidKey</p> <pre>Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 1ed28ea5-2b31-4145-bcf2-36d0756d3890 42007801000000904200770100000038420069010000002042006A020000000400000001000000042006B020000000400000000000042000D020000000400000001000000042000F010000004842005C05000000040000000A000000004200790100000030420094070000002431656432386561352D326233312D343134352D626366322D33366430373536643338393000000000</pre> <p>Out: objectType = '00000002', uuidKey, symmetricKey</p> <pre>Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:</pre>

	<p>Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)</p> <p>Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004AFBE7C8 (Thu Nov 12 11:47:36 CET 2009)</p> <p>Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</p> <p>Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get)</p> <p>Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)</p> <p>Tag: Response Payload (0x42007C), Type: Structure (0x01), Data:</p> <p>Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key)</p> <p>Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 1ed28ea5-2b31-4145-bcf2-36d0756d3890</p> <p>Tag: Symmetric Key (0x42008F), Type: Structure (0x01), Data:</p> <p>Tag: Key Block (0x420040), Type: Structure (0x01), Data:</p> <p>Tag: Key Format Type (0x420042), Type: Enumeration (0x05), Data: 0x00000001</p> <p>Tag: Key Value (0x420045), Type: Structure (0x01), Data:</p> <p>Tag: Key Material (0x420043), Type: Octet String (0x08), Data: C8E51523F73D6EE9F40EAB7CD06825499D8C0BD0739E1046</p> <p>Tag: Cryptographic Algorithm (0x420028), Type: Enumeration (0x05), Data: 0x00000002 (3DES)</p> <p>Tag: Cryptographic Length (0x42002A), Type: Integer (0x02), Data: 0x000000A8 (168)</p> <p>42007B010000012842007A01000004842006901000002042006A0200000040000001000000042006B020000000400000000000042009209000000800000004AFBE7C842000D0200000040000001000000042000F01000000D042005C0500000004000000A000000042007F05000000400000000000000042007C0100000A842005705000000040000002000000042009407000002431656432386561352D326233312D343134352D626366322D333664303735366433383930000000042008F0100000604200400100000584200420500000040000001000000042004501000000204200430800000018C8E51523F73D6EE9F40EAB7CD06825499D8C0BD0739E10464200280500000040000002000000042002A020000004000000A800000000</p>
3	<p>Destroy (symmetric key)</p> <p>In: <code>uuidKey</code></p> <p>Tag: Request Message (0x420078), Type: Structure (0x01), Data:</p> <p>Tag: Request Header (0x420077), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)</p> <p>Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</p> <p>Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy)</p> <p>Tag: Request Payload (0x420079), Type: Structure (0x01), Data:</p> <p>Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 1ed28ea5-2b31-4145-bcf2-36d0756d3890</p> <p>42007801000009042007701000003842006901000002042006A0200000040000001000000042006B020000000400000000000042000D0200000040000001000000042000F010000004842005C05000000040000014000000042007901000003042009407000002431656432386561352D326233312D343134352D626366322D3336643037353664333839300000000</p> <p>Out: <code>uuidKey</code></p> <p>Tag: Response Message (0x42007B), Type: Structure (0x01), Data:</p>

	<pre> Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004AFBE7C8 (Thu Nov 12 11:47:36 CET 2009) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 1ed28ea5-2b31-4145-bcf2- 36d0756d3890 42007B01000000B042007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040 0000000000000004200920900000008000000004AFBE7C842000D0200000004000000010000000042000F010000005842 005C0500000004000000140000000042007F0500000004000000000000000042007C0100000304200940700000024316 56432386561352D326233312D343134352D626366322D33366430373536643338393000000000 </pre>
4	<p>Locate</p> <p>In: <code>uuidKey</code></p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Unique Identifier Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: 1ed28ea5-2b31-4145-bcf2- 36d0756d3890 42007801000000B84200770100000038420069010000002042006A0200000004000000010000000042006B02000000040 00000000000000042000D0200000004000000010000000042000F010000007042005C0500000004000000080000000042 00790100000058420008010000005042000A0700000011556E69717565204964656E746966696572000000000000000420 00B070000002431656432386561352D326233312D343134352D626366322D33366430373536643338393000000000 </pre> <p>Out: <empty response payload></p> <pre> Tag: Response Message (0x420078), Type: Structure (0x01), Data: Tag: Response Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420067), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x420068), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x420069), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x42008F), Type: Date-Time (0x09), Data: 0x000000004AC07323 (Mon Sep 28 10:26:11 CEST 2009) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: </pre>

```
Tag: Operation (0x42005A), Type: Enumeration (0x05), Data: 0x00000008 (Locate)
Tag: Result Status (0x42007C), Type: Enumeration (0x05), Data: 0x00000000 (Success)
Tag: Response Payload (0x420079), Type: Structure (0x01), Data: null

42007B010000008042007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040
0000000000000000004200920900000008000000004AFBE7C84200D02000000040000001000000004200F010000002842
005C0500000004000000080000000042007F0500000004000000000000000042007C010000000
```

105

106

107 3.1.4 Use-case: Dual client use-case, ID Placeholder linked Locate & Get batch

This use-case has two clients performing operations on the same key. The first client initially registers a template and creates a symmetric key using that template. The second client then does a batched Locate and Get using the ID Placeholder to retrieve the key. The second client thereafter performs a number of operations on the key (Get Attribute List, Get Attribute, Add Attribute, Modify Attribute and Delete Attribute), before the first client finally destroys the key and the template. The first client also tries to Get the key and the template after they have been destroyed, but the Get operation fails in both cases.

114

115 This use-case demonstrates the fact that it is possible for two clients to cooperate and use the same
116 managed object while only having knowledge of a single pre-agreed Name attribute value and without
117 having to share any other information.

118

Time	Request/Response messages
0	<p>Client A:</p> <p>Register (template)</p> <p>In: objectType='00000007', TemplateAttribute=empty, Template={ CryptographicAlgorithm='AES', CryptographicLength='128', Name={ NameValue='Template1', NameType='00000001' }, }</p> <p>Tag: Request Message (0x420078), Type: Structure (0x01), Data:</p> <p>Tag: Request Header (0x420077), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)</p> <p>Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</p> <p>Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000003 (Register)</p> <p>Tag: Request Payload (0x420079), Type: Structure (0x01), Data:</p> <p>Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000006 (Template)</p> <p>Tag: Template-Attribute (0x420091), Type: Structure (0x01), Data: null</p> <p>Tag: Template (0x420090), Type: Structure (0x01), Data:</p> <p>Tag: Attribute (0x420008), Type: Structure (0x01), Data:</p> <p>Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Algorithm</p> <p>Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000003 (AES)</p> <p>Tag: Attribute (0x420008), Type: Structure (0x01), Data:</p> <p>Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Length</p> <p>Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x00000080 (128)</p> <p>Tag: Attribute (0x420008), Type: Structure (0x01), Data:</p>

	<pre> Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data: Tag: Name Value (0x420055), Type: Text String (0x07), Data: Template1 Tag: Name Type (0x420054), Type: Enumeration (0x05), Data: 0x00000001 (Uninterpreted text string) 420078010000013842007701000003842006901000002042006A0200000040000001000000042006B02000000040 000000000000042000D0200000040000001000000042000F01000000F042005C0500000040000003000000042 00790100000D8420057050000004000000600000042009101000000420090100000B8420008010000030420 00A07000001743727970746F6772617068696320416C676F726974686D0042000B050000004000000300000004200 0801000003042000A07000001443727970746F67726170686963204C656E677468000000042000B02000000400000 080000000042000801000004042000A0700000044E616D65000000042000B01000002842005507000000954656D 706C617465310000000000000420054050000004000000100000000 Out: uuidTemplate Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004AFBED21 (Thu Nov 12 12:10:25 CET 2009) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000003 (Register) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 45d8629a-9ad1-41b3-9d09- 941f2a595da3 42007B01000000B042007A01000004842006901000002042006A0200000040000001000000042006B02000000040 0000000000000420092090000008000000004AFBED2142000D0200000040000001000000042000F01000005842 005C0500000040000003000000042007F05000000400000000000000042007C0100000304200940700000024343 56438363239612D396164312D343162332D396430392D39343166326135393564613300000000 </pre>
1	<p>Client A:</p> <p>Create (symmetric key using template)</p> <p>In: objectType='00000002', template={ NameValue= 'Template1', NameType='00000001' }, attributes={ Name={ Name='Key1', NameType='00000001' }, CryptographicUsageMask='00000004', ContactInformation='Foo' }</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000001 (Create) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) </pre>

	<pre> Tag: Template-Attribute (0x420091), Type: Structure (0x01), Data: Tag: Name (0x420053), Type: Structure (0x01), Data: Tag: Name Value (0x420055), Type: Text String (0x07), Data: Template1 Tag: Name Type (0x420054), Type: Enumeration (0x05), Data: 0x00000001 (Uninterpreted text string) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data: Tag: Name Value (0x420055), Type: Text String (0x07), Data: Key1 Tag: Name Type (0x420054), Type: Enumeration (0x05), Data: 0x00000001 (Uninterpreted text string) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Usage Mask Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x00000004 (Encrypt) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Contact Information Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: Foo 42007801000001584200770100000038420069010000002042006A02000000400000001000000042006B0200000004000000000042000D02000000400000001000000042000F010000011042005C0500000040000001000000042007901000000F842005705000000400000002000000042009101000000E0420053010000002842005570000000954656D706C617465310000000000000042005405000000400000001000000042008010000003842000A07000000044E616D65000000042000B01000000204200557000000044B6579310000000420054050000004000000010000000420008010000003042000A070000001843727970746F67726170686963205573616765204D61736B42000B020000004000000040000000420008010000003042000A0700000013436F6E7461637420496E666F726D6174696F6E0000000000042000B070000003466F6F00000000000</pre> <p>Out: objectType='00000002', uuidKey</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004AFBED23 (Thu Nov 12 12:10:27 CET 2009) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000001 (Create) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 0a33e83e-5b7a-4865-964a-8d1c3bbf9ae3 42007B01000000C042007A0100000048420069010000002042006A02000000400000001000000042006B0200000004000000000000420092090000000800000004AFBED2342000D02000000400000001000000042000F010000006842005C050000000400000001000000042007F0500000004000000000000000042007C010000004042005705000000400000020000000420094070000002430613333653833652D356237612D343836352D393634612D38643163336262663961653300000000</pre>
2	Client B: Locate and Get (symmetric key by name)

<p>In (header): batchOrderOption='TRUE'</p> <p>In: attributes={ objectType = '00000002', Name={ Name='Key1', NameType='00000001' } }</p> <p>In: <empty Get payload></p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Order Option (0x420010), Type: Boolean (0x06), Data: TRUE Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000002 (2) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 0E9E1875336E415E Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Object Type Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data: Tag: Name Value (0x420055), Type: Text String (0x07), Data: Key1 Tag: Name Type (0x420054), Type: Enumeration (0x05), Data: 0x00000001 (Uninterpreted text string) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get) Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: CFEF21DDDF1CF5E3 Tag: Request Payload (0x420079), Type: Structure (0x01), Data: null </pre> <p>42007801000001204200770100000048420069010000002042006A0200000004000000010000000042006B020000000400000000000420010060000000800000000000000142000D020000000400000002000000042000F010000009842005C05000000040000000800000000042009308000000080E9E1875336E415E4200790100000070420008010000002842000A0700000000B4F626A656374205479706500000000042000B0500000004000000020000000420008010000003842000A070000000044E616D650000000042000B010000002042005507000000044B657931000000004200540500000004000000010000000042000F010000002842005C05000000040000000A000000004200930800000008CFEF21DDDF1CF5E34200790100000000</p> <p>Out: uuidKey</p> <p>Out: objectType='00000002', uuidKey, symmetricKey</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004AFBED24 (Thu Nov 12 12:10:28 CET 2009) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000002 (2) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: </pre>
--

	<pre> Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 0E9E1875336E415E Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 0a33e83e-5b7a-4865-964a- 8d1c3bbf9ae3 Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get) Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: CFEF21DDDF1CF5E3 Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 0a33e83e-5b7a-4865-964a- 8d1c3bbf9ae3 Tag: Symmetric Key (0x42008F), Type: Structure (0x01), Data: Tag: Key Block (0x420040), Type: Structure (0x01), Data: Tag: Key Format Type (0x420042), Type: Enumeration (0x05), Data: 0x00000001 Tag: Key Value (0x420045), Type: Structure (0x01), Data: Tag: Key Material (0x420043), Type: Octet String (0x08), Data: 755D03C639648FB5828D5F1CC9FE9B57 Tag: Cryptographic Algorithm (0x420028), Type: Enumeration (0x05), Data: 0x00000003 (AES) Tag: Cryptographic Length (0x42002A), Type: Integer (0x02), Data: 0x00000080 (128) 42007B01000001A042007A01000004842006901000002042006A0200000040000001000000042006B0200000040 00000000000000420092090000000800000004AFBED2442000D0200000040000002000000042000F010000006842 005C0500000040000000800000004200930800000080E9E1875336E415E42007F0500000040000000000000000000420 07C0100000030420094070000002430613333653833652D356237612D343836352D393634612D38643163336262663961 6533000000042000F0100000D842005C050000004000000A00000004200930800000008CFEF21DDDF1CF5E342007 F0500000004000000000000000042007C0100000A0420057050000004000000200000004200940700000024306133 33653833652D356237612D343836352D393634612D38643163336262663961653300000042008F0100000584200400 100000050420042050000004000000100000004200450100000184200430800000010755D03C639648FB5828D5F1C C9FE9B574200280500000040000003000000042002A02000000400000080000000000 </pre>
3	<p>Client B:</p> <p>Get attribute list</p> <p>In: <code>uuidKey</code></p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000C (Get Attribute List) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 0a33e83e-5b7a-4865-964a- 8d1c3bbf9ae3 42007801000000904200770100000038420069010000002042006A0200000040000001000000042006B0200000040 0000000000000042000D0200000040000001000000042000F010000004842005C050000004000000C0000000042 00790100000030420094070000002430613333653833652D356237612D343836352D393634612D3864316333626266396 1653300000000 </pre>

	<p>Out: uuidKey, attributes={ * }</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004AFBED24 (Thu Nov 12 12:10:28 CET 2009) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000C (Get Attribute List) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 0a33e83e-5b7a-4865-964a- 8d1c3bbf9ae3 Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Length Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Algorithm Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: State Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Digest Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Initial Date Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Unique Identifier Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Usage Mask Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Object Type Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Contact Information Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Last Change Date 42007B01000001C842007A01000004842006901000002042006A0200000040000001000000042006B02000000040 00000000000000420092090000008000000004AFBED2442000D0200000040000001000000042000F01000017042 005C0500000040000000C000000042007F0500000040000000000000042007C010000148420094070000024306 13333653833652D356237612D343836352D393634612D386431633362626639616533000000042000A0700000144372 7970746F67726170686963204C656E677468000000042000A07000001743727970746F6772617068696320416C676F7 26974686D0042000A07000000553746174650000042000A07000000644696765737400042000A070000000C496E69 7469616C2044617465000000042000A070000011556E69717565204964656E746966696572000000000000042000A0 700000044E616D65000000042000A07000001843727970746F67726170686963205573616765204D61736B42000A07 0000000B4F626A656374205479706500000000042000A070000013436F6E7461637420496E666F726D6174696F6E000 000000042000A0700000104C617374204368616E67652044617465 </pre>
4	<p>Client B:</p> <p>Get attributes</p> <p>In: uuidKey, attributeNames={'Name', 'ContactInformation'}</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes) </pre>

	<pre> Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 0a33e83e-5b7a-4865-964a-8d1c3bbf9ae3 Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Contact Information 42007801000000C04200770100000038420069010000002042006A020000000400000001000000042006B020000000400000000000042000D020000000400000001000000042000F010000007842005C0500000040000000B00000000420079010000006042009407000000243061333653833652D356237612D343836352D393634612D386431633362626639616533000000042000A07000000044E616D65000000042000A0700000013436F6E7461637420496E666F726D6174696F6E0000000000042000B6E0000000000042000 </pre> <p>Out: uuidKey, attributes={ Name='Key1', NameType='00000001' }, ContactInformation='Foo'</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004AFBED24 (Thu Nov 12 12:10:28 CET 2009) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 0a33e83e-5b7a-4865-964a-8d1c3bbf9ae3 Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data: Tag: Name Value (0x420055), Type: Text String (0x07), Data: Key1 Tag: Name Type (0x420054), Type: Enumeration (0x05), Data: 0x00000001 (Uninterpreted text string) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Contact Information Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: Foo 42007B01000012842007A010000048420069010000002042006A020000000400000001000000042006B0200000004000000000004200920900000008000000004AFBED244200D020000000400000001000000042000F01000000D042005C05000000040000000B0000000042007F050000000400000000000000042007C01000000A842009407000000243061333653833652D356237612D343836352D393634612D386431633362626639616533000000042008010000003842000A07000000044E616D65000000042000B010000002042005507000000044B657931000000042005405000000040000000100000000420008010000003042000A0700000013436F6E7461637420496E666F726D6174696F6E0000000000042000B0700000003466F6F00000000000 </pre>
5	<p>Client B:</p> <p>Add attribute [batch]</p> <p>In: uuidKey, attribute={ x-attribute1='Value1'}</p> <p>In: uuidKey, attribute={ x-attribute2='Value2' }</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: </pre>

```

Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:
  Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)
  Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)
  Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000002 (2)
  Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
    Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000D (Add Attribute)
    Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 7A92DDA525EB158A
    Tag: Request Payload (0x420079), Type: Structure (0x01), Data:
      Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 0a33e83e-5b7a-4865-964a-
8d1c3bbf9ae3
      Tag: Attribute (0x420008), Type: Structure (0x01), Data:
        Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: x-attribute1
        Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: Value1
  Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
    Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000D (Add Attribute)
    Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 7230F6E4D3BEA249
    Tag: Request Payload (0x420079), Type: Structure (0x01), Data:
      Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 0a33e83e-5b7a-4865-964a-
8d1c3bbf9ae3
      Tag: Attribute (0x420008), Type: Structure (0x01), Data:
        Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: x-attribute2
        Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: Value2

```

42007801000001604200770100000038420069010000002042006A020000000400000001000000042006B02000000040
00000000000000042000D02000000400000002000000042000F010000008842005C050000004000000D000000042
00930800000087A92DDA525EB158A420079010000006042009407000002430613333653833652D356237612D3438363
52D393634612D3864316333626266396165330000000420008010000002842000A07000000C782D6174747269627574
6531000000042000B07000000656616C75653100042000F01000008842005C050000004000000D000000042009
308000000087230F6B4D3BEA249420079010000006042009407000002430613333653833652D356237612D34383652D
393634612D3864316333626266396165330000000420008010000002842000A070000000C782D6174747269627574653
20000000042000B07000000656616C7565320000

Out: `uuidKey, attribute={ x-attribute1='Value1' }`
Out: `uuidKey, attribute={ x-attribute2='Value2' }`

```

Tag: Response Message (0x42007B), Type: Structure (0x01), Data:
  Tag: Response Header (0x42007A), Type: Structure (0x01), Data:
    Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:
      Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)
      Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)
    Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004AFBED25 (Thu Nov 12  

12:10:29 CET 2009)
    Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000002 (2)
    Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
      Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000D (Add Attribute)
      Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 7A92DDA525EB158A
      Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)
      Tag: Response Payload (0x42007C), Type: Structure (0x01), Data:
        Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 0a33e83e-5b7a-4865-964a-
8d1c3bbf9ae3
        Tag: Attribute (0x420008), Type: Structure (0x01), Data:
          Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: x-attribute1

```

	<pre> Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: Value1 Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000D (Add Attribute) Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 7230F6E4D3BEA249 Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 0a33e83e-5b7a-4865-964a-8d1c3bbf9ae3 Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: x-attribute2 Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: Value2 42007B010000019042007A0100000048420069010000002042006A0200000004000000010000000042006B020000000400000000000000004200920900000008000000004AFBED2542000D020000000400000002000000042000F010000009842005C05000000040000000D000000042009308000000087A92DDA525EB158A42007F05000000040000000000000000000042007C0100000060420094070000002430613333653833652D356237612D343836352D393634612D3864316333626266396165330000000420008010000002842000A070000000C782D617474726962757465310000000042000B0700000000656616C756531000042000F010000009842005C05000000040000000D0000000042009308000000087230F6E4D3BEA24942007F0500000004000000000000000042007C0100000060420094070000002430613333653833652D356237612D343836352D393634612D386431633362626639616533000000042000801000002842000A070000000C782D617474726962757465320000000042000B070000000656616C7565320000 </pre>
6	<p>Client B:</p> <p>Modify attribute [batch]</p> <p>In: <code>uuidKey, attribute={ x-attribute1='ModifiedValue1' }</code></p> <p>In: <code>uuidKey, attribute={ x-attribute2='ModifiedValue2' }</code></p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000002 (2) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000E (Modify Attribute) Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: BA3EA60548ECB699 Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 0a33e83e-5b7a-4865-964a-8d1c3bbf9ae3 Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: x-attribute1 Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: ModifiedValue1 Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000E (Modify Attribute) Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 321984E716274A3D Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 0a33e83e-5b7a-4865-964a-8d1c3bbf9ae3 Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: x-attribute2 Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: ModifiedValue2 4200780100000170420077010000038420069010000002042006A0200000004000000010000000042006B020000000400000000000000004200920900000008000000004AFBED2542000D020000000400000002000000042000F010000009842005C05000000040000000D000000042009308000000087A92DDA525EB158A42007F05000000040000000000000000000042007C0100000060420094070000002430613333653833652D356237612D343836352D393634612D386431633362626639616533000000042000801000002842000A070000000C782D617474726962757465310000000042000B0700000000656616C756531000042000F010000009842005C05000000040000000D0000000042009308000000087230F6E4D3BEA24942007F0500000004000000000000000042007C0100000060420094070000002430613333653833652D356237612D343836352D393634612D386431633362626639616533000000042000801000002842000A070000000C782D617474726962757465320000000042000B070000000656616C7565320000 </pre>

	<pre> 00000000000000042000D02000000400000002000000042000F01000009042005C0500000040000000E0000000042 00930800000008BA3EA60548ECB69942007901000006842009407000002430613333653833652D356237612D3438363 52D393634612D386431633362626639616533000000420080100000304200A07000000C782D6174747269627574 6531000000042000B070000000E4D6F6469669656456616C75653100004200F01000009042005C05000000400000 00E00000000420093080000008321984E716274A3D42007901000006842009407000002430613333653833652D3562 37612D343836352D393634612D386431633362626639616533000000420080100000304200A07000000C782D617 474726962757465320000004200B07000000E4D6F64696669656456616C7565320000 </pre> <p>Out: uuidKey, attribute={ x-attribute1='ModifiedValue1' }</p> <p>Out: uuidKey, attribute={ x-attribute2='ModifiedValue2' }</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004AFBED26 (Thu Nov 12 12:10:30 CET 2009) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000002 (2) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000E (Modify Attribute) Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: BA3EA60548ECB699 Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 0a33e83e-5b7a-4865-964a- 8d1c3bbf9ae3 Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: x-attribute1 Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: ModifiedValue1 Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000E (Modify Attribute) Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 321984E716274A3D Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 0a33e83e-5b7a-4865-964a- 8d1c3bbf9ae3 Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: x-attribute2 Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: ModifiedValue2 42007B01000001A042007A01000004842006901000002042006A0200000040000001000000042006B02000000040 0000000000000042009209000000800000004AFBED2642000D02000000400000020000004200F01000000A042 005C050000004000000E000000042009308000008BA3EA60548ECB69942007F0500000040000000000000420 07C01000006842009407000002430613333653833652D356237612D343836352D393634612D38643163336262663961 65330000000420080100000304200A07000000C782D6174747269627574653100000004200B07000000E4D6F6 4696669656456616C75653100004200F0100000A042005C050000004000000E00000004200930800000008321984 E716274A3D42007F0500000040000000000000042007C01000006842009407000002430613333653833652D35623 7612D343836352D393634612D386431633362626639616533000000420080100000304200A07000000C782D617 474726962757465320000004200B07000000E4D6F64696669656456616C7565320000 </pre>
7	<p>Client B:</p> <p>Delete attribute [batch]</p> <p>In: uuidKey, attributeNames={'x-attribute1'}</p>

```

In: uuidKey, attributeNames={'x-attribute2'}
```

Tag: Request Message (0x420078), Type: Structure (0x01), Data:

 Tag: Request Header (0x420077), Type: Structure (0x01), Data:

 Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:

 Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)

 Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)

 Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000002 (2)

 Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:

 Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000F (Delete Attribute)

 Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: D5C6DF842DAECD8

 Tag: Request Payload (0x420079), Type: Structure (0x01), Data:

 Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 0a33e83e-5b7a-4865-964a-8d1c3bbf9ae3

 Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: x-attribute1

 Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:

 Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000F (Delete Attribute)

 Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 572D4F0D433DAB10

 Tag: Request Payload (0x420079), Type: Structure (0x01), Data:

 Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 0a33e83e-5b7a-4865-964a-8d1c3bbf9ae3

 Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: x-attribute2

42007801000001304200770100000038420069010000002042006A020000000400000001000000042006B02000000040000000000042000D020000000400000002000000042000F010000007042005C05000000040000000F000000004200930800000008D5C6DF842DAB10420079010000048420094070000002430613333653833652D356237612D343836352D393634612D3864316333626639616533000000042000A0700000000C782D61747472696275746531000000042000F010000007042005C05000000040000000F000000004200930800000008572D4F0D433DAB10420079010000048420094070000002430613333653833652D356237612D343836352D393634612D3864316333626639616533000000042000A0700000000C782D617474726962757465320000000

```

Out: uuidKey, attributeNames={'x-attribute1'}
Out: uuidKey, attributeNames={'x-attribute2'}
```

Tag: Response Message (0x42007B), Type: Structure (0x01), Data:

 Tag: Response Header (0x42007A), Type: Structure (0x01), Data:

 Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:

 Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)

 Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)

 Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004AFBED26 (Thu Nov 12 12:10:30 CET 2009)

 Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000002 (2)

 Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:

 Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000F (Delete Attribute)

 Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: D5C6DF842DAECD8

 Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)

 Tag: Response Payload (0x42007C), Type: Structure (0x01), Data:

 Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 0a33e83e-5b7a-4865-964a-8d1c3bbf9ae3

 Tag: Attribute (0x420008), Type: Structure (0x01), Data:

 Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: x-attribute1

	<pre> Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: ModifiedValue1 Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000F (Delete Attribute) Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 572D4F0D433DAB10 Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 0a33e83e-5b7a-4865-964a-8d1c3bbf9ae3 Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: x-attribute2 Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: ModifiedValue2 42007B01000001A042007A0100000048420069010000002042006A020000000400000001000000042006B02000000040 00000000000000004200920900000008000000004AFBED2642000D020000000400000002000000042000F01000000A042 005C05000000040000000F00000004200930800000008D5C6DF842DAEECD842007F0500000004000000000000000000420 07C0100000068420094070000002430613333653833652D356237612D343836352D393634612D38643163336262663961 65330000000042008010000003042000A070000000C782D617474726962757465310000000042000B070000000E4D6F6 4696669656456616C756531000042000F01000000A042005C05000000040000000F000000004200930800000008572D4F 0D433DAB1042007F0500000004000000000000000042007C010000068420094070000002430613333653833652D35623 7612D343836352D393634612D3864316333626266396165330000000042000B0700000003042000A070000000C782D6174 7472696275746532000000042000B070000000E4D6F64696669656456616C7565320000 </pre>
8	<p>Client A:</p> <p>Destroy (symmetric key)</p> <p>In: <code>uuidKey</code></p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 0a33e83e-5b7a-4865-964a-8d1c3bbf9ae3 420078010000090420077010000038420069010000002042006A020000000400000001000000042006B02000000040 000000000000000042000D020000000400000001000000042000F010000004842005C05000000040000014000000042 00790100000030420094070000002430613333653833652D356237612D343836352D393634612D3864316333626266396 16533000000000 </pre> <p>Out: <code>uuidKey</code></p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x0000000004AFBED27 (Thu Nov 12 12:10:31 CET 2009) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) </pre>

	<pre> Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 0a33e83e-5b7a-4865-964a-8d1c3bbf9ae3 42007B01000000B042007A0100000048420069010000002042006A0200000004000000010000000042006B020000000400000000000000004200920900000008000000004AFBED274200D0200000004000000010000000042000F010000005842005C0500000004000000140000000042007F0500000004000000000000000042007C0100000030420094070000002430613333653833652D356237612D343836352D393634612D38643163336262663961653300000000 </pre>
9	<p>Client A:</p> <p>Get (symmetric key)</p> <p>In: <code>uuidKey</code></p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 0a33e83e-5b7a-4865-964a-8d1c3bbf9ae3 42007801000000904200770100000038420069010000002042006A0200000004000000010000000042006B0200000004000000000000000042000D0200000004000000010000000042000F010000004842005C05000000040000000A000000004200790100000030420094070000002430613333653833652D356237612D343836352D393634612D38643163336262663961653300000000 </pre> <p>Out: Operation Failed, Item Not Found</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004AFBED27 (Thu Nov 12 12:10:31 CET 2009) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000001 (Operation Failed) Tag: Result Reason (0x42007E), Type: Enumeration (0x05), Data: 0x00000001 (Item Not Found) Tag: Result Message (0x42007D), Type: Text String (0x07), Data: Object does not exist 42007B01000000A842007A0100000048420069010000002042006A0200000004000000010000000042006B020000000400000000000000004200920900000008000000004AFBED274200D0200000004000000010000000042000F010000005042005C05000000040000000A0000000042007F0500000004000000010000000042007E050000000400000001000000004200 </pre>

	07D07000000154F626A65637420646F6573206E6F74206578697374000000
10	<p>Client A:</p> <p>Destroy (template)</p> <p>In: uuidTemplate</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 45d8629a-9ad1-41b3-9d09-941f2a595da3 </pre> <p>42007801000000904200770100000038420069010000002042006A020000000400000001000000042006B020000000400000000042000D020000000400000001000000042000F010000004842005C050000000400000014000000004200790100000030420094070000002434356438363239612D396164312D343162332D396430392D39343166326135393564613300000000</p> <p>Out: uuidTemplate</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004AFBED27 (Thu Nov 12 12:10:31 CET 2009) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 45d8629a-9ad1-41b3-9d09-941f2a595da3 </pre> <p>42007B01000000B042007A0100000048420069010000002042006A020000000400000001000000042006B020000000400000000042009209000000008000000004AFBED2742000D020000000400000001000000042000F010000005842005C050000000400000014000000042007F0500000004000000000000000042007C0100000030420094070000002434356438363239612D396164312D343162332D396430392D39343166326135393564613300000000</p>
11	<p>Client A:</p> <p>Get (template)</p> <p>In: uuidTemplate</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: </pre>

	<pre> Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 45d8629a-9ad1-41b3-9d09-941f2a595da3 42007801000000904200770100000038420069010000002042006A020000000400000001000000042006B02000000040000000000042000D020000000400000001000000042000F010000004842005C0500000040000000A000000004200790100000030420094070000002434356438363239612D396164312D343162332D396430392D393431663261353935646133000000000 </pre> <p>Out: Operation Failed, Item Not Found</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004AFBED27 (Thu Nov 12 12:10:31 CET 2009) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000001 (Failed) Tag: Result Reason (0x42007E), Type: Enumeration (0x05), Data: 0x00000001 (Item Not Found) Tag: Result Message (0x42007D), Type: Text String (0x07), Data: No Cryptographic Object found with given Unique Identifier 42007B01000000D042007A0100000048420069010000002042006A020000000400000001000000042006B0200000004000000000004200920900000008000000004AFBED2742000D020000000400000001000000042000F010000007842005C0500000040000000A000000042007F050000000400000001000000042007E05000000400000001000000042007D070000003A4E6F2043727970746F67726170686963204F626A65637420666F756E64207769746820676976656E20556E69717565204964656E7469666965720000000000000 </pre>
--	--

119

120 3.1.5 Use-case: Register / Destroy Secret Data

121 In this use-case the client issues a Register request containing a Secret Data object, whereby the server
 122 registers the object and returns the Unique Identifier. To clean up, the client then performs a Destroy
 123 operation to destroy the object.

124

Time	Request/Response messages
0	<p>Register (secret data)</p> <p>In: objectType='00000007' (Secret Data), attributes={ CryptographicUsageMask='00000002' }</p> <p>Tag: Request Message (0x420078), Type: Structure (0x01), Data:</p>

	<pre> Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000003 (Register) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000007 (Secret Data) Tag: Template-Attribute (0x420091), Type: Structure (0x01), Data: Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Usage Mask Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x00000002 (Verify) Tag: Secret Data (0x420085), Type: Structure (0x01), Data: Tag: Secret Data Type (0x420086), Type: Enumeration (0x05), Data: 0x00000001 Tag: Key Block (0x420040), Type: Structure (0x01), Data: Tag: Key Format Type (0x420042), Type: Enumeration (0x05), Data: 0x00000002 Tag: Key Value (0x420045), Type: Structure (0x01), Data: Tag: Key Material (0x420043), Type: Octet String (0x08), Data: 53656372657450617373776F7264 </pre>
--	---

4200780100000100420077010000038420069010000002042006A0200000040000001000000042006B0200000004
000000000000000042000D0200000040000001000000042000F0100000B842005C050000004000000300000000
4200790100000A0420057050000004000000700000004200910100000384200080100000304200A0700000018
43727970746F67726170686963205573616765204D61736B42000B020000004000000200000004200850100000048
420086050000004000000100000004200400100000030420042050000004000000200000004200450100000018
42004308000000E53656372657450617373776F72640000

Out: uuidObject

	<pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x00000004B7924D1 (Mon Feb 15 11:41:21 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000003 (Register) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 39622cc2-e5d4-4da9- 9f10-3bdf64b0e760 </pre>
--	--

42007B0100000B042007A01000004842006901000002042006A0200000040000001000000042006B0200000004
000000000000000042009209000000800000004B7924D142000D0200000040000001000000042000F0100000058
42005C05000000040000003000000042007F050000000400000000000000042007C01000000304200940700000024
33393632326363322D653564342D346461392D396631302D336264663634623065373630000000000

1	Destroy (secret data) In: uuidObject
---	---

```

Tag: Request Message (0x420078), Type: Structure (0x01), Data:
  Tag: Request Header (0x420077), Type: Structure (0x01), Data:
    Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:
      Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)
      Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)
    Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)
  Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
    Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy)
  Tag: Request Payload (0x420079), Type: Structure (0x01), Data:
    Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 39622cc2-e5d4-4da9-
9f10-3bdf64b0e760

42007801000000904200770100000038420069010000002042006A0200000040000001000000042006B0200000004
000000000000000042000D02000000400000010000000042000F01000004842005C050000004000001400000000
4200790100000304200940700000243393632363322D653564342D346461392D396631302D3362646636346230
6537363000000000

Out: uuidKey

Tag: Response Message (0x42007B), Type: Structure (0x01), Data:
  Tag: Response Header (0x42007A), Type: Structure (0x01), Data:
    Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:
      Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)
      Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)
    Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B7924D1 (Mon Feb 15
11:41:21 CET 2010)
  Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)
  Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
    Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy)
    Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)
  Tag: Response Payload (0x42007C), Type: Structure (0x01), Data:
    Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 39622cc2-e5d4-4da9-
9f10-3bdf64b0e760

42007B01000000B042007A010000048420069010000002042006A0200000040000001000000042006B0200000004
0000000000000000420092090000008000000004B7924D142000D0200000040000001000000042000F010000058
42005C0500000040000014000000042007F05000000400000000000000042007C0100000304200940700000024
33393632363322D653564342D346461392D396631302D33626466363462306537363000000000

```

125

126

127 3.2 Use-case: Asynchronous Locate

128 This use-case tests the asynchronous capabilities of KMIP using the Locate operation. A key is created
129 and then a Locate request is sent containing the Name of the created key and with the message header
130 Asynchronous Indicator-field set to True. If the server returns an asynchronous response to the Locate,
131 the client then polls the server until the operation is ready. If the server responded asynchronously, a
132 subsequent Locate operation that is also handled asynchronously is then Cancelled, before the key is
133 finally destroyed.

134

135 This use-case shows the use of two clients with the same assumptions as in the use-case described in
 136 Section 3.1.4 Since the client is unable to force the server to respond asynchronously, it is possible for a
 137 server to respond synchronously to the requests issued at times 1 and 4, in which case the expected
 138 response are the ones shown at times 2 and 5, respectively. In the case of the server not responding
 139 asynchronously to the Locate requests, the client is permitted to skip the requests illustrated at time 7 and
 140 8.
 141

Time	Client A
0	<p>Client A:</p> <p>Create (symmetric key)</p> <p>In: objectType = '00000002', attributes={ CryptographicAlgorithm='AES', CryptographicLength='128', Name={ NameValue='Key1', NameType='00000001' }, CryptographicUsageMask='00000004', ObjectGroup='Group1' }</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000001 (Create) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Template-Attribute (0x420091), Type: Structure (0x01), Data: Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Algorithm Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000003 (AES) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Length Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x00000080 (128) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data: Tag: Name Value (0x420055), Type: Text String (0x07), Data: Key1 Tag: Name Type (0x420054), Type: Enumeration (0x05), Data: 0x00000001 (Uninterpreted text string) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Usage Mask Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x00000004 (Encrypt) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Object Group Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: Group1</pre> <p>42007801000001904200770100000038420069010000002042006A0200000004000000010000000042006B02000000040000000000042000D0200000004000000010000000042000F010000014842005C050000000400000001000000004200790100000130420057050000000400000002000000004200910100000118420008010000003042000A0700000001743727970746F6772617068696320416C676F726974686D0042000B05000000040000000300000000420008010000003042000A070000001443727970746F67726170686963204C656E677468000000042000B02000000040000000800000000042000</p>

```
8010000003842000A0700000044E616D650000000042000B010000002042005507000000044B65793100000000420054
050000000400000010000000420008010000003042000A070000001843727970746F677261706869632055736167652
04D61736B42000B020000004000000040000000420008010000002842000A07000000C4F626A6563742047726F7570
0000000042000B07000000647726F7570310000
```

Out: objectType = '00000002', uuidKey

```
Tag: Response Message (0x42007B), Type: Structure (0x01), Data:
  Tag: Response Header (0x42007A), Type: Structure (0x01), Data:
    Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:
      Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)
      Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)
    Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004AFBED28 (Thu Nov 12
12:10:32 CET 2009)
    Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)
  Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
    Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000001 (Create)
    Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)
  Tag: Response Payload (0x42007C), Type: Structure (0x01), Data:
    Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key)
    Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 95a0e6b3-8edc-4ffb-a88e-
e164539dbcca
```

```
42007B01000000C042007A01000004842006901000002042006A0200000040000001000000042006B02000000040
000000000000000420092090000008000000004AFBED2842000D0200000040000001000000042000F010000006842
005C0500000004000000010000000042007F05000000400000000000000042007C01000000404200570500000004000
0000200000000420094070000002439356130653662332D386564632D346666622D613838652D65313634353339646263
636100000000
```

1

Client B:

Locate (symmetric key by name)

In: asynchronousIndicator='TRUE', attributes={ objectType = '00000002', Name={ Name='Key1', NameType='00000001' } }

```
Tag: Request Message (0x420078), Type: Structure (0x01), Data:
  Tag: Request Header (0x420077), Type: Structure (0x01), Data:
    Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:
      Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)
      Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)
    Tag: Asynchronous Indicator (0x420007), Type: Boolean (0x06), Data: TRUE
    Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)
  Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
    Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate)
    Tag: Request Payload (0x420079), Type: Structure (0x01), Data:
      Tag: Attribute (0x420008), Type: Structure (0x01), Data:
        Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Object Type
        Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric
Key)
      Tag: Attribute (0x420008), Type: Structure (0x01), Data:
        Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name
        Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data:
          Tag: Name Value (0x420055), Type: Text String (0x07), Data: Key1
```

	<p>Tag: Name Type (0x420054), Type: Enumeration (0x05), Data: 0x00000001 (Uninterpreted text string)</p> <p>42007801000000E04200770100000048420069010000002042006A0200000004000000010000000042006B020000000400000000000420007060000008000000000000000142000D0200000004000000010000000042000F010000008842005C05000000040000000800000000042007901000007042000801000002842000A070000000B4F626A6563742054797065000000000042000B0500000004000000020000000042000801000003842000A07000000044E616D650000000042000B010000002042005507000000044B6579310000000042005405000000040000000100000000</p> <p>Out: asyncCorrValue1</p> <p>Tag: Response Message (0x42007B), Type: Structure (0x01), Data:</p> <p>Tag: Response Header (0x42007A), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)</p> <p>Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004AFBED28 (Thu Nov 12 12:10:32 CET 2009)</p> <p>Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</p> <p>Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate)</p> <p>Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000002 (Pending)</p> <p>Tag: Asynchronous Correlation Value (0x420006), Type: Octet String (0x08), Data: 130BC369AF005A7F</p> <p>42007B010000008842007A0100000048420069010000002042006A0200000004000000010000000042006B0200000004000000000004200920900000008000000004AFBED2842000D0200000004000000010000000042000F010000003042005C0500000004000000080000000042007F050000000400000002000000004200060800000008130BC369AF005A7F</p>
--	---

2

Client B:
Poll*
In: asyncCorrValue1

	<p>Tag: Request Message (0x420078), Type: Structure (0x01), Data:</p> <p>Tag: Request Header (0x420077), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)</p> <p>Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</p> <p>Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000001A (Poll)</p> <p>Tag: Request Payload (0x420079), Type: Structure (0x01), Data:</p> <p>Tag: Asynchronous Correlation Value (0x420006), Type: Octet String (0x08), Data: 130BC369AF005A7F</p> <p>42007801000000704200770100000038420069010000002042006A0200000004000000010000000042006B02000000040000000000042000D0200000004000000010000000042000F010000002842005C05000000040000001A0000000042007901000000104200060800000008130BC369AF005A7F</p> <p>Out: uuidKey1</p> <p>Tag: Response Message (0x42007B), Type: Structure (0x01), Data:</p>
--	--

	<pre> Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004AFBED28 (Thu Nov 12 12:10:32 CET 2009) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 95a0e6b3-8edc-4ffb-a88e- e164539dbcca 42007B01000000B042007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040 0000000000000004200920900000008000000004AFBED2842000D0200000004000000010000000042000F010000005842 005C0500000004000000080000000042007F050000000400000000000000000042007C01000000304200940700000024393 56130653662332D386564632D34666622D613838652D6531363435333964626363610000000 </pre>
3	<p>Client B:</p> <p>Get (symmetric key)</p> <p>In: <code>uuidKey1</code></p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 95a0e6b3-8edc-4ffb-a88e- e164539dbcca 42007801000000904200770100000038420069010000002042006A0200000004000000010000000042006B02000000040 00000000000000042000D0200000004000000010000000042000F010000004842005C0500000004000000A0000000042 00790100000030420094070000002439356130653662332D386564632D34666622D613838652D6531363435333964626 3636100000000 </pre> <p>Out: <code>objectType = '00000002', uuidKey1, symmetricKey</code></p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004AFBED29 (Thu Nov 12 12:10:33 CET 2009) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get) </pre>

	<pre> Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 95a0e6b3-8edc-4ffb-a88e-e164539dbcca Tag: Symmetric Key (0x42008F), Type: Structure (0x01), Data: Tag: Key Block (0x420040), Type: Structure (0x01), Data: Tag: Key Format Type (0x420042), Type: Enumeration (0x05), Data: 0x00000001 Tag: Key Value (0x420045), Type: Structure (0x01), Data: Tag: Key Material (0x420043), Type: Octet String (0x08), Data: BEF01F82DFB4682A01C2A08413834AAB Tag: Cryptographic Algorithm (0x420028), Type: Enumeration (0x05), Data: 0x00000003 (AES) Tag: Cryptographic Length (0x42002A), Type: Integer (0x02), Data: 0x00000080 (128) 42007B010000012042007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040 00000000000000004200920900000008000000004AFBED2942000D0200000004000000010000000042000F01000000C842 005C05000000040000000A0000000042007F0500000004000000000000000042007C0100000A04200570500000004000 000020000000042009407000002439356130653662332D386564632D346666622D613838652D65313634353339646263 63610000000042008F0100000058420040010000005042004205000000040000000100000000420045010000001842004 30800000010BEF01F82DFB4682A01C2A08413834AAB4200280500000004000000030000000042002A0200000004000000 8000000000 </pre>
4	<p>Client B:</p> <p>Locate (symmetric key by group)</p> <p>In: asynchronousIndicator='TRUE', attributes={ objectType = '00000002', ObjectGroup='Group1' }</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Asynchronous Indicator (0x420007), Type: Boolean (0x06), Data: TRUE Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Object Type Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Object Group Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: Group1 42007801000000D04200770100000048420069010000002042006A0200000004000000010000000042006B02000000040 00000000000000004200706000000080000000000000000142000D0200000004000000010000000042000F010000007842 005C05000000040000000800000000420079010000006042000801000002842000A07000000B4F626A6563742054797 06500000000042000B0500000004000000020000000420008010000002842000A07000000C4F626A6563742047726F 75700000000042000B07000000647726F7570310000 Out: asyncCorrValue2 </pre>

	<pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004AFBED29 (Thu Nov 12 12:10:33 CET 2009) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000002 (Pending) Tag: Asynchronous Correlation Value (0x420006), Type: Octet String (0x08), Data: 48D43C207CD1FB3A 42007B010000008842007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040 00000000000000004200920900000008000000004AFBED2942000D0200000004000000010000000042000F010000003042 005C0500000004000000080000000042007F0500000004000000020000000042000608000000848D43C207CD1FB3A </pre>
5	<p>Client B:</p> <p>Poll*</p> <p>In: asyncCorrValue2</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000001A (Poll) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Asynchronous Correlation Value (0x420006), Type: Octet String (0x08), Data: 48D43C207CD1FB3A 42007801000000704200770100000038420069010000002042006A0200000004000000010000000042006B02000000040 000000000000000042000D0200000004000000010000000042000F010000002842005C05000000040000001A0000000042 0079010000001042000608000000848D43C207CD1FB3A </pre> <p>Out: uuidKey2</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004AFBED29 (Thu Nov 12 12:10:33 CET 2009) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) </pre>

	<pre> Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 95a0e6b3-8edc-4ffb-a88e-e164539dbcca 42007B01000000B042007A0100000048420069010000002042006A0200000004000000010000000042006B0200000004000000000000004200920900000008000000004AFBED294200D0200000004000000010000000042000F010000005842005C0500000004000000080000000042007F0500000004000000000000000042007C0100000030420094070000002439356130653662332D386564632D34666622D613838652D6531363435333964626363610000000 </pre>
6	<p>Client B:</p> <p>Get (symmetric key)</p> <p>In: <code>uuidKey2</code></p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 95a0e6b3-8edc-4ffb-a88e-e164539dbcca 42007801000000904200770100000038420069010000002042006A0200000004000000010000000042006B02000000040000000000000042000D0200000004000000010000000042000F010000004842005C05000000040000000A000000004200790100000030420094070000002439356130653662332D386564632D34666622D613838652D6531363435333964626363610000000 </pre> <p>Out: <code>objectType = '00000002', uuidKey2, symmetricKey</code></p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004AFBED29 (Thu Nov 12 12:10:33 CET 2009) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 95a0e6b3-8edc-4ffb-a88e-e164539dbcca Tag: Symmetric Key (0x42008F), Type: Structure (0x01), Data: Tag: Key Block (0x420040), Type: Structure (0x01), Data: Tag: Key Format Type (0x420042), Type: Enumeration (0x05), Data: 0x00000001 Tag: Key Value (0x420045), Type: Structure (0x01), Data: Tag: Key Material (0x420043), Type: Octet String (0x08), Data: </pre>

	<pre>BEF01F82DFB4682A01C2A08413834AAB Tag: Cryptographic Algorithm (0x420028), Type: Enumeration (0x05), Data: 0x00000003 (AES) Tag: Cryptographic Length (0x42002A), Type: Integer (0x02), Data: 0x00000080 (128) 42007B010000012042007A010000048420069010000002042006A0200000040000001000000042006B02000000040 000000000000000420092090000008000000004AFBED294200D0200000040000001000000042000F01000000C842 005C0500000004000000A000000042007F05000000400000000000000042007C0100000A04200570500000004000 00002000000042009407000002439356130653662332D386564632D346666622D613838652D65313634353339646263 6361000000042008F01000005842004001000005042004205000000400000010000000420045010000001842004 30800000010BEF01F82DFB4682A01C2A08413834AAB4200280500000040000003000000042002A020000004000000 8000000000</pre>
7	<p>Client B:</p> <p>Locate (symmetric key by name)</p> <p>In: asynchronousIndicator='TRUE', attributes={ objectType = '00000002', Name= { Name='Key1', NameType='00000001' } }</p> <pre>Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Asynchronous Indicator (0x420007), Type: Boolean (0x06), Data: TRUE Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Object Type Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data: Tag: Name Value (0x420055), Type: Text String (0x07), Data: Key1 Tag: Name Type (0x420054), Type: Enumeration (0x05), Data: 0x00000001 (Uninterpreted text string) 4200780100000E0420077010000048420069010000002042006A0200000040000001000000042006B02000000040 00000000000000042000706000000800000000000000142000D0200000040000001000000042000F010000008842 005C050000000400000080000000042007901000007042000801000002842000A07000000B4F626A6563742054797 065000000000042000B05000000040000002000000042000801000003842000A0700000044E616D65000000004200 0B0100000204200550700000044B6579310000000420054050000004000000100000000</pre> <p>Out: asyncCorrValue5</p> <pre>Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004AFBED29 (Thu Nov 12</pre>

	<pre> 12:10:33 CET 2009) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000002 (Pending) Tag: Asynchronous Correlation Value (0x420006), Type: Octet String (0x08), Data: 4D6BBFC35FE57FBA 42007B010000008842007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040 00000000000000004200920900000008000000004AFBED2942000D0200000004000000010000000042000F010000003042 005C0500000004000000080000000042007F050000000400000002000000004200060800000084D6BBFC35FE57FBA </pre>
8	<p>Client B:</p> <p>Cancel</p> <p>In: asyncCorrValue5</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000019 (Cancel) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Asynchronous Correlation Value (0x420006), Type: Octet String (0x08), Data: 4D6BBFC35FE57FBA 42007801000000704200770100000038420069010000002042006A0200000004000000010000000042006B02000000040 000000000000000042000D0200000004000000010000000042000F010000002842005C0500000004000000190000000042 0079010000001042000608000000084D6BBFC35FE57FBA </pre> <p>Out: asyncCorrValue5, CancelResult='00000001'</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004AFBED29 (Thu Nov 12 12:10:33 CET 2009) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000019 (Cancel) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Asynchronous Correlation Value (0x420006), Type: Octet String (0x08), Data: 4D6BBFC35FE57FBA Tag: Cancellation Result (0x420012), Type: Enumeration (0x05), Data: 0x00000001 (Cancelled) 42007B01000000A042007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040 00000000000000004200920900000008000000004AFBED2942000D0200000004000000010000000042000F010000004842 </pre>

	005C05000000040000019000000042007F05000000400000000000000042007C0100000204200060800000084D6 BBFC35FE57FBA42001205000000400000010000000
9	<p>Client A:</p> <p>Destroy (symmetric key)</p> <p>In: <code>uuidKey</code></p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 95a0e6b3-8edc-4ffb-a88e-e164539dbcca </pre> <p>42007801000000904200770100000038420069010000002042006A0200000004000000010000000042006B0200000000400000000000000042000D0200000004000000010000000042000F010000004842005C050000000400000014000000004200790100000030420094070000002439356130653662332D386564632D34666622D613838652D65313634353339646263636100000000</p> <p>Out: <code>uuidKey</code></p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004AFBED2A (Thu Nov 12 12:10:34 CET 2009) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 95a0e6b3-8edc-4ffb-a88e-e164539dbcca </pre> <p>42007B01000000B042007A0100000048420069010000002042006A0200000004000000010000000042006B020000000040000000000000004200920900000008000000004AFBED2A42000D0200000004000000010000000042000F010000005842005C0500000004000000140000000042007F0500000004000000000000000042007C0100000030420094070000002439356130653662332D386564632D34666622D613838652D65313634353339646263636100000000</p>

142 * = executed until response is ready

143

144

145 4 Key life cycle support

146

147 **4.1 Use-case: Revoke scenario**

148 This use-case tests the revocation aspect of the key life cycle support in KMIP. A key is created and a
 149 Get Attribute for the State-attribute reveals that the key is in Pre-active state. The Activation Date is then
 150 set, which changes the state to Active. The key is then revoked with a revocation reason of Compromised
 151 and the state subsequently changed to Compromised, but this does not stop a client from being able to
 152 add, modify and delete attributes or even get the key (since we assume here that the out-of-band
 153 registration has been used to make the server aware of the fact that the client is capable of interpreting
 154 the attributes of the key and determining what it is allowed to do with the key). To clean up, the created
 155 key is finally destroyed.

156

Time	Client
0	<p>Client A:</p> <p>Create (symmetric key)</p> <p>In: objectType = '00000002', attributes={ CryptographicAlgorithm='AES', CryptographicLength='128', Name={ NameValue='Key1', NameType='00000001' }, CryptographicUsageMask='00000004' }</p> <p>Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000001 (Create) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Template-Attribute (0x420091), Type: Structure (0x01), Data: Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Algorithm Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000003 (AES) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Length Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x00000080 (128) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data: Tag: Name Value (0x420055), Type: Text String (0x07), Data: Key1 Tag: Name Type (0x420054), Type: Enumeration (0x05), Data: 0x00000001 (Uninterpreted text string) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Usage Mask Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x00000004 (Encrypt)</p> <p>420078010000016042007701000003842006901000002042006A0200000040000001000000042006B02000000400000000042000D0200000040000001000000042000F010000011842005C050000004000000100000004200790100000100420057050000004000000200000004200910100000E842000801000003042000A070000001743727970746F6772617068696320416C676F726974686D0042000B0500000040000003000000420008010000003042000A070000001443727970746F67726170686963204C656E67746800000042000B020000004000000800000000420008010000003842000A0700000044E616D6500000042000B0100000204200550700000044B6579310000000420054</p>

	<pre>0500000004000000010000000420008010000003042000A070000001843727970746F677261706869632055736167652 04D61736B42000B020000004000000040000000</pre> <p>Out: objectType = '00000002', uuidKey</p> <pre>Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004AFBED2B (Thu Nov 12 12:10:35 CET 2009) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000001 (Create) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 21d28b8a-06df-43c0-b72f- 2a161633ada9 42007B01000000C042007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040 00000000000000004200920900000008000000004AFBED2B42000D0200000004000000010000000042000F010000006842 005C050000000400000010000000042007F05000000040000000000000000000042007C01000000404200570500000004000 00002000000042009407000000243231643238612D303664662D343363302D623732662D32613136313633336164 613900000000</pre>
1	<p>Client A:</p> <p>Get attribute</p> <p>In: uuidKey, attributeName={'State'}</p> <pre>Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 21d28b8a-06df-43c0-b72f- 2a161633ada9 Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: State 42007801000000A04200770100000038420069010000002042006A0200000004000000010000000042006B02000000040 000000000000000042000D0200000004000000010000000042000F010000005842005C0500000004000000B000000042 00790100000040420094070000002432316432386238612D303664662D343363302D623732662D3261313631363333616 461390000000042000A07000000055374617465000000 Out: uuidKey, attribute={ State='00000001' }</pre>

	<pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004AFBED2B (Thu Nov 12 12:10:35 CET 2009) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 21d28b8a-06df-43c0-b72f- 2a161633ada9 Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: State Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000001 (Pre-Active) 42007B01000000D842007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040 0000000000000004200920900000008000000004AFBED2B42000D0200000004000000010000000042000F010000008042 005C05000000040000000B0000000042007F0500000004000000000000000042007C01000000584200940700000024323 16432386238612D303664662D343363302D623732662D32613136313633336164613900000004200801000000204200 0A070000000553746174650000042000B05000000040000000100000000 </pre>
2	<p>Client A:</p> <p>Activate</p> <p>In: uuidKey</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000012 (Activate) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 21d28b8a-06df-43c0-b72f- 2a161633ada9 42007801000000904200770100000038420069010000002042006A0200000004000000010000000042006B02000000040 00000000000000042000D0200000004000000010000000042000F010000004842005C0500000004000000120000000042 00790100000030420094070000002432316432386238612D303664662D343363302D623732662D3261313631363333616 46139000000000 </pre> <p>Out: uuidKey</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) </pre>

	<pre> Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004AFBED2B (Thu Nov 12 12:10:35 CET 2009) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000012 (Activate) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 21d28b8a-06df-43c0-b72f- 2a161633ada9 42007B01000000B042007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040 00000000000000004200920900000008000000004AFBED2B42000D0200000004000000010000000042000F010000005842 005C050000000400000012000000042007F0500000004000000000000000042007C0100000304200940700000024323 16432386238612D303664662D343363302D623732662D3261313631363333616461390000000 </pre>
3	<p>Client A:</p> <p>Get attribute</p> <p>In: <code>uuidKey, attributeName={ 'State' }</code></p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 21d28b8a-06df-43c0-b72f- 2a161633ada9 Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: State 42007801000000A04200770100000038420069010000002042006A0200000004000000010000000042006B02000000040 000000000000000042000D0200000004000000010000000042000F010000005842005C0500000004000000B0000000042 00790100000040420094070000002432316432386238612D303664662D343363302D623732662D3261313631363333616 461390000000042000A07000000055374617465000000 Out: <code>uuidKey, attribute={ State='00000002' }</code> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004AFBED2B (Thu Nov 12 12:10:35 CET 2009) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 21d28b8a-06df-43c0-b72f- </pre>

	<pre>2a161633ada9 Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: State Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000002 (Active) 42007B01000000D842007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040 00000000000000004200920900000008000000004AFBED2B4200D0200000004000000010000000042000F010000008042 005C05000000040000000042007F0500000004000000000000000042007C01000000584200940700000024323 16432386238612D303664662D343363302D623732662D3261313631363333616461390000000042000801000000204200 0A0700000005537461746500000042000B050000000400000000200000000</pre>
4	<p>Client B:</p> <p>Locate (symmetric key by name)</p> <p>In: objectType = '00000002', attributes={ Name={ Name='Key1', NameType='00000001' } }</p> <pre>Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Object Type Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data: Tag: Name Value (0x420055), Type: Text String (0x07), Data: Key1 Tag: Name Type (0x420054), Type: Enumeration (0x05), Data: 0x00000001 (Uninterpreted text string) 42007801000000D04200770100000038420069010000002042006A0200000004000000010000000042006B02000000040 000000000000000042000D0200000004000000010000000042000F010000008842005C050000000400000080000000042 00790100000070420008010000002842000A0700000004B4F626A6563742054797065000000000042000B0500000004000 0000200000000420008010000003842000A07000000044E616D650000000042000B010000002042005507000000044B65 79310000000042005405000000040000000100000000</pre> <p>Out: uuidKey</p> <pre>Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004AFBED2B (Thu Nov 12 12:10:35 CET 2009) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</pre>

	<pre> Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 21d28b8a-06df-43c0-b72f- 2a161633ada9 42007B01000000B042007A0100000048420069010000002042006A02000000400000001000000042006B02000000040 00000000000000004200920900000008000000004AFBED2B42000D02000000400000001000000042000F010000005842 005C0500000004000000080000000042007F0500000004000000000000000042007C01000000304200940700000024323 16432386238612D303664662D343363302D623732662D32613136313633336164613900000000 </pre>
5	<p>Client B:</p> <p>Get (symmetric key)</p> <p>In: <code>uuidKey</code></p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 21d28b8a-06df-43c0-b72f- 2a161633ada9 42007801000000904200770100000038420069010000002042006A02000000400000001000000042006B02000000040 000000000000000042000D020000004000000010000000042000F010000004842005C050000004000000A0000000042 00790100000030420094070000002432316432386238612D303664662D343363302D623732662D3261313631363333616 4613900000000 </pre> <p>Out: <code>objectType = '00000002'</code>, <code>uuidKey</code>, <code>symmetricKey</code></p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004AFBED2B (Thu Nov 12 12:10:35 CET 2009) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 21d28b8a-06df-43c0-b72f- 2a161633ada9 Tag: Symmetric Key (0x42008F), Type: Structure (0x01), Data: Tag: Key Block (0x420040), Type: Structure (0x01), Data: Tag: Key Format Type (0x420042), Type: Enumeration (0x05), Data: 0x00000001 </pre>

	<pre> Tag: Key Value (0x420045), Type: Structure (0x01), Data: Tag: Key Material (0x420043), Type: Octet String (0x08), Data: EF7833AB15F5A1EE5874BC0D9BBC4BE7 Tag: Cryptographic Algorithm (0x420028), Type: Enumeration (0x05), Data: 0x00000003 (AES) Tag: Cryptographic Length (0x42002A), Type: Integer (0x02), Data: 0x00000080 (128) 42007B010000012042007A010000048420069010000002042006A020000000400000001000000042006B02000000040 00000000000000004200920900000008000000004AFBED2B42000D02000000040000000100000004200F01000000C842 005C05000000040000000A0000000042007F0500000004000000000000000042007C01000000A04200570500000004000 000020000000042009407000000243231643238612D303664662D343363302D623732662D3261313631363336164 61390000000042008F010000005842004001000000504200420500000004000000010000000420045010000001842004 30800000010EF7833AB15F5A1EE5874BC0D9BBC4BE7420028050000000400000003000000042002A0200000004000000 8000000000 </pre>
6	<p>Client B:</p> <p>Revoke (symmetric key as compromised)</p> <p>In: <code>uuidKey, RevocationReason='00000002', CompromiseOccurrenceTime='6'</code></p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000013 (Revoke) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 21d28b8a-06df-43c0-b72f- 2a16163ada9 Tag: Revocation Reason (0x420081), Type: Structure (0x01), Data: Tag: Revocation Reason Code (0x420082), Type: Enumeration (0x05), Data: 0x00000002 (Key Compromise) Tag: Compromise Occurrence Date (0x420021), Type: Date-Time (0x09), Data: 0x0000000000000006 (Thu Jan 01 01:00:06 CET 1970) 4200780100000B8420077010000038420069010000002042006A020000000400000001000000042006B02000000040 000000000000000042000D020000000400000001000000042000F010000007042005C050000000400000130000000042 0079010000058420094070000002432316432386238612D303664662D343363302D623732662D326131363136333616 461390000000420081010000010420082050000004000000020000000420021090000008000000000000000000006 Out: <code>uuidKey</code> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004AFBED2B (Thu Nov 12 12:10:35 CET 2009) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000013 (Revoke) </pre>

	<pre> Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 21d28b8a-06df-43c0-b72f- 2a161633ada9 42007B01000000B042007A010000048420069010000002042006A0200000040000001000000042006B02000000040 00000000000000042009209000000800000004AFBED2B4200D0200000040000001000000042000F01000005842 005C0500000040000013000000042007F05000000400000000000000042007C010000030420094070000024323 16432386238612D303664662D343363302D623732662D3261313631363333616461390000000 </pre>
7	<p>Client B:</p> <p>Get attribute</p> <p>In: uuidKey, attributeName={ 'State' }</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 21d28b8a-06df-43c0-b72f- 2a161633ada9 Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: State 42007801000000A04200770100000038420069010000002042006A0200000040000001000000042006B02000000040 00000000000000042000D02000000400000001000000042000F010000005842005C050000004000000B0000000042 00790100000040420094070000002432316432386238612D303664662D343363302D623732662D3261313631363333616 46139000000042000A0700000005537461746500000 </pre> <p>Out: uuidKey, attribute={ State='00000004' }</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004AFBED2C (Thu Nov 12 12:10:36 CET 2009) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 21d28b8a-06df-43c0-b72f- 2a161633ada9 Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: State Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000004 (Compromised) </pre>

	42007B01000000D842007A010000048420069010000002042006A0200000040000001000000042006B020000000400000000000042009209000000800000004AFBED2C42000D0200000040000001000000042000F010000008042005C050000004000000B000000042007F05000000400000000000000042007C0100000058420094070000002432316432386238612D303664662D343363302D623732662D326131363136333361646139000000042000801000000204200A070000000553746174650000042000B050000004000000040000000
8	<p>Client A:</p> <p>Get attribute list</p> <p>In: <code>uuidKey</code></p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000C (Get Attribute List) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 21d28b8a-06df-43c0-b72f-2a161633ada9 42007801000000904200770100000038420069010000002042006A0200000040000001000000042006B020000000400000000000042000D0200000040000001000000042000F010000004842005C0500000040000000C000000004200790100000030420094070000002432316432386238612D303664662D343363302D623732662D32613136313633336164613900000000 </pre> <p>Out: <code>uuidKey, attributes = { * }</code></p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004AFBED2C (Thu Nov 12 12:10:36 CET 2009) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000C (Get Attribute List) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 21d28b8a-06df-43c0-b72f-2a161633ada9 Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Length Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Algorithm Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: State Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Compromise Occurrence Date Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Compromise Date Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Digest Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Initial Date Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Activation Date Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Revocation Reason </pre>

	<pre> Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Unique Identifier Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Usage Mask Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Object Type Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Last Change Date 42007B010000022042007A01000004842006901000002042006A0200000040000001000000042006B02000000040 000000000000042009209000000800000004AFBED2C42000D0200000040000001000000042000F0100001C842 005C0500000004000000C000000042007F0500000040000000000000042007C0100001A0420094070000024323 16432386238612D303664662D343363302D623732662D32613136313633361646139000000042000A0700000144372 7970746F67726170686963204C656E677468000000042000A07000001743727970746F6772617068696320416C676F7 26974686D0042000A07000000553746174650000042000A07000001A436F6D70726F6D697365204F6363757272656E 636520446174650000000000042000A07000000F436F6D70726F6D69736520446174650042000A0700000064469676 57374000042000A07000000C496E697469616C204461746500000042000A07000000F41637469766174696F6E2044 6174650042000A07000000115265766F636174696F6E20526561736F6E000000000000042000A0700000011556E69717 565204964656E746966696572000000000000042000A0700000044E616D65000000042000A07000000184372797074 6F67726170686963205573616765204D61736B42000A07000000B4F626A656374205479706500000000042000A070000 000104C617374204368616E67652044617465</pre>
9	<p>Client A:</p> <p>Get attributes</p> <p>In: <code>uuidKey, attributeName = { 'State' }</code></p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 21d28b8a-06df-43c0-b72f-2a161633ada9 Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: State </pre> <p>Out: <code>uuidKey, attribute={ State='00000004' }</code></p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004AFBED2C (Thu Nov 12 12:10:36 CET 2009) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes) </pre>

	<pre> Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 21d28b8a-06df-43c0-b72f- 2a161633ada9 Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: State Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000004 (Compromised) 42007B01000000D842007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040 00000000000000004200920900000008000000004AFBED2C42000D0200000004000000010000000042000F010000008042 005C05000000040000000B0000000042007F0500000004000000000000000042007C01000000584200940700000024323 16432386238612D303664662D343363302D623732662D326131363136333361646139000000042000801000000204200 0A070000000553746174650000042000B05000000040000000400000000 </pre>
10	<p>Client A:</p> <p>Add attribute [batch]</p> <p>In: <code>uuidKey, attribute={ x-attribute1='Value1' }</code></p> <p>In: <code>uuidKey, attribute={ x-attribute2='Value2' }</code></p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000002 (2) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000D (Add Attribute) Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 9D407FFB45C95672 Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 21d28b8a-06df-43c0-b72f- 2a161633ada9 Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: x-attribute1 Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: Value1 Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000D (Add Attribute) Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: D62107C3158409D8 Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 21d28b8a-06df-43c0-b72f- 2a161633ada9 Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: x-attribute2 Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: Value2 42007801000016042007701000003842006901000002042006A0200000004000000010000000042006B02000000040 000000000000000042000D0200000004000000020000000042000F01000000842005C05000000040000000D0000000042 009308000000089D407FFB45C95672420079010000006042009407000000243231643238612D303664662D3433633 02D623732662D326131363136333616461390000000420008010000002842000A070000000C782D6174747269627574 6531000000042000B070000000656616C756531000042000F010000008842005C05000000040000000D0000000042009 30800000008D62107C3158409D8420079010000060420094070000002432316432386238612D303664662D343363302D 623732662D326131363136333616461390000000420008010000002842000A070000000C782D6174747269627574653 20000000042000B070000000656616C7565320000 </pre>

	<pre> Out: uuidKey, attribute={ x-attribute1='Value1' } Out: uuidKey, attribute={ x-attribute2='Value2' } Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004AFBED2C (Thu Nov 12 12:10:36 CET 2009) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000002 (2) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000D (Add Attribute) Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 9D407FFB45C95672 Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 21d28b8a-06df-43c0-b72f- 2a161633ada9 Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: x-attribute1 Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: Value1 Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000D (Add Attribute) Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: D62107C3158409D8 Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 21d28b8a-06df-43c0-b72f- 2a161633ada9 Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: x-attribute2 Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: Value2 42007B010000019042007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040 0000000000000000004200920900000008000000004AFBED2C42000D0200000004000000020000000042000F010000009842 005C050000000400000000D0000000042009308000000089D407FFB45C9567242007F05000000040000000000000000000420 07C0100000060420094070000002432316432386238612D303664662D343363302D623732662D3261313631363336164 613900000000420008010000002842000A070000000C782D617474726962757465310000000042000B070000000656616 C756531000042000F010000009842005C05000000040000000D00000004200930800000008D62107C3158409D842007F 050000000400000000000000000042007C0100000060420094070000002432316432386238612D303664662D343363302D6 23732662D32613136313633361646139000000042008010000002842000A070000000C782D61747472696275746532 000000042000B070000000656616C7565320000 </pre>
11	<p>Client A:</p> <p>Modify attribute [batch]</p> <p>In: uuidKey, attribute={ x-attribute1='ModifiedValue1' }</p> <p>In: uuidKey, attribute={ x-attribute2='ModifiedValue2' }</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) </pre>

```

Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000002 (2)
Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
  Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000E (Modify Attribute)
  Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 47FB42CCECA3F6EC
  Tag: Request Payload (0x420079), Type: Structure (0x01), Data:
    Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 21d28b8a-06df-43c0-b72f-
2a161633ada9
    Tag: Attribute (0x420008), Type: Structure (0x01), Data:
      Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: x-attribute1
      Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: ModifiedValue1
  Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
    Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000E (Modify Attribute)
    Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 08019A230A05E9E1
    Tag: Request Payload (0x420079), Type: Structure (0x01), Data:
      Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 21d28b8a-06df-43c0-b72f-
2a161633ada9
      Tag: Attribute (0x420008), Type: Structure (0x01), Data:
        Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: x-attribute2
        Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: ModifiedValue2

```

42007801000001704200770100000038420069010000002042006A020000000400000001000000042006B02000000040
00000000000000042000D0200000004000000020000000042000F010000009042005C0500000040000000E0000000042
0093080000000847FB42CCECA3F6EC42007901000006842009407000002432316432386238612D303664662D3433633
02D623732662D32613136313633361646139000000042000801000003042000A070000000C782D6174747269627574
6531000000042000B070000000E4D6F64696669656456616C756531000042000F010000009042005C050000000400000
00E0000000042009308000000808019A230A05E9E142007901000006842009407000002432316432386238612D3036
64662D343363302D623732662D32613136313633361646139000000042000801000003042000A070000000C782D617
47472696275746532000000042000B070000000E4D6F64696669656456616C7565320000

Out: `uuidKey, attribute={ x-attribute1='ModifiedValue1' }`

Out: `uuidKey, attribute={ x-attribute2='ModifiedValue2' }`

```

Tag: Response Message (0x42007B), Type: Structure (0x01), Data:
  Tag: Response Header (0x42007A), Type: Structure (0x01), Data:
    Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:
      Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)
      Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)
    Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004AFBED2D (Thu Nov 12  

12:10:37 CET 2009)
    Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000002 (2)
  Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
    Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000E (Modify Attribute)
    Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 47FB42CCECA3F6EC
    Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)
    Tag: Response Payload (0x42007C), Type: Structure (0x01), Data:
      Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 21d28b8a-06df-43c0-b72f-
2a161633ada9
      Tag: Attribute (0x420008), Type: Structure (0x01), Data:
        Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: x-attribute1
        Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: ModifiedValue1
  Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
    Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000E (Modify Attribute)

```

	<pre> Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 08019A230A05E9E1 Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 21d28b8a-06df-43c0-b72f- 2a16163ada9 Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: x-attribute2 Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: ModifiedValue2 42007B01000001A042007A01000004842006901000002042006A0200000040000001000000042006B02000000040 0000000000000042009209000000800000004AFBED2D4200D02000000400000020000004200F01000000A042 005C05000000040000000E000000042009308000000847FB42CCECA3F6EC42007F050000004000000000000000420 07C01000006842009407000002432316432386238612D303664662D343363302D623732662D3261313631363336164 6139000000042000801000003042000A07000000C782D61747472696275746531000000042000B070000000E4D6F6 4696669656456616C75653100042000F0100000A042005C050000004000000E000000042009308000000808019A 230A05E9E142007F050000004000000000000000000042007C010000068420094070000002432316432386238612D30366 4662D343363302D623732662D326131363136333616461390000000420008010000003042000A070000000C782D6174 742696275746532000000042000B070000000E4D6F64696669656456616C7565320000 </pre>
12	<p>Client A:</p> <p>Delete attribute [batch]</p> <p>In: <code>uuidKey, attributeNames={ 'x-attribute1' }</code></p> <p>In: <code>uuidKey, attributeNames={ 'x-attribute2' }</code></p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000002 (2) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000F (Delete Attribute) Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 3E2C080FA8806057 Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 21d28b8a-06df-43c0-b72f- 2a16163ada9 Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: x-attribute1 Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000F (Delete Attribute) Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 9D55988D43D23B82 Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 21d28b8a-06df-43c0-b72f- 2a16163ada9 Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: x-attribute2 420078010000013042007701000003842006901000002042006A0200000040000001000000042006B02000000040 0000000000000042000D0200000040000002000000042000F010000007042005C050000004000000F000000042 00930800000083E2C080FA88060574200790100000484200940700000243231643238612D303664662D3433633 02D623732662D32613136313633361646139000000042000A07000000C782D6174747269627574653100000004200 0F010000007042005C050000004000000F00000004200930800000089D55988D43D23B82420079010000004842009 407000002432316432386238612D303664662D343363302D623732662D32613136313633361646139000000042000A 070000000C782D617474726962757465320000000 </pre> <p>Out: <code>uuidKey, attributeNames={ 'x-attribute1' }</code></p>

	<p>Out: <code>uuidKey, attributeNames={ 'x-attribute2' }</code></p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004AFBED2D (Thu Nov 12 12:10:37 CET 2009) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000002 (2) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000F (Delete Attribute) Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 3E2C080FA8806057 Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 21d28b8a-06df-43c0-b72f-2a161633ada9 Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: x-attribute1 Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: ModifiedValue1 Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000F (Delete Attribute) Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 9D55988D43D23B82 Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 21d28b8a-06df-43c0-b72f-2a161633ada9 Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: x-attribute2 Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: ModifiedValue2 42007B01000001A042007A01000004842006901000002042006A0200000040000001000000042006B02000000040000000000042009209000000800000004AFBED2D42000D0200000040000002000000042000F01000000A042005C0500000004000000F00000004200930800000083E2C080FA880605742007F05000000400000000000000042007C01000006842009407000002432316432386238612D303664662D343363302D623732662D3261313631363336164613900000042000801000003042000A07000000C782D6174747269627574653100000042000B070000000E4D6F646966965456616C756531000042000F01000000A042005C050000004000000F00000004200930800000089D55988D43D23B8242007F0500000040000000000000042007C010000006842009407000002432316432386238612D303664662D343363302D623732662D3261313631363336164613900000042000801000003042000A07000000C782D6174747269627574653200000042000B070000000E4D6F646966965456616C7565320000 </pre>
13	<p>Client A:</p> <p>Get (symmetric key)</p> <p>In: <code>uuidKey</code></p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: </pre>

	<pre> Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 21d28b8a-06df-43c0-b72f-2a161633ada9 42007801000000904200770100000038420069010000002042006A0200000040000001000000042006B020000000400000000000042000D0200000040000001000000042000F01000004842005C050000004000000A00000004200790100000030420094070000002432316432386238612D303664662D343363302D623732662D32613136313633336164613900000000</pre> <p>Out: objectType = '00000002', uuidKey, symmetricKey</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004AFBED2D (Thu Nov 12 12:10:37 CET 2009) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 21d28b8a-06df-43c0-b72f-2a161633ada9 Tag: Symmetric Key (0x42008F), Type: Structure (0x01), Data: Tag: Key Block (0x420040), Type: Structure (0x01), Data: Tag: Key Format Type (0x420042), Type: Enumeration (0x05), Data: 0x00000001 Tag: Key Value (0x420045), Type: Structure (0x01), Data: Tag: Key Material (0x420043), Type: Octet String (0x08), Data: EF7833AB15F5A1EE5874BC0D9BBC4BE7 Tag: Cryptographic Algorithm (0x420028), Type: Enumeration (0x05), Data: 0x00000003 (AES) Tag: Cryptographic Length (0x42002A), Type: Integer (0x02), Data: 0x00000080 (128) 42007B010000012042007A0100000048420069010000002042006A0200000040000001000000042006B02000000040000000000042009209000000800000004AFBED2D42000D0200000040000001000000042000F01000000C842005C050000004000000A000000042007F05000000400000000000000042007C01000000A042005705000000040000020000000420094070000002432316432386238612D303664662D343363302D623732662D3261313631363333616461390000000042008F010000005842004001000000504200420500000040000001000000042004501000000184200430800000010EF7833AB15F5A1EE5874BC0D9BBC4BE74200280500000040000003000000042002A0200000040000008000000000</pre>
14	<p>Client A:</p> <p>Destroy (symmetric key)</p> <p>In: uuidKey</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)</pre>

	<pre> Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 21d28b8a-06df-43c0-b72f-2a161633ada9 42007801000000904200770100000038420069010000002042006A0200000004000000010000000042006B02000000040000000000042000D0200000004000000010000000042000F010000004842005C05000000040000001400000004200790100000030420094070000002432316432386238612D303664662D343363302D623732662D32613136313633336164613900000000 </pre> <p>Out: uuidKey</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004AFBED2E (Thu Nov 12 12:10:38 CET 2009) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 21d28b8a-06df-43c0-b72f-2a161633ada9 42007B01000000B042007A0100000048420069010000002042006A0200000004000000010000000042006B0200000004000000000004200920900000008000000004AFBED2E42000D0200000004000000010000000042000F010000005842005C050000000400000014000000042007F0500000004000000000000000042007C0100000030420094070000002432316432386238612D303664662D343363302D623732662D3261313631363333616461390000000 </pre>
--	--

157

158

159 5 Auditing and reporting

160

161 5.1 Use-case: Get usage allocation scenario

162 This use-case tests the usage management functionality of KMIP. A key is created and the Activation
 163 Date and Protect Stop Date attributes are set in such a way as to allow the Get Usage Allocation
 164 operation to be performed. The value of the Usage Limits attribute is set to 1000 bytes, and two
 165 subsequent requests for 500 bytes succeed (one of them also verifying the amount that can be received
 166 using the Check operation), while a third fails since the usage allocation has been used up. The key is
 167 finally revoked and destroyed. This use-case shows the use of multiple clients with the assumptions
 168 regarding the clients being the same as in the use-case described in Section 3.1.4

169

Time	Client A
------	----------

0	<p>Client A:</p> <p>Create (symmetric key)</p> <p>In: objectType = '00000002', attributes={ CryptographicAlgorithm='AES', CryptographicLength='128', NameValue={ Name='Key1', NameType='00000001' }, CryptographicUsageMask='00000004' }</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000001 (Create) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Template-Attribute (0x420091), Type: Structure (0x01), Data: Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Algorithm Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000003 (AES) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Length Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x00000080 (128) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data: Tag: Name Value (0x420055), Type: Text String (0x07), Data: Key1 Tag: Name Type (0x420054), Type: Enumeration (0x05), Data: 0x00000001 (Uninterpreted text string) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Usage Mask Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x00000004 (Encrypt) 420078010000016042007701000003842006901000002042006A0200000040000001000000042006B02000000400000000042000D0200000040000001000000042000F01000011842005C050000004000000100000004200790100000100420057050000004000000200000004200910100000E8420008010000003042000A070000001743727970746F6772617068696320416C676F726974686D0042000B050000004000000030000000420008010000003042000A070000001443727970746F67726170686963204C656E677468000000042000B0200000040000080000000042000801000003842000A0700000044E616D65000000042000B0100000204200550700000044B65793100000004200540500000004000000010000000420008010000003042000A070000001843727970746F67726170686963205573616765204D61736B42000B020000004000000400000000</pre> <p>Out: objectType = '00000002', uuidKey</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x00000004B98E05A (Thu Mar 11 13:21:46 CET 2010) </pre>
---	--

	<pre>746500000000000042000B09000000800000004B98E2B3 Out: uuidKey, attribute={ ActivationDate='2' } Out: uuidKey, attribute={ ProtectStopDate='<NOW+10min>' } Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B98E05B (Thu Mar 11 13:21:47 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000002 (2) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000D (Add Attribute) Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: D7FE2477E364AE1A Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: e696ebd0-8eba-406e-be21- d9059e29bald Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Activation Date Tag: Attribute Value (0x42000B), Type: Date-Time (0x09), Data: 0x0000000000000002 (Thu Jan 01 01:00:02 CET 1970) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000D (Add Attribute) Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 9696012991BC8A59 Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: e696ebd0-8eba-406e-be21- d9059e29bald Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Protect Stop Date Tag: Attribute Value (0x42000B), Type: Date-Time (0x09), Data: 0x000000004B98E2B3 (Thu Mar 11 13:31:47 CET 2010) 42007B010000019842007A01000004842006901000002042006A0200000040000001000000042006B02000000400 00000000000042009209000000800000004B98E05B42000D0200000040000002000000042000F01000000984200 5C0500000004000000D0000000420093080000008D7FE2477E364AE1A42007F05000000400000000000000042007C 01000006042009407000002465363936656264302D386562612D343036652D626532312D643930353965323962613164 00000004200801000002842000A07000000F41637469766174696F6E20446174650042000B09000000800000000000 0000242000F01000000A042005C050000004000000D00000004200930800000089696012991BC8A5942007F050000 0004000000000000000042007C010000068420094070000002465363936656264302D386562612D343036652D62653231 2D6439303539653239626131640000004200801000003042000A070000001150726F746563742053746F7020446174 65000000000000042000B09000000800000004B98E2B3</pre>
2	<p>Client A:</p> <p>Add Attribute</p> <p>In: uuidKey, attribute={ UsageLimits={ UsageLimitsTotal='1000', UsageLimitsUnit='1' } }</p> <p>Tag: Request Message (0x420078), Type: Structure (0x01), Data:</p> <p>Tag: Request Header (0x420077), Type: Structure (0x01), Data:</p>

```

Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:
  Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)
  Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)
  Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)
  Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
    Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000D (Add Attribute)
    Tag: Request Payload (0x420079), Type: Structure (0x01), Data:
      Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: e696ebd0-8eba-406e-be21-
d9059e29bald
      Tag: Attribute (0x420008), Type: Structure (0x01), Data:
        Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Usage Limits
        Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data:
          Tag: Usage Limits Total (0x420097), Type: Long Integer (0x03), Data: 0x0000000000000003E8
(1000)
          Tag: Usage Limits Unit (0x420098), Type: Enumeration (0x05), Data: 0x00000001 (Byte)

```

42007801000000D84200770100000038420069010000002042006A0200000004000000010000000042006B020000000400
0000000000000042000D020000004000000010000000042000F010000009042005C05000000040000000D000000004200
790100000078420094070000002465363936656264302D386562612D343036652D626532312D6439303539653239626131
6400000000420008010000004042000A070000000C5573616765204C696D6974730000000042000B010000002042009703
0000008000000000000003E842009805000000040000000100000000

Out: `uuidKey, attribute={ UsageLimits={ UsageLimitsTotal='1000', UsageLimitsCount='1000', UsageLimitsUnit='1' } }`

```

Tag: Response Message (0x42007B), Type: Structure (0x01), Data:
  Tag: Response Header (0x42007A), Type: Structure (0x01), Data:
    Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:
      Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)
      Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)
      Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B98E05C (Thu Mar 11  
13:21:48 CET 2010)
      Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)
      Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
        Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000D (Add Attribute)
        Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)
        Tag: Response Payload (0x42007C), Type: Structure (0x01), Data:
          Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: e696ebd0-8eba-406e-be21-
d9059e29bald
          Tag: Attribute (0x420008), Type: Structure (0x01), Data:
            Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Usage Limits
            Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data:
              Tag: Usage Limits Total (0x420097), Type: Long Integer (0x03), Data: 0x0000000000000003E8
(1000)
              Tag: Usage Limits Count (0x420096), Type: Long Integer (0x03), Data: 0x0000000000000003E8
(1000)
              Tag: Usage Limits Unit (0x420098), Type: Enumeration (0x05), Data: 0x00000001 (Byte)

```

42007B01000010842007A010000048420069010000002042006A0200000004000000010000000042006B020000000400
0000000000004200920900000008000000004B98E05C42000D020000004000000010000000042000F01000000B04200
5C05000000040000000D0000000042007F0500000004000000000000000042007C01000000884200940700000024653639
36656264302D386562612D343036652D626532312D6439303539653239626131640000000420008010000005042000A07
0000000C5573616765204C696D697473000000042000B01000000304200970300000008000000000000003E84200960300

	000008000000000000000003E842009805000000400000010000000
3	<p>Client B:</p> <p>Locate (symmetric key by name)</p> <p>In: objectType = '00000002', attributes={ Name={ Name='Key1', NameType= '00000001' } }</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Object Type Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data: Tag: Name Value (0x420055), Type: Text String (0x07), Data: Key1 Tag: Name Type (0x420054), Type: Enumeration (0x05), Data: 0x00000001 (Uninterpreted text string) 42007801000000D04200770100000038420069010000002042006A02000000040000001000000042006B02000000040000000000004200D02000000040000001000000042000F01000008842005C05000000040000000800000000420079010000070420008010000002842000A07000000B4F626A656374205479706500000000004200B0500000004000000020000000420008010000003842000A0700000044E616D6500000004200B0100000204200550700000044B6579310000000420054050000004000000100000000 </pre> <p>Out: uuidKey</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B98E05C (Thu Mar 11 13:21:48 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: e696ebd0-8eba-406e-be21-d9059e29ba1d 42007B01000000B042007A0100000048420069010000002042006A02000000040000001000000042006B020000000400000000000042009209000000800000004B98E05C42000D02000000040000001000000042000F010000005842005C050000000400000008000000042007F050000000400000000000000042007C010000030420094070000024653639 </pre>

	36656264302D386562612D343036652D626532312D64393035396532396261316400000000
4	<p>Client B:</p> <p>Get (symmetric key)</p> <p>In: <code>uuidKey</code></p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: e696ebd0-8eba-406e-be21-d9059e29bald </pre> <p>42007801000000904200770100000038420069010000002042006A0200000004000000010000000042006B02000000040000000000004200D0200000004000000010000000042000F010000004842005C05000000040000000A00000000420079010000003042009407000002465363936656264302D386562612D343036652D626532312D64393035396532396261316400000000</p> <p>Out: <code>objectType = '00000002'</code>, <code>uuidKey</code>, <code>symmetricKey</code></p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B98E05C (Thu Mar 11 13:21:48 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: e696ebd0-8eba-406e-be21-d9059e29bald Tag: Symmetric Key (0x42008F), Type: Structure (0x01), Data: Tag: Key Block (0x420040), Type: Structure (0x01), Data: Tag: Key Format Type (0x420042), Type: Enumeration (0x05), Data: 0x00000001 Tag: Key Value (0x420045), Type: Structure (0x01), Data: Tag: Key Material (0x420043), Type: Octet String (0x08), Data: 674B32B1A3266DF1253B0F2C4440B0B0 Tag: Cryptographic Algorithm (0x420028), Type: Enumeration (0x05), Data: 0x00000003 (AES) Tag: Cryptographic Length (0x42002A), Type: Integer (0x02), Data: 0x00000080 (128) </pre> <p>42007B010000012042007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040000000000004200920900000008000000004B98E05C42000D0200000004000000010000000042000F01000000C84200</p>

	5C05000000040000000A000000042007F0500000004000000000000000000000042007C01000000A04200570500000004000000020000000042009407000002465363936656264302D386562612D343036652D626532312D643930353965323962613164000000042008F0100000584200400100000050420042050000000400000001000000004200450100000018420043080000010674B32B1A3266DF1253B0F2C4440B0B0420028050000000400000003000000042002A0200000004000000800000000
5	<p>Client B:</p> <p>Check</p> <p>Get usage allocation</p> <p>In (header): BatchOrderOption='true'</p> <p>In: uuidKey, UsageLimitsCount='500'</p> <p>In: uuidKey, UsageLimitsCount='500'</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000002 (2) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000009 (Check) Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 19D4F3DC9635307A Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: e696ebd0-8eba-406e-be21-d9059e29ba1d Tag: Usage Limits Count (0x420096), Type: Long Integer (0x03), Data: 0x0000000000000001F4 (500) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000011 (Get Usage Allocation) Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 20C8DFFD55BDEEE8 Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: e696ebd0-8eba-406e-be21-d9059e29ba1d Tag: Usage Limits Count (0x420096), Type: Long Integer (0x03), Data: 0x0000000000000001F4 (500) 4200780100000120420077010000003842006901000002042006A0200000040000001000000042006B020000004000000000004200D0200000040000002000000042000F01000006842005C0500000040000009000000042009308000000819D4F3DC9635307A42007901000004042009407000002465363936656264302D386562612D343036652D626532312D643930353965323962613164000000042009603000000800000000000000001F442000F01000006842005C05000000400000011000000042009308000000820C8DFFD55BDEEE842007901000004042009407000002465363936656264302D386562612D343036652D626532312D643930353965323962613164000000042009603000000800000000000000001F4 Out: uuidKey Out: uuidKey Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)</pre>

	<p>Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B98E05D (Thu Mar 11 13:21:49 CET 2010)</p> <p>Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000002 (2)</p> <p>Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</p> <p>Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000009 (Check)</p> <p>Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 19D4F3DC9635307A</p> <p>Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)</p> <p>Tag: Response Payload (0x42007C), Type: Structure (0x01), Data:</p> <p>Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: e696ebd0-8eba-406e-be21-d9059e29bald</p> <p>Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</p> <p>Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000011 (Get Usage Allocation)</p> <p>Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 20C8DFFD55BDEEE8</p> <p>Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)</p> <p>Tag: Response Payload (0x42007C), Type: Structure (0x01), Data:</p> <p>Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: e696ebd0-8eba-406e-be21-d9059e29bald</p> <p>42007B010000013042007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040000000000004200920900000008000000004B98E05D42000D0200000004000000020000000042000F010000006842005C05000000040000000900000000420093080000000819D4F3DC9635307A42007F050000000400000000000000000042007C010000003042009407000000246536393656264302D386562612D343036652D626532312D643930353965323962613164000000042000F010000006842005C05000000040000001100000000420093080000000820C8DFFD55BDEEE842007F05000004000000000000000042007C0100000030420094070000002465363936656264302D386562612D343036652D62653212D643930353965323962613164000000004200960300000080000000000000001F4</p>
6	<p>Client A:</p> <p>Get usage allocation</p> <p>In: uuidKey, UsageLimitsCount='500'</p> <p>Tag: Request Message (0x420078), Type: Structure (0x01), Data:</p> <p>Tag: Request Header (0x420077), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)</p> <p>Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</p> <p>Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000011 (Get Usage Allocation)</p> <p>Tag: Request Payload (0x420079), Type: Structure (0x01), Data:</p> <p>Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: e696ebd0-8eba-406e-be21-d9059e29bald</p> <p>Tag: Usage Limits Count (0x420096), Type: Long Integer (0x03), Data: 0x0000000000000001F4 (500)</p> <p>42007801000000A04200770100000038420069010000002042006A0200000004000000010000000042006B020000000400000000000042000D0200000004000000010000000042000F010000005842005C050000000400000011000000004200790100000040420094070000002465363936656264302D386562612D343036652D626532312D643930353965323962613164000000004200960300000080000000000000001F4</p> <p>Out: uuidKey</p> <p>Tag: Response Message (0x42007B), Type: Structure (0x01), Data:</p> <p>Tag: Response Header (0x42007A), Type: Structure (0x01), Data:</p>

	<pre> Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x00000004B98E05D (Thu Mar 11 13:21:49 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000011 (Get Usage Allocation) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: e696ebd0-8eba-406e-be21- d9059e29bald 42007B01000000B042007A01000004842006901000002042006A0200000040000001000000042006B02000000400 000000000000042009209000000800000004B98E05D42000D0200000040000001000000042000F0100000584200 5C0500000040000011000000042007F050000004000000000000042007C010000030420094070000024653639 36656264302D386562612D343036652D626532312D64393035396532396261316400000000 </pre>
7	<p>Client C:</p> <p>Locate (symmetric key by name)</p> <p>In: objectType = '00000002', attributes={ Name={ Name='Key1', NameType='00000001' } }</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Object Type Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data: Tag: Name Value (0x420055), Type: Text String (0x07), Data: Key1 Tag: Name Type (0x420054), Type: Enumeration (0x05), Data: 0x00000001 (Uninterpreted text string) 42007801000000D042007701000003842006901000002042006A0200000040000001000000042006B02000000400 00000000000004200D0200000040000001000000042000F01000008842005C050000004000000800000004200 7901000007042000801000002842000A07000000B4F626A65637420547970650000000004200B050000004000000 02000000042000801000003842000A0700000044E616D6500000004200B0100000204200550700000044B657931 0000000042005405000000040000000100000000 Out: uuidKey Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: </pre>

	<pre> Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B98E05D (Thu Mar 11 13:21:49 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: e696ebd0-8eba-406e-be21- d9059e29bald 42007B01000000B042007A01000004842006901000002042006A0200000040000001000000042006B02000000400 000000000000042009209000000800000004B98E05D42000D0200000040000001000000042000F0100000584200 5C05000000400000008000000042007F050000004000000000000042007C010000030420094070000024653639 36656264302D386562612D343036652D626532312D64393035396532396261316400000000 </pre>
8	<p>Client C:</p> <p>Get (symmetric key)</p> <p>In: <code>uuidKey</code></p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: e696ebd0-8eba-406e-be21- d9059e29bald 4200780100000090420077010000003842006901000002042006A0200000040000001000000042006B02000000400 000000000000042000D0200000040000001000000042000F01000004842005C050000004000000A00000004200 79010000003042009407000002465363936656264302D386562612D343036652D626532312D6439303539653239626131 6400000000 </pre> <p>Out: <code>objectType = '00000002'</code>, <code>uuidKey</code>, <code>symmetricKey</code></p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B98E05D (Thu Mar 11 13:21:49 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) </pre>

	<p>13:21:49 CET 2010)</p> <p>Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</p> <p>Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000011 (Get Usage Allocation)</p> <p>Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000001 (Operation Failed)</p> <p>Tag: Result Reason (0x42007E), Type: Enumeration (0x05), Data: 0x0000000C (Permission Denied)</p> <p>Tag: Result Message (0x42007D), Type: Text String (0x07), Data: Unable to allocate requested amount</p> <p>42007B01000000B842007A01000004842006901000002042006A0200000040000001000000042006B02000000400000000000042009209000000800000004B98E05D42000D0200000040000001000000042000F010000006042005C050000000400000011000000042007F0500000040000001000000042007E0500000040000000C0000000042007D070000023556E61626C6520746F20616C6C6F636174652072657175657374656420616D6F756E740000000000</p>
10	<p>Client A:</p> <p>Revoke (symmetric key as cessation of operation) and Destroy (symmetric key)</p> <p>In (header): batchOrderOption='TRUE'</p> <p>In: uuidKey, revocationReasonCode='6'</p> <p>In: uuidKey</p> <p>Tag: Request Message (0x420078), Type: Structure (0x01), Data:</p> <p>Tag: Request Header (0x420077), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)</p> <p>Tag: Batch Order Option (0x420010), Type: Boolean (0x06), Data: TRUE</p> <p>Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000002 (2)</p> <p>Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</p> <p>Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000013 (Revoke)</p> <p>Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 727A212BC674B4EA</p> <p>Tag: Request Payload (0x420079), Type: Structure (0x01), Data:</p> <p>Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: e696ebd0-8eba-406e-be21-d9059e29ba1d</p> <p>Tag: Revocation Reason (0x420081), Type: Structure (0x01), Data:</p> <p>Tag: Revocation Reason Code (0x420082), Type: Enumeration (0x05), Data: 0x00000006 (Cessation of Operation)</p> <p>Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</p> <p>Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy)</p> <p>Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 1D0EBF826109B0A5</p> <p>Tag: Request Payload (0x420079), Type: Structure (0x01), Data:</p> <p>Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: e696ebd0-8eba-406e-be21-d9059e29ba1d</p> <p>42007801000012842007701000004842006901000002042006A0200000040000001000000042006B020000004000000000004200100600000080000000000000142000D0200000040000002000000042000F010000007042005C0500000004000000130000000420093080000008727A212BC674B4EA4200790100000048420094070000024653639366562643036652D626532312D6439303539653239626131640000000420081010000001042008205000000400000006000000042000F010000005842005C050000000400000014000000042009308000000081D0EBF826109B0A542007901000003042009407000002465363936656264302D386562612D343036652D626532312D64393035396532396261316400000000</p> <p>Out: uuidKey</p>

	<p>Out: uuidKey</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x00000004B98E05F (Thu Mar 11 13:21:51 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000002 (2) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000013 (Revoke) Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 727A212BC674B4EA Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: e696ebd0-8eba-406e-be21- d9059e29bald Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 1D0EBF826109B0A5 Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: e696ebd0-8eba-406e-be21- d9059e29bald 42007B010000013042007A01000004842006901000002042006A0200000040000001000000042006B02000000400 00000000000042009209000000800000004B98E05F42000D020000004000000200000042000F0100000684200 5C05000000400000130000000420093080000008727A212BC674B4EA42007F050000000400000000000000042007C 01000003042009407000002465363936656264302D386562612D343036652D626532312D643930353965323962613164 000000042000F01000006842005C050000004000001400000004200930800000081D0EBF826109B0A542007F0500 00000400000000000000042007C01000003042009407000002465363936656264302D386562612D343036652D626532 312D64393035396532396261316400000000 </pre>
--	--

170

171

172 6 Key Interchange, Key Exchange

173

174 6.1 Use-case: Import of a Third-party Key

175

176 This use-case tests the import of a foreign key using the Register operation. To validate that the
 177 registered key is treated the same as a locally created key, an attribute is added to the key and then
 178 modified. Finally, the key is destroyed.

179

Time	Request/Response messages
0	<p>Register (symmetric key)</p> <p>In: objectType = '00000002', attributes={ CryptographicUsageMask='00000004' }, foreignSymmetricKey</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: </pre>

	<pre> Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000003 (Register) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Template-Attribute (0x420091), Type: Structure (0x01), Data: Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Usage Mask Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x00000004 (Encrypt) Tag: Symmetric Key (0x42008F), Type: Structure (0x01), Data: Tag: Key Block (0x420040), Type: Structure (0x01), Data: Tag: Key Format Type (0x420042), Type: Enumeration (0x05), Data: 0x00000001 Tag: Key Value (0x420045), Type: Structure (0x01), Data: Tag: Key Material (0x420043), Type: Octet String (0x08), Data: 0123456789ABCDEF0123456789ABCDEF Tag: Cryptographic Algorithm (0x420028), Type: Enumeration (0x05), Data: 0x00000003 (AES) Tag: Cryptographic Length (0x42002A), Type: Integer (0x02), Data: 0x00000080 (128) 42007801000001104200770100000038420069010000002042006A02000000400000001000000042006B02000000040 0000000000000042000D02000000400000001000000042000F01000000C842005C05000000400000003000000042 007901000000B04200570500000004000000020000000420091010000038420008010000003042000A0700000018437 27970746F67726170686963205573616765204D61736B42000B020000004000000400000042008F0100000584200 400100000050420042050000004000000010000000420045010000001842004308000000100123456789ABCDEF01234 56789ABCDEF42002805000000400000003000000042002A02000000400000080000000000 </pre>
--	---

Out: uuidKey

	<pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004AFBED32 (Thu Nov 12 12:10:42 CET 2009) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000003 (Register) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 6e1a5a83-8113-4260-b40d- 966f231b91b7 42007B01000000B042007A0100000048420069010000002042006A02000000400000001000000042006B02000000040 000000000000004200920900000008000000004AFBED3242000D02000000400000001000000042000F01000005842 005C0500000004000000030000000042007F05000000400000000000000042007C01000000304200940700000024366 53161356138332D383131332D343236302D623430642D3936366632333162393162370000000 </pre>
--	---

1	<p>Add attribute</p> <p>In: <code>uuidKey, attribute={ x-provider='unknown' }</code></p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000D (Add Attribute) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 6ela5a83-8113-4260-b40d-966f231b91b7 Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: x-provider Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: unknown 42007801000000C04200770100000038420069010000002042006A0200000004000000010000000042006B0200000004000000000000000042000D0200000004000000010000000042000F010000007842005C05000000040000000D000000004200790100000060420094070000002436653161356138332D383131332D343236302D623430642D3936366632331623931623700000000420008010000002842000A070000000A782D70726F76696465720000000000042000B0700000007756E6B6E6F776E00 </pre> <p>Out: <code>uuidKey, attribute={ x-provider='unknown' }</code></p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004AFBED32 (Thu Nov 12 12:10:42 CET 2009) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000D (Add Attribute) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 6ela5a83-8113-4260-b40d-966f231b91b7 Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: x-provider Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: unknown 42007B01000000E042007A0100000048420069010000002042006A0200000004000000010000000042006B020000000400000000000000004200920900000008000000004AFBED3242000D0200000004000000010000000042000F010000008842005C05000000040000000D0000000042007F0500000004000000000000000042007C0100000060420094070000002436653161356138332D383131332D343236302D623430642D3936366632331623931623700000000420008010000002842000A070000000A782D70726F76696465720000000000042000B0700000007756E6B6E6F776E00 </pre>
2	Modify attribute

	<p>In: <code>uuidKey, attribute={ x-provider='third party' }</code></p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000E (Modify Attribute) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 6e1a5a83-8113-4260-b40d-966f231b91b7 Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: x-provider Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: third party 42007801000000C84200770100000038420069010000002042006A0200000004000000010000000042006B0200000004000000000000000042000D0200000004000000010000000042000F010000008042005C05000000040000000E000000004200790100000068420094070000002436653161356138332D383131332D343236302D623430642D393636663233316239316237000000042000801000000304200A070000000A782D70726F766964657200000000000042000B070000000B74686972642070617274790000000000 </pre> <p>Out: <code>uuidKey, attribute={ x-provider='third party' }</code></p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004AFBED32 (Thu Nov 12 12:10:42 CET 2009) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000E (Modify Attribute) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 6e1a5a83-8113-4260-b40d-966f231b91b7 Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: x-provider Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: third party 42007B01000000E842007A0100000048420069010000002042006A0200000004000000010000000042006B0200000004000000000000000042009209000000800000004AFBED324200D0200000004000000010000000042000F010000009042005C05000000040000000E0000000042007F0500000004000000000000000042007C0100000068420094070000002436653161356138332D383131332D343236302D623430642D393636663233316239316237000000042000801000000304200A070000000A782D70726F766964657200000000000042000B070000000B74686972642070617274790000000000 </pre>
3	<p>Destroy (symmetric key)</p> <p>In: <code>uuidKey</code></p>

```

Tag: Request Message (0x420078), Type: Structure (0x01), Data:
  Tag: Request Header (0x420077), Type: Structure (0x01), Data:
    Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:
      Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)
      Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)
    Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)
  Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
    Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy)
  Tag: Request Payload (0x420079), Type: Structure (0x01), Data:
    Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 6e1a5a83-8113-4260-b40d-
966f231b91b7

42007801000000904200770100000038420069010000002042006A0200000004000000010000000042006B02000000040
00000000000000042000D0200000004000000010000000042000F010000004842005C0500000040000014000000042
007901000003042009407000002436653161356138332D383131332D343236302D623430642D3936366632333162393
1623700000000

Out: uuidKey

Tag: Response Message (0x42007B), Type: Structure (0x01), Data:
  Tag: Response Header (0x42007A), Type: Structure (0x01), Data:
    Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:
      Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)
      Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)
    Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004AFBED32 (Thu Nov 12
12:10:42 CET 2009)
    Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)
  Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
    Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy)
    Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)
  Tag: Response Payload (0x42007C), Type: Structure (0x01), Data:
    Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 6e1a5a83-8113-4260-b40d-
966f231b91b7

42007B01000000B042007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040
00000000000004200920900000008000000004AFBED3242000D0200000004000000010000000042000F010000005842
005C0500000004000000140000000042007F050000000400000000000000000042007C0100000304200940700000024366
53161356138332D383131332D343236302D623430642D3936366632333162393162370000000

```

180

181

182

183 7 Vendor Extensions

184 These use-cases test the handling of unknown message extensions with vendor-specific content.

185

186 **7.1 Use-case: Unrecognized Message Extension with Criticality Indicator**
 187 **false**

188 A create request is issued and the request contains a Message Extension with the Criticality Indicator set
 189 to false. The server does not understand the extension, but since it is non-critical, the create request is
 190 processed normally. Subsequently, the created key is deleted.

191

Time	Client A
0	<p>Create (symmetric key)</p> <p>In: objectType='00000002', attributes={ CryptographicAlgorithm='AES', CryptographicLength='128', CryptographicUsageMask='0000000C' }, MessageExtension={ VendorIdentification='Acme', CriticalityIndicator='false', VendorExtension={ tag='0x540001', type='text string', value='na' } }</p> <p>Tag: Request Message (0x420078), Type: Structure (0x01), Data:</p> <ul style="list-style-type: none"> Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000001 (Create) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Template-Attribute (0x420091), Type: Structure (0x01), Data: Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Length Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x00000080 (128) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Algorithm Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000003 (AES) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Usage Mask Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x0000000C (Encrypt, Decrypt) Tag: Message Extension (0x420051), Type: Structure (0x01), Data: Tag: Criticality Indicator (0x420026), Type: Boolean (0x06), Data: FALSE Tag: Vendor Identification (0x42009D), Type: Text String (0x07), Data: Acme Tag: Vendor Extension (0x42009C), Type: Structure (0x01), Data: Tag: Unknown tag (0x014242), Type: Text String (0x07), Data: na <p>42007801000001604200770100000038420069010000002042006A0200000040000001000000042006B02000000040000000000042000D0200000040000001000000042000F010000011842005C0500000040000001000000042007901000000C0420057050000004000000200000004200910100000A842000801000003042000A07000000144372797046F67726170686963204C656E67746800000042000B02000000400000800000000420008010000003042000A070000001743727970746F6772617068696320416C676F726974686D0042000B050000004000000030000000420008010000003042000A070000001843727970746F67726170686963205573616765204D61736B42000B0200000040000000C000000004200510100000038420026060000000800000000000000042009D070000000441636D650000000042009C01000000100142420700000026E610000000000000</p>

	<p>Out: objectType='00000002', uuidKey</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B73BF1C (Thu Feb 11 09:26:04 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000001 (Create) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 052eff73-b35e-4702-9db9-37c12f0151d3 </pre> <p>42007B01000000C042007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040000000000004200920900000008000000004B73BF1C42000D0200000004000000010000000042000F010000006842005C0500000004000000010000000042007F0500000004000000000000000042007C01000000404200570500000004000000000000420094070000002430353265666637332D623335652D343730322D396462392D33376331326630313531643300000000</p>
1	<p>Destroy (symmetric key)</p> <p>In: uuidKey</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 052eff73-b35e-4702-9db9-37c12f0151d3 </pre> <p>42007801000000904200770100000038420069010000002042006A0200000004000000010000000042006B020000000400000000000042000D0200000004000000010000000042000F010000004842005C050000000400000014000000004200790100000030420094070000002430353265666637332D623335652D343730322D396462392D33376331326630313531643300000000</p> <p>Out: uuidKey</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B73BF1C (Thu Feb 11 </pre>

	<pre> 09:26:04 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 052eff73-b35e-4702-9db9- 37c12f0151d3 42007B01000000B042007A01000004842006901000002042006A0200000040000001000000042006B0200000040 0000000000000042009209000000800000004B73BF1C4200D020000004000000100000004200F01000005842 005C05000000040000014000000042007F05000000400000000000000042007C0100000304200940700000024303 53265666637332D623335652D343730322D396462392D3337633132663031353164330000000 </pre>
--	--

192

193

194 7.2 Use-case: Unrecognized Message Extension with Criticality Indicator 195 true

196 A create request is issued and the request contains a Message Extension with the Criticality Indicator set
197 to true. The server does not understand the extension, and since it is critical, the create request fails and
198 an error is returned.

199

Time	Client A
0	<p>Create (symmetric key)</p> <p>In: objectType='00000002', attributes={ CryptographicAlgorithm='AES', CryptographicLength='128', CryptographicUsageMask='0000000C' }, MessageExtension={ VendorIdentification='Acme', CriticalityIndicator='true', VendorExtension={ tag='0x540001', type='text string', value='na' } }</p> <p>Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000001 (Create) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Template-Attribute (0x420091), Type: Structure (0x01), Data: Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Length Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x00000080 (128) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Algorithm Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000003 (AES) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Usage </p>

	<p>Mask</p> <pre> Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x0000000C (Encrypt, Decrypt) Tag: Message Extension (0x420051), Type: Structure (0x01), Data: Tag: Criticality Indicator (0x420026), Type: Boolean (0x06), Data: TRUE Tag: Vendor Identification (0x42009D), Type: Text String (0x07), Data: Acme Tag: Vendor Extension (0x42009C), Type: Structure (0x01), Data: Tag: Unknown tag (0x014242), Type: Text String (0x07), Data: na </pre> <p>420078010000016042007701000003842006901000002042006A0200000040000001000000042006B02000000400000000042000D0200000040000001000000042000F01000011842005C05000000400000010000000420007901000000C0420057050000004000000200000004200910100000A842000801000003042000A07000001443727970746F67726170686963204C656E67746800000042000B0200000040000080000000042000801000003042000A07000001743727970746F6772617068696320416C676F726974686D0042000B0500000040000003000000042000801000003042000A07000001843727970746F67726170686963205573616765204D61736B42000B0200000040000000C000000004200510100000384200260600000080000000000000142009D07000000441636D650000000042009C01000001001424207000000026E610000000000000000 </p> <p>Out: Operation Failed, Feature Not Supported</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B73BF1D (Thu Feb 11 09:26:05 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000001 (Create) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000001 (Operation Failed) Tag: Result Reason (0x42007E), Type: Enumeration (0x05), Data: 0x00000008 (Feature Not Supported) Tag: Result Message (0x42007D), Type: Text String (0x07), Data: Critical Message Extension not recognized </pre> <p>42007B01000000C042007A01000004842006901000002042006A0200000040000001000000042006B020000004000000000042009209000000800000004B73BF1D42000D0200000040000001000000042000F010000006842005C0500000040000001000000042007F0500000040000001000000042007E05000000400000080000000042007D070000029437269746963616C204D65737361676520457874656E73696F6E206E6F74207265636F676E697A656400000000000000 </p>
--	---

200

201

202

203 8 Asymmetric keys

204

205 Creation of keys using “Create Key Pair” operation, locating pair using Link attribute.

206 8.1 Use-case: Create a Key Pair

207 Create a new private/public key pair. Make sure they are linked correctly by issuing Locate commands
208 with the assigned Unique Identifiers. Finally delete both key halves.

Time	Client A
0	<p>Create Key Pair</p> <p>In: commonAttributes={ CryptographicAlgorithm='RSA', CryptographicLength='1024' }, privateKeyAttributes={ Name={ NameValue='PrivateKey1', NameType='00000001' }, CryptographicUsageMask='00000001' }, publicKeyAttributes={ NameValue='PublicKey1', NameType='00000001' }, CryptographicUsageMask='00000002' }</p> <p>Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000002 (Create Key Pair) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Common Template-Attribute (0x42001F), Type: Structure (0x01), Data: Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Algorithm Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000004 (RSA) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Length Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x00000400 (1024) Tag: Private Key Template-Attribute (0x420065), Type: Structure (0x01), Data: Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data: Tag: Name Value (0x420055), Type: Text String (0x07), Data: PrivateKey1 Tag: Name Type (0x420054), Type: Enumeration (0x05), Data: 0x00000001 (Uninterpreted text string) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Usage Mask Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x00000001 (Sign) Tag: Public Key Template-Attribute (0x42006E), Type: Structure (0x01), Data: Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data: Tag: Name Value (0x420055), Type: Text String (0x07), Data: PublicKey1 Tag: Name Type (0x420054), Type: Enumeration (0x05), Data: 0x00000001 (Uninterpreted text string) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Usage Mask Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x00000002 (Verify)</p> <p>42007801000001E84200770100000038420069010000002042006A0200000004000000010000000042006B0200000004000000000042000D0200000004000000010000000042000F01000001A042005C0500000004000000200000000420079010000018842001F010000007042008010000003042000A070000001743727970746F6772617068696320416C676</p>

	<pre>F726974686D0042000B0500000004000000040000000420008010000003042000A07000001443727970746F67726170 686963204C656E677468000000042000B020000004000004000000004200650100000080420008010000004042000 A07000000044E616D65000000042000B010000002842005507000000B507269766174654B657931000000000420054 05000000040000000100000000420008010000003042000A070000001843727970746F677261706869632055736167652 04D61736B42000B020000000400000010000000042006E0100000080420008010000004042000A07000000044E616D65 0000000042000B01000002842005507000000A5075626C69634B65793100000000000420054050000000400000010 000000042000801000003042000A070000001843727970746F67726170686963205573616765204D61736B42000B0200 000004000000020000000</pre> <p>Out: uuidPrivateKey, uuidPublicKey</p> <pre>Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B73C13A (Thu Feb 11 09:35:06 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000002 (Create Key Pair) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 895f72c2-b20a-49d8-9504- 6dc2115cc042 Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: a242fca4-ebf0-4398-ac65- 879bab490259 42007B01000000E042007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040 00000000000000004200920900000008000000004B73C13A42000D0200000004000000010000000042000F010000008842 005C0500000004000000020000000042007F0500000004000000000000000042007C01000000604200940700000024383 93566373263322D623230612D343964382D393530342D366463323131356363303432000000042009407000000246132 3432666361342D656266302D34339382D616336352D38373962616234393032353900000000</pre>
1	<p>Locate (Public Key)</p> <p>In: attributes={ objectType='PublicKey', Link={ LinkType='PrivateKeyLink', LinkedObjectIdentifier=uuidPrivateKey } }</p> <pre>Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Object Type Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000003 (Public Key) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Link Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data:</pre>

	<pre> Tag: Link Type (0x42004B), Type: Enumeration (0x05), Data: 0x00000103 (Private Key Link) Tag: Linked Object Identifier (0x42004C), Type: Text String (0x07), Data: a242fca4- ebf0-4398-ac65-879bab490259 42007801000000F04200770100000038420069010000002042006A0200000004000000010000000042006B02000000040 00000000000000042000D0200000004000000010000000042000F01000000A842005C050000000400000080000000042 00790100000090420008010000002842000A07000000B4F626A6563742054797065000000000042000B0500000004000 0000300000000420008010000005842000A07000000044C696E6B0000000042000B010000004042004B05000000040000 01030000000042004C070000002461323432666361342D656266302D343339382D616336352D383739626162343930323 539000000000 </pre> <p>Out: uuidPublicKey</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B73C13B (Thu Feb 11 09:35:07 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 895f72c2-b20a-49d8-9504- 6dc2115cc042 42007B01000000B042007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040 0000000000000004200920900000008000000004B73C13B42000D0200000004000000010000000042000F010000005842 005C0500000004000000080000000042007F05000000040000000000000000042007C01000000304200940700000024383 93566373263322D623230612D343964382D393530342D36646332313135636330343200000000 </pre>
2	<p>Locate (Private Key)</p> <p>In: attributes={ objectType='PrivateKey', Link={ LinkType='PublicKeyLink', LinkedObjectIdentifier=uuidPublicKey } }</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Object Type Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000004 (Private Key) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Link </pre>

	<p>Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data:</p> <p>Tag: Link Type (0x42004B), Type: Enumeration (0x05), Data: 0x00000102 (Public Key Link)</p> <p>Tag: Linked Object Identifier (0x42004C), Type: Text String (0x07), Data: 895f72c2-b20a-49d8-9504-6dc2115cc042</p> <p>42007801000000F04200770100000038420069010000002042006A02000000040000001000000042006B0200000004000000000000000042000D0200000040000001000000042000F0100000A842005C050000000400000008000000004200790100000090420008010000002842000A070000000B4F626A6563742054797065000000000042000B050000000400000004000000000420008010000005842000A07000000044C696E6B0000000042000B010000004042004B0500000004000001020000000042004C070000002438393566373263322D623230612D343964382D393530342D36646332313135636330343200000000</p> <p>Out: uuidPrivateKey</p> <p>Tag: Response Message (0x42007B), Type: Structure (0x01), Data:</p> <p>Tag: Response Header (0x42007A), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)</p> <p>Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B73C13B (Thu Feb 11 09:35:07 CET 2010)</p> <p>Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</p> <p>Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate)</p> <p>Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)</p> <p>Tag: Response Payload (0x42007C), Type: Structure (0x01), Data:</p> <p>Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: a242fca4-ebf0-4398-ac65-879bab490259</p> <p>42007B01000000B042007A0100000048420069010000002042006A02000000040000001000000042006B020000000400000000000000004200920900000008000000004B73C13B42000D020000000400000010000000042000F010000005842005C0500000004000000080000000042007F0500000004000000000000000042007C010000003042009407000000246132343266361342D656266302D343339382D616336352D38373962616234393032353900000000</p>
3	<p>Destroy</p> <p>In: uuidPrivateKey</p> <p>Tag: Request Message (0x420078), Type: Structure (0x01), Data:</p> <p>Tag: Request Header (0x420077), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)</p> <p>Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</p> <p>Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy)</p> <p>Tag: Request Payload (0x420079), Type: Structure (0x01), Data:</p> <p>Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: a242fca4-ebf0-4398-ac65-879bab490259</p> <p>42007801000000904200770100000038420069010000002042006A02000000040000001000000042006B0200000004000000000000000042000D0200000040000001000000042000F010000004842005C0500000004000000140000000420079010000003042009407000000246132343266361342D656266302D343339382D616336352D38373962616234393032353900000000</p>

	<p>Out: uuidPrivateKey</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B73C13B (Thu Feb 11 09:35:07 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: a242fca4-ebf0-4398-ac65- 879bab490259 </pre> <p>42007B01000000B042007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040 0000000000000004200920900000008000000004B73C13B42000D0200000004000000010000000042000F010000005842 005C050000000400000014000000042007F0500000004000000000000000042007C01000000304200940700000024613 23432666361342D656266302D343339382D616336352D383739626162343930323539000000000</p>
4	<p>Destroy</p> <p>In: uuidPublicKey</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 895f72c2-b20a-49d8-9504- 6dc2115cc042 </pre> <p>42007801000000904200770100000038420069010000002042006A0200000004000000010000000042006B02000000040 00000000000000042000D0200000004000000010000000042000F010000004842005C05000000040000014000000042 00790100000030420094070000002438393566373263322D623230612D343964382D393530342D3664633231313563633 0343200000000</p> <p>Out: uuidPublicKey</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B73C13B (Thu Feb 11 09:35:07 CET 2010) </pre>

	<pre>09:35:07 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 895f72c2-b20a-49d8-9504- 6dc2115cc042 42007B01000000B042007A01000004842006901000002042006A0200000040000001000000042006B02000000040 00000000000000042009209000000800000004B73C13B4200D020000004000000100000004200F01000005842 005C05000000040000014000000042007F05000000400000000000000042007C0100000304200940700000024383 93566373263322D623230612D343964382D393530342D3664633231313563633034320000000</pre>
--	--

210

211 8.2 Use-case: Register Both Halves of a Key Pair

212 Register a private key and a public key and set the Link attribute to point to each other. Verify the links
213 were set correctly by locating the keys based on the link attributes, and then delete both objects.

214

Time	Client A
0	<p>Register (Private Key)</p> <p>In: objectType='00000004', attributes={ CryptographicUsageMask='00000001' }, foreignPrivateKey</p> <pre>Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000003 (Register) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000004 (Private Key) Tag: Template-Attribute (0x420091), Type: Structure (0x01), Data: Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Usage Mask Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x00000001 (Sign) Tag: Private Key (0x420064), Type: Structure (0x01), Data: Tag: Key Block (0x420040), Type: Structure (0x01), Data: Tag: Key Format Type (0x420042), Type: Enumeration (0x05), Data: 0x00000004 Tag: Key Value (0x420045), Type: Structure (0x01), Data: Tag: Key Material (0x420043), Type: Octet String (0x08), Data: 30820276020100300D06092A864886F70D0101010500048202603082025C02010002818100930451C9ECD94F5BB9DA17D D09381BD23BE43ECA8C7539F301FC8A8CD5D5274C3E7699DBDC711C97A7AA1E2C50A82BD0B1034F0DF493DEC16362427 E58ACCE7F6CE0F9BCC617BBD8C90D0094A2703BA0D09EB19D1005F2FB265526AAC75AF32F8BC782CDED2A57F811E03EAF 67A944DE5E78413DCA8F232D074E6DCEA4CEC9F02030100010281800B6A7D736199EA48A420E4537CA0C7C046784DCBEA A63BAEBC0BC132787449CDE8D7CAD0C0C863C0FFFB06C3062BEFC50033ECF87B4E33A9BE7BCBC8F1511AE215E80DEB5D8 AF2BD31319D7821196640935A0CD67C94599579F2100D65E038831FDAFB0DBE2BBDAC00A696E67E756350E1C99ACE11A3 6DABAC3ED3E730960059024100DDF672FBCC5BDA3D73AFFC4E791E0C03390224405D69CCAABC749FAA0DCD4C2583C71DD E8941A7B9AA030F52EF1451466C074D4D338FE677892ACD9E10FD35BD024100A98FBC3ED6B4C6F860F97165AC2F7BB6F2</pre>

	<p>Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</p> <p>Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000003 (Register)</p> <p>Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)</p> <p>Tag: Response Payload (0x42007C), Type: Structure (0x01), Data:</p> <p>Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 79cbf228-16df-4fb1-a385-443546935e74</p> <p>42007B01000000B042007A0100000048420069010000002042006A0200000004000000010000000042006B020000000400000000000000004200920900000008000000004B73C4A242000D0200000004000000010000000042000F010000005842005C0500000004000000030000000042007F0500000004000000000000000042007C0100000030420094070000002437396362663232382D313664662D346662312D613338352D3434335343639333565373400000000</p>
2	<p>Add attribute</p> <p>In: uuidPrivateKey, attribute={ Link={ LinkType='PublicKeyLink', LinkedObjectIdentifier=uuidPublicKey } }</p> <p>Tag: Request Message (0x420078), Type: Structure (0x01), Data:</p> <p>Tag: Request Header (0x420077), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)</p> <p>Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</p> <p>Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000D (Add Attribute)</p> <p>Tag: Request Payload (0x420079), Type: Structure (0x01), Data:</p> <p>Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: fa06068c-6fb1-42ea-b6a2-d66d27b11943</p> <p>Tag: Attribute (0x420008), Type: Structure (0x01), Data:</p> <p>Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Link</p> <p>Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data:</p> <p>Tag: Link Type (0x42004B), Type: Enumeration (0x05), Data: 0x00000102 (Public Key Link)</p> <p>Tag: Linked Object Identifier (0x42004C), Type: Text String (0x07), Data: 79cbf228-16df-4fb1-a385-443546935e74</p> <p>42007801000000F04200770100000038420069010000002042006A0200000004000000010000000042006B0200000004000000000000000042000D0200000004000000010000000042000F01000000A842005C0500000040000000D000000004200790100000090420094070000002466613036303638632D366662312D343265612D623661322D64363664323762313139343300000000420008010000005842000A07000000444C696E6B0000000042000B010000004042004B0500000004000001020000000042004C070000002437396362663232382D313664662D346662312D613338352D3434335343639333565373400000000</p> <p>Out: uuidPrivateKey, attribute={ Link={ LinkType='PublicKeyLink', LinkedObjectIdentifier=uuidPublicKey } }</p> <p>Tag: Response Message (0x42007B), Type: Structure (0x01), Data:</p> <p>Tag: Response Header (0x42007A), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)</p>

	<pre> Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B73C4A2 (Thu Feb 11 09:49:38 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000D (Add Attribute) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: fa06068c-6fb1-42ea-b6a2- d66d27b11943 Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Link Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data: Tag: Link Type (0x42004B), Type: Enumeration (0x05), Data: 0x00000102 (Public Key Link) Tag: Linked Object Identifier (0x42004C), Type: Text String (0x07), Data: 79cbf228- 16df-4fb1-a385-443546935e74 42007B010000011042007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040 00000000000000004200920900000008000000004B73C4A242000D020000000400000001000000004200F01000000B842 005C05000000040000000D0000000042007F0500000004000000000000000042007C01000000904200940700000024666 13036303638632D366662312D343265612D623661322D64363643237623131393433000000042000801000000584200 0A07000000044C696E6B0000000042000B010000004042004B050000000400000102000000042004C070000002437396 362663232382D313664662D346662312D613338352D3434333534363933356537340000000 </pre>
3	<p>Locate (Public Key)</p> <p>In: attributes={ objectType='PublicKey', Link={ LinkType='PrivateKeyLink', LinkedObjectIdentifier=uuidPrivateKey } }</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Object Type Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000003 (Public Key) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Link Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data: Tag: Link Type (0x42004B), Type: Enumeration (0x05), Data: 0x00000103 (Private Key Link) Tag: Linked Object Identifier (0x42004C), Type: Text String (0x07), Data: fa06068c- 6fb1-42ea-b6a2-d66d27b11943 4200780100000F0420077010000038420069010000002042006A0200000004000000010000000042006B02000000040 000000000000000042000D0200000004000000010000000042000F01000000A842005C05000000040000008000000042 00790100000090420008010000002842000A07000000B4F626A656374205479706500000000042000B050000004000 0000300000000420008010000005842000A0700000044C696E6B0000000042000B010000004042004B0500000040000 01030000000042004C070000002466613036303638632D366662312D343265612D623661322D64363643237623131393 43300000000 </pre>

	<p>Out: uuidPublicKey</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B73C4A2 (Thu Feb 11 09:49:38 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 79cbf228-16df-4fb1-a385- 443546935e74 </pre> <p>42007B01000000B042007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040 0000000000000004200920900000008000000004B73C4A242000D0200000004000000010000000042000F010000005842 005C0500000004000000080000000042007F0500000004000000000000000042007C01000000304200940700000024373 96362663232382D313664662D346662312D613338352D3434333534363933356373400000000</p>
4	<p>Locate (Private Key)</p> <p>In: attributes={ objectType='PrivateKey', Link={ LinkType='PublicKeyLink', LinkedObjectIdentifier=uuidPublicKey } }</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Object Type Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000004 (Private Key) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Link Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data: Tag: Link Type (0x42004B), Type: Enumeration (0x05), Data: 0x00000102 (Public Key Link) Tag: Linked Object Identifier (0x42004C), Type: Text String (0x07), Data: 79cbf228- 16df-4fb1-a385-443546935e74 </pre> <p>42007801000000F04200770100000038420069010000002042006A0200000004000000010000000042006B02000000040 00000000000000042000D02000000040000000010000000042000F01000000A842005C0500000004000000080000000042 00790100000090420008010000002842000A07000000B4F626A6563742054797065000000000042000B05000000004000 0000400000000420008010000005842000A0700000044C696E6B0000000042000B010000004042004B05000000040000 01020000000042004C0700000024373963626632382D313664662D346662312D613338352D34343335343639333563 73400000000</p>

	<p>Out: uuidPrivateKey</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B73C4A3 (Thu Feb 11 09:49:39 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: fa06068c-6fb1-42ea-b6a2- d66d27b11943 </pre> <p>42007B01000000B042007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040 0000000000000004200920900000008000000004B73C4A34200D0200000004000000010000000042000F010000005842 005C0500000004000000080000000042007F0500000004000000000000000042007C01000000304200940700000024666 13036303638632D366662312D343265612D623661322D643636643237623131393433000000000</p>
5	<p>Destroy</p> <p>In: uuidPrivateKey</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: fa06068c-6fb1-42ea-b6a2- d66d27b11943 </pre> <p>42007801000000904200770100000038420069010000002042006A0200000004000000010000000042006B02000000040 00000000000000042000D0200000004000000010000000042000F010000004842005C05000000040000014000000042 00790100000030420094070000002466613036303638632D366662312D343265612D623661322D6436366432376231313 93433000000000</p> <p>Out: uuidPrivateKey</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B73C4A3 (Thu Feb 11 09:49:39 CET 2010) </pre>

	<pre> 09:49:39 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: fa06068c-6fb1-42ea-b6a2-d66d27b11943 42007B01000000B042007A0100000048420069010000002042006A0200000040000001000000042006B020000000400000000000042009209000000800000004B73C4A34200D0200000040000001000000042000F010000005842005C05000000400000014000000042007F05000000400000000000000042007C0100000030420094070000002466613036303638632D366662312D343265612D623661322D64363664323762313139343300000000 </pre>
6	<p>Destroy</p> <p>In: <code>uuidPublicKey</code></p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 79cbf228-16df-4fb1-a385-443546935e74 42007801000000904200770100000038420069010000002042006A0200000040000001000000042006B020000000400000000000042000D0200000040000001000000042000F010000004842005C050000004000000140000000420079010000003042009407000000243739636266323282D313664662D346662312D613338352D34343335343639333565373400000000 </pre> <p>Out: <code>uuidPublicKey</code></p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B73C4A3 (Thu Feb 11 09:49:39 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 79cbf228-16df-4fb1-a385-443546935e74 42007B01000000B042007A0100000048420069010000002042006A0200000040000001000000042006B020000000400000000000042009209000000800000004B73C4A34200D0200000040000001000000042000F010000004842005C050000004000000140000000420079010000003042009407000000243739636266323282D313664662D346662312D613338352D34343335343639333565373400000000 </pre>

	00000000000000004200920900000008000000004B73C4A342000D020000000400000001000000042000F010000005842 005C0500000004000000140000000042007F0500000004000000000000000042007C01000000304200940700000024373 96362663232382D313664662D346662312D613338352D3434333534363933356537340000000
--	--

215

216

217 9 Key Roll-over

218

219 These use-cases test manual key roll-over using the “Re-key” operation. In particular, they test the
 220 formatting of the Re-key command, the handling and server-side processing of the various Time
 221 attributes and the setting of some other attributes that are not automatically copied from the existing key
 222 to the new key.

223 9.1 Use-case: Create a Key, Re-key

224 Create a symmetric key with a specific name, and then use Locate to find the key. After using Re-key to
 225 create a new key, verify that the name was removed from the existing key and copied to the new key.
 226 Also verify that the key material for the old key is still retrievable. To clean up, both keys are deleted.

227

Time	Client A
0	<p>Create (symmetric key)</p> <p>In: objectType='00000002', attributes={ CryptographicAlgorithm='AES', CryptographicLength='128', CryptographicUsageMask='0000000C', Name={ NameValue='rekeyKey', NameType='00000001' } }</p> <p>Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000001 (Create) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Template-Attribute (0x420091), Type: Structure (0x01), Data: Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Algorithm Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000003 (AES) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Length Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x00000080 (128) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Usage Mask Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x0000000C (Encrypt, Decrypt) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data:</p>

	<pre> Tag: Name Value (0x420055), Type: Text String (0x07), Data: rekeyKey Tag: Name Type (0x420054), Type: Enumeration (0x05), Data: 0x00000001 (Uninterpreted text string) 420078010000016042007701000003842006901000002042006A0200000040000001000000042006B02000000040 0000000000000042000D0200000040000001000000042000F010000011842005C0500000040000001000000042 00790100000100420057050000004000000200000004200910100000E842000801000003042000A070000017437 27970746F6772617068696320416C676F726974686D0042000B050000004000000300000004200080100000304200 0A070000001443727970746F67726170686963204C656E677468000000042000B02000000400000080000000042000 8010000003042000A07000001843727970746F67726170686963205573616765204D61736B42000B020000004000000 0C0000000042000801000003842000A0700000004E616D65000000042000B010000002042005507000000872656B6 5794B65794200540500000040000000100000000 </pre> <p>Out: objectType='00000002', uuidKey</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B73C8BA (Thu Feb 11 10:07:06 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000001 (Create) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: fb560735-ef6f-4085-9e0a- eb6f1394c218 42007B01000000C042007A01000004842006901000002042006A0200000040000001000000042006B02000000040 0000000000000042009209000000800000004B73C8BA42000D0200000040000001000000042000F01000006842 005C050000000400000010000000042007F05000000400000000000000042007C0100000404200570500000004000 00002000000004200940700000246662353630373352D656636662D343038352D396530612D65623666313339346332 313800000000 </pre>
1	<p>Locate</p> <p>In: attributes={ Name={ NameValue='rekeyKey', NameType='00000001' } }</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data: Tag: Name Value (0x420055), Type: Text String (0x07), Data: rekeyKey </pre>

	<p>Tag: Name Type (0x420054), Type: Enumeration (0x05), Data: 0x00000001 (Uninterpreted text string)</p> <p>42007801000000A04200770100000038420069010000002042006A0200000004000000010000000042006B02000000040000000000042000D0200000004000000010000000042000F010000005842005C05000000040000000800000004200790100000040420008010000003842000A07000000044E616D650000000042000B010000020420055070000000872656B65794B657942005405000000040000000100000000</p> <p>Out: uuidKey</p> <p>Tag: Response Message (0x42007B), Type: Structure (0x01), Data:</p> <p>Tag: Response Header (0x42007A), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)</p> <p>Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B73C8BA (Thu Feb 11 10:07:06 CET 2010)</p> <p>Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</p> <p>Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate)</p> <p>Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)</p> <p>Tag: Response Payload (0x42007C), Type: Structure (0x01), Data:</p> <p>Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: fb560735-ef6f-4085-9e0a-eb6f1394c218</p> <p>42007B01000000B042007A0100000048420069010000002042006A0200000004000000010000000042006B0200000004000000000004200920900000008000000004B73C8BA42000D0200000004000000010000000042000F010000005842005C0500000004000000080000000042007F0500000004000000000000000042007C01000003042009407000000246662353630373352D656636662D343038352D396530612D65623666313339346332313800000000</p>
2	<p>Rekey</p> <p>In: uuidKey</p> <p>Tag: Request Message (0x420078), Type: Structure (0x01), Data:</p> <p>Tag: Request Header (0x420077), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)</p> <p>Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</p> <p>Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000004 (Re-key)</p> <p>Tag: Request Payload (0x420079), Type: Structure (0x01), Data:</p> <p>Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: fb560735-ef6f-4085-9e0a-eb6f1394c218</p> <p>42007801000000904200770100000038420069010000002042006A0200000004000000010000000042006B02000000040000000000042000D0200000004000000010000000042000F010000004842005C05000000040000000400000000420079010000003042009407000000246662353630373352D656636662D343038352D396530612D65623666313339346332313800000000</p> <p>Out: uuidNewKey</p>

	<pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x00000004B73C8BB (Thu Feb 11 10:07:07 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000004 (Re-key) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: bf6cc1d4-f914-4099-b4d4- 453050d8bcf4 42007B01000000B042007A0100000048420069010000002042006A020000004000000010000000042006B02000000040 0000000000000004200920900000008000000004B73C8BB42000D0200000004000000010000000042000F010000005842 005C0500000004000000040000000042007F0500000004000000000000000042007C01000000304200940700000024626 63663633164342D663931342D343039392D623464342D34353330353064386263663400000000 </pre>
3	<p>Locate</p> <p>In: attributes={ Name={ NameValue='rekeyKey', NameType='00000001' } }</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data: Tag: Name Value (0x420055), Type: Text String (0x07), Data: rekeyKey Tag: Name Type (0x420054), Type: Enumeration (0x05), Data: 0x00000001 (Uninterpreted text string) 42007801000000A04200770100000038420069010000002042006A020000004000000010000000042006B02000000040 00000000000000042000D0200000004000000010000000042000F010000005842005C050000004000000080000000042 0079010000004042008010000003842000A07000000044E616D650000000042000B01000000204200550700000008726 56B65794B657942005405000000040000000100000000 Out: uuidNewKey Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x00000004B73C8BB (Thu Feb 11 10:07:07 CET 2010) </pre>

	<pre> 10:07:07 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: bf6cc1d4-f914-4099-b4d4- 453050d8bcf4 42007B01000000B042007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040 00000000000000004200920900000008000000004B73C8BB42000D0200000004000000010000000042000F01000005842 005C0500000004000000080000000042007F0500000004000000000000000042007C01000000304200940700000024626 63663633164342D663931342D343039392D623464342D34353330353064386263663400000000 </pre>
4	<p>Get Attribute</p> <p>In: <code>uuidKey, attributeName={'Name'}</code></p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: fb560735-ef6f-4085-9e0a- eb6f1394c218 Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name 42007801000000A04200770100000038420069010000002042006A0200000004000000010000000042006B02000000040 000000000000000042000D0200000004000000010000000042000F010000005842005C050000004000000B0000000042 00790100000040420094070000002466623536303733352D656636662D343038352D396530612D6562366631333934633 231380000000042000A07000000044E616D6500000000 </pre> <p>Out: <code>uuidKey</code></p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B73C8BB (Thu Feb 11 10:07:07 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: fb560735-ef6f-4085-9e0a- eb6f1394c218 </pre>

	<pre>42007B01000000B042007A0100000048420069010000002042006A020000000400000010000000042006B02000000040 00000000000000042009209000000800000004B73C8BB42000D020000000400000010000000042000F01000005842 005C0500000004000000B000000042007F0500000004000000000000000042007C010000030420094070000024666 23536303733352D656636662D343038352D396530612D65623666313339346332313800000000</pre>
5	<p>Get (symmetric key)</p> <p>In: <code>uuidKey</code></p> <pre>Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: fb560735-ef6f-4085-9e0a-eb6f1394c218 420078010000090420077010000038420069010000002042006A020000000400000010000000042006B02000000040 00000000000000042000D0200000004000000010000000042000F010000004842005C05000000040000000A000000042 0079010000003042009407000000246662353630373352D656636662D343038352D396530612D6562366631333934633 23138000000000</pre> <p>Out: <code>objectType = '00000002'</code>, <code>uuidKey</code>, <code>symmetricKey</code></p> <pre>Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B73C8BB (Thu Feb 11 10:07:07 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: fb560735-ef6f-4085-9e0a-eb6f1394c218 Tag: Symmetric Key (0x42008F), Type: Structure (0x01), Data: Tag: Key Block (0x420040), Type: Structure (0x01), Data: Tag: Key Format Type (0x420042), Type: Enumeration (0x05), Data: 0x00000001 Tag: Key Value (0x420045), Type: Structure (0x01), Data: Tag: Key Material (0x420043), Type: Octet String (0x08), Data: BC25617991C49D06536008D076017462 Tag: Cryptographic Algorithm (0x420028), Type: Enumeration (0x05), Data: 0x00000003 (AES) Tag: Cryptographic Length (0x42002A), Type: Integer (0x02), Data: 0x00000080 (128)</pre>

	<pre>42007B010000012042007A010000048420069010000002042006A0200000040000001000000042006B02000000040 00000000000000042009209000000800000004B73C8BC42000D020000004000000100000004200F01000000C842 005C050000004000000A000000042007F05000000400000000000000042007C0100000A0420057050000004000 0000200000004200940700000246662353630373352D656636662D343038352D396530612D65623666313339346332 3138000000042008F0100000584200400100000504200420500000040000001000000042004501000001842004 30800000010BC25617991C49D06536008D0760174624200280500000040000003000000042002A020000004000000 8000000000</pre>
6	<p>Destroy</p> <p>In: uuidKey</p> <pre>Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: fb560735-ef6f-4085-9e0a- eb6f1394c218 420078010000090420077010000038420069010000002042006A0200000040000001000000042006B02000000040 0000000000000042000D0200000040000000100000004200F010000004842005C0500000040000014000000042 007901000000304200940700000246662353630373352D656636662D343038352D396530612D6562366631333934633 23138000000000</pre> <p>Out: uuidKey</p> <pre>Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B73C8BC (Thu Feb 11 10:07:08 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: fb560735-ef6f-4085-9e0a- eb6f1394c218 42007B0100000B042007A010000048420069010000002042006A0200000040000001000000042006B02000000040 0000000000000042009209000000800000004B73C8BC42000D020000004000000100000004200F010000005842 005C05000000400000014000000042007F05000000400000000000000042007C01000000304200940700000024666 2353630373352D656636662D343038352D396530612D65623666313339346332313800000000</pre>
7	<p>Destroy</p> <p>In: uuidNewKey</p>

	<pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: bf6cc1d4-f914-4099-b4d4- 453050d8bcf4 42007801000000904200770100000038420069010000002042006A0200000004000000010000000042006B02000000040 00000000000000042000D0200000004000000010000000042000F010000004842005C050000000400000140000000042 0079010000003042009407000000246266366363164342D663931342D343039392D623464342D3435333035306438626 3663400000000 Out: uuidNewKey Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B73C8BC (Thu Feb 11 10:07:08 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: bf6cc1d4-f914-4099-b4d4- 453050d8bcf4 42007B01000000B042007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040 0000000000000004200920900000008000000004B73C8BC42000D0200000004000000010000000042000F010000005842 005C0500000004000000140000000042007F050000000400000000000000000042007C01000000304200940700000024626 6366363164342D663931342D343039392D623464342D3435333035306438626366340000000 </pre>
--	---

228

229

230 9.2 Use-case: Existing Key Expired, Re-key with Same lifecycle

231 Create a new symmetric key. Then add the *Activation Date* and *Deactivation Date* attributes based on the
 232 timestamp in the response to the Create request. The *Activation Date* is set to a time in the past and the
 233 *Deactivation Date* to a time in the near future. Repeated Get Attribute calls are performed to verify that
 234 the state is first “Active”, then subsequently “Deactivated”. Then issue a Re-key request, including an
 235 *Activation Date* attribute with the value set to the previously specified *Deactivation Date* of the existing
 236 key. Verify from the response that the *Activation Date* and *Deactivation Date* attributes were set correctly
 237 (if they are not returned, issue a Get Attribute request). Do a Get Attribute operation to verify that the
 238 state of the new key is “Active”. To clean up, both keys are deleted.

239

Time	Client A
0	<p>Create (symmetric key)</p> <p>In: objectType='00000002', attributes={ CryptographicAlgorithm='AES', CryptographicLength='128', CryptographicUsageMask='0000000C' }</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000001 (Create) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Template-Attribute (0x420091), Type: Structure (0x01), Data: Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Algorithm Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000003 (AES) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Length Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x00000080 (128) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Usage Mask Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x0000000C (Encrypt, Decrypt) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data: Tag: Name Value (0x420055), Type: Text String (0x07), Data: rekeyKey Tag: Name Type (0x420054), Type: Enumeration (0x05), Data: 0x00000001 (Uninterpreted text string) 42007801000001604200770100000038420069010000002042006A0200000004000000010000000042006B02000000040000000000042000D0200000004000000010000000042000F010000011842005C0500000004000000010000000042007901000001004200570500000004000000020000000042009101000000E8420008010000003042000A070000001743727970746F6772617068696320416C676F726974686D0042000B05000000040000000300000000420008010000003042000A070000001443727970746F67726170686963204C656E6774680000000042000B02000000040000008000000000420008010000003042000A070000001843727970746F67726170686963205573616765204D61736B42000B02000000040000000C00000000420008010000003842000A07000000044E616D650000000042000B010000020420055070000000872656B65794B657942005405000000040000000100000000 Out: objectType='00000002', uuidKey Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) </pre>

	<pre>C0500000004000000D00000004200930800000008582C952324F4552F42007901000000684200940700000024666263 35663365352D343862662D343239342D623735342D30353735613431643933623600000000420008010000003042000A0 700000011446561637469766174696F6E204461746500000000042000B09000000800000004B74003F</pre> <p>Out: uuidKey, attribute={ ActivationDate=' <Timestamp in previous response - 1 year>' }</p> <p>Out: uuidKey, attribute={ DeactivationDate=' <Timestamp in previous response + 2 minutes>' }</p> <pre>Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B73FFC7 (Thu Feb 11 14:01:59 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000002 (2) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000D (Add Attribute) Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: BAC4A9CECC650259 Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: fbc5f3e5-48bf-4294-b754- 0575a41d93b6 Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Activation Date Tag: Attribute Value (0x42000B), Type: Date-Time (0x09), Data: 0x000000004992CC47 (Wed Feb 11 14:01:59 CET 2009) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000D (Add Attribute) Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 582C952324F4552F Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: fbc5f3e5-48bf-4294-b754- 0575a41d93b6 Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Deactivation Date Tag: Attribute Value (0x42000B), Type: Date-Time (0x09), Data: 0x000000004B74003F (Thu Feb 11 14:03:59 CET 2010) 42007B010000019842007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040 000000000000004200920900000008000000004B73FFC742000D020000000400000002000000042000F010000009842 005C05000000040000000D00000004200930800000008BAC4A9CECC65025942007F05000000040000000000000000420 07C010000006042009407000000246662633563532D343862662D343239342D623735342D30353735613431643933 62360000000420008010000002842000A07000000F41637469766174696F6E20446174650042000B09000000800000 0004992CC4742000F01000000A042005C05000000040000000D00000004200930800000008582C952324F4552F42007F 050000000400000000000000042007C010000006842009407000000246662635663365352D343862662D343239342D6 23735342D3035373561343164393362360000000420008010000003042000A0700000011446561637469766174696F6E 2044617465000000000000042000B09000000800000004B74003F</pre>
2	<p>Get Attribute * Repeated until state changes to Deactivated</p> <p>In: uuidKey, attributeName={'State'}</p> <pre>Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data:</pre>

	<pre> Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: fbc5f3e5-48bf-4294-b754-0575a41d93b6 Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: State 42007801000000A04200770100000038420069010000002042006A0200000040000001000000042006B0200000040000000000042000D02000000400000001000000042000F01000005842005C050000004000000B000000004200790100000040420094070000002466626335663365352D343862662D343239342D623735342D3035373561343164393362360000000420008010000002042000A07000000553746174650000042000B0500000040000000200000000 Out: uuidKey, attribute={ State='Active' } Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B73FFC7 (Thu Feb 11 14:01:59 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: fbc5f3e5-48bf-4294-b754-0575a41d93b6 Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: State Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000002 (Active) 42007B01000000D842007A0100000048420069010000002042006A0200000040000001000000042006B0200000004000000000004200920900000008000000004B73FFC742000D0200000040000001000000042000F010000008042005C050000004000000B0000000042007F05000000400000000000000042007C010000058420094070000002466626335663365352D343862662D343239342D623735342D3035373561343164393362360000000420008010000002042000A07000000553746174650000042000B0500000040000000200000000 </pre>
3	<p>Get Attribute</p> <p>In: uuidKey, attributeName={'State'}</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: </pre>

	<pre> Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: fbc5f3e5-48bf-4294-b754- 0575a41d93b6 Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: State 42007801000000A04200770100000038420069010000002042006A0200000040000001000000042006B02000000040 0000000000000042000D0200000040000001000000042000F01000005842005C050000004000000B000000042 0079010000004042009407000002466626335663365352D343862662D343239342D623735342D3035373561343164393 36236000000042000A07000000055374617465000000 </pre> <p>Out: uuidKey, attribute={ State='Deactivated' }</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B740040 (Thu Feb 11 14:04:00 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: fbc5f3e5-48bf-4294-b754- 0575a41d93b6 Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: State Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000003 (Deactivated) 42007B01000000D842007A0100000048420069010000002042006A0200000040000001000000042006B02000000040 000000000000004200920900000008000000004B74004042000D0200000040000001000000042000F01000008042 005C0500000004000000B0000000042007F050000000400000000000000042007C0100000584200940700000024666 26335663365352D343862662D343239342D623735342D30353735613431643933623600000004200801000000204200 0A070000000553746174650000042000B050000004000000030000000 </pre>
4	<p>Rekey</p> <p>In: uuidKey, attribute={ offset='FE747E00' (300 days backwards)}</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000004 (Re-key) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: fbc5f3e5-48bf-4294-b754- 0575a41d93b6 Tag: Offset (0x420058), Type: Interval (0x0A), Data: 0xFE747E00 </pre>

	<pre>4200780100000A042007701000003842006901000002042006A0200000040000001000000042006B0200000040 0000000000000042000D0200000040000001000000042000F01000005842005C050000004000000400000042 007901000004042009407000002466626335663365352D343862662D343239342D623735342D3035373561343164393 3623600000004200580A0000004FE747E0000000000</pre>
Out: <code>uuidNewKey</code>	<pre>Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B740040 (Thu Feb 11 14:04:00 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000004 (Re-key) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 389602b1-ca02-4c3c-b5a3- c3789e7f2c92</pre>
5	<p>Get Attribute</p> <p>In: <code>uuidNewKey, attributeName={'ActivationDate', 'DeactivationDate'}</code></p> <pre>Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 389602b1-ca02-4c3c-b5a3- c3789e7f2c92 Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Activation Date Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Deactivation Date</pre> <pre>4200780100000C842007701000003842006901000002042006A0200000040000001000000042006B0200000040 0000000000000042000D0200000040000001000000042000F01000008042005C050000004000000B0000000042 007901000006842009407000002433383936303262312D636130322D346333632D623561332D6333373839653766326 33932000000042000A07000000F41637469766174696F6E20446174650042000A070000001144656163746976617469 6F6E204461746500000000000000</pre> <p>Out: <code>uuidNewKey, attribute={ ActivationDate=' <Value of ActivationTime in existing key + 65 days> ', DeactivationDate=' <Value of DeactivationTime in existing key + 65 days> '}</code></p>

	<p>DecivationDate='<Value of DeactivationDate of existing key + 65 days>' }</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B740040 (Thu Feb 11 14:04:00 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 389602b1-ca02-4c3c-b5a3- c3789e7f2c92 Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Activation Date Tag: Attribute Value (0x42000B), Type: Date-Time (0x09), Data: 0x0000000049E87DC6 (Fri Apr 17 15:01:58 CEST 2009) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Deactivation Date Tag: Attribute Value (0x42000B), Type: Date-Time (0x09), Data: 0x000000004BC9B1BE (Sat Apr 17 15:03:58 CEST 2010) 42007B010000011842007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040 0000000000000004200920900000008000000004B74004042000D0200000004000000010000000042000F01000000C042 005C05000000040000000B0000000042007F0500000004000000000000000042007C0100000984200940700000024333 83936303262312D636130322D346333632D623561332D633337383965376632633932000000042000801000000284200 0A070000000F41637469766174696F6E20446174650042000B0900000008000000049E87DC6420008010000003042000 A0700000011446561637469766174696F6E2044617465000000000000042000B090000000800000004BC9B1BE </pre>
6	<p>Get Attribute</p> <p>In: <code>uuidNewKey, attributeName={'State'}</code></p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 389602b1-ca02-4c3c-b5a3- c3789e7f2c92 Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: State 42007801000000A04200770100000038420069010000002042006A0200000004000000010000000042006B02000000040 00000000000000042000D0200000004000000010000000042000F010000005842005C0500000040000000B0000000042 00790100000040420094070000002433383936303262312D636130322D346333632D623561332D6333373839653766326 339320000000042000A07000000055374617465000000 </pre>

	<p>Out: <code>uuidNewKey, attribute={ State='Active' }</code></p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B740040 (Thu Feb 11 14:04:00 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 389602b1-ca02-4c3c-b5a3-c3789e7f2c92 Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: State Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000002 (Active) 42007B01000000D842007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040000000000004200920900000008000000004B74004042000D0200000004000000010000000042000F010000008042005C05000000040000000B0000000042007F0500000004000000000000000042007C0100000058420094070000002433383936303262312D636130322D346333632D623561332D6333373839653766326339320000000420008010000002042000A0700000005537461746500000042000B05000000040000000200000000 </pre>
7	<p>Destroy</p> <p>In: <code>uuidKey</code></p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: fbc5f3e5-48bf-4294-b754-0575a41d93b6 42007801000000904200770100000038420069010000002042006A0200000004000000010000000042006B020000000400000000000042000D0200000004000000010000000042000F010000004842005C050000000400000014000000004200790100000030420094070000002466626335663365352D343862662D343239342D623735342D30353735613431643933623600000000 </pre> <p>Out: <code>uuidKey</code></p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: </pre>

	<p>Out: uuidNewKey</p> <p>Out: uuidNewKey</p> <p>Tag: Response Message (0x42007B), Type: Structure (0x01), Data:</p> <p> Tag: Response Header (0x42007A), Type: Structure (0x01), Data:</p> <p> Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:</p> <p> Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p> Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)</p> <p> Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B740040 (Thu Feb 11 14:04:00 CET 2010)</p> <p> Tag: Batch Count (0x4200D), Type: Integer (0x02), Data: 0x00000002 (2)</p> <p> Tag: Batch Item (0x4200F), Type: Structure (0x01), Data:</p> <p> Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000013 (Revoke)</p> <p> Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 7012417AA1B7394B</p> <p> Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)</p> <p> Tag: Response Payload (0x42007C), Type: Structure (0x01), Data:</p> <p> Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 389602b1-ca02-4c3c-b5a3-c3789e7f2c92</p> <p> Tag: Batch Item (0x4200F), Type: Structure (0x01), Data:</p> <p> Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy)</p> <p> Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 3F8F4F1759704555</p> <p> Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)</p> <p> Tag: Response Payload (0x42007C), Type: Structure (0x01), Data:</p> <p> Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 389602b1-ca02-4c3c-b5a3-c3789e7f2c92</p> <p>42007B010000013042007A0100000048420069010000002042006A02000000040000001000000042006B0200000004000000000004200920900000008000000004B7400404200D02000000040000002000000042000F010000006842005C0500000004000000130000000042009308000000087012417AA1B7394B42007F05000000040000000000000000042007C0100000030420094070000002433383936303262312D636130322D346333632D623561332D63333738396537663263392000000042000F010000006842005C050000000400000014000000042009308000000083F8F4F175970455542007F0500000004000000000000000042007C0100000030420094070000002433383936303262312D636130322D346333632D623561332D6333373839653766326339320000000042000F010000006842005C050000000400000014000000042009308000000083F8F4F175970455542007F0500000004000000000000000042007C0100000030420094070000002433383936303262312D636130322D346333632D623561332D63333738396537663263393200000000</p>
--	--

240

241 9.3 Use-case: Existing Key Compromised, Re-key with same lifecycle

242 Create a new symmetric key with the *Activation Date* in the past. Do a Get Attribute operation on the State attribute to verify the key is “Active”. Then revoke the key as compromised, verify that the state has changed to “Compromised”. Create a replacement key using Re-key with the offset set to ‘0’ to indicate that the times are to be copied from the existing key. Do a Get Attribute operation to verify that the state of the new key is “Active”. To clean up, both keys are deleted.

247

Time	Client A
0	<p>Create (symmetric key)</p> <p>In: objectType='00000002', attributes={ CryptographicAlgorithm='AES', CryptographicLength='128', CryptographicUsageMask='0000000C', Name={ NameValue='rekeyKey', NameType='00000001' }, ActivationDate='<NOW>' }</p> <p>Tag: Request Message (0x420078), Type: Structure (0x01), Data:</p>

```

Tag: Request Header (0x420077), Type: Structure (0x01), Data:
  Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:
    Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)
    Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)
  Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)
Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
  Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000001 (Create)
  Tag: Request Payload (0x420079), Type: Structure (0x01), Data:
    Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key)
    Tag: Template-Attribute (0x420091), Type: Structure (0x01), Data:
      Tag: Attribute (0x420008), Type: Structure (0x01), Data:
        Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Algorithm
        Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000003 (AES)
      Tag: Attribute (0x420008), Type: Structure (0x01), Data:
        Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Length
        Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x00000080 (128)
      Tag: Attribute (0x420008), Type: Structure (0x01), Data:
        Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Usage
Mask
        Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x0000000C (Encrypt,
Decrypt)
        Tag: Attribute (0x420008), Type: Structure (0x01), Data:
          Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Activation Date
          Tag: Attribute Value (0x42000B), Type: Date-Time (0x09), Data: 0x00000004B741047 (Thu
Feb 11 15:12:23 CET 2010)
        Tag: Attribute (0x420008), Type: Structure (0x01), Data:
          Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name
          Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data:
            Tag: Name Value (0x420055), Type: Text String (0x07), Data: rekeyKey
            Tag: Name Type (0x420054), Type: Enumeration (0x05), Data: 0x00000001 (Uninterpreted
text string)

42007801000001904200770100000038420069010000002042006A02000000400000001000000042006B02000000040
000000000000000042000D020000000400000001000000042000F010000014842005C050000000400000001000000042
0079010000013042005705000000040000000200000004200910100000118420008010000003042000A0700000017437
27970746F6772617068696320416C676F726974686D0042000B05000000040000003000000042000801000000304200
0A070000001443727970746F67726170686963204C656E677468000000042000B02000000400000080000000042000
8010000003042000A070000001843727970746F67726170686963205573616765204D61736B42000B020000004000000
0C0000000042000801000002842000A0700000004F41637469766174696F6E20446174650042000B0900000008000000
04B741047420008010000003842000A07000000044E616D65000000042000B010000002042005507000000872656B65
794B657942005405000000040000000100000000

```

Out: objectType='00000002', uuidKey

```

Tag: Response Message (0x42007B), Type: Structure (0x01), Data:
  Tag: Response Header (0x42007A), Type: Structure (0x01), Data:
    Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:
      Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)
      Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)
    Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B741048 (Thu Feb 11
15:12:24 CET 2010)
    Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)
  Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:

```

	<pre> Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000001 (Create) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: eea742b4-96ed-4238-afed2- 53189c79f781 42007B01000000C042007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040 00000000000000004200920900000008000000004B74104842000D0200000004000000010000000042000F010000006842 005C0500000004000000010000000042007F0500000004000000000000000042007C01000000404200570500000004000 0000200000000420094070000002465656137343262342D393665642D343233382D616664322D35333138396337396637 383100000000 </pre>
1	<p>Get Attribute</p> <p>In: <code>uuidKey, attributeName={'State'}</code></p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: eea742b4-96ed-4238-afed2- 53189c79f781 Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: State 42007801000000A04200770100000038420069010000002042006A0200000004000000010000000042006B02000000040 000000000000000042000D0200000004000000010000000042000F010000005842005C0500000004000000B0000000042 00790100000040420094070000002465656137343262342D393665642D343233382D616664322D3533313839633739663 73831000000042000A0700000055374617465000000 Out: <code>uuidKey, attribute={ State='Active' }</code> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B741048 (Thu Feb 11 15:12:24 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: eea742b4-96ed-4238-afed2- 53189c79f781 Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: State </pre>

	<p>Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000002 (Active)</p> <p>42007B01000000D842007A0100000048420069010000002042006A020000000400000001000000042006B020000000400000000000042009209000000800000004B7410484200D02000000400000001000000042000F010000008042005C050000004000000B000000042007F05000000400000000000000042007C01000005842009407000000246565613734262342D393665642D34323382D616664322D3533313839637396373831000000042008010000002042000A07000000553746174650000042000B050000004000000020000000</p>
2	<p>Revoke (symmetric key as compromised)</p> <p>In: uuidKey, RevocationReason='00000002', CompromiseOccurrenceDate='<NOW>'</p> <p>Tag: Request Message (0x420078), Type: Structure (0x01), Data:</p> <p>Tag: Request Header (0x420077), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)</p> <p>Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</p> <p>Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000013 (Revoke)</p> <p>Tag: Request Payload (0x420079), Type: Structure (0x01), Data:</p> <p>Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: eea742b4-96ed-4238-afd2-53189c79f781</p> <p>Tag: Revocation Reason (0x420081), Type: Structure (0x01), Data:</p> <p>Tag: Revocation Reason Code (0x420082), Type: Enumeration (0x05), Data: 0x00000002 (Key Compromise)</p> <p>Tag: Compromise Occurrence Date (0x420021), Type: Date-Time (0x09), Data: 0x0000000004B741048 (Thu Feb 11 15:12:24 CET 2010)</p> <p>42007801000000B84200770100000038420069010000002042006A020000000400000001000000042006B020000000400000000000042000D02000000400000001000000042000F010000007042005C05000000400000013000000004200790100000584200940700000246565613734262342D393665642D34323382D616664322D353331383963739637383100000004200810100000010420082050000000400000002000000004200210900000008000000004B741048</p> <p>Out: uuidKey</p> <p>Tag: Response Message (0x42007B), Type: Structure (0x01), Data:</p> <p>Tag: Response Header (0x42007A), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)</p> <p>Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B741049 (Thu Feb 11 15:12:25 CET 2010)</p> <p>Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</p> <p>Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000013 (Revoke)</p> <p>Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)</p> <p>Tag: Response Payload (0x42007C), Type: Structure (0x01), Data:</p> <p>Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: eea742b4-96ed-4238-afd2-53189c79f781</p> <p>42007B01000000B042007A0100000048420069010000002042006A020000000400000001000000042006B020000000400000000000042009209000000800000004B7410494200D02000000400000001000000042000F010000005842005C050000004000000130000000042007F05000000400000000000000042007C01000000304200940700000024656</p>

	56137343262342D393665642D343233382D616664322D35333138396337396637383100000000
3	<p>Get Attribute</p> <p>In: <code>uuidKey, attributeName={'State'}</code></p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: eea742b4-96ed-4238-af2d-53189c79f781 Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: State </pre> <p>42007801000000A04200770100000038420069010000002042006A0200000040000001000000042006B020000000400000000000042000D0200000040000001000000042000F010000005842005C050000004000000B00000004200790100000040420094070000002465656137343262342D393665642D34323382D616664322D353331383963373966373831000000042000A07000000055374617465000000</p> <p>Out: <code>uuidKey, attribute={ State='Compromised' }</code></p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B741049 (Thu Feb 11 15:12:25 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: eea742b4-96ed-4238-af2d-53189c79f781 Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: State Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000004 (Compromised) </pre> <p>42007B01000000D842007A0100000048420069010000002042006A0200000040000001000000042006B020000000400000000000420092090000008000000004B74104942000D0200000040000001000000042000F010000008042005C050000004000000B000000042007F0500000040000000000000042007C0100000058420094070000002465656137343262342D393665642D34323382D616664322D35333138396337396637383100000004200801000000204200A070000000553746174650000042000B050000004000000040000000</p>
4	<p>Rekey</p> <p>In: <code>uuidKey</code></p>

	<pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000004 (Re-key) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: eea742b4-96ed-4238-afd2-53189c79f781 42007801000000904200770100000038420069010000002042006A0200000004000000010000000042006B02000000040000000000042000D0200000004000000010000000042000F010000004842005C0500000004000000040000000420079010000003042009407000000246167383100000000 </pre> <p>Out: uuidNewKey</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B741049 (Thu Feb 11 15:12:25 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000004 (Re-key) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: ad3cb774-d00d-4591-a634-6ea36a801824 42007B01000000B042007A0100000048420069010000002042006A0200000004000000010000000042006B0200000004000000000004200920900000008000000004B74104942000D0200000004000000010000000042000F010000005842005C0500000004000000040000000042007F0500000004000000000000000042007C0100000030420094070000002461643363623737342D643030642D343539312D613633342D36656133366138303138323400000000 </pre>
5	<p>Get Attribute</p> <p>In: <code>uuidNewKey, attributeName='State'</code></p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: ad3cb774-d00d-4591-a634- </pre>

	<pre> 6ea36a801824 Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: State 42007801000000A04200770100000038420069010000002042006A0200000004000000010000000042006B02000000040 0000000000000042000D02000000400000001000000004200F010000005842005C050000004000000B000000042 00790100000040420094070000002461643363623737342D643030642D343539312D613633342D3665613336613830313 832340000000042000A07000000055374617465000000 Out: uuidNewKey, attribute={ State='Active' } Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B741049 (Thu Feb 11 15:12:25 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: ad3cb774-d00d-4591-a634- 6ea36a801824 Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: State Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000002 (Active) 42007B01000000D842007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040 000000000000004200920900000008000000004B74104942000D020000000400000001000000004200F010000008042 005C0500000004000000B0000000042007F0500000004000000000000000042007C01000000584200940700000024616 43363623737342D643030642D343539312D613633342D366561333661383031383234000000042000801000000204200 0A0700000005537461746500000042000B05000000040000000200000000 In: uuidKey Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: eea742b4-96ed-4238-afed- 53189c79f781 42007801000000904200770100000038420069010000002042006A0200000004000000010000000042006B02000000040 0000000000000042000D0200000004000000010000000042000F010000004842005C050000000400000014000000042 00790100000030420094070000002465656137343262342D393665642D343233382D616664322D3533313839633739663 7383100000000 </pre>
6	<p>Destroy</p> <p>In: uuidKey</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: eea742b4-96ed-4238-afed- 53189c79f781 42007801000000904200770100000038420069010000002042006A0200000004000000010000000042006B02000000040 0000000000000042000D0200000004000000010000000042000F010000004842005C050000000400000014000000042 00790100000030420094070000002465656137343262342D393665642D343233382D616664322D3533313839633739663 7383100000000 </pre>

	<p>Out: uuidKey</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B741049 (Thu Feb 11 15:12:25 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: eea742b4-96ed-4238-afd2- 53189c79f781 </pre> <p>42007B01000000B042007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040 00000000000000004200920900000008000000004B7410494200D0200000004000000010000000042000F010000005842 005C050000000400000014000000042007F0500000004000000000000000042007C01000000304200940700000024656 56137343262342D393665642D343233382D616664322D35333138396337396637383100000000</p>
7	<p>Revoke (symmetric key as cessation of operation) and Destroy</p> <p>In (header): batchOrderOption='TRUE'</p> <p>In: uuidNewKey, revocationReasonCode='6'</p> <p>In: uuidNewKey</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Order Option (0x420010), Type: Boolean (0x06), Data: TRUE Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000002 (2) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000013 (Revoke) Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 7131695CF636735E Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: ad3cb774-d00d-4591-a634- 6ea36a801824 Tag: Revocation Reason (0x420081), Type: Structure (0x01), Data: Tag: Revocation Reason Code (0x420082), Type: Enumeration (0x05), Data: 0x00000006 (Cessation of Operation) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 1845BCBBF09B5A66 Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: ad3cb774-d00d-4591-a634- 6ea36a801824 </pre>

248

249

250 9.4 Use-case: Create key, Re-key with new lifecycle

251 Create a symmetric key with a specific name, then use Locate to find the key. After using Re-key to
252 create a new key, verify that the name was removed from the existing key and copied to the new key. To
253 clean up, both keys are deleted.

254

Time	Client A
0	Create (symmetric key)

```

In: objectType='00000002', attributes={ CryptographicAlgorithm='AES', CryptographicLength='128',
CryptographicUsageMask='0000000C', Name={ NameValue='rekeyKey', NameType='00000001' } }

Tag: Request Message (0x420078), Type: Structure (0x01), Data:
  Tag: Request Header (0x420077), Type: Structure (0x01), Data:
    Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:
      Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)
      Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)
      Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)
      Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
        Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000001 (Create)
        Tag: Request Payload (0x420079), Type: Structure (0x01), Data:
          Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key)
          Tag: Template-Attribute (0x420091), Type: Structure (0x01), Data:
            Tag: Attribute (0x420008), Type: Structure (0x01), Data:
              Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Algorithm
              Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000003 (AES)
            Tag: Attribute (0x420008), Type: Structure (0x01), Data:
              Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Length
              Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x00000080 (128)
            Tag: Attribute (0x420008), Type: Structure (0x01), Data:
              Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Usage
Mask
              Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x0000000C (Encrypt,
Decrypt)
              Tag: Attribute (0x420008), Type: Structure (0x01), Data:
                Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name
                Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data:
                  Tag: Name Value (0x420055), Type: Text String (0x07), Data: rekeyKey
                  Tag: Name Type (0x420054), Type: Enumeration (0x05), Data: 0x00000001 (Uninterpreted
text string)

420078010000016042007701000003842006901000002042006A0200000040000001000000042006B0200000040
000000000000042000D0200000040000001000000042000F01000011842005C0500000040000001000000042
007901000001004200570500000004000000200000004200910100000E842000801000003042000A0700000017437
27970746F6772617068696320416C676F726974686D0042000B0500000040000003000000042000801000000304200
0A070000001443727970746F67726170686963204C656E677468000000042000B0200000040000080000000042000
8010000003042000A070000001843727970746F67726170686963205573616765204D61736B42000B020000004000000
0C0000000042000801000003842000A07000000044E616D65000000042000B01000002042005507000000872656B6
5794B657942005405000000040000000100000000

Out: objectType='00000002', uuidKey

Tag: Response Message (0x42007B), Type: Structure (0x01), Data:
  Tag: Response Header (0x42007A), Type: Structure (0x01), Data:
    Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:
      Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)
      Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)
      Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B742475 (Thu Feb 11
16:38:29 CET 2010)
      Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)
      Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:

```

	<pre> Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000001 (Create) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: f0342590-f78a-4d34-a2f4- 4d6fc85a56ef 42007B01000000C042007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040 00000000000000004200920900000008000000004B7424754200D0200000004000000010000000042000F010000006842 005C0500000004000000010000000042007F0500000004000000000000000042007C01000000404200570500000004000 000020000000042009407000002466303334323539302D663738612D346433342D613266342D34643666633835613536 656600000000 </pre>
1	<p>Locate</p> <p>In: attributes={ Name={ NameValue='rekeyKey', NameType='00000001' } }</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data: Tag: Name Value (0x420055), Type: Text String (0x07), Data: rekeyKey Tag: Name Type (0x420054), Type: Enumeration (0x05), Data: 0x00000001 (Uninterpreted text string) 42007801000000A04200770100000038420069010000002042006A0200000004000000010000000042006B02000000040 000000000000000042000D0200000004000000010000000042000F010000005842005C05000000040000008000000042 00790100000040420008010000003842000A07000000044E616D650000000042000B0100000020420055700000008726 56B65794B657942005405000000040000000100000000 </pre> <p>Out: uuidKey</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B742476 (Thu Feb 11 16:38:30 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: f0342590-f78a-4d34-a2f4- </pre>

	4d6fc85a56ef
	<pre>42007B01000000B042007A0100000048420069010000002042006A020000000400000001000000042006B02000000040 0000000000000004200920900000008000000004B7424764200D020000000400000001000000042000F01000005842 005C0500000004000000080000000042007F0500000004000000000000000042007C010000030420094070000024663 03334323539302D663738612D346433342D613266342D34643666633835613536656600000000</pre>
2	<p>Rekey</p> <p>In: <code>uuidKey, attributes={ ActivationDate='0000000043B7B630', ProcessStartDate='0000000043B7B630', ProtectStopDate='000000005E0C7BB0', DeactivationDate='000000005E0C7BB0' }</code></p> <p>Tag: Request Message (0x420078), Type: Structure (0x01), Data:</p> <p> Tag: Request Header (0x420077), Type: Structure (0x01), Data:</p> <p> Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:</p> <p> Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p> Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)</p> <p> Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p> Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</p> <p> Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000004 (Re-key)</p> <p> Tag: Request Payload (0x420079), Type: Structure (0x01), Data:</p> <p> Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: f0342590-f78a-4d34-a2f4- 4d6fc85a56ef</p> <p> Tag: Template-Attribute (0x420091), Type: Structure (0x01), Data:</p> <p> Tag: Attribute (0x420008), Type: Structure (0x01), Data:</p> <p> Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Activation Date</p> <p> Tag: Attribute Value (0x42000B), Type: Date-Time (0x09), Data: 0x0000000043B7B630 (Sun Jan 01 12:00:00 CET 2006)</p> <p> Tag: Attribute (0x420008), Type: Structure (0x01), Data:</p> <p> Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Process Start Date</p> <p> Tag: Attribute Value (0x42000B), Type: Date-Time (0x09), Data: 0x0000000043B7B630 (Sun Jan 01 12:00:00 CET 2006)</p> <p> Tag: Attribute (0x420008), Type: Structure (0x01), Data:</p> <p> Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Protect Stop Date</p> <p> Tag: Attribute Value (0x42000B), Type: Date-Time (0x09), Data: 0x000000005E0C7BB0 (Wed Jan 01 12:00:00 CET 2020)</p> <p> Tag: Attribute (0x420008), Type: Structure (0x01), Data:</p> <p> Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Deactivation Date</p> <p> Tag: Attribute Value (0x42000B), Type: Date-Time (0x09), Data: 0x000000005E0C7BB0 (Wed Jan 01 12:00:00 CET 2020)</p> <p>42007801000001704200770100000038420069010000002042006A020000000400000001000000042006B02000000040 0000000000000004200D0200000004000000010000000042000F010000012842005C050000000400000004000000042 00790100000110420094070000002466303334323539302D663738612D346433342D613266342D3464366663383561353 665660000000042009101000000D8420008010000002842000A070000000F41637469766174696F6E2044617465004200 0B0900000008000000043B7B63042008010000003042000A070000001250726F6365737320537461727420446174650 000000000042000B09000000080000000043B7B63042008010000003042000A070000001150726F746563742053746F 702044617465000000000000042000B0900000008000000005E0C7BB042008010000003042000A07000000114465616 37469766174696F6E2044617465000000000000042000B0900000008000000005E0C7BB0</p> <p>Out: <code>uuidNewKey</code></p> <p>Tag: Response Message (0x42007B), Type: Structure (0x01), Data:</p> <p> Tag: Response Header (0x42007A), Type: Structure (0x01), Data:</p>

	<pre> Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B742477 (Thu Feb 11 16:38:31 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000004 (Re-key) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: a3fa6e5c-1397-4ab4-9d12- ff6ffaa75fb </pre> <p>42007B01000000B042007A0100000048420069010000002042006A020000000400000001000000042006B02000000040 0000000000000004200920900000008000000004B74247742000D020000000400000001000000042000F01000005842 005C0500000004000000040000000042007F0500000004000000000000000042007C0100000304200940700000024613 36661366535632D313339372D346162342D396431322D6666366666161373566626400000000 </p>
3	<p>Get Attribute</p> <p>In: <code>uuidKey, attributeName={'Name'}</code></p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: f0342590-f78a-4d34-a2f4- 4d6fc85a56ef Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name </pre> <p>42007801000000A04200770100000038420069010000002042006A020000000400000001000000042006B02000000040 00000000000000042000D020000000400000001000000042000F010000005842005C0500000004000000B000000042 00790100000040420094070000002466303334323539302D663738612D34643342D613266342D346436663383561353 665660000000042000A07000000044E616D6500000000</p> <p>Out: <code>uuidKey</code></p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B742477 (Thu Feb 11 16:38:31 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) </pre>

	<pre> Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: f0342590-f78a-4d34-a2f4- 4d6fc85a56ef 42007B01000000B042007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040 0000000000000004200920900000008000000004B7424774200D0200000004000000010000000042000F01000005842 005C05000000040000000B0000000042007F050000000400000000000000000042007C0100000304200940700000024663 03334323539302D663738612D346433342D613266342D34643666633835613536656600000000 </pre>
4	<p>Get Attribute</p> <p>In: <code>uuidKey, attributeName={ 'ActivationDate', 'ProcessStartDate', 'ProtectStopDate', 'DeactivationDate' }</code></p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: a3fa6e5c-1397-4ab4-9d12- ff6ffaa75fb Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Activation Date Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Process Start Date Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Protect Stop Date Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Deactivation Date 42007801000001084200770100000038420069010000002042006A0200000004000000010000000042006B02000000040 00000000000000042000D0200000004000000010000000042000F01000000C042005C0500000004000000B0000000042 007901000000A8420094070000002461336661366535632D313339372D346162342D396431322D666636666616137356 662640000000042000A070000000F41637469766174696F6E20446174650042000A070000001250726F63657373205374 61727420446174650000000000042000A070000001150726F746563742053746F702044617465000000000000042000 A0700000011446561637469766174696F6E20446174650000000000000000 </pre> <p>Out: <code>uuidKey, attribute={ ActivationDate='0000000043B7B630', ProcessStartDate='0000000043B7B630', ProtectStopDate='000000005E0C7BB0', DeactivationDate='000000005E0C7BB0' }</code></p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B742477 (Thu Feb 11 16:38:31 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: a3fa6e5c-1397-4ab4-9d12- ff6ffaa75fb </pre>

	<pre> Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Activation Date Tag: Attribute Value (0x42000B), Type: Date-Time (0x09), Data: 0x0000000043B7B630 (Sun Jan 01 12:00:00 CET 2006) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Process Start Date Tag: Attribute Value (0x42000B), Type: Date-Time (0x09), Data: 0x0000000043B7B630 (Sun Jan 01 12:00:00 CET 2006) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Protect Stop Date Tag: Attribute Value (0x42000B), Type: Date-Time (0x09), Data: 0x000000005E0C7BB0 (Wed Jan 01 12:00:00 CET 2020) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Deactivation Date Tag: Attribute Value (0x42000B), Type: Date-Time (0x09), Data: 0x000000005E0C7BB0 (Wed Jan 01 12:00:00 CET 2020) 42007B010000018842007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040 00000000000000004200920900000008000000004B74247742000D0200000004000000010000000042000F010000013042 005C05000000040000000B0000000042007F050000000400000000000000000042007C01000001084200940700000024613 36661366535632D313339372D346162342D396431322D66663666661613735666264000000042000801000000284200 0A070000000F41637469766174696F6E20446174650042000B0900000008000000043B7B630420008010000003042000 A070000001250726F63657373205374617274204461746500000000000042000B0900000008000000043B7B630420008 010000003042000A070000001150726F746563742053746F70204461746500000000000042000B09000000080000000 05E0C7BB0420008010000003042000A0700000011446561637469766174696F6E204461746500000000000042000B09 00000008000000005E0C7BB0 </pre>
5	<p>Locate</p> <p>In: attributes={ Name={ NameValue='rekeyKey', NameType='00000001' } }</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data: Tag: Name Value (0x420055), Type: Text String (0x07), Data: rekeyKey Tag: Name Type (0x420054), Type: Enumeration (0x05), Data: 0x00000001 (Uninterpreted text string) 42007801000000A04200770100000038420069010000002042006A0200000004000000010000000042006B02000000040 000000000000000042000D0200000004000000010000000042000F010000005842005C0500000004000000080000000042 00790100000040420008010000003842000A07000000044E616D650000000042000B01000000204200550700000008726 56B65794B6579420054050000000040000000100000000 Out: uuidNewKey Tag: Response Message (0x42007B), Type: Structure (0x01), Data: </pre>

	<pre> Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B742477 (Thu Feb 11 16:38:31 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: a3fa6e5c-1397-4ab4-9d12- ff6ffaa75fb </pre> <p>42007B01000000B042007A0100000048420069010000002042006A020000000400000001000000042006B02000000040 0000000000000004200920900000008000000004B7424774200D020000000400000001000000042000F010000005842 005C0500000004000000080000000042007F0500000004000000000000000042007C0100000304200940700000024613 36661366535632D313339372D346162342D396431322D6666366666161373566626400000000</p>
6	<p>Destroy</p> <p>In: <code>uuidKey</code></p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: f0342590-f78a-4d34-a2f4- 4d6fc85a56ef </pre> <p>42007801000000904200770100000038420069010000002042006A020000000400000001000000042006B02000000040 00000000000000042000D020000000400000001000000042000F010000004842005C05000000040000014000000042 00790100000030420094070000002466303334323539302D663738612D34643342D613266342D346436663383561353 66566000000000</p> <p>Out: <code>uuidKey</code></p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B742478 (Thu Feb 11 16:38:32 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) </pre>

	<pre> Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B742478 (Thu Feb 11 16:38:32 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000002 (2) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000013 (Revoke) Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 3DC816BB39869D07 Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: a3fa6e5c-1397-4ab4-9d12- ff6ffaa75fb Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 32B517312FD5B558 Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: a3fa6e5c-1397-4ab4-9d12- ff6ffaa75fb 42007B010000013042007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040 0000000000000004200920900000008000000004B74247842000D020000000400000002000000042000F010000006842 005C0500000004000000130000000042009308000000083DC816BB39869D0742007F05000000040000000000000000420 07C010000003042009407000000246133661366535632D313339372D346162342D396431322D66663666666161373566 6264000000042000F010000006842005C0500000004000000140000000420093080000000832B517312FD5B55842007 F05000000040000000000000000042007C010000003042009407000000246133661366535632D313339372D346162342D 396431322D666636666616137356626400000000 </pre>
--	--

255

256

257 9.5 Use-case: Obtain Lease for Expired Key

258 Create a symmetric key with a specific name and obtain a lease. Revoke the key with state
 259 “Compromised” and re-key the key. Try to obtain a lease on the old key which fails. Locate the new key
 260 with the original name. Get the new key and obtain a lease.

261

Time	Client
0	<p>Client A:</p> <p>Create (symmetric key)</p> <p>In: objectType='00000002', attributes={ CryptographicAlgorithm='AES', CryptographicLength='128', CryptographicUsageMask='0000000C', Name={ NameValue='rekeyKey', NameType='00000001' }, ActivationDate='<NOW>' }</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000001 (Create) </pre>

```

Tag: Request Payload (0x420079), Type: Structure (0x01), Data:
  Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key)
  Tag: Template-Attribute (0x420091), Type: Structure (0x01), Data:
    Tag: Attribute (0x420008), Type: Structure (0x01), Data:
      Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Algorithm
      Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000003 (AES)
  Tag: Attribute (0x420008), Type: Structure (0x01), Data:
    Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Length
    Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x00000080 (128)
  Tag: Attribute (0x420008), Type: Structure (0x01), Data:
    Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Usage
Mask
    Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x0000000C (Encrypt,
Decrypt)
  Tag: Attribute (0x420008), Type: Structure (0x01), Data:
    Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name
    Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data:
      Tag: Name Value (0x420055), Type: Text String (0x07), Data: rekeyKey
    Tag: Name Type (0x420054), Type: Enumeration (0x05), Data: 0x00000001 (Uninterpreted
text string)
  Tag: Attribute (0x420008), Type: Structure (0x01), Data:
    Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Activation Date
    Tag: Attribute Value (0x42000B), Type: Date-Time (0x09), Data: 0x000000004B74262C (Thu
Feb 11 16:45:48 CET 2010)

42007801000001904200770100000038420069010000002042006A0200000004000000010000000042006B02000000040
00000000000000042000D0200000004000000010000000042000F010000014842005C05000000400000010000000042
00790100000130420057050000004000000020000000420091010000011842000801000003042000A0700000017437
27970746F6772617068696320416C676F726974686D0042000B0500000040000003000000042000801000000304200
0A070000001443727970746F67726170686963204C656E677468000000042000B020000004000000800000000042000
80100000003042000A070000001843727970746F67726170686963205573616765204D61736B42000B020000004000000
0C00000000420008010000003842000A07000000044E616D65000000042000B0100000020420055070000000872656B6
5794B65794200540500000004000000100000000420008010000002842000A070000000F41637469766174696F6E2044
6174650042000B090000000800000004B74262C

```

Out: objectType='00000002', uuidKey

```

Tag: Response Message (0x42007B), Type: Structure (0x01), Data:
  Tag: Response Header (0x42007A), Type: Structure (0x01), Data:
    Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:
      Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)
      Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)
    Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B74262D (Thu Feb 11
16:45:49 CET 2010)
    Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)
  Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
    Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000001 (Create)
    Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)
    Tag: Response Payload (0x42007C), Type: Structure (0x01), Data:
      Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key)
      Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: ca368e33-dc3d-4c7c-8f6d-
262895bc31ce

```

	<pre>42007B01000000C042007A0100000048420069010000002042006A0200000004000000010000000042006B0200000004000000000000000042009209000000800000004B74262D42000D0200000004000000010000000042000F010000006842005C0500000004000000010000000042007F0500000004000000000000000042007C010000004042005705000000040000002000000004200940700000246361333638653332D646333642D346337632D386636642D32363238393562633331636500000000</pre>
1	<p>Client A:</p> <p>Get (symmetric key)</p> <p>In: <code>uuidKey</code></p> <pre>Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: ca368e33-dc3d-4c7c-8f6d-262895bc31ce 42007801000000904200770100000038420069010000002042006A0200000004000000010000000042006B0200000004000000000000000042000D0200000004000000010000000042000F010000004842005C05000000040000000A00000000420079010000003042009407000000246361333638653332D646333642D346337632D386636642D3236323839356263331636500000000</pre> <p>Out: objectType = '00000002', <code>uuidKey</code>, <code>symmetricKey</code></p> <pre>Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B74262D (Thu Feb 11 16:45:49 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: ca368e33-dc3d-4c7c-8f6d-262895bc31ce Tag: Symmetric Key (0x42008F), Type: Structure (0x01), Data: Tag: Key Block (0x420040), Type: Structure (0x01), Data: Tag: Key Format Type (0x420042), Type: Enumeration (0x05), Data: 0x00000001 Tag: Key Value (0x420045), Type: Structure (0x01), Data: Tag: Key Material (0x420043), Type: Octet String (0x08), Data: F43C7798AACB22B1411A8773C199708B Tag: Cryptographic Algorithm (0x420028), Type: Enumeration (0x05), Data: 0x00000003 (AES)</pre>

	<p>Tag: Cryptographic Length (0x42002A), Type: Integer (0x02), Data: 0x00000080 (128)</p> <p>42007B010000012042007A0100000048420069010000002042006A020000000400000001000000042006B020000000400000000000000004200920900000008000000004B74262D42000D020000000400000001000000042000F01000000C842005C05000000040000000A000000042007F0500000004000000000000000042007C01000000A0420057050000000400000002000000042009407000000246361333638653332D646333642D346337632D386636642D3236323839356263333163650000000042008F01000000584200400100000050420042050000000400000001000000042004501000000184200430800000010F43C7798AACB22B1411A8773C199708B420028050000000400000003000000042002A0200000004000000800000000</p>
2	<p>Client A:</p> <p>Obtain Lease</p> <p>In: <code>uuidKey</code></p> <p>Tag: Request Message (0x420078), Type: Structure (0x01), Data:</p> <p> Tag: Request Header (0x420077), Type: Structure (0x01), Data:</p> <p> Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:</p> <p> Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p> Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)</p> <p> Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p> Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</p> <p> Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000010 (Obtain Lease)</p> <p> Tag: Request Payload (0x420079), Type: Structure (0x01), Data:</p> <p> Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: ca368e33-dc3d-4c7c-8f6d-262895bc31ce</p> <p>42007801000000904200770100000038420069010000002042006A020000000400000001000000042006B020000000400000000000042000D020000000400000001000000042000F010000004842005C05000000040000001000000000420079010000003042009407000000246361333638653332D646333642D346337632D386636642D32363238393562633331636500000000</p> <p>Out: <code>uuidKey, leaseTime, lastChangeDate</code></p> <p>Tag: Response Message (0x42007B), Type: Structure (0x01), Data:</p> <p> Tag: Response Header (0x42007A), Type: Structure (0x01), Data:</p> <p> Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:</p> <p> Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p> Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)</p> <p> Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B74262E (Thu Feb 11 16:45:50 CET 2010)</p> <p> Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p> Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</p> <p> Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000010 (Obtain Lease)</p> <p> Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)</p> <p> Tag: Response Payload (0x42007C), Type: Structure (0x01), Data:</p> <p> Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: ca368e33-dc3d-4c7c-8f6d-262895bc31ce</p> <p> Tag: Lease Time (0x420049), Type: Interval (0x0A), Data: 0x00000010</p> <p> Tag: Last Change Date (0x420048), Type: Date-Time (0x09), Data: 0x000000004B74262D (Thu Feb 11 16:45:49 CET 2010)</p> <p>42007B01000000D042007A0100000048420069010000002042006A020000000400000001000000042006B020000000400000000000000004200920900000008000000004B74262E42000D020000000400000001000000042000F010000007842</p>

	005C05000000040000010000000042007F05000000400000000000000042007C0100000504200940700000024636 13336386533332D646333642D346337632D386636642D3236323839356263331636500000004200490A000000040000 0010000000042004809000000800000004B74262D
3	<p>Client B:</p> <p>Revoke (symmetric key as compromised)</p> <p>In: <code>uuidKey, RevocationReason='00000002', CompromiseOccurrenceDate='<NOW>'</code></p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000013 (Revoke) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: ca368e33-dc3d-4c7c-8f6d- 262895bc31ce Tag: Revocation Reason (0x420081), Type: Structure (0x01), Data: Tag: Revocation Reason Code (0x420082), Type: Enumeration (0x05), Data: 0x00000002 (Key Compromise) Tag: Compromise Occurrence Date (0x420021), Type: Date-Time (0x09), Data: 0x000000004B74262E (Thu Feb 11 16:45:50 CET 2010) 42007801000000B842007701000003842006901000002042006A0200000040000001000000042006B0200000040 0000000000000042000D0200000040000001000000042000F010000007042005C0500000040000013000000042 00790100000584200940700000246361333638653332D646333642D346337632D386636642D3236323839356263333 1636500000004200810100000104200820500000040000002000000042002109000000800000004B74262E </pre> <p>Out: <code>uuidKey</code></p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B74262E (Thu Feb 11 16:45:50 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000013 (Revoke) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: ca368e33-dc3d-4c7c-8f6d- 262895bc31ce 42007B01000000B042007A01000004842006901000002042006A0200000040000001000000042006B0200000040 00000000000000420092090000008000000004B74262E42000D0200000040000001000000042000F01000005842 005C05000000400000013000000042007F0500000040000000000000042007C01000000304200940700000024636 1333638653332D646333642D346337632D386636642D3236323839356263331636500000000 </pre>
4	Client B:

	<p>Rekey</p> <p>In: uuidKey</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000004 (Re-key) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: ca368e33-dc3d-4c7c-8f6d-262895bc31ce </pre> <p>42007801000000904200770100000038420069010000002042006A0200000004000000010000000042006B02000000040000000000042000D0200000004000000010000000042000F010000004842005C05000000040000000400000000420079010000003042009407000000243531636500000000</p> <p>Out: uuidNewKey</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B74262F (Thu Feb 11 16:45:51 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000004 (Re-key) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 59fbf81d-574f-4f4f-9581-7785dc593f5f </pre> <p>42007B01000000B042007A0100000048420069010000002042006A0200000004000000010000000042006B0200000004000000000004200920900000008000000004B74262F42000D0200000004000000010000000042000F010000005842005C0500000004000000040000000042007F0500000004000000000000000042007C0100000030420094070000002435396662663831642D353734662D346634662D393538312D3737383564633539336356600000000</p>
5	<p>Client A:</p> <p>Obtain Lease</p> <p>In: uuidKey</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) </pre>

	<pre> Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000010 (Obtain Lease) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: ca368e33-dc3d-4c7c-8f6d- 262895bc31ce 42007801000000904200770100000038420069010000002042006A0200000004000000010000000042006B02000000040 00000000000000042000D0200000004000000010000000042000F010000004842005C050000000400000010000000042 0079010000003042009407000000246361333638653332D646333642D346337632D386636642D3236323839356263333 16365000000000 </pre> <p>Out: Operation Failed, Permission Denied</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B74262F (Thu Feb 11 16:45:51 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000010 (Obtain Lease) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000001 (Operation Failed) Tag: Result Reason (0x42007E), Type: Enumeration (0x05), Data: 0x0000000C (Permission Denied) Tag: Result Message (0x42007D), Type: Text String (0x07), Data: CO is in state Compromised, no lease given 42007B01000000C042007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040 0000000000000004200920900000008000000004B74262F42000D0200000004000000010000000042000F010000006842 005C0500000004000000100000000042007F0500000004000000010000000042007E05000000040000000C00000000420 07D070000002A434F20697320696E20737461746520436F6D70726F6D697365642C206E6F206C6561736520676976656E 000000000000 </pre>
6	<p>Client A:</p> <p>Locate (symmetric key)</p> <p>In: attributes={ Name={ NameValue='rekeyKey', NameType='00000001' } }</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data: Tag: Name Value (0x420055), Type: Text String (0x07), Data: rekeyKey </pre>

	<p>Tag: Name Type (0x420054), Type: Enumeration (0x05), Data: 0x00000001 (Uninterpreted text string)</p> <p>42007801000000A04200770100000038420069010000002042006A0200000004000000010000000042006B020000000400000000000042000D0200000004000000010000000042000F010000005842005C050000000400000008000000004200790100000040420008010000003842000A07000000044E616D650000000042000B010000020420055070000000872656B65794B657942005405000000040000000100000000</p> <p>Out: uuidNewKey</p> <p>Tag: Response Message (0x42007B), Type: Structure (0x01), Data:</p> <p>Tag: Response Header (0x42007A), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)</p> <p>Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B74262F (Thu Feb 11 16:45:51 CET 2010)</p> <p>Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</p> <p>Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate)</p> <p>Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)</p> <p>Tag: Response Payload (0x42007C), Type: Structure (0x01), Data:</p> <p>Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 59fbf81d-574f-4f4f-9581-7785dc593f5f</p> <p>42007B01000000B042007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040000000000004200920900000008000000004B74262F42000D0200000004000000010000000042000F010000005842005C0500000004000000080000000042007F0500000004000000000000000042007C01000003042009407000000243539662663831642D353734662D346634662D393538312D3737383564633539336356600000000</p>
7	<p>Client A:</p> <p>Get (symmetric key)</p> <p>In: uuidNewKey</p> <p>Tag: Request Message (0x420078), Type: Structure (0x01), Data:</p> <p>Tag: Request Header (0x420077), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)</p> <p>Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</p> <p>Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get)</p> <p>Tag: Request Payload (0x420079), Type: Structure (0x01), Data:</p> <p>Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 59fbf81d-574f-4f4f-9581-7785dc593f5f</p> <p>42007801000000904200770100000038420069010000002042006A0200000004000000010000000042006B020000000400000000000042000D0200000004000000010000000042000F010000004842005C05000000040000000A00000000420079010000003042009407000000243539662663831642D353734662D346634662D393538312D3737383564633539336356600000000</p> <p>Out: objectType = '00000002', uuidNewKey, newSymmetricKey</p>

	<pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B74262F (Thu Feb 11 16:45:51 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 59fbf81d-574f-4f4f-9581- 7785dc593f5f Tag: Symmetric Key (0x42008F), Type: Structure (0x01), Data: Tag: Key Block (0x420040), Type: Structure (0x01), Data: Tag: Key Format Type (0x420042), Type: Enumeration (0x05), Data: 0x00000001 Tag: Key Value (0x420045), Type: Structure (0x01), Data: Tag: Key Material (0x420043), Type: Octet String (0x08), Data: 173E9499F7C573712AFB9883B5DF2BCE Tag: Cryptographic Algorithm (0x420028), Type: Enumeration (0x05), Data: 0x00000003 (AES) Tag: Cryptographic Length (0x42002A), Type: Integer (0x02), Data: 0x00000080 (128) 42007B010000012042007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040 0000000000000004200920900000008000000004B74262F42000D0200000004000000010000000042000F01000000C842 005C05000000040000000A0000000042007F0500000004000000000000000042007C01000000A04200570500000004000 0000200000000420094070000002435396662663831642D353734662D346634662D393538312D37373835646335393366 35660000000042008F0100000058420040010000005042004205000000040000000100000000420045010000001842004 308000000010173E9499F7C573712AFB9883B5DF2BCE4200280500000004000000030000000042002A020000004000000 8000000000</pre>
8	<p>Client A:</p> <p>Obtain Lease</p> <p>In: <code>uuidNewKey</code></p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000010 (Obtain Lease) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 59fbf81d-574f-4f4f-9581- 7785dc593f5f 42007801000000904200770100000038420069010000002042006A0200000004000000010000000042006B02000000040 00000000000000042000D0200000004000000010000000042000F010000004842005C050000000400000010000000042 00790100000030420094070000002435396662663831642D353734662D346634662D393538312D37373835646335393366</pre>

	<p>6356600000000</p> <p>Out: uuidNewKey, leaseTime, lastChangeDate</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B74262F (Thu Feb 11 16:45:51 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000010 (Obtain Lease) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 59fbf81d-574f-4f4f-9581- 7785dc593f5f Tag: Lease Time (0x420049), Type: Interval (0x0A), Data: 0x00000000 Tag: Last Change Date (0x420048), Type: Date-Time (0x09), Data: 0x000000004B74262F (Thu Feb 11 16:45:51 CET 2010) 42007B01000000D042007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040 0000000000000004200920900000008000000004B74262F42000D0200000004000000010000000042000F010000007842 005C0500000004000000100000000042007F0500000004000000000000000042007C01000000504200940700000024353 96662663831642D353734662D346634662D393538312D37373835646335393366356600000004200490A000000040000 00000000000420048090000000800000004B74262F </pre>
9	<p>Client A:</p> <p>Destroy</p> <p>In: uuidKey</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: ca368e33-dc3d-4c7c-8f6d- 262895bc31ce 420078010000090420077010000038420069010000002042006A0200000004000000010000000042006B02000000040 00000000000000042000D0200000004000000010000000042000F010000004842005C050000000400000014000000042 0079010000003042009407000000246361333638653332D646333642D346337632D386636642D323632383935626333 1636500000000 Out: uuidKey </pre>

	<pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B74262F (Thu Feb 11 16:45:51 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: ca368e33-dc3d-4c7c-8f6d- 262895bc31ce 42007B01000000B042007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040 0000000000000000420092090000008000000004B74262F42000D0200000004000000010000000042000F01000005842 005C0500000004000000140000000042007F0500000004000000000000000042007C0100000030420094070000024636 13336386533332D646333642D346337632D386636642D32363238393562633331636500000000 </pre>
10	<p>Client A:</p> <p>Revoke (symmetric key as cessation of operation) and Destroy</p> <p>In (header): batchOrderOption='TRUE'</p> <p>In: uuidNewKey, revocationReasonCode='6'</p> <p>In: uuidNewKey</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Order Option (0x420010), Type: Boolean (0x06), Data: TRUE Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000002 (2) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000013 (Revoke) Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 3748B9E243205BA7 Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 59fbf81d-574f-4f4f-9581- 7785dc593f5f Tag: Revocation Reason (0x420081), Type: Structure (0x01), Data: Tag: Revocation Reason Code (0x420082), Type: Enumeration (0x05), Data: 0x00000006 (Cessation of Operation) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 04EAF416D0BEB50D Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 59fbf81d-574f-4f4f-9581- 7785dc593f5f 420078010000128420077010000048420069010000002042006A0200000004000000010000000042006B02000000040 000000000000000042001060000008000000000000000142000D0200000004000000020000000042000F01000007042 005C050000000400000013000000004200930800000083748B9E243205BA7420079010000048420094070000024353 </pre>

	<pre> 96662663831642D353734662D346634662D393538312D3737383564633539336635660000000042008101000000104200 820500000004000000060000000042000F01000005842005C050000000400000140000000042009308000000804EAF 416D0BEB50D42007901000003042009407000002435396662663831642D353734662D346634662D393538312D373738 35646335393366356600000000 </pre> <p>Out: uuidNewKey Out: uuidNewKey</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B74262F (Thu Feb 11 16:45:51 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000002 (2) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000013 (Revoke) Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 3748B9E243205BA7 Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 59fbf81d-574f-4f4f-9581- 7785dc593f5f Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 04EAF416D0BEB50D Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 59fbf81d-574f-4f4f-9581- 7785dc593f5f </pre> <pre> 42007B010000013042007A010000048420069010000002042006A020000000400000001000000042006B02000000040 00000000000000004200920900000008000000004B74262F42000D020000000400000002000000042000F010000006842 005C050000000400000013000000004200930800000083748B9E243205BA742007F05000000040000000000000000420 07C010000003042009407000002435396662663831642D353734662D346634662D393538312D37373835646335393366 3566000000042000F01000006842005C050000000400000014000000042009308000000804EAF416D0BEB50D42007 F0500000004000000000000000042007C01000003042009407000002435396662663831642D353734662D346634662D 393538312D37373835646335393366356600000000 </pre>
--	--

262

10 Archival

264

265 These use-cases test archiving and locating keys using the off-line indicator. If the server performs the
266 Archive and Recover operations asynchronously, the client Polls the server until the operations complete.
267 The client indicates in the request that it supports asynchronous responses.

10.1 Use-case: Create a Key, Archive and Recover it

269 Create a symmetric key with a specified name, then use Locate to find the key and get the key. Archive
270 the key (asynchronous operation, use Poll until it completes) and use Get and Locate on it, but both fail.
271 Add the Storage Status Mask to the Locate-command, indicating to the server to search in both online
272 and archived storage. The Locate finds the key. Recover the key from the archive (also asynchronous),
273 both Locate and Get succeed.

Time	Client A
0	<p>Create (symmetric key)</p> <p>In: objectType='00000002', attributes={ CryptographicAlgorithm='AES', CryptographicLength='128', CryptographicUsageMask='0000000C', Name={ NameValue='archiveKey', NameType='00000001' } }</p> <p>Tag: Request Message (0x420078), Type: Structure (0x01), Data:</p> <p>Tag: Request Header (0x420077), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)</p> <p>Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</p> <p>Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000001 (Create)</p> <p>Tag: Request Payload (0x420079), Type: Structure (0x01), Data:</p> <p>Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key)</p> <p>Tag: Template-Attribute (0x420091), Type: Structure (0x01), Data:</p> <p>Tag: Attribute (0x420008), Type: Structure (0x01), Data:</p> <p>Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Algorithm</p> <p>Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000003 (AES)</p> <p>Tag: Attribute (0x420008), Type: Structure (0x01), Data:</p> <p>Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Length</p> <p>Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x00000080 (128)</p> <p>Tag: Attribute (0x420008), Type: Structure (0x01), Data:</p> <p>Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Usage Mask</p> <p>Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x0000000C (Encrypt, Decrypt)</p> <p>Tag: Attribute (0x420008), Type: Structure (0x01), Data:</p> <p>Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name</p> <p>Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data:</p> <p>Tag: Name Value (0x420055), Type: Text String (0x07), Data: archiveKey</p> <p>Tag: Name Type (0x420054), Type: Enumeration (0x05), Data: 0x00000001 (Uninterpreted text string)</p> <p>42007801000001684200770100000038420069010000002042006A020000000400000001000000042006B020000000400000000042000D0200000004000000010000000042000F010000012042005C050000000400000001000000004200790100000108420057050000000400000002000000042009101000000F0420008010000003042000A070000001743727970746F6772617068696320416C676F726974686D0042000B050000000400000030000000420008010000003042000A070000001443727970746F67726170686963204C656E677468000000042000B0200000004000000800000000420008010000003042000A070000001843727970746F67726170686963205573616765204D61736B42000B02000000040000000C00000000420008010000004042000A07000000044E616D65000000042000B0100000028420055070000000A617263686976654B657900000000000042005405000000040000000100000000</p> <p>Out: objectType='00000002', uuidKey</p> <p>Tag: Response Message (0x42007B), Type: Structure (0x01), Data:</p> <p>Tag: Response Header (0x42007A), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)</p>

	<pre> Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B751FA3 (Fri Feb 12 10:30:11 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000001 (Create) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 0d552160-fb04-4f7c-8a73- fef905b21c0f 42007B01000000C042007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040 00000000000000004200920900000008000000004B751FA342000D0200000004000000010000000042000F010000006842 005C0500000004000000010000000042007F050000000400000000000000000042007C01000000404200570500000004000 0000200000000420094070000002430643535323136302D666230342D346637632D386137332D66656639303562323163 306600000000 </pre>
1	<p>Locate</p> <p>In: attributes={ Name={ NameValue='archiveKey', NameType='00000001' } }</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Object Type Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data: Tag: Name Value (0x420055), Type: Text String (0x07), Data: archiveKey Tag: Name Type (0x420054), Type: Enumeration (0x05), Data: 0x00000001 (Uninterpreted text string) 42007801000000D84200770100000038420069010000002042006A0200000004000000010000000042006B02000000040 000000000000000042000D0200000004000000010000000042000F010000009042005C0500000004000000080000000042 00790100000078420008010000002842000A0700000004B4F626A6563742054797065000000000042000B0500000004000 0000200000000420008010000004042000A07000000044E616D650000000042000B0100000028420055070000000A6172 63686976654B657900000000000042005405000000040000000100000000 Out: uuidKey Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: </pre>

	<pre> Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B751FA6 (Fri Feb 12 10:30:14 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 0d552160-fb04-4f7c-8a73- fef905b21c0f 42007B01000000B042007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040 00000000000000004200920900000008000000004B751FA642000D0200000004000000010000000042000F010000005842 005C0500000004000000008000000042007F0500000004000000000000000042007C01000000304200940700000024306 43535323136302D666230342D346637632D386137332D666566393035623231633066000000000 </pre>
2	<p>Get (symmetric key)</p> <p>In: <code>uuidKey</code></p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 0d552160-fb04-4f7c-8a73- fef905b21c0f 42007801000000904200770100000038420069010000002042006A0200000004000000010000000042006B02000000040 000000000000000042000D0200000004000000010000000042000F010000004842005C0500000004000000A0000000042 00790100000030420094070000002430643535323136302D666230342D346637632D386137332D6665663930356232316 33066000000000 </pre> <p>Out: <code>objectType = '00000002'</code>, <code>uuidKey</code>, <code>symmetricKey</code></p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B751FA7 (Fri Feb 12 10:30:15 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) </pre>

	<pre> Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: Od552160-fb04-4f7c-8a73- fef905b21c0f Tag: Symmetric Key (0x42008F), Type: Structure (0x01), Data: Tag: Key Block (0x420040), Type: Structure (0x01), Data: Tag: Key Format Type (0x420042), Type: Enumeration (0x05), Data: 0x00000001 Tag: Key Value (0x420045), Type: Structure (0x01), Data: Tag: Key Material (0x420043), Type: Octet String (0x08), Data: C3200B1291BA648DB9089DED3073DE74 Tag: Cryptographic Algorithm (0x420028), Type: Enumeration (0x05), Data: 0x00000003 (AES) Tag: Cryptographic Length (0x42002A), Type: Integer (0x02), Data: 0x00000080 (128) 42007B010000012042007A01000004842006901000002042006A0200000040000001000000042006B0200000040 0000000000000042009209000000800000004B751FA74200D0200000040000001000000042000F01000000C842 005C0500000004000000A000000042007F05000000400000000000000042007C0100000A04200570500000004000 00002000000042009407000002430643535323136302D666230342D346637632D386137332D66656639303562323163 3066000000042008F01000005842004001000005042004205000000400000010000000420045010000001842004 30800000010C3200B1291BA648DB9089DED3073DE744200280500000040000003000000042002A020000004000000 8000000000 </pre>
3	<p>Archive</p> <p>In: <code>uuidKey, asynchronousIndicator='true'</code></p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Asynchronous Indicator (0x420007), Type: Boolean (0x06), Data: TRUE Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000015 (Archive) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: Od552160-fb04-4f7c-8a73- fef905b21c0f 4200780100000A042007701000004842006901000002042006A0200000040000001000000042006B0200000040 00000000000000420070600000080000000000000014200D0200000040000001000000042000F010000004842 005C050000000400000015000000042007901000003042009407000002430643535323136302D666230342D3466376 32D386137332D66656639303562323163306600000000 </pre> <p>Out: <code>asynchronousCorrelationValue</code></p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B751FA7 (Fri Feb 12 10:30:15 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000015 (Archive) </pre>

	<pre> Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000002 (Operation Pending) Tag: Asynchronous Correlation Value (0x420006), Type: Octet String (0x08), Data: F17893DB51652969 42007B010000008842007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040 00000000000000004200920900000008000000004B751FA742000D0200000004000000010000000042000F010000003042 005C050000000400000015000000042007F0500000004000000020000000420006080000008F17893DB51652969 </pre>
4	<p>Poll*</p> <p>In: asynchronousCorrelationValue</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000001A (Poll) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Asynchronous Correlation Value (0x420006), Type: Octet String (0x08), Data: F17893DB51652969 42007801000000704200770100000038420069010000002042006A0200000004000000010000000042006B02000000040 000000000000000042000D0200000004000000010000000042000F010000002842005C05000000040000001A0000000042 007901000000104200060800000008F17893DB51652969 </pre> <p>Out: uuidKey</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B751FAA (Fri Feb 12 10:30:18 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000015 (Archive) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: Od552160-fb04-4f7c-8a73- fef905b21c0f 42007B01000000B042007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040 0000000000000000420092090000000080000000004B751FAA42000D0200000004000000010000000042000F010000005842 005C0500000004000000150000000042007F0500000004000000000000000042007C01000000304200940700000024306 43535323136302D666230342D346637632D386137332D66656639303562323163306600000000 </pre>
5	<p>Get (symmetric key)</p> <p>In: uuidKey</p>

	<pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: Od552160-fb04-4f7c-8a73-fef905b21c0f 42007801000000904200770100000038420069010000002042006A0200000004000000010000000042006B02000000040000000000042000D0200000004000000010000000042000F010000004842005C0500000004000000A000000004200790100000030420094070000002430643535323136302D666230342D346637632D386137332D666566393035623231633066000000000 </pre> <p>Out: Operation Failed, Object Archived</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B751FAC (Fri Feb 12 10:30:20 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000001 (Operation Failed) Tag: Result Reason (0x42007E), Type: Enumeration (0x05), Data: 0x0000000D (Object Archived) Tag: Result Message (0x42007D), Type: Text String (0x07), Data: Object is archived 42007B01000000A842007A0100000048420069010000002042006A0200000004000000010000000042006B020000000400000000000420092090000008000000004B751FAC42000D0200000004000000010000000042000F010000005042005C0500000004000000A0000000042007F0500000004000000010000000042007E0500000004000000D0000000042007D07000000124F626A6563742069732061726368697665640000000000000 </pre>
6	<p>Get Attribute (Archive Date)</p> <p>In: <code>uuidKey, attributeName='ArchiveDate'</code></p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: Od552160-fb04-4f7c-8a73-fef905b21c0f </pre>

	<pre> fef905b21c0f Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Archive Date 42007801000000A84200770100000038420069010000002042006A0200000040000001000000042006B02000000040 00000000000000042000D02000000400000001000000042000F010000006042005C050000004000000B000000042 007901000000484200940700000024306435323136302D666230342D346637632D386137332D6665663930356232316 330660000000042000A070000000C41726368697665204461746500000000 </pre> <p>Out: uuidKey, attribute={ ArchiveDate }</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B751FAC (Fri Feb 12 10:30:20 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 0d552160-fb04-4f7c-8a73- fef905b21c0f Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Archive Date Tag: Attribute Value (0x42000B), Type: Date-Time (0x09), Data: 0x000000004B751FAA (Fri Feb 12 10:30:18 CET 2010) 42007B01000000E042007A0100000048420069010000002042006A0200000040000001000000042006B02000000040 0000000000000004200920900000008000000004B751FAC42000D0200000040000001000000042000F010000008842 005C05000000040000000B0000000042007F0500000004000000000000000042007C01000000604200940700000024306 43535323136302D666230342D346637632D386137332D6665663930356232316330660000000042000801000000284200 0A070000000C4172636869766520446174650000000042000B0900000008000000004B751FAA </pre>
7	<p>Locate</p> <p>In: attributes={ Name={ NameValue='archiveKey', NameType='00000001' } }</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Object Type Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Attribute (0x420008), Type: Structure (0x01), Data: </pre>

	<pre> Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data: Tag: Name Value (0x420055), Type: Text String (0x07), Data: archiveKey Tag: Name Type (0x420054), Type: Enumeration (0x05), Data: 0x00000001 (Uninterpreted text string) 42007801000000D84200770100000038420069010000002042006A0200000040000001000000042006B02000000040 0000000000000042000D0200000040000001000000042000F010000009042005C0500000040000008000000042 00790100000078420008010000002842000A07000000B4F626A6563742054797065000000000042000B050000004000 000020000000420008010000004042000A0700000044E616D650000000042000B010000002842005507000000A6172 63686976654B657900000000004200540500000040000000100000000 </pre> <p>Out: <empty response payload></p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B751FAC (Fri Feb 12 10:30:20 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: null 42007B010000008042007A0100000048420069010000002042006A0200000040000001000000042006B02000000040 00000000000000420092090000008000000004B751FAC42000D0200000040000001000000042000F010000002842 005C05000000040000008000000042007F0500000004000000000000000042007C0100000000 </pre>
8	<p>Locate</p> <p>In: storageStatusMask='00000003', attributes={ Name={ NameValue='archiveKey', NameType='00000001' } }</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Storage Status Mask (0x42008E), Type: Integer (0x02), Data: 0x00000003 (3) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Object Type Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data: </pre>

	<pre> Tag: Name Value (0x420055), Type: Text String (0x07), Data: archiveKey Tag: Name Type (0x420054), Type: Enumeration (0x05), Data: 0x00000001 (Uninterpreted text string) 42007801000000E84200770100000038420069010000002042006A0200000004000000010000000042006B02000000040 00000000000000042000D0200000004000000010000000042000F01000000A042005C0500000004000000080000000042 0079010000008842008E0200000004000000030000000042008010000002842000A07000000B4F626A6563742054797 065000000000042000B050000000400000002000000042008010000004042000A0700000044E616D65000000004200 0B010000002842005507000000A617263686976654B657900000000000042005405000000040000000100000000 Out: uuidKey Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B751FAC (Fri Feb 12 10:30:20 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: Od552160-fb04-4f7c-8a73- fef905b21c0f 42007B01000000B042007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040 0000000000000004200920900000008000000004B751FAC42000D0200000004000000010000000042000F010000005842 005C0500000004000000080000000042007F0500000004000000000000000042007C0100000304200940700000024306 43535323136302D666230342D346637632D386137332D6665663930356232316330660000000 </pre>
9	<p>Recover</p> <p>In: <code>uuidKey, asynchronousIndicator='true'</code></p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Asynchronous Indicator (0x420007), Type: Boolean (0x06), Data: TRUE Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000016 (Recover) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: Od552160-fb04-4f7c-8a73- fef905b21c0f 42007801000000A04200770100000048420069010000002042006A0200000004000000010000000042006B02000000040 00000000000000042007060000008000000000000000142000D0200000004000000010000000042000F010000004842 005C0500000004000000016000000042007901000003042009407000002430643535323136302D666230342D3466376 32D386137332D6665663930356232316330660000000 </pre>

	<p>Out: asynchronousCorrelationValue</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B751FAC (Fri Feb 12 10:30:20 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000016 (Recover) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000002 (Operation Pending) Tag: Asynchronous Correlation Value (0x420006), Type: Octet String (0x08), Data: DDBB075607727F3F 42007B010000008842007A0100000048420069010000002042006A020000000400000001000000042006B02000000040 00000000000000004200920900000008000000004B751FAC42000D020000000400000001000000042000F010000003042 005C050000000400000016000000042007F0500000004000000020000000420006080000008DDBB075607727F3F </pre>
10	<p>Poll*</p> <p>In: asynchronousCorrelationValue</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000001A (Poll) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Asynchronous Correlation Value (0x420006), Type: Octet String (0x08), Data: DDBB075607727F3F 42007801000000704200770100000038420069010000002042006A020000000400000001000000042006B02000000040 000000000000000042000D020000000400000001000000042000F010000002842005C05000000040000001A0000000042 007901000000104200060800000008DDBB075607727F3F </pre> <p>Out: uuidKey</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B751FB3 (Fri Feb 12 10:30:27 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000016 (Recover) </pre>

	<pre> Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: Od552160-fb04-4f7c-8a73- fef905b21c0f 42007B01000000B042007A0100000048420069010000002042006A02000000400000001000000042006B02000000040 000000000000000420092090000008000000004B751FB34200D02000000400000001000000042000F010000005842 005C050000000400000016000000042007F050000004000000000000000042007C0100000304200940700000024306 43535323136302D666230342D346637632D386137332D66656639303562323163306600000000 </pre>
11	<p>Get (symmetric key)</p> <p>In: <code>uuidKey</code></p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: Od552160-fb04-4f7c-8a73- fef905b21c0f 42007801000000904200770100000038420069010000002042006A02000000400000001000000042006B02000000040 00000000000000042000D02000000400000001000000042000F010000004842005C0500000040000000A0000000042 00790100000030420094070000002430643535323136302D666230342D346637632D386137332D6665663930356232316 3306600000000 </pre> <p>Out: <code>objectType = '00000002', uuidKey, symmetricKey</code></p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B751FB3 (Fri Feb 12 10:30:27 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: Od552160-fb04-4f7c-8a73- fef905b21c0f Tag: Symmetric Key (0x42008F), Type: Structure (0x01), Data: Tag: Key Block (0x420040), Type: Structure (0x01), Data: Tag: Key Format Type (0x420042), Type: Enumeration (0x05), Data: 0x00000001 Tag: Key Value (0x420045), Type: Structure (0x01), Data: Tag: Key Material (0x420043), Type: Octet String (0x08), Data: </pre>

	<p>C3200B1291BA648DB9089DED3073DE74</p> <p>Tag: Cryptographic Algorithm (0x420028), Type: Enumeration (0x05), Data: 0x00000003 (AES)</p> <p>Tag: Cryptographic Length (0x42002A), Type: Integer (0x02), Data: 0x00000080 (128)</p> <p>42007B010000012042007A010000048420069010000002042006A0200000040000001000000042006B02000000040000000000042009209000000800000004B751FB34200D020000004000000100000004200F01000000C842005C050000004000000A000000042007F05000000400000000000000042007C0100000A042005705000000040000002000000042009407000002430643535323136302D666230342D346637632D386137332D66656639303562323163306600000042008F0100000584200400100000504200420500000040000001000000042004501000000184200430800000010C3200B1291BA648DB9089DED3073DE744200280500000040000003000000042002A020000004000000800000000</p>
12	<p>Destroy</p> <p>In: uuidKey</p> <p>Tag: Request Message (0x420078), Type: Structure (0x01), Data:</p> <p>Tag: Request Header (0x420077), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)</p> <p>Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</p> <p>Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy)</p> <p>Tag: Request Payload (0x420079), Type: Structure (0x01), Data:</p> <p>Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 0d552160-fb04-4f7c-8a73-fef905b21c0f</p> <p>42007801000000904200770100000038420069010000002042006A0200000040000001000000042006B02000000040000000000042000D020000004000000100000004200F010000004842005C050000004000001400000004200790100000030420094070000002430643535323136302D666230342D346637632D386137332D66656639303562323163306600000000</p> <p>Out: uuidKey</p> <p>Tag: Response Message (0x42007B), Type: Structure (0x01), Data:</p> <p>Tag: Response Header (0x42007A), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:</p> <p>Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)</p> <p>Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B751FB4 (Fri Feb 12 10:30:28 CET 2010)</p> <p>Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)</p> <p>Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:</p> <p>Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy)</p> <p>Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success)</p> <p>Tag: Response Payload (0x42007C), Type: Structure (0x01), Data:</p> <p>Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 0d552160-fb04-4f7c-8a73-fef905b21c0f</p> <p>42007B01000000B042007A010000048420069010000002042006A0200000040000001000000042006B02000000040000000000042009209000000800000004B751FB44200D020000004000000100000004200F010000005842005C0500000040000014000000042007F05000000400000000000000042007C0100000030420094070000002430643535323136302D666230342D346637632D386137332D66656639303562323163306600000000</p>

275
276

277 11 Access Control, Policies

278
279

These use-cases test attributes and objects related to access control and server policy.

280 11.1 Use-case: Credential, Operation Policy, Destroy Date

281 Pass a Credential object in the message header in all requests for identification purposes (how the
282 Credential object is used is defined in [KMIP-Prof]). Create a symmetric key and set the Operation Policy
283 Name attribute to “default”. Using another Credential, attempt to perform a Get operation batched with a
284 Get Attribute List on the created symmetric key – according to the Default Operation Policy, both these
285 request SHALL fail, and with the Batch Error Continuation Option set to “Continue”, the client SHALL also
286 receive both response payloads. Using the initially used Credential, destroy the object and get the
287 Destroy Date attribute.

288 The message exchanges in this use case are based on a certain server policy (e.g. handling of
289 Credentials) that in some aspects differs from the policy assumed in earlier use cases (e.g. in this use
290 case, the Destroy Date is retained). As mentioned in Section 1 , the message exchanges shown in this
291 document are not the only correct alternatives.

292

Time	Request/Response
0	<p>Create (symmetric key)</p> <p>In (header): credential={ credentialType='1', credentialValue={ username="Fred", password="password1" } }</p> <p>In: objectType='00000002', attributes={ CryptographicAlgorithm='AES', CryptographicLength='128', CryptographicUsageMask='0000000C', Name={ NameValue='PolicyKey', NameType='00000001' }, OperationPolicyName='default', CryptographicParameters={ BlockCipherMode='1', PaddingMethod='3', HashingAlgorithm='4' } }</p> <p>Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Authentication (0x42000C), Type: Structure (0x01), Data: Tag: Credential (0x420023), Type: Structure (0x01), Data: Tag: Credential Type (0x420024), Type: Enumeration (0x05), Data: 0x00000001 (Username and Password) Tag: Credential Value (0x420025), Type: Structure (0x01), Data: Tag: Username (0x420099), Type: Text String (0x07), Data: Fred Tag: Password (0x4200A1), Type: Text String (0x07), Data: password1 Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000001 (Create) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Template-Attribute (0x420091), Type: Structure (0x01), Data:</p>

```

Tag: Attribute (0x420008), Type: Structure (0x01), Data:
    Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Algorithm
    Tag: Attribute Value (0x42000B), Type: Enumeration (0x05), Data: 0x00000003 (AES)
    Tag: Attribute (0x420008), Type: Structure (0x01), Data:
        Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Length
        Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x00000080 (128)
    Tag: Attribute (0x420008), Type: Structure (0x01), Data:
        Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic Usage
Mask
        Tag: Attribute Value (0x42000B), Type: Integer (0x02), Data: 0x0000000C (Encrypt,
Decrypt)
        Tag: Attribute (0x420008), Type: Structure (0x01), Data:
            Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Name
            Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data:
                Tag: Name Value (0x420055), Type: Text String (0x07), Data: PolicyKey
                Tag: Name Type (0x420054), Type: Enumeration (0x05), Data: 0x00000001 (Uninterpreted
text string)
        Tag: Attribute (0x420008), Type: Structure (0x01), Data:
            Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Operation Policy Name
            Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: default
    Tag: Attribute (0x420008), Type: Structure (0x01), Data:
        Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Cryptographic
Parameters
        Tag: Attribute Value (0x42000B), Type: Structure (0x01), Data:
            Tag: Block Cipher Mode (0x420011), Type: Enumeration (0x05), Data: 0x00000001 (CBC)
            Tag: Padding Method (0x42005F), Type: Enumeration (0x05), Data: 0x00000003 (PKCS5)
            Tag: Hashing Algorithm (0x420038), Type: Enumeration (0x05), Data: 0x00000004 (SHA-1)

420078010000025042007701000008842006901000002042006A02000000400000001000000042006B02000000040
0000000000000042000C010000004842002301000000404200240500000004000000010000000420025010000002842
009907000000446726564000000004200A107000000970617373776F726431000000000000042000D0200000004000
00001000000042000F01000001B842005C0500000004000000010000000042007901000001A04200570500000004000
0002000000004200910100000188420008010000003042000A070000001743727970746F6772617068696320416C676F7
26974686D0042000B0500000004000000030000000042008010000003042000A070000001443727970746F6772617068
6963204C656E677468000000042000B02000000400000800000000042008010000003042000A07000000184372797
0746F67726170686963205573616765204D61736B42000B0200000040000000C0000000042000801000004042000A07
000000044E616D650000000042000B01000000284200550700000009506F6C6963794B657900000000000000420054050
00000040000000100000000420008010000003042000A07000000154F7065726174696F6E20506F6C696379204E616D65
00000042000B07000000076465661756C7400420008010000005842000A070000001843727970746F677261706869632
0506172616D657465727342000B0100000030420011050000000400000001000000042005F0500000004000000030000
000042003805000000040000000400000000

```

Out: objectType='00000002', uuidKey

```

Tag: Response Message (0x42007B), Type: Structure (0x01), Data:
    Tag: Response Header (0x42007A), Type: Structure (0x01), Data:
        Tag: Protocol Version (0x420069), Type: Structure (0x01), Data:
            Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1)
            Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0)
        Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B9F8B4B (Tue Mar 16
14:44:43 CET 2010)
        Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1)
    Tag: Batch Item (0x42000F), Type: Structure (0x01), Data:
        Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000001 (Create)

```

	<pre> Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 63478615-8b6d-4c70-bc23- 8d164817555b 42007B01000000C042007A0100000048420069010000002042006A02000000400000001000000042006B02000000040 00000000000000004200920900000008000000004B9F8B4B42000D02000000400000001000000042000F010000006842 005C0500000004000000010000000042007F0500000004000000000000000042007C01000000404200570500000004000 0000200000000420094070000002436333437383631352D386236642D346337302D626332332D38643136343831373535 356200000000 </pre>
1	<p>Client A</p> <p>Get Attributes, Get</p> <p>In (header): credential={ credentialType='1', credentialValue={ username="Fred", password="password1" } }</p> <p>In: attributeName='Operation Policy Name'</p> <p>In: uuidKey</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Authentication (0x42000C), Type: Structure (0x01), Data: Tag: Credential (0x420023), Type: Structure (0x01), Data: Tag: Credential Type (0x420024), Type: Enumeration (0x05), Data: 0x00000001 (Username and Password) Tag: Credential Value (0x420025), Type: Structure (0x01), Data: Tag: Username (0x420099), Type: Text String (0x07), Data: Fred Tag: Password (0x4200A1), Type: Text String (0x07), Data: password1 Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000002 (2) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes) Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 4CBB6751574C4DA8 Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 63478615-8b6d-4c70-bc23- 8d164817555b Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Operation Policy Name Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get) Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 0EA05EE703DA997B Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 63478615-8b6d-4c70-bc23- 8d164817555b 420078010000170420077010000088420069010000002042006A02000000400000001000000042006B02000000040 000000000000000042000C01000000484200230100000040420024050000004000000010000000420025010000002842 0099070000000446726564000000004200A1070000000970617373776F7264310000000000000042000D0200000004000 000020000000042000F010000007842005C05000000040000000B0000000042009308000000084CBB6751574C4DA8200 79010000050420094070000002436333437383631352D386236642D346337302D626332332D38643136343831373535 5620000000042000A07000000154F7065726174696F6E20506F6C696379204E616D6500000042000F010000005842005C 05000000040000000A00000004200930800000080EA05EE703DA997B420079010000003042009407000000243633343 </pre>

	<p>7383631352D386236642D346337302D626332332D386431363438313735356200000000</p> <p>Out: attributes={ OperationPolicyName='Default' }</p> <p>Out: objectType = '00000002', uuidKey, symmetricKey</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B9F8B4C (Tue Mar 16 14:44:44 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000002 (2) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes) Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 4CBB6751574C4DA8 Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 63478615-8b6d-4c70-bc23- 8d164817555b Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Operation Policy Name Tag: Attribute Value (0x42000B), Type: Text String (0x07), Data: default Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get) Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: 0EA05EE703DA997B Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 63478615-8b6d-4c70-bc23- 8d164817555b Tag: Symmetric Key (0x42008F), Type: Structure (0x01), Data: Tag: Key Block (0x420040), Type: Structure (0x01), Data: Tag: Key Format Type (0x420042), Type: Enumeration (0x05), Data: 0x00000001 Tag: Key Value (0x420045), Type: Structure (0x01), Data: Tag: Key Material (0x420043), Type: Octet String (0x08), Data: C520FCA4E681F7BFFB3523D71427D594 Tag: Cryptographic Algorithm (0x420028), Type: Enumeration (0x05), Data: 0x00000003 (AES) Tag: Cryptographic Length (0x42002A), Type: Integer (0x02), Data: 0x00000080 (128) 42007B01000001D842007A01000004842006901000002042006A0200000040000001000000042006B02000000040 0000000000000042009209000000800000004B9F8B4C4200D02000000400000020000004200F01000000A042 005C0500000004000000B00000004200930800000084CBB6751574C4DA842007F05000000400000000000000420 07C01000006842009407000002436333437383631352D386236642D346337302D626332332D38643136343831373535 3562000000042000801000003042000A0700000154F7065726174696F6E20506F6C696379204E61D650000042000 B07000000764656661756C740042000F0100000D842005C050000004000000A00000004200930800000080EA05E E703DA997B42007F0500000040000000000000042007C0100000A0420057050000004000000200000004200940 7000002436333437383631352D386236642D346337302D626332332D3864313634383137353562000000042008F01 00000058420040010000005042004205000000400000001000000042004501000000184200430800000010C520FCA4E 681F7BFFB3523D71427D59442002805000000400000003000000042002A02000000400000080000000000 </pre>
2	Client B

	<pre> Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B9F8B4D (Tue Mar 16 14:44:45 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000002 (2) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get) Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: E3E72D5A352687D8 Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000001 (Operation Failed) Tag: Result Reason (0x42007E), Type: Enumeration (0x05), Data: 0x0000000C (Permission Denied) Tag: Result Message (0x42007D), Type: Text String (0x07), Data: Access denied Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000C (Get Attribute List) Tag: Unique Batch Item ID (0x420093), Type: Octet String (0x08), Data: A9A1D60B0C62ECAF Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000001 (Operation Failed) Tag: Result Reason (0x42007E), Type: Enumeration (0x05), Data: 0x0000000C (Permission Denied) Tag: Result Message (0x42007D), Type: Text String (0x07), Data: Access denied 42007B010000011042007A0100000048420069010000002042006A020000000400000001000000042006B02000000040 0000000000000004200920900000008000000004B9F8B4D42000D020000000400000002000000042000F010000005842 005C05000000040000000A00000004200930800000008E3E72D5A352687D842007F050000000400000010000000420 07E05000000040000000C0000000042007D070000000D4163636573732064656E69656400000042000F01000000584200 5C05000000040000000C000000004200930800000008A9A1D60B0C62ECAF42007F05000000040000001000000042007 E05000000040000000C0000000042007D070000000D4163636573732064656E696564000000 </pre>
3	<p>Destroy</p> <p>In (header): credential={ credentialType='1', credentialValue={ username="Fred", password="password1" } }</p> <p>In: uuidKey</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Authentication (0x42000C), Type: Structure (0x01), Data: Tag: Credential (0x420023), Type: Structure (0x01), Data: Tag: Credential Type (0x420024), Type: Enumeration (0x05), Data: 0x00000001 (Username and Password) Tag: Credential Value (0x420025), Type: Structure (0x01), Data: Tag: Username (0x420099), Type: Text String (0x07), Data: Fred Tag: Password (0x4200A1), Type: Text String (0x07), Data: password1 Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 63478615-8b6d-4c70-bc23- 8d164817555b 42007801000000E04200770100000088420069010000002042006A020000000400000001000000042006B02000000040 000000000000042000C010000004842002301000000404200240500000004000000010000000420025010000002842 0099070000000446726564000000004200A107000000097061737376F72643100000000000000042000D0200000004000 000010000000042000F010000004842005C0500000004000000140000000420079010000003042009407000000243633 3437383631352D386236642D346337302D626332332D386431363438313735356200000000 </pre>

	<p>Out: uuidKey</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B9F8B4D (Tue Mar 16 14:44:45 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 63478615-8b6d-4c70-bc23- 8d164817555b 42007B01000000B042007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040 00000000000000004200920900000008000000004B9F8B4D42000D0200000004000000010000000042000F010000005842 005C0500000004000000140000000042007F0500000004000000000000000042007C01000000304200940700000024363 33437383631352D386236642D346337302D626332332D386431363438313735356200000000 </pre>
4	<p>Get Attributes</p> <p>In (header): credential={ credentialType='1', credentialValue={ username="Fred", password="password1" } }</p> <p>In: uuidKey, attributeNames={ 'Destroy Date' }</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Authentication (0x42000C), Type: Structure (0x01), Data: Tag: Credential (0x420023), Type: Structure (0x01), Data: Tag: Credential Type (0x420024), Type: Enumeration (0x05), Data: 0x00000001 (Username and Password) Tag: Credential Value (0x420025), Type: Structure (0x01), Data: Tag: Username (0x420099), Type: Text String (0x07), Data: Fred Tag: Password (0x4200A1), Type: Text String (0x07), Data: password1 Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 63478615-8b6d-4c70-bc23- 8d164817555b Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Destroy Date 42007801000000F84200770100000088420069010000002042006A0200000004000000010000000042006B02000000040 000000000000000042000C0100000048420023010000004042002405000000040000000100000000420025010000002842 009907000000446726564000000004200A10700000097061737376F7264310000000000000042000D0200000004000 00001000000042000F010000006042005C05000000040000000B0000000042007901000000484200940700000024363 3437383631352D386236642D346337302D626332332D38643136343831373535620000000042000A070000000C44657 </pre>

	<pre> 374726F79204461746500000000 Out: uuidKey, attributes={ DestroyDate=' 0x00000004B9F8B4D' } Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B9F8B4E (Tue Mar 16 14:44:46 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Unique Identifier (0x420094), Type: Text String (0x07), Data: 63478615-8b6d-4c70-bc23- 8d164817555b Tag: Attribute (0x420008), Type: Structure (0x01), Data: Tag: Attribute Name (0x42000A), Type: Text String (0x07), Data: Destroy Date Tag: Attribute Value (0x42000B), Type: Date-Time (0x09), Data: 0x000000004B9F8B4D (Tue Mar 16 14:44:45 CET 2010) 42007B01000000E042007A0100000048420069010000002042006A0200000004000000010000000042006B02000000040 00000000000000000042009209000000008000000004B9F8B4E42000D0200000004000000010000000042000F010000008842 005C05000000040000000B0000000042007F050000000400000000000000000042007C01000000604200940700000024363 33437383631352D386236642D346337302D626332332D3864313634383137353562000000042000801000000284200 0A070000000C44657374726F7920446174650000000042000B0900000008000000004B9F8B4D </pre>
--	---

293

294

12 Query, Maximum Response Size

296

297 This use case tests the Query operation and the Maximum Response Size header field.

12.1 Use-case: Query, Maximum Response Size

299 Perform a Query operation, querying the Operations and Objects supported by the server, with a
300 restriction on the Maximum Response Size set in the request header. Since the resulting Query response
301 is too big, an error is returned. Increase the Maximum Response Size, resubmit the Query request, and
302 get a successful response.

303

Time	Request/Response
0	<p>Query (operations, objects)</p> <p>In (header): maximumResponseSize='256'</p> <p>In: queryFunctions={ '00000001', '00000002' }</p> <p>Tag: Request Message (0x420078), Type: Structure (0x01), Data:</p> <p>Tag: Request Header (0x420077), Type: Structure (0x01), Data:</p>

	<pre> Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Maximum Response Size (0x420050), Type: Integer (0x02), Data: 0x00000100 (256) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000018 (Query) Tag: Request Payload (0x420079), Type: Structure (0x01), Data: Tag: Query Function (0x420074), Type: Enumeration (0x05), Data: 0x00000001 (Operations) Tag: Query Function (0x420074), Type: Enumeration (0x05), Data: 0x00000002 (Objects) 42007801000000904200770100000048420069010000002042006A0200000004000000010000000042006B02000000040 0000000000000004200500200000004000001000000000042000D0200000004000000010000000042000F010000003842 005C050000000400000018000000004200790100000020420074050000000400000001000000004200740500000004000 0000200000000</pre> <p>Out: Operation Failed, Response Too Large</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B7918AA (Mon Feb 15 10:49:30 CET 2010) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000001 (Operation Failed) Tag: Result Reason (0x42007E), Type: Enumeration (0x05), Data: 0x00000002 (Response Too Large) Tag: Result Message (0x42007D), Type: Text String (0x07), Data: Response size: 568, Maximum Response Size indicated in request: 256 Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000000 (0) 42007B01000000C042007A01000000B8420069010000002042006A0200000004000000010000000042006B02000000040 00000000000000042009209000000080000000004B7918AA42007F0500000004000000010000000042007E050000000400 0000020000000042007D0700000043526573706F6E73652073697A653A203536382C204D6178696D756D20526573706F6 E73652053697A6520696E6469636174656420696E20726571756573743A203235360000000000042000D02000000040000 000000000000</pre>
--	---

1	<p>Query (operations, objects)</p> <p>In (header): maximumResponseSize='2048'</p> <p>In: queryFunctions={ '00000001', '00000002' }</p> <pre> Tag: Request Message (0x420078), Type: Structure (0x01), Data: Tag: Request Header (0x420077), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Maximum Response Size (0x420050), Type: Integer (0x02), Data: 0x00000800 (2048) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000018 (Query) Tag: Request Payload (0x420079), Type: Structure (0x01), Data:</pre>
---	--

	<pre> Tag: Query Function (0x420074), Type: Enumeration (0x05), Data: 0x00000001 (Operations) Tag: Query Function (0x420074), Type: Enumeration (0x05), Data: 0x00000002 (Objects) 42007801000000904200770100000048420069010000002042006A02000000040000001000000042006B02000000040 00000000000000042005002000000400000800000000004200D020000004000000100000004200F01000003842 005C050000000400000018000000042007901000002042007405000000400000010000000420074050000004000 0000200000000</pre> <p>Out: operations, objects</p> <pre> Tag: Response Message (0x42007B), Type: Structure (0x01), Data: Tag: Response Header (0x42007A), Type: Structure (0x01), Data: Tag: Protocol Version (0x420069), Type: Structure (0x01), Data: Tag: Protocol Version Major (0x42006A), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Protocol Version Minor (0x42006B), Type: Integer (0x02), Data: 0x00000000 (0) Tag: Time Stamp (0x420092), Type: Date-Time (0x09), Data: 0x000000004B7918AA (Mon Feb 15 10:49:30 CET 2010) Tag: Batch Count (0x42000D), Type: Integer (0x02), Data: 0x00000001 (1) Tag: Batch Item (0x42000F), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000018 (Query) Tag: Result Status (0x42007F), Type: Enumeration (0x05), Data: 0x00000000 (Success) Tag: Response Payload (0x42007C), Type: Structure (0x01), Data: Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000001 (Create) Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000002 (Create Key Pair) Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000003 (Register) Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000004 (Re-key) Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000008 (Locate) Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000009 (Check) Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000A (Get) Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000B (Get Attributes) Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000C (Get Attribute List) Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000D (Add Attribute) Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000E (Modify Attribute) Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000000F (Delete Attribute) Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000010 (Obtain Lease) Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000011 (Get Usage Allocation) Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000012 (Activate) Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000013 (Revoke) Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000014 (Destroy) Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000015 (Archive) Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000016 (Recover) Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000018 (Query) Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x00000019 (Cancel) Tag: Operation (0x42005C), Type: Enumeration (0x05), Data: 0x0000001A (Poll) Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000001 (Certificate) Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000002 (Symmetric Key) Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000003 (Public Key) Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000004 (Private Key) Tag: Object Type (0x420057), Type: Enumeration (0x05), Data: 0x00000006 (Template)</pre>
--	--

```
42007B010000023042007A01000004842006901000002042006A0200000040000001000000042006B0200000040  
0000000000000042009209000000800000004B7918AA4200D020000004000000100000004200F0100001D842  
005C050000000400000018000000042007F05000000400000000000000042007C0100001B042005C050000004000  
00001000000042005C0500000040000002000000042005C0500000040000003000000042005C0500000040000  
0004000000042005C0500000040000008000000042005C0500000040000009000000042005C05000000400000  
00A000000042005C050000004000000B000000042005C050000004000000C000000042005C050000004000000  
0D000000042005C050000004000000E000000042005C050000004000000F000000042005C0500000040000001  
0000000042005C0500000040000011000000042005C0500000040000012000000042005C05000000400000013  
0000000042005C0500000040000014000000042005C0500000040000015000000042005C050000004000000160  
00000042005C0500000040000018000000042005C0500000040000019000000042005C0500000040000001A00  
0000004200570500000004000000100000004200570500000004000000200000000420057050000000400000003000  
00000420057050000000400000004200570500000004000000060000000
```

304

305 **13 Implementation Conformance**

306 This document is intended to be informational only and as such has no conformance clauses. The
307 conformance requirements for the KMIP Specification can be found in the "KMIP Specification" document
308 itself, at the URL noted on the cover page of this document.

309

310

311 A. Acknowledgments

312

313 The following individuals have participated in the creation of this specification and are gratefully
314 acknowledged:

315 **Original Authors of the initial contribution:**

316 David Babcock, HP
317 Joseph Birr-Pixton, Thales/nCipher
318 Mathias Björkqvist, IBM (editor)
319 John Clark, HP
320 Stan Feather, HP
321 Jon Geater, nCipher
322 Bob Griffin, EMC
323 Robert Haas, IBM
324 Jack Harwood, EMC
325 Vlad Libershteyn, HP
326 Mark Lin, EMC/RSA
327 Brian Metzger, HP
328 Madhav Mutualik, EMC/RSA
329 Anthony Nadalin, IBM
330 René Pawlitzek, IBM (editor)
331 Bruce Rich, IBM
332 Parameswaran Seshan, EMC/RSA
333 John Tattan, EMC

334 **Participants:**

335
336 Mike Allen, PGP Corporation
337 Gordon Arnold, IBM
338 Todd Arnold, IBM
339 Matthew Ball, Oracle Corporation
340 Elaine Barker, NIST
341 Peter Bartok, Venafi, Inc.
342 Mathias Björkqvist, IBM
343 Kevin Bocek, Thales e-Security
344 Kelley Burgin, National Security Agency
345 Jon Callas, PGP Corporation
346 Tom Clifford, Symantec Corp.
347 Graydon Dodson, Lexmark International Inc.
348 Chris Dunn, SafeNet, Inc.
349 Paul Earsy, SafeNet, Inc.
350 Stan Feather, Hewlett-Packard
351 Indra Fitzgerald, Hewlett-Packard
352 Alan Frindell, SafeNet, Inc.
353 Judith Furlong, EMC Corporation
354 Jonathan Geater, Thales e-Security
355 Robert Griffin, EMC Corporation
356 Robert Haas, IBM
357 Thomas Hardjono, M.I.T.
358 Kurt Heberlein, 3PAR, Inc.
359 Marc Hocking, BeCrypt Ltd.
360 Larry Hofer, Emulex Corporation
361 Brandon Hoff, Emulex Corporation
362 Walt Hubis, LSI Corporation

363 Wyllis Ingersoll, Oracle Corporation
 364 Jay Jacobs, Target Corporation
 365 Glen Jaquette, IBM
 366 Scott Kipp, Brocade Communications Systems, Inc.
 367 David Lawson, Emulex Corporation
 368 Hal Lockhart, Oracle Corporation
 369 Robert Lockhart, Thales e-Security
 370 Shyam Mankala, EMC Corporation
 371 Upendra Mardikar, PayPal Inc.
 372 Marc Massar, Individual
 373 Don McAlister, Associate
 374 Hyrum Mills, Mitre Corporation
 375 Bob Nixon, Emulex Corporation
 376 Landon Curt Noll, Cisco Systems, Inc.
 377 René Pawlitzek, IBM
 378 Rob Philpott, EMC Corporation
 379 Scott Rea, Individual
 380 Bruce Rich, IBM
 381 Scott Rotondo, Oracle Corporation
 382 Saikat Saha, Vormetric, Inc.
 383 Anil Saldhana, Red Hat
 384 Subhash Sankuratripati, NetApp
 385 Mark Schiller, Hewlett-Packard
 386 Jitendra Singh, Brocade Communications Systems, Inc.
 387 Servesh Singh, EMC Corporation
 388 Terence Spies, Voltage Security
 389 Sandy Stewart, Oracle Corporation
 390 Marcus Streets, Thales e-Security
 391 Brett Thompson, SafeNet, Inc.
 392 Benjamin Tomhave, Individual
 393 Sean Turner, IECA, Inc.
 394 Paul Turner, Venafi, Inc.
 395 Marko Vukolić, IBM
 396 Rod Wideman, Quantum Corporation
 397 Steven Wierenga, Hewlett-Packard
 398 Peter Yee, EMC Corporation
 399 Krishna Yellepeddy, IBM
 400 Peter Zelechoski, Election Systems & Software
 401 Grace Zhang, Skyworth TTG Holdings Limited

402 B. Revision History

Revision	Date	Editor	Changes Made
ed-0.98	2009-04-28	Mathias Björkqvist	Initial conversion of input document to OASIS format.
ed-0.98	2009-08-06	Mathias Björkqvist	Changes to layout and message content to reflect the recent changes to the KMIP specification, added descriptions to the use-cases for which they were missing.
ed-0.98	2009-09-28	Mathias Björkqvist	Updated messages and TTLV encodings to conform with KMIP specification ed-0.98 rev 17.
draft-01	2009-10-08	Mathias Björkqvist	Removed normative words "must", "shall", "required", "will" and "can"; updated messages and TTLV encodings to conform to KMIP specification ed-0.98 rev 19; added

			normative references; added minor edits
draft-02	2009-10-15	Mathias Björkqvist	Replaced the TBDs, changed status to Committee Draft, changed use-cases to use protocol major version 1 and minor version 0
draft-03	2009-10-15	Mathias Björkqvist	Corrected names of TC chairs
draft-04	2009-11-05	Mathias Björkqvist	Added list of participants, added reference to Profiles document, line spacing change to list of original contributors, added related documents
cd-05	2009-11-06	Mathias Björkqvist	Changes to various naming aspects on front page and document footer. This is the tentative version for public review.
cd-06	2009-11-12	Mathias Björkqvist	Updated tags.
cd-07	2010-02-17	Mathias Björkqvist	Addressed public review comments, added line numbering.
cd-08	2010-03-17	Mathias Björkqvist	Registration of Templates changed to use the Template object, Usage Allocation changes (Add Attribute, Check, Get Usage Allocation), batched Revoke requests with Destroy requests when destroying objects in the Active state, adopted new format for Username and Password Credential object.
cd-09	2010-03-18	Mathias Björkqvist	Updated participants' list. Editorial fixes.

403