

# OData Version 4.0 Errata 03

## Committee Specification Draft 01 / Public Review Draft 01

10 March 2016

### Specification URIs

#### This version:

<http://docs.oasis-open.org/odata/odata/v4.0/errata03/csprd01/odata-v4.0-errata03-csprd01.doc>  
(Authoritative)  
<http://docs.oasis-open.org/odata/odata/v4.0/errata03/csprd01/odata-v4.0-errata03-csprd01.html>  
<http://docs.oasis-open.org/odata/odata/v4.0/errata03/csprd01/odata-v4.0-errata03-csprd01.pdf>

#### Previous version:

N/A

#### Latest version:

<http://docs.oasis-open.org/odata/odata/v4.0/errata03/odata-v4.0-errata03.doc> (Authoritative)  
<http://docs.oasis-open.org/odata/odata/v4.0/errata03/odata-v4.0-errata03.html>  
<http://docs.oasis-open.org/odata/odata/v4.0/errata03/odata-v4.0-errata03.pdf>

#### Technical Committee:

OASIS Open Data Protocol (OData) TC

#### Chairs:

Ralf Handl ([ralf.handl@sap.com](mailto:ralf.handl@sap.com)), SAP SE  
Ram Jeyaraman ([Ram.Jeyaraman@microsoft.com](mailto:Ram.Jeyaraman@microsoft.com)), Microsoft

#### Editors:

Michael Pizzo ([mikep@microsoft.com](mailto:mikep@microsoft.com)), Microsoft  
Ralf Handl ([ralf.handl@sap.com](mailto:ralf.handl@sap.com)), SAP SE  
Martin Zurmuehl ([martin.zurmuehl@sap.com](mailto:martin.zurmuehl@sap.com)), SAP SE  
Hubert Heijkers ([hubert.heijkers@nl.ibm.com](mailto:hubert.heijkers@nl.ibm.com)), IBM

#### Additional artifacts:

This prose specification is one component of a Work Product that also includes:

- *OData Version 4.0. Part 1: Protocol Plus Errata 03*. Edited by Michael Pizzo, Ralf Handl, and Martin Zurmuehl. 10 March 2016. OASIS Standard incorporating Draft 01 of Errata 03. <http://docs.oasis-open.org/odata/odata/v4.0/errata03/csprd01/complete/part1-protocol/odata-v4.0-errata03-csprd01-part1-protocol-complete.html>.
- *OData Version 4.0. Part 2: URL Conventions Plus Errata 03*. Edited by Michael Pizzo, Ralf Handl, and Martin Zurmuehl. 10 March 2016. OASIS Standard incorporating Draft 01 of Errata 03. <http://docs.oasis-open.org/odata/odata/v4.0/errata03/csprd01/complete/part2-url-conventions/odata-v4.0-errata03-csprd01-part2-url-conventions-complete.html>.
- *OData Version 4.0. Part 3: Common Schema Definition Language (CSDL) Plus Errata 03*. Edited by Michael Pizzo, Ralf Handl, and Martin Zurmuehl. 10 March 2016. OASIS Standard incorporating Draft 01 of Errata 03. <http://docs.oasis-open.org/odata/odata/v4.0/errata03/csprd01/complete/part3-csdl/odata-v4.0-errata03-csprd01-part3-csdl-complete.html>.
- ABNF components: OData ABNF Construction Rules Version 4.0 and OData ABNF Test Cases. <http://docs.oasis-open.org/odata/odata/v4.0/errata03/csprd01/complete/abnf/>.

- Vocabulary components: OData Core Vocabulary, OData Measures Vocabulary and OData Capabilities Vocabulary. <http://docs.oasis-open.org/odata/odata/v4.0/errata03/csprd01/complete/vocabularies/>.
- XML schemas: OData EDMX XML Schema and OData EDM XML Schema. <http://docs.oasis-open.org/odata/odata/v4.0/errata03/csprd01/complete/schemas/>.
- OData Metadata Service Entity Model: <http://docs.oasis-open.org/odata/odata/v4.0/errata03/csprd01/complete/models/>.
- Change-marked (redlined) versions of OData Version 4.0 Part 1, Part 2, and Part 3. OASIS Standard incorporating Draft 01 of Errata 03. <http://docs.oasis-open.org/odata/odata/v4.0/errata03/csprd01/redlined/>.

#### Related work:

This specification lists Errata for:

- *OData Version 4.0*, a multi-part Work Product which includes:
  - *OData Version 4.0. Part 1: Protocol*. 24 February 2014. <http://docs.oasis-open.org/odata/odata/v4.0/os/part1-protocol/odata-v4.0-os-part1-protocol.html>.
  - *OData Version 4.0. Part 2: URL Conventions*. 24 February 2014. <http://docs.oasis-open.org/odata/odata/v4.0/os/part2-url-conventions/odata-v4.0-os-part2-url-conventions.html>.
  - *OData Version 4.0. Part 3: Common Schema Definition Language (CSDL)*. 24 February 2014. <http://docs.oasis-open.org/odata/odata/v4.0/os/part3-csdl/odata-v4.0-os-part3-csdl.html>.
  - ABNF components: *OData ABNF Construction Rules Version 4.0* and *OData ABNF Test Cases*. <http://docs.oasis-open.org/odata/odata/v4.0/os/abnf/>.
  - Vocabulary components: *OData Core Vocabulary*, *OData Measures Vocabulary* and *OData Capabilities Vocabulary*. <http://docs.oasis-open.org/odata/odata/v4.0/os/vocabularies/>.
  - Schema components: *edm.xsd* and *edmx.xsd*. <http://docs.oasis-open.org/odata/odata/v4.0/os/schemas/>.
  - Model components: *MetadataService.edmx*. <http://docs.oasis-open.org/odata/odata/v4.0/os/models/>.

This specification is related to:

- *OData Atom Format Version 4.0*. Edited by Martin Zurmuehl, Michael Pizzo, and Ralf Handl. Latest version. <http://docs.oasis-open.org/odata/odata-atom-format/v4.0/odata-atom-format-v4.0.html>.
- *OData JSON Format Version 4.0*. Edited by Ralf Handl, Michael Pizzo, and Mark Biamonte. Latest version. <http://docs.oasis-open.org/odata/odata-json-format/v4.0/odata-json-format-v4.0.html>.

#### Abstract:

This document lists Errata for *OData Version 4.0*.

#### Status:

This document was last revised or approved by the OASIS Open Data Protocol (OData) TC on the above date. The level of approval is also listed above. Check the “Latest version” location noted above for possible later revisions of this document. Any other numbered Versions and other technical work produced by the Technical Committee (TC) are listed at [https://www.oasis-open.org/committees/tc\\_home.php?wg\\_abbrev=odata#technical](https://www.oasis-open.org/committees/tc_home.php?wg_abbrev=odata#technical).

TC members should send comments on this specification to the TC’s email list. Others should send comments to the TC’s public comment list, after subscribing to it by following the instructions at the “Send A Comment” button on the TC’s web page at <https://www.oasis-open.org/committees/odata/>.

For information on whether any patents have been disclosed that may be essential to implementing this specification, and any offers of patent licensing terms, please refer to the Intellectual Property Rights section of the TC’s web page (<https://www.oasis-open.org/committees/odata/ipr.php>).

**Citation format:**

When referencing this specification the following citation format should be used:

**[OData-v4.0-errata03]**

*OData Version 4.0 Errata 03*. Edited by Michael Pizzo, Ralf Handl, Martin Zurmuehl, and Hubert Heijkers. 10 March 2016. OASIS Committee Specification Draft 01 / Public Review Draft 01.

<http://docs.oasis-open.org/odata/odata/v4.0/errata03/csprd01/odata-v4.0-errata03-csprd01.html>.

Latest version: <http://docs.oasis-open.org/odata/odata/v4.0/errata03/odata-v4.0-errata03.html>.

---

## Notices

Copyright © OASIS Open 2016. All Rights Reserved.

All capitalized terms in the following text have the meanings assigned to them in the OASIS Intellectual Property Rights Policy (the "OASIS IPR Policy"). The full [Policy](#) may be found at the OASIS website.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to OASIS, except as needed for the purpose of developing any document or deliverable produced by an OASIS Technical Committee (in which case the rules applicable to copyrights, as set forth in the OASIS IPR Policy, must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

OASIS requests that any OASIS Party or any other party that believes it has patent claims that would necessarily be infringed by implementations of this OASIS Committee Specification or OASIS Standard, to notify OASIS TC Administrator and provide an indication of its willingness to grant patent licenses to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this specification.

OASIS invites any party to contact the OASIS TC Administrator if it is aware of a claim of ownership of any patent claims that would necessarily be infringed by implementations of this specification by a patent holder that is not willing to provide a license to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this specification. OASIS may include such claims on its website, but disclaims any obligation to do so.

OASIS takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this document or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on OASIS' procedures with respect to rights in any document or deliverable produced by an OASIS Technical Committee can be found on the OASIS website. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this OASIS Committee Specification or OASIS Standard, can be obtained from the OASIS TC Administrator. OASIS makes no representation that any information or list of intellectual property rights will at any time be complete, or that any claims in such list are, in fact, Essential Claims.

The name "OASIS" is a trademark of [OASIS](#), the owner and developer of this specification, and should be used only to refer to the organization and its official outputs. OASIS welcomes reference to, and implementation and use of, specifications, while reserving the right to enforce its marks against misleading uses. Please see <https://www.oasis-open.org/policies-guidelines/trademark> for above guidance.

---

# Table of Contents

1	Introduction.....	6
1.1	Normative References .....	6
2	Part 1: Protocol.....	7
3	Part 2: URL Conventions.....	9
4	Part 3: Common Schema Definition Language .....	11
5	ABNF Construction Rules .....	13
6	ABNF Test Cases.....	17
7	MetadataService.edmx.....	21
Appendix A.	Acknowledgments.....	22
Appendix B.	Revision History .....	23

---

# 1 Introduction

This document lists the approved changes to the OData Version 4.0 specification and contains one chapter per changed part of the specification.

Additional documents containing the final specification text with these changes applied are also available and linked in section "[Additional artifacts](#)" on the title page.

## 1.1 Normative References

- [OData-Protocol]** *OData Version 4.0 Part 1: Protocol.*  
See link in "Related work" section on cover page.

## 2 Part 1: Protocol

Section	Issue	Comment
All sections	668	Replaced "ATOM" with "Atom"
5.2 Model Versioning	769	Term was missing in list of model elements
6.6 Format Extensibility	768	Removed superfluous text that was added by broken bookmark
7 Formats	861, 913	Clarified behavior if no format is explicitly requested
	768	Removed superfluous text that was added by broken bookmark
8.1.1 Header Content-Type	908	Align with RFC7231
	916	Clarify format parameter is significant
8.2.1 Header Accept	916	Service should not add format parameter to response
8.2.4 Header If-Match	766	Reference changed from RFC7230 to RFC7232
8.2.5 Header If-None-Match	766	Reference changed from RFC7230 to RFC7232
8.2.8.4 Preference odata.include-annotations	788	Clarified precedence rules for patterns in the header value
	774	Pattern syntax now covers full annotation syntax
8.3.1 Header ETag	852	Removed leftover fragment from previous edit
8.3.3 Header OData-EntityId	830	Clarified when header is required
	853	Corrected typo
9.1.6 Response Code 304 Not Modified	766	Reference changed from RFC7230 to RFC7231
9.2.4. Response Code 412 Precondition Failed	766	Reference changed from RFC7230 to RFC7232
10.4 Singleton	742	Adapted non-normative example
10.17 Delta Response	837	Adapted non-normative example
11.2 Requesting Data	861, 913	Clarified behavior if no format is explicitly requested
11.2.3 Requesting the Media Stream of a Media Entity	882	Added missing section.
11.2.5.1 System Query Option \$select	847	Clarified use of namespace aliases
11.2.5.2.1.1 Expand Option \$levels	742	Adapted non-normative example

Section	Issue	Comment
11.2.6.1.3 Parameter Alias	<a href="#">775</a>	Clarified use of parameter aliases
11.2.6.2 System Query Option \$orderby	<a href="#">791</a>	Clarified sorting of Boolean and Geo values
	<a href="#">668</a>	Corrected typo in non-normative example
11.2.8 Requesting Entity References	<a href="#">882</a>	Note that services may return 204 for reference to single valued nav prop whose value is null
11.3.1 Delta Links	<a href="#">837</a>	Clarified use of \$deltatoken
	<a href="#">877</a>	Clarified tracking of orphaned entities
11.4.2.2 Create Related Entities When Creating an Entity	<a href="#">870</a> , <a href="#">794</a>	Referenced to relevant related sections instead of incompletely citing them
11.4.3 Update an Entity	<a href="#">893</a>	Clarified when @odata.id and @odata.type are required
11.4.6.1 Add a Reference to a Collection-Valued Navigation Property	<a href="#">749</a>	Clarified behavior when reference already exists
11.5.1 Binding an Operation to a Resource	<a href="#">790</a>	Corrected typo in non-normative example
11.5.3.1 Invoking a Function	<a href="#">776</a>	Clarified rules for function invocation
11.5.4.1 Invoking an Action	<a href="#">761</a>	Clarified rules for Location header
	<a href="#">765</a>	Extended non-normative example
11.6 Asynchronous Requests	<a href="#">766</a>	Corrected reference to RFC7230
11.7.2 Batch Request Body	<a href="#">823</a>	Clarified use of Content-Transfer-Encoding header
	<a href="#">668</a>	Corrected non-normative example
	<a href="#">778</a>	Changed non-normative example
11.7.3 Change Sets	<a href="#">869</a>	Clarified placement of Content-ID header
11.7.3.1 Referencing New Entities in a Change Set	<a href="#">479</a>	Clarified use of content-id referencing
	<a href="#">668</a>	Adapted non-normative example
11.7.4 Responding to a Batch Request	<a href="#">668</a>	Corrected non-normative example
11.7.5 Asynchronous Batch Requests	<a href="#">822</a>	Corrected non-normative example
13.1 OData Service Conformance Levels	<a href="#">668</a>	Corrected typo
13.1.1 OData Minimal Conformance Level	<a href="#">830</a>	Clarified use of OData-EntityId header
Appendix A. Acknowledgments	<a href="#">767</a>	Completed list of contributors



## 3 Part 2: URL Conventions

Section	Issue	Comment
All sections	668	Replaced "ATOM" with "Atom"
1.2 Normative References	917	Copied reference to XML Schema from Part 3 CSDL
2 URL Components	903	Clarified precedence of prose specification over ABNF
4.3.1 Canonical URL	755	Clarified key representation in canonical URLs
5.1 System Query Options	835	Completed list of HTTP verbs
5.1.1.2.1 Addition	917	Clarified rules for time-related operands
	784	Clarified rules for decimal operands
5.1.1.2.2 Subtraction	917	Clarified rules for time-related operands
	784	Clarified rules for decimal operands
5.1.1.2.4 Multiplication	777	Clarified behavior with duration operand
	784	Clarified rules for decimal operands
5.1.1.2.5 Division	777	Clarified behavior with duration operand
	784	Clarified rules for decimal operands
	785	Clarified rules for integer division
5.1.1.2.6 Modulo	784	Clarified rules for decimal operands
5.1.1.2.7 Arithmetic Operator Examples	785	Add example for integer division
5.1.1.5 String Functions	850	Added section header
5.1.1.5.4 indexof	780	Clarified result if no occurrence is found
5.1.1.5.7 substring	781	Clarified result for edge cases
5.1.1.11.2 Complex and Collection Literals	758	Corrected non-normative example
5.1.1.15 Numeric Promotion	785	Clarified rules for numeric promotion
5.1.2 System Query Option \$expand	793	Clarified use of * for complex properties
	892	Clarified behavior for dynamic properties
	840	Added example
	741	Corrected non-normative example
5.1.3 System Query Option \$select	891	Clarified behavior for dynamic properties

Section	Issue	Comment
5.3 Parameter Aliases	<a href="#">775</a>	Clarified use of parameter aliases

## 4 Part 3: Common Schema Definition Language

Section	Issue	Comment
All sections	<a href="#">668</a>	Replaced “ATOM” with “Atom”
3.5 Element edmx:IncludeAnnotations	<a href="#">742</a>	Adapted non-normative example
6.2.1 Attribute Nullable	<a href="#">803</a>	Clarified default and use of Nullable for collections
6.2.2 Attribute MaxLength	<a href="#">858</a>	Clarified meaning of MaxLength for Binary values
6.2.3 Attribute Precision	<a href="#">668</a>	Replaced “allowed” with “significant”
6.2.4 Attribute Scale	<a href="#">789</a>	Clarified behavior for Precision equal to Scale
	<a href="#">801</a>	Clarified behavior for of negative Scale
6.2.5 Attribute Unicode	<a href="#">734</a>	Clarified behavior for Unicode=false
10.2.2 Attribute Value	<a href="#">819</a>	Clarified behavior for multiple enumeration members with same value
12.2.3 Attribute IsComposable	<a href="#">746</a>	Clarified allowed subsequent path segments and query options
13 Entity Container	<a href="#">742</a>	Adapted non-normative example
13.1.2 Attribute Extends	<a href="#">733</a>	Clarified treatment of cycles introduced by Extends
14 Vocabulary and Annotation	<a href="#">912</a>	Clarified treatment of unknown and invalid annotations
14.1.5 Attribute AppliesTo	<a href="#">810</a>	Corrected non-normative example
14.2.1 Attribute Target	<a href="#">865</a>	Completed list of possible targets
	<a href="#">821</a>	Clarified targeting of nested properties
14.4.6 Expression edm:Duration	<a href="#">752</a>	Corrected non-normative example
14.5.2 Expression edm:AnnotationPath	<a href="#">825</a>	Clarified traversal of multi-valued properties
14.5.3.1.2 Function odata.fillUriTemplate	<a href="#">782</a>	Changed non-normative example
14.5.10 Expression edm:Null	<a href="#">880</a>	Clarified that edm:Null can be annotated
14.5.11 Expression edm:NavigationPropertyPath	<a href="#">751</a>	Clarified meaning of edm:NavigationPropertyPath and edm:PropertyPath
14.5.13 Expression edm:PropertyPath	<a href="#">751</a>	Clarified meaning of edm:NavigationPropertyPath and edm:PropertyPath
15.6 Entity Container	<a href="#">832</a>	Corrected typo in diagram
	<a href="#">878</a>	Adapted non-normative example
16.1 Products and Categories	<a href="#">742</a>	Adapted non-normative example

Section	Issue	Comment
Example		

## 5 ABNF Construction Rules

Note: line numbers are for the new Errata03 revision of the document.

Line	Issue	Comment
121-124	903	<p>Type-cast segment after collection of complex type</p> <pre> / complexColFunctionImportCall [ <del>collection</del>complexColPath ] / complexFunctionImportCall [ complexPath ] / primitiveColFunctionImportCall [ <del>collection</del>primitiveColPath ] / primitiveFunctionImportCall [ <del>single</del>primitivePath ] </pre>
126	899	<p>Type-cast segment after \$all</p> <pre> / '\$all' [ "/" qualifiedEntityTypename ] </pre>
129-132	903	<p>Type-cast segment after collection of complex type</p> <pre> collectionNavPath = keyPredicate [ singleNavigation ] / <del>collection</del>PathboundOperation / count / ref </pre>
134-137	775	<p>Parameter aliases in key segment</p> <pre> simpleKey = OPEN ( parameterAlias / keyPropertyValue ) CLOSE compoundKey = OPEN keyValuePair *( COMMA keyValuePair ) CLOSE keyValuePair = ( primitiveKeyProperty / keyPropertyAlias ) EQ ( parameterAlias / keyPropertyValue ) </pre>
150-168	903	<p>Type-cast segment after collection of complex type</p> <pre> propertyPath = entityColNavigationProperty [ collectionNavigation ] / entityNavigationProperty [ singleNavigation ] / complexColProperty [ <del>collection</del>complexColPath ] / complexProperty [ complexPath ] / primitiveColProperty [ <del>collection</del>primitiveColPath ] / primitiveProperty [ <del>single</del>primitivePath ] / streamProperty [ boundOperation ]  <del>collection</del>primitiveColPath = count / boundOperation  <del>single</del>primitivePath = value / boundOperation  complexColPath = [ "/" qualifiedComplexTypeName ] [ count / boundOperation ]  complexPath = [ "/" qualifiedComplexTypeName ] +[ "/" propertyPath / boundOperation + ] </pre>

Line	Issue	Comment
177-184	753 903	<p>Replaced "Func" with "Function in rule names</p> <p>Type-cast segment after collection of complex type</p> <pre> boundOperation = "/" ( boundActionCall     / boundEntityColFunc<u>tion</u>Call [ collectionNavigation ]     / boundEntityFunc<u>tion</u>Call [ singleNavigation ]     / boundComplexColFunc<u>tion</u>Call [ <del>collection</del><u>complexCol</u>Path ]     / boundComplexFunc<u>tion</u>Call [ complexPath ]     / boundPrimitiveColFunc<u>tion</u>Call [ <del>collection</del><u>primitiveCol</u>Path ]     / boundPrimitiveFunc<u>tion</u>Call [ <del>single</del><u>primitive</u>Path ] ) </pre>
191-201	753	<p>Replaced "Func" with "Function in rule names</p> <p>; The following boundXxxFunc<u>tion</u>Call rules have the added restrictions that</p> <p>; - the function MUST support binding, and</p> <p>; - the binding parameter type MUST match the type of resource identified by the</p> <p>; URI immediately preceding (to the left) of the boundXxxFunc<u>tion</u>Call, and</p> <p>; - the functionParameters MUST NOT include the bindingParameter.</p> <pre> boundEntityFunc<u>tion</u>Call = namespace "." entityFunction functionParameters boundEntityColFunc<u>tion</u>Call = namespace "." entityColFunction functionParameters boundComplexFunc<u>tion</u>Call = namespace "." complexFunction functionParameters boundComplexColFunc<u>tion</u>Call = namespace "." complexColFunction functionParameters boundPrimitiveFunc<u>tion</u>Call = namespace "." primitiveFunction functionParameters boundPrimitiveColFunc<u>tion</u>Call = namespace "." primitiveColFunction functionParameters </pre>
239-241	793	<p>Reserve \$deltatoken</p> <pre> systemQueryOption = <u>deltatoken</u> _____ / expand _____ / filter </pre>
259-261	793	<p>Expand * on complex type</p> <pre> expandPath = [ ( qualifiedEntityTypename / qualifiedComplexTypeName ) "/" ] * ( ( complexProperty / complexColProperty ) "/" [ qualifiedComplexTypeName "/" ] ) ( <u>STAR</u> / navigationProperty [ "/" qualifiedEntityTypename ] ) </pre>
334-335	793	<p>Reserve \$deltatoken</p> <pre> <u>deltatoken</u> = '\$deltatoken' EQ 1*( <u>qchar-no-AMP</u> ) </pre>

Line	Issue	Comment
435-442	903	<p>Type-cast segment after collection of complex type</p> <pre> propertyPathExpr = ( entityColNavigationProperty [ collectionNavigationExpr ] _____ / entityNavigationProperty _____ [ singleNavigationExpr ] _____ / complexColProperty _____ [ <del>collection</del>complexColPathExpr ] _____ / complexProperty _____ [ complexPathExpr ] _____ / primitiveColProperty _____ [ collectionPathExpr ] _____ / primitiveProperty _____ [ <del>single</del>primitivePathExpr ] _____ / streamProperty _____ [ <del>single</del>primitivePathExpr ] _____ ) </pre>
449-469	903	<p>Type-cast segment after collection of complex type</p> <pre> collectionNavigationExpr = [ "/" qualifiedEntityTypeName ] _____ +[ keyPredicate [ singleNavigationExpr ] _____ / collectionPathExpr _____ +]  singleNavigationExpr = "/" memberExpr  complexColPathExpr = [ "/" qualifiedComplexTypeName ] _____ [ collectionPathExpr ]  collectionPathExpr = count _____ / "/" boundFunctionExpr _____ / "/" anyExpr _____ / "/" allExpr  complexPathExpr = [ "/" + qualifiedComplexTypeName ] _____ +[ "/" propertyPathExpr _____ / "/" boundFunctionExpr _____ +]  <del>single</del>primitivePathExpr = "/" boundFunctionExpr </pre>

Line	Issue	Comment
474-481	903	<p>Type-cast segment after collection of complex type</p> <pre> functionExpr = namespace "."                 ( entityColFunction    functionExprParameters [ collectionNavigationExpr ]                 / entityFunction    functionExprParameters [ singleNavigationExpr ]                 / complexColFunction  functionExprParameters [ <del>collection</del>complexColPathExpr ]                 / complexFunction    functionExprParameters [ complexPathExpr ]                 / primitiveColFunction functionExprParameters [ collectionPathExpr ]                 / primitiveFunction   functionExprParameters [ <del>single</del>primitiveExpr ]                 ) </pre>
545-547	783	<p>Allow percent-encoded parentheses</p> <pre> minDateTimeMethodCallExpr = 'mindatetime%' OPEN BWS CLOSE %' maxDateTimeMethodCallExpr = 'maxdatetime%' OPEN BWS CLOSE %' nowMethodCallExpr         = 'now%' OPEN BWS CLOSE %' </pre>
1020-1025	774	<p>Qualifier for annotations missing:</p> <pre> annotationIdentifier = [ excludeOperator ]                     ( STAR                     / namespace "." ( termName / STAR )                     )                     [ "#" odataIdentifier ] excludeOperator      = "-" </pre>



## 6 ABNF Test Cases

Note: line numbers are for the new Errata03 revision of the document.

Line	Issue	Comment
234-243	668	Additional constraints for rule checking <u>&lt;Constraint Rule="parameterAlias"&gt;</u> <u>&lt;Match&gt;@c&lt;/Match&gt;</u> <u>&lt;Match&gt;@cat&lt;/Match&gt;</u> <u>&lt;Match&gt;@color&lt;/Match&gt;</u> <u>&lt;Match&gt;@expression&lt;/Match&gt;</u> <u>&lt;Match&gt;@key&lt;/Match&gt;</u> <u>&lt;Match&gt;@ref&lt;/Match&gt;</u> <u>&lt;Match&gt;@title&lt;/Match&gt;</u> <u>&lt;Match&gt;@word&lt;/Match&gt;</u> <u>&lt;/Constraint&gt;</u>
580	668	<u>&lt;TestCase Name="2 URL Components - key with <a href="#">key property</a> alias" Rule="resourcePath"&gt;</u>
583-588	775	Key with parameter alias <u>&lt;TestCase Name="2 URL Components - key with <a href="#">parameter alias - short form</a>" Rule="odataRelativeUri"&gt;</u> <u>&lt;Input&gt;Categories (@key) ?@key=1&lt;/Input&gt;</u> <u>&lt;/TestCase&gt;</u> <u>&lt;TestCase Name="2 URL Components - key with <a href="#">parameter alias - long form</a>" Rule="odataRelativeUri"&gt;</u> <u>&lt;Input&gt;Categories (ID=@key) ?@key=1&lt;/Input&gt;</u> <u>&lt;/TestCase&gt;</u>

Line	Issue	Comment
914-931	903	<p>Type-cast with complex type</p> <pre> &lt;TestCase Name="4.9 Inheritance - complex type" Rule="odataRelativeUri"&gt;  &lt;Input&gt;Products (1) /Address/Model.AddressWithLocation&lt;/Input&gt; &lt;/TestCase&gt;  &lt;TestCase Name="4.9 Inheritance - complex type with property" Rule="odataRelativeUri"&gt;  &lt;Input&gt;Products (1) /Address/Model.AddressWithLocation/Street&lt; /Input&gt; &lt;/TestCase&gt;  &lt;TestCase Name="4.9 Inheritance - collection of complex type" Rule="odataRelativeUri"&gt;  &lt;Input&gt;Products (1) /Addresses/Model.AddressWithLocation&lt;/Inpu t&gt; &lt;/TestCase&gt;  &lt;TestCase Name="4.9 Inheritance - expressions: complex type" Rule="propertyPathExpr"&gt;  &lt;Input&gt;Address/Model.AddressWithLocation&lt;/Input&gt; &lt;/TestCase&gt;  &lt;TestCase Name="4.9 Inheritance - expressions: complex type with path" Rule="propertyPathExpr"&gt;  &lt;Input&gt;Address/Model.AddressWithLocation/Street&lt;/Input&gt; &lt;/TestCase&gt;  &lt;TestCase Name="4.9 Inheritance - expressions: collection of complex type" Rule="propertyPathExpr"&gt;  &lt;Input&gt;Addresses/Model.AddressWithLocation&lt;/Input&gt; &lt;/TestCase&gt; </pre>
950-955	899	<p>\$all with type-cast</p> <pre> &lt;TestCase Name="4.12 Addressing All Entities in a Service" Rule="odataRelativeUri"&gt;  &lt;Input&gt;\$all?\$search=red&lt;/Input&gt; &lt;/TestCase&gt;  &lt;TestCase Name="4.12 Addressing All Entities in a Service - with type cast" Rule="odataRelativeUri"&gt;  &lt;Input&gt;\$all/Model.Customer?\$filter=contains(Name, 'red')&lt;/Inp ut&gt; &lt;/TestCase&gt; </pre>

Line	Issue	Comment
1226-1228	783	Percent-encoded parentheses <u>&lt;TestCase Name="5.1.1.4.22 - non-canonical percent-encoding" Rule="commonExpr"&gt;</u> <u>&lt;Input&gt;now%28%20%29&lt;/Input&gt;</u> <u>&lt;/TestCase&gt;</u>
1232-1234	783	Percent-encoded parentheses <u>&lt;TestCase Name="5.1.1.4.23 - non-canonical percent-encoding" Rule="commonExpr"&gt;</u> <u>&lt;Input&gt;maxdatetime%28%20%29&lt;/Input&gt;</u> <u>&lt;/TestCase&gt;</u>
1238-1240	783	Percent-encoded parentheses <u>&lt;TestCase Name="5.1.1.4.24 - non-canonical percent-encoding" Rule="commonExpr"&gt;</u> <u>&lt;Input&gt;mindatetime%28%20%29&lt;/Input&gt;</u> <u>&lt;/TestCase&gt;</u>
1421-1426	793	\$expand=* on complex path <u>&lt;TestCase Name="5.1.2 Expand - star on complex path" Rule="expand"&gt;</u> <u>&lt;Input&gt;\$expand=Address/*,Address/Address/*,Addresses/*,Address/Model.AddressWithLocation/*,Model.VipCustomer/Address/*&lt;/Input&gt;</u> <u>&lt;/TestCase&gt;</u> <u>&lt;TestCase Name="5.1.2 Expand - star on complex path with \$ref and \$levels" Rule="expand"&gt;</u> <u>&lt;Input&gt;\$expand=Address/*/\$ref,Address/* (\$levels=max)&lt;/Input&gt;</u> <u>&lt;/TestCase&gt;</u>
1508-1510	783	Percent-encoding <u>&lt;TestCase Name="5.1.7 Search - implicit AND, encoded" Rule="queryOptions"&gt;</u> <u>&lt;Input&gt;\$search=blue%20green&lt;/Input&gt;</u> <u>&lt;/TestCase&gt;</u>
1559-1561	837	Delta-token <u>&lt;TestCase Name="Delta Link" Rule="deltatoken"&gt;</u> <u>&lt;Input&gt;\$deltatoken=A@Lot Has:Changed?=Here!&lt;/Input&gt;</u> <u>&lt;/TestCase&gt;</u>
1987-1989	774	Include-annotations with qualifier <u>&lt;TestCase Name="Preferences - include annotations - all with a given qualifier" Rule="preference"&gt;</u> <u>&lt;Input&gt;odata.include-annotations="*#qualified"&lt;/Input&gt;</u> <u>&lt;/TestCase&gt;</u>

Line	Issue	Comment
1993-1995	774	<u>&lt;TestCase Name="Preferences - include annotations - none with a given qualifier" Rule="preference"&gt;</u> <u>&lt;Input&gt;odata.include-annotations="-*#qualified"&lt;/Input&gt;</u> <u>&lt;/TestCase&gt;</u>
1999-2001	774	<u>&lt;TestCase Name="Preferences - include annotations - all in namespace with given qualifier" Rule="preference"&gt;</u> <u>&lt;Input&gt;odata.include-annotations="Namespace.*#quali"&lt;/Input&gt;</u> <u>&lt;/TestCase&gt;</u>
2015-2017	774	<u>&lt;TestCase Name="Preferences - include annotations - nothing from namespace" Rule="preference"&gt;</u> <u>&lt;Input&gt;odata.include-annotations="-Namespace.*#quali"&lt;/Input&gt;</u> <u>&lt;/TestCase&gt;</u>
2021-2023	774	<u>&lt;TestCase Name="Preferences - include annotations - only a special term" Rule="preference"&gt;</u> <u>&lt;Input&gt;odata.include-annotations="Namespace.SomeTerm#qual"&lt;/Input&gt;</u> <u>&lt;/TestCase&gt;</u>
2027-2029	774	<u>&lt;TestCase Name="Preferences - include annotations - only a special term" Rule="preference"&gt;</u> <u>&lt;Input&gt;odata.include-annotations="-Namespace.SomeTerm#qual"&lt;/Input&gt;</u> <u>&lt;/TestCase&gt;</u>

---

## 7 MetadataService.edmx

Line	Issue	Comment
102	831	OpenType property is Boolean <code>&lt;Property Name="OpenType" Type="Edm.StringBoolean" Nullable="false" /&gt;</code>
356	826	Wrong Target attribute value <code>&lt;NavigationProperty Name="Target" Type="Edm.EntityType" Nullable="false" Partner="Annotations" /&gt;</code>

---

## Appendix A. Acknowledgments

The contributions of the OASIS OData Technical Committee members, enumerated in **[OData-Protocol]**, are gratefully acknowledged.

---

## Appendix B. Revision History

Revision	Date	Editor	Changes Made
WD01	2016-03-03	Ralf Handl	Final version