



TestCases for the SCA JMS Binding Specification Version 1.1

Committee Specification Draft 02 / Public Review Draft 02

14 July 2011

Specification URIs:

This version:

<http://docs.oasis-open.org/opencsa/sca-bindings/sca-jmsbinding-1.1-testcases-csprd02.pdf>
(Authoritative)
<http://docs.oasis-open.org/opencsa/sca-bindings/sca-jmsbinding-1.1-testcases-csprd02.html>
<http://docs.oasis-open.org/opencsa/sca-bindings/sca-jmsbinding-1.1-testcases-csprd02.odt>

Previous version:

<http://docs.oasis-open.org/opencsa/sca-bindings/sca-jmsbinding-1.1-testcases-1.0-csprd01.pdf>
(Authoritative)
<http://docs.oasis-open.org/opencsa/sca-bindings/sca-jmsbinding-1.1-testcases-1.0-csprd01.html>
<http://docs.oasis-open.org/opencsa/sca-bindings/sca-jmsbinding-1.1-testcases-1.0-csprd01.odt>

Latest version:

<http://docs.oasis-open.org/opencsa/sca-bindings/sca-jmsbinding-1.1-testcases.pdf> (Authoritative)
<http://docs.oasis-open.org/opencsa/sca-bindings/sca-jmsbinding-1.1-testcases.html>
<http://docs.oasis-open.org/opencsa/sca-bindings/sca-jmsbinding-1.1-testcases.odt>

Technical Committee:

OASIS Service Component Architecture / Bindings (SCA-Bindings) TC

Chair:

Simon Holdsworth (simon_holdsworth@uk.ibm.com), IBM

Editors:

Anthony Elder (ant.elder@uk.ibm.com), IBM
Simon Holdsworth (simon_holdsworth@uk.ibm.com), IBM
Anish Karmarkar (Anish.Karmarkar@oracle.com), Oracle

Additional Work Product artifacts:

This prose specification is one component of a Work Product which also includes:

- Test Suite artifacts (provided in two formats)
 - ZIP archive:
<http://docs.oasis-open.org/opencsa/sca-bindings/TestCases-BJM-csprd02.zip>
 - Online resource:
<http://docs.oasis-open.org/opencsa/sca-bindings/TestCases-BJM-csprd02/>

Related work:

This specification is related to:

- *Service Component Architecture JMS Binding Specification Version 1.1*. Latest version.
<http://docs.oasis-open.org/opencsa/sca-bindings/sca-jmsbinding-1.1-spec.html>

Declared XML namespaces:

<http://docs.oasis-open.org/ns/opencsa/scatests/200903>

<http://test.sca.oasisopen.org/>

Abstract:

This document defines the TestCases for the SCA JMS Binding specification. The TestCases represent a series of tests that an SCA runtime must pass in order to claim conformance to the requirements of the SCA JMS Binding specification.

Status:

This document was last revised or approved by the OASIS Service Component Architecture / Binding (SCA-Bindings) TC on the above date. The level of approval is also listed above. Check the "Latest version" location noted above for possible later revisions of this document.

Technical Committee members should send comments on this specification to the Technical Committee's email list. Others should send comments to the Technical Committee by using the "Send A Comment" button on the Technical Committee's web page at <http://www.oasis-open.org/committees/sca-bindings/>.

For information on whether any patents have been disclosed that may be essential to implementing this specification, and any offers of patent licensing terms, please refer to the Intellectual Property Rights section of the Technical Committee web page (<http://www.oasis-open.org/committees/sca-bindings/ipr.php>).

Citation format:

When referencing this specification the following citation format should be used:

[SCA-JMSBinding-TestCases]

TestCases for the SCA JMS Binding Specification Version 1.1. 14 July 2011. OASIS Committee Specification Draft 02 / Public Review Draft 02. <http://docs.oasis-open.org/opencsa/sca-bindings/sca-jmsbinding-1.1-testcases-csprd02.html>.

Notices

Copyright © OASIS Open 2011. All Rights Reserved.

All capitalized terms in the following text have the meanings assigned to them in the OASIS Intellectual Property Rights Policy (the "OASIS IPR Policy"). The full [Policy](#) may be found at the OASIS website.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to OASIS, except as needed for the purpose of developing any document or deliverable produced by an OASIS Technical Committee (in which case the rules applicable to copyrights, as set forth in the OASIS IPR Policy, must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

OASIS requests that any OASIS Party or any other party that believes it has patent claims that would necessarily be infringed by implementations of this OASIS Committee Specification or OASIS Standard, to notify OASIS TC Administrator and provide an indication of its willingness to grant patent licenses to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this specification.

OASIS invites any party to contact the OASIS TC Administrator if it is aware of a claim of ownership of any patent claims that would necessarily be infringed by implementations of this specification by a patent holder that is not willing to provide a license to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this specification. OASIS may include such claims on its website, but disclaims any obligation to do so.

OASIS takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this document or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on OASIS' procedures with respect to rights in any document or deliverable produced by an OASIS Technical Committee can be found on the OASIS website. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this OASIS Committee Specification or OASIS Standard, can be obtained from the OASIS TC Administrator. OASIS makes no representation that any information or list of intellectual property rights will at any time be complete, or that any claims in such list are, in fact, Essential Claims.

The names "OASIS", "SCA", and "Service Component Architecture" are trademarks of [OASIS](#), the owner and developer of this specification, and should be used only to refer to the organization and its official outputs. OASIS welcomes reference to, and implementation and use of, specifications, while reserving the right to enforce its marks against misleading uses. Please see <http://www.oasis-open.org/who/trademark.php> for above guidance.

Table of Contents

1	Introduction.....	5
1.1	TestCase Structure.....	5
1.2	Namespaces and Java Package Names.....	6
1.3	Terminology.....	6
1.4	Normative References.....	7
1.5	Non-normative References.....	7
2	TestCases.....	8
2.1	TestCases for JMS Bindings Specification Section 3.....	8
2.2	TestCases for JMS Bindings Specification Section 4.....	24
2.3	TestCases for JMS Bindings Specification Section 5.....	29
2.4	TestCases for JMS Bindings Specification Section 6.....	30
3	Catalog of Test Artifacts.....	38
3.1	Composite Files - lower level.....	38
3.2	Java Interfaces.....	38
3.3	Java Implementation Classes.....	39
3.4	WSDL Interface Files.....	39
4	Conformance.....	41
	Appendix A. Test Assertions for the JMS Binding.....	42
	A.1. Example Test Assertion.....	42
	A.2. Test Assertions for JMS Bindings Specification Section 3.....	42
	A.3. Test Assertions for JMS Bindings Specification Section 4.....	53
	A.4. Test Assertions for JMS Bindings Specification Section 5.....	56
	A.5. Test Assertions for JMS Bindings Specification Section 6.....	56
	Appendix B. Cross Mapping of Normative Statements to Test Assertions.....	63
	Appendix C. Cross Mapping of Test Assertions to TestCases.....	65
	Appendix D. Acknowledgments.....	68
	Appendix E. Revision History.....	69

1 Introduction

This document defines the TestCases for the SCA JMS Binding specification [SCA-JMS].

The tests described in this document are derived from the normative statements in SCA JMS Binding specification via Test Assertions which are described in **Appendix A, "Test Assertions for the JMS Binding"**.

1.1 TestCase Structure

The SCA JMS Binding test cases follow a standard structure. They are divided into two main parts:

1. JMS Test Client, which drives the test and checks that the results are as expected
2. SCA Test Application which consists of SCA Composites, WSDL files, XSDs and code artifacts such as Java classes, organized into a series of SCA contributions

The basic idea is that the SCA Test Application runs on the SCA runtime that is under test, while the JMS Test Client runs as a standalone application, invoking and being invoked by the Test Application through one or more service interfaces.

JMS Test Client

The JMS Test Client is designed as a standalone Java application. The version built here is a Java application which uses the JUnit test framework.

The JMS Test Client is structured to contain configuration information about the testcase, which consists of:

1. metadata identifying the SCA Test Application in terms of the SCA Contributions that are used and the Composites that must be deployed and run
2. data indicating which service operation(s) must be invoked with input data and expected output data (including exceptions for expected failure cases)

The JMS Test Client consists of a base runtime class, BaseJMSTestCase.java. Each actual testcase is implemented by a small class which extends the base runtime class. The bulk of the code required to run a test is held in the base runtime class. The small testcase class contains the configuration for the specific test, which it provides to the code in the base runtime class through a standard interface.

The JMS Test Client base runtime class is structured so that there is a replaceable class called the RuntimeBridge, which is used to communicate with the SCA runtime under test, for the purposes of deploying and running the test application. Each SCA runtime provider can produce a version of this class. The code within the runtime bridge is likely to be highly proprietary and specific to the SCA runtime for which it is written. Which runtime bridge class is used at runtime is controlled by an environment variable or system variable with the name "OASIS_TESTENV_RUNTIME_BRIDGE_CLASS", which is read by the code in BaseJMSTestCase.

The JMS Test Client uses JMS to communicate with the SCA Test Application. Tests involve SCA services and references with JMS bindings, and possibly with bidirectional interfaces. Each SCA Test Application consists of one top level SCA Composite file and its associated artifacts (implementations, interface files), plus the JMS Test Client described above.

A typical test application has a design where the top level composite offers a single service to the JMS Test Client application over a JMS binding. The top level composite contains one component which offers the service that is used by the client application, and may have a single reference which invokes the JMS Test Client.

42 **Test Artifacts Organization**

43 Note that the design of these testcases promotes reuse of artifacts between testcases, so that many test-
44 cases share components. For example, components implementing simple invocable services are all im-
45 plemented using a single parameterized implementation artifact.

46 All the test artifacts are contained in a number of Contributions, which are simply filesystem directories
47 which are all peers in the filesystem hierarchy. The names of the directories are the names of the Contri-
48 butions and the names are significant. The names of Contributions containing implementation type spe-
49 cific artifacts (such as Java classes) are also specially structured to allow for replacement of one type of
50 implementation artifact with another.

51 Broadly, Contribution names are as follows:

- 52 • BJM_nnnnn - a contribution that is specific for a particular testcase, where "nnnnn" is the
53 number of the testcase. Often this is required because a particular testcase involves artifacts that
54 contain errors that are statically checkable - an SCA runtime is permitted to reject such artifacts
55 when they are contributed and deployed and it is important to ensure that contributions containing
56 deliberate errors for one testcase do not interfere with the operation of other testcases.
- 57 • BJM_nnnnn_Java - a contribution for a specific testcase where there is a need for language spe-
58 cific artifacts that relate to that testcase alone
- 59 • General - a shared contribution containing implementation type independent artifacts that can be
60 used by many testcases.
- 61 • General_Java - a shared contribution containing implementation type dependent artifacts for
62 Java POJOs. These artifacts can include both Java classes and also SCA composites that dir-
63 ectly use Java classes..
- 64 • Contribution1, Contribution2, etc - contributions that are used by various testcases that are test-
65 ing the handling of SCA contributions

66 **1.2 Namespaces and Java Package Names**

67 The SCA JMS Binding testcase suite makes use of some XML namespaces and Java package names,
68 as follows:

69 **SCA Artifact Namespaces**

70 These apply to artifacts such as Composites

71 <http://docs.oasis-open.org/ns/opensca/scatests/200903>

72 **WSDL Namespace**

73 <http://test.sca.oasisopen.org/>

74 **Java Package name**

75 For Java interface classes and for Java implementation classes

76 `org.oasisopen.sca.test`

77 **1.3 Terminology**

78 The keywords "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD
79 NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this specification are to be interpreted as de-
80 scribed in IETF RFC 2119 [RFC 2119].

81 **1.4 Normative References**

- 82 **[RFC 2119]** S. Bradner. *Key words for use in RFCs to Indicate Requirement Levels*.
83 <http://www.ietf.org/rfc/rfc2119.txt> IETF RFC 2119, March 1997.
- 84 **[SCA-JMS]** OASIS Committee Specification Draft 05, *SCA JMS Binding Specification Version 1.1*,
85 November 2010 [http://docs.oasis-open.org/opencsa/sca-bindings/sca-](http://docs.oasis-open.org/opencsa/sca-bindings/sca-jmsbinding-1.1-spec-csd05.pdf)
86 [jmsbinding-1.1-spec-csd05.pdf](http://docs.oasis-open.org/opencsa/sca-bindings/sca-jmsbinding-1.1-spec-csd05.pdf)
- 87 **[TA-GUIDE]** OASIS Committee Draft 05, *Test Assertions Guidelines Version 1.0*, August 2010
88 [http://docs.oasis-open.org/tag/guidelines/v1.0/cd05/testassertionsguidelines-cd-](http://docs.oasis-open.org/tag/guidelines/v1.0/cd05/testassertionsguidelines-cd-05.pdf)
89 [05.pdf](http://docs.oasis-open.org/tag/guidelines/v1.0/cd05/testassertionsguidelines-cd-05.pdf)
- 90 **[IETFJMS]** M. Phillips, P. Adams, D. Rokicki, E. Johnson, *URI Scheme for Java™ Message Service*
91 *1.0*, <http://www.ietf.org/rfc/rfc6167.txt>, IETF RFC 6167, April 2011
- 92 **[JCA15]** J2EE Connector Architecture Specification Version 1.5
93 <http://java.sun.com/j2ee/connector/>
- 94

95 **1.5 Non-normative References**

N/A

96 2 TestCases

97 2.1 TestCases for JMS Bindings Specification Section 3

98 BJM_3001_TestCase

Testcase ID	BJM_3001_TestCase
Test Assertion	BJM-TA-30001
Description	Tests that the @uri attribute of a <binding.jms> element matches the syntax defined by the IETF URI Scheme for Java™ Message Service 1.0 [IETFJMS]
Artifacts	BJM_3001_TestCase.java Test_BJM_3001.composite TestInvocation.wsdl Service1.wsdl
Expected output	Negative test: “exception”

99 BJM_3002_1_TestCase

Testcase ID	BJM_3002_1_TestCase
Test Assertion	BJM-TA-30002
Description	Tests that when the @uri attribute is specified, the SCA runtime MUST raise an error if the referenced resources do not already exist This is the test for the destination does not exist
Artifacts	BJM_3002_1_TestCase.java Test_BJM_30002_1.composite TestInvocation.wsdl Service1.wsdl
Expected output	Negative test: “exception”

100 BJM_3002_2_TestCase

Testcase ID	BJM_3002_2_TestCase
Test Assertion	BJM-TA-30002
Description	Tests that when the @uri attribute is specified, the SCA runtime MUST raise an error if the referenced resources do not already exist This is the test for the connection factory does not exist
Artifacts	BJM_3002_2_TestCase.java

	Test_BJM_3002_2.composite TestInvocation.wsdl Service1.wsdl
Expected output	Negative test: "exception"

101 **BJM_3003_TestCase**

Testcase ID	BJM_3003_TestCase
Test Assertion	BJM-TA-30003
Description	Tests that when the @correlationScheme attribute is "sca:messageID" the SCA runtime MUST set the correlation ID of replies to the message ID of the corresponding request
Artifacts	BJM_3003_TestCase.java Test_BJM_3003.composite Service1.wsdl
Expected output	Positive test: "<?xml version='1.0' encoding='UTF-8'?><return>service1 operation1 invoked with BJM_3003 request message</return>"

102 **BJM_3004_TestCase**

Testcase ID	BJM_3004_TestCase
Test Assertion	BJM-TA-30004
Description	Tests that the correlation ID of a reply message is set to the value of the correlation ID of the corresponding request message when a request/reply operation is invoked.
Artifacts	BJM_3004_TestCase.java Test_BJM_3004.composite Service1.wsdl
Expected output	Positive test: "<?xml version='1.0' encoding='UTF-8'?><return>service1 operation1 invoked with BJM_3004 request message</return>"

103 **BJM_3005_TestCase**

Testcase ID	BJM_3005_TestCase
Test Assertion	BJM-TA-30005
Description	Tests that if the value of the @correlationScheme attribute is "sca:none" the SCA runtime MUST NOT set the correlation ID
Artifacts	BJM_3005_TestCase.java Test_BJM_3005.composite

	Service1.wsdl
Expected output	Positive test: “<?xml version="1.0" encoding="UTF-8"?><return>service1 operation1 invoked with BJM_3005 request message</return>”

104 **BJM_3007_TestCase**

Testcase ID	BJM_3007_TestCase
Test Assertion	BJM-TA-30007
Description	Tests that the correlation ID of request messages are set to a non-null value when using the sca:correlationID correlation scheme on a reference.
Artifacts	BJM_3007_TestCase.java Test_BJM_3007.composite
Expected output	Positive test: “<?xml version="1.0" encoding="UTF-8"?><return>service1 operation1 invoked with BJM_3007 request message</return>”

105 **BJM_3011A_TestCase**

Testcase ID	BJM_3011A_TestCase
Test Assertion	BJM-TA-30011
Description	Tests when the @create attribute value for a destination, connectionFactory or activationSpec element is "always" and the @jndiName attribute is present and the resource cannot be created at the location specified by the @jndiName attribute then the SCA runtime MUST raise an error This test is for the activationSpec
Artifacts	BJM_3011A_TestCase.java Test_BJM_3011A.composite Service1.wsdl
Expected output	Negative test: “exception”

106 **BJM_3011C_TestCase**

Testcase ID	BJM_3011C_TestCase
Test Assertion	BJM-TA-30011
Description	Tests when the @create attribute value for a destination, connectionFactory or activationSpec element is "always" and the @jndiName attribute is present and the resource cannot be created at the location specified by the @jndiName attribute then the SCA runtime MUST raise an error This test is for the connectionFactory
Artifacts	BJM_3011C_TestCase.java

	Test_BJM_3011C.composite Service1.wsdl
Expected output	Negative test: "exception"

107 **BJM_3011D_TestCase**

Testcase ID	BJM_3011D_TestCase
Test Assertion	BJM-TA-30011
Description	Tests when the @create attribute value for a destination, connectionFactory or activationSpec element is "always" and the @jndiName attribute is present and the resource cannot be created at the location specified by the @jndiName attribute then the SCA runtime MUST raise an error This test is for the destination
Artifacts	BJM_3011D_TestCase.java Test_BJM_3011D.composite Service1.wsdl
Expected output	Negative test: "exception"

108 **BJM_3012A_TestCase**

Testcase ID	BJM_3012A_TestCase
Test Assertion	BJM-TA-30012
Description	Tests when the @create attribute value for a destination, connectionFactory or activationSpec element is "ifNotExist" then the @jndiName attribute MUST specify the location of the possibly existing resource This test is for the activationSpec
Artifacts	BJM_3012A_TestCase.java Test_BJM_3012A.composite Service1.wsdl
Expected output	Negative test: "exception"

109 **BJM_3012C_TestCase**

Testcase ID	BJM_3012C_TestCase
Test Assertion	BJM-TA-30012
Description	Tests when the @create attribute value for a destination, connectionFactory or activationSpec element is "ifNotExist" then the @jndiName attribute MUST specify the location of the possibly existing resource This test is for the connectionFactory

Artifacts	BJM_3012C_TestCase.java Test_BJM_3012C.composite Service1.wsdl
Expected output	Negative test: "exception"

110 **BJM_3012D_TestCase**

Testcase ID	BJM_3012D_TestCase
Test Assertion	BJM-TA-30012
Description	Tests when the @create attribute value for a destination, connectionFactory or activationSpec element is "ifNotExist" then the @jndiName attribute MUST specify the location of the possibly existing resource This test is for the destination
Artifacts	BJM_3012D_TestCase.java Test_BJM_3012D.composite Service1.wsdl
Expected output	Negative test: "exception"

111 **BJM_3014A_TestCase**

Testcase ID	BJM_3014A_TestCase
Test Assertion	BJM-TA-30014
Description	Tests when the @create attribute value for a destination, connectionFactory or activationSpec element is "ifNotExist" and the @jndiName attribute refers to an existing resource that is not a JMS Destination of the appropriate type, a JMS connection factory or a JMS activation spec respectively then the SCA runtime MUST raise an error This test is for the activationSpec
Artifacts	BJM_3014A_TestCase.java Test_BJM_3014A.composite Service1.wsdl
Expected output	Negative test: "exception"

112 **BJM_3014C_TestCase**

Testcase ID	BJM_3014C_TestCase
Test Assertion	BJM-TA-30014
Description	Tests when the @create attribute value for a destination, connectionFactory or activationSpec element is "ifNotExist" and the @jndiName attribute refers to an existing

	resource that is not a JMS Destination of the appropriate type, a JMS connection factory or a JMS activation spec respectively then the SCA runtime MUST raise an error This test is for the connectionFactory
Artifacts	BJM_3014C_TestCase.java Test_BJM_3014C.composite Service1.wsdl
Expected output	Negative test: "exception"

113 **BJM_3014D_TestCase**

Testcase ID	BJM_3014D_TestCase
Test Assertion	BJM-TA-30014
Description	Tests when the @create attribute value for a destination, connectionFactory or activationSpec element is "ifNotExist" and the @jndiName attribute refers to an existing resource that is not a JMS Destination of the appropriate type, a JMS connection factory or a JMS activation spec respectively then the SCA runtime MUST raise an error This test is for the destination
Artifacts	BJM_3014D_TestCase.java Test_BJM_3014D.composite Service1.wsdl
Expected output	Negative test: "exception"

114 **BJM_3015Aa_TestCase**

Testcase ID	BJM_3015Aa_TestCase
Test Assertion	BJM-TA-30015
Description	Tests when the @create attribute value for a destination, connectionFactory or activationSpec element is "never" and the @jndiName attribute is not specified, or the resource is not present at the location identified by the @jndiName attribute, or the location refers to a resource of an incorrect type then the SCA runtime MUST raise an error This test is for activationspec and no @jndiName
Artifacts	BJM_3015Aa_TestCase.java Test_BJM_30145Aa.composite Service1.wsdl
Expected output	Negative test: "exception"

115 **BJM_3015Ab_TestCase**

Testcase ID	BJM_3015Ab_TestCase
Test Assertion	BJM-TA-30015
Description	<p>Tests when the @create attribute value for a destination, connectionFactory or activationSpec element is "never" and the @jndiName attribute is not specified, or the resource is not present at the location identified by the @jndiName attribute, or the location refers to a resource of an incorrect type then the SCA runtime MUST raise an error</p> <p>This test is for activationspec and resource not present</p>
Artifacts	<p>BJM_3015Ab_TestCase.java</p> <p>Test_BJM_30145Ab.composite</p> <p>Service1.wsdl</p>
Expected output	<p>Negative test:</p> <p>"exception"</p>

116 **BJM_3015Ac_TestCase**

Testcase ID	BJM_3015Ac_TestCase
Test Assertion	BJM-TA-30015
Description	<p>Tests when the @create attribute value for a destination, connectionFactory or activationSpec element is "never" and the @jndiName attribute is not specified, or the resource is not present at the location identified by the @jndiName attribute, or the location refers to a resource of an incorrect type then the SCA runtime MUST raise an error</p> <p>This test is for activationspec and resource wrong type</p>
Artifacts	<p>BJM_3015Ac_TestCase.java</p> <p>Test_BJM_30145Ac.composite</p> <p>Service1.wsdl</p>
Expected output	<p>Negative test:</p> <p>"exception"</p>

117 **BJM_3015Ca_TestCase**

Testcase ID	BJM_3015Ca_TestCase
Test Assertion	BJM-TA-30015
Description	<p>Tests when the @create attribute value for a destination, connectionFactory or activationSpec element is "never" and the @jndiName attribute is not specified, or the resource is not present at the location identified by the @jndiName attribute, or the location refers to a resource of an incorrect type then the SCA runtime MUST raise an error</p> <p>This test is for connectionFactory and no @jndiName</p>
Artifacts	BJM_3015Ca_TestCase.java

	Test_BJM_30145Ca.composite Service1.wsdl
Expected output	Negative test: "exception"

118 **BJM_3015Cb_TestCase**

Testcase ID	BJM_3015Cb_TestCase
Test Assertion	BJM-TA-30015
Description	Tests when the @create attribute value for a destination, connectionFactory or activationSpec element is "never" and the @jndiName attribute is not specified, or the resource is not present at the location identified by the @jndiName attribute, or the location refers to a resource of an incorrect type then the SCA runtime MUST raise an error This test is for connectionFactory and resource not present
Artifacts	BJM_3015Cb_TestCase.java Test_BJM_30145Cb.composite Service1.wsdl
Expected output	Negative test: "exception"

119 **BJM_3015Cc_TestCase**

Testcase ID	BJM_3015Cc_TestCase
Test Assertion	BJM-TA-30015
Description	Tests when the @create attribute value for a destination, connectionFactory or activationSpec element is "never" and the @jndiName attribute is not specified, or the resource is not present at the location identified by the @jndiName attribute, or the location refers to a resource of an incorrect type then the SCA runtime MUST raise an error This test is for connectionFactory and resource wrong type
Artifacts	BJM_3015Cc_TestCase.java Test_BJM_30145Cc.composite Service1.wsdl
Expected output	Negative test: "exception"

120 **BJM_3015Da_TestCase**

Testcase ID	BJM_3015Da_TestCase
Test Assertion	BJM-TA-30015
Description	Tests when the @create attribute value for a destination, connectionFactory or activationSpec element is "never" and the @jndiName attribute is not specified, or the re-

	<p>source is not present at the location identified by the @jndiName attribute, or the location refers to a resource of an incorrect type then the SCA runtime MUST raise an error</p> <p>This test is for destination and no @jndiName</p>
Artifacts	<p>BJM_3015Da_TestCase.java</p> <p>Test_BJM_30145Da.composite</p> <p>Service1.wsdl</p>
Expected output	<p>Negative test:</p> <p>“exception”</p>

121 **BJM_3015Db_TestCase**

Testcase ID	BJM_3015Db_TestCase
Test Assertion	BJM-TA-30015
Description	<p>Tests when the @create attribute value for a destination, connectionFactory or activationSpec element is "never" and the @jndiName attribute is not specified, or the resource is not present at the location identified by the @jndiName attribute, or the location refers to a resource of an incorrect type then the SCA runtime MUST raise an error</p> <p>This test is for destination and resource not present</p>
Artifacts	<p>BJM_3015Db_TestCase.java</p> <p>Test_BJM_3015Db.composite</p> <p>Service1.wsdl</p>
Expected output	<p>Negative test:</p> <p>“exception”</p>

122 **BJM_3015Dc_TestCase**

Testcase ID	BJM_3015Dc_TestCase
Test Assertion	BJM-TA-30015
Description	<p>Tests when the @create attribute value for a destination, connectionFactory or activationSpec element is "never" and the @jndiName attribute is not specified, or the resource is not present at the location identified by the @jndiName attribute, or the location refers to a resource of an incorrect type then the SCA runtime MUST raise an error</p> <p>This test is for destination and resource wrong type</p>
Artifacts	<p>BJM_3015Dc_TestCase.java</p> <p>Test_BJM_3015Dc.composite</p> <p>Service1.wsdl</p>
Expected output	<p>Negative test:</p> <p>“exception”</p>

123 **BJM_3017_TestCase**

Testcase ID	BJM_3017_TestCase
Test Assertion	BJM-TA-30017
Description	Tests that a binding.jms element MUST NOT include both a connectionFactory element and an activationSpec element
Artifacts	BJM_3017_TestCase.java Test_BJM_3017.composite Service1.wsdl
Expected output	Negative test: "exception"

124 **BJM_3018_TestCase**

Testcase ID	BJM_3018_TestCase
Test Assertion	BJM-TA-30018
Description	Tests when the connectionFactory element is present, then the destination MUST be defined either by the destination element or the @uri attribute
Artifacts	BJM_3018_TestCase.java Test_BJM_3018.composite Service1.wsdl
Expected output	Negative test: "exception"

125 **BJM_3020_TestCase**

Testcase ID	BJM_3020_TestCase
Test Assertion	BJM-TA-30020
Description	Tests that the activationSpec element MUST NOT be present when the binding is being used for an SCA reference
Artifacts	BJM_3020_TestCase.java Test_BJM_3020.composite Service1.wsdl
Expected output	Negative test: "exception"

126 **BJM_3021_TestCase**

Testcase ID	BJM_3021_TestCase
Test Assertion	BJM-TA-30021
Description	Tests that a response element MUST NOT include both a connectionFactory element and an activationSpec element

Artifacts	BJM_3021_TestCase.java Test_BJM_3021.composite Service1.wsdl
Expected output	Negative test: "exception"

127 **BJM_3023_TestCase**

Testcase ID	BJM_3023_TestCase
Test Assertion	BJM-TA-30023
Description	Tests that the response/activationSpec element MUST NOT be present when the binding is being used for an SCA service
Artifacts	BJM_3023_TestCase.java Test_BJM_3023.composite Service1.wsdl
Expected output	Negative test: "exception"

128 **BJM_3024_1_TestCase**

Testcase ID	BJM_3024_1_TestCase
Test Assertion	BJM-TA-30024
Description	<p>Tests when sending messages for a JMS binding, the SCA runtime MUST set each of the JMSType, JMSDeliveryMode, JMSTimeToLive and JMSPriority headers to values specified in the binding definition in the following priority order:</p> <ol style="list-style-type: none"> 1) the value for the header specified in the @uri attribute (highest priority); 2) the value for the header specified in the operationProperties/headers element matching the operation being invoked; 3) the value for the header specified in the headers element; 4) the default value for the header as specified by the definition of the binding.jms/headers element (lowest priority) <p>This is the URI case</p>
Artifacts	BJM_3024_1_TestCase.java Test_BJM_3024_1.composite Service1.wsdl
Expected output	<p>Positive test:</p> <pre>"<?xml version="1.0" encoding="UTF-8"?><arg0>service1 operation1 invoked with BJM_3024 request message</arg0>"</pre>

BJM_3024_2_TestCase

Testcase ID	BJM_3024_2_TestCase
Test Assertion	BJM-TA-30024
Description	<p>Tests when sending messages for a JMS binding, the SCA runtime MUST set each of the JMSType, JMSDeliveryMode, JMSTimeToLive and JMSPriority headers to values specified in the binding definition in the following priority order:</p> <ol style="list-style-type: none"> 1) the value for the header specified in the @uri attribute (highest priority); 2) the value for the header specified in the operationProperties/headers element matching the operation being invoked; 3) the value for the header specified in the headers element; 4) the default value for the header as specified by the definition of the binding.jms/headers element (lowest priority) <p>This is the operationProperties case</p>
Artifacts	<p>BJM_3024_2_TestCase.java</p> <p>Test_BJM_3024_2.composite</p> <p>Service1.wsdl</p>
Expected output	<p>Positive test:</p> <pre><?xml version="1.0" encoding="UTF-8"?><arg0>service1 operation1 invoked with BJM_3024 request message</arg0></pre>

BJM_3024_3_TestCase

Testcase ID	BJM_3024_3_TestCase
Test Assertion	BJM-TA-30024
Description	<p>Tests when sending messages for a JMS binding, the SCA runtime MUST set each of the JMSType, JMSDeliveryMode, JMSTimeToLive and JMSPriority headers to values specified in the binding definition in the following priority order:</p> <ol style="list-style-type: none"> 1) the value for the header specified in the @uri attribute (highest priority); 2) the value for the header specified in the operationProperties/headers element matching the operation being invoked; 3) the value for the header specified in the headers element; 4) the default value for the header as specified by the definition of the binding.jms/headers element (lowest priority) <p>This is the header case</p>
Artifacts	<p>BJM_3024_3_TestCase.java</p> <p>Test_BJM_3024_3.composite</p> <p>Service1.wsdl</p>
Expected output	<p>Positive test:</p> <pre><?xml version="1.0" encoding="UTF-8"?><arg0>service1 operation1 invoked with BJM_3024 request message</arg0></pre>

131 **BJM_3024_4_TestCase**

Testcase ID	BJM_3024_4_TestCase
Test Assertion	BJM-TA-30024
Description	<p>Tests when sending messages for a JMS binding, the SCA runtime MUST set each of the JMSType, JMSDeliveryMode, JMSTimeToLive and JMSPriority headers to values specified in the binding definition in the following priority order:</p> <ol style="list-style-type: none"> 1) the value for the header specified in the @uri attribute (highest priority); 2) the value for the header specified in the operationProperties/headers element matching the operation being invoked; 3) the value for the header specified in the headers element; 4) the default value for the header as specified by the definition of the binding.jms/headers element (lowest priority) <p>This is the default case</p>
Artifacts	<p>BJM_3024_4_TestCase.java</p> <p>Test_BJM_3024_4.composite</p> <p>Service1.wsdl</p>
Expected output	<p>Positive test:</p> <pre><?xml version="1.0" encoding="UTF-8"?><arg0>service1 operation1 invoked with BJM_3024 request message</arg0></pre>

132 **BJM_3025_1_TestCase**

Testcase ID	BJM_3025_1_TestCase
Test Assertion	BJM-TA-30025
Description	<p>Tests when sending messages for a JMS binding, the SCA runtime MUST set each named user property with type and value specified in the binding definition in the following priority order:</p> <ol style="list-style-type: none"> 1) the type and value for the named user property specified in an operationProperties/headers/property element matching the name of the operation being invoked (highest priority); 2) the type and value for the named user property specified in a headers/property element (lowest priority) <p>This is the operationProperties case</p>
Artifacts	<p>BJM_3025_1_TestCase.java</p> <p>Test_BJM_3025_1.composite</p> <p>Service1.wsdl</p>
Expected output	<p>Positive test:</p> <pre><?xml version="1.0" encoding="UTF-8"?><arg0>service1 operation1 invoked with BJM_3025 request message</arg0></pre>

133

BJM_3025_2_TestCase

Testcase ID	BJM_3025_2_TestCase
Test Assertion	BJM-TA-30025
Description	<p>Tests when sending messages for a JMS binding, the SCA runtime MUST set each named user property with type and value specified in the binding definition in the following priority order:</p> <ol style="list-style-type: none"> 1) the type and value for the named user property specified in an operationProperties/headers/property element matching the name of the operation being invoked (highest priority); 2) the type and value for the named user property specified in a headers/property element (lowest priority) <p>This is the headers case</p>
Artifacts	BJM_3025_2_TestCase.java Test_BJM_3025_2.composite Service1.wsdl
Expected output	Positive test: <pre><?xml version="1.0" encoding="UTF-8"?><arg0>service1 operation1 invoked with BJM_3025 request message</arg0></pre>

134

BJM_3026_1_TestCase

Testcase ID	BJM_3026_1_TestCase
Test Assertion	BJM-TA-30026
Description	<p>Tests when receiving messages for a JMS binding, the SCA runtime MUST use a message selector if specified in the binding definition in the following priority order:</p> <ol style="list-style-type: none"> 1) the value for the message selector specified in the @uri attribute value's "selector" parameter (highest priority); 2) the value for the message selector specified in the messageSelection/@selector attribute; 3) otherwise no message selector is used (lowest priority) <p>This is the @uri case</p>
Artifacts	BJM_3026_1_TestCase.java Test_BJM_3026_1.composite Service1.wsdl
Expected output	Positive test: <pre><?xml version="1.0" encoding="UTF-8"?><return>service1 operation1 invoked with BJM_3026 type1 message</return></pre>

135

BJM_3026_2_TestCase

Testcase ID	BJM_3026_2_TestCase
Test Assertion	BJM-TA-30026

Description	<p>Tests when receiving messages for a JMS binding, the SCA runtime MUST use a message selector if specified in the binding definition in the following priority order:</p> <ol style="list-style-type: none"> 1) the value for the message selector specified in the @uri attribute value's "selector" parameter (highest priority); 2) the value for the message selector specified in the messageSelection/@selector attribute; 3) otherwise no message selector is used (lowest priority) <p>This is the messageSelection case</p>
Artifacts	<p>BJM_3026_2_TestCase.java</p> <p>Test_BJM_3026_2.composite</p> <p>Service1.wsdl</p>
Expected output	<p>Positive test:</p> <pre><?xml version="1.0" encoding="UTF-8"?><return>service1 operation1 invoked with BJM_3026 type1 message</return></pre>

136 **BJM_3026_3_TestCase**

Testcase ID	BJM_3026_3_TestCase
Test Assertion	BJM-TA-30026
Description	<p>Tests when receiving messages for a JMS binding, the SCA runtime MUST use a message selector if specified in the binding definition in the following priority order:</p> <ol style="list-style-type: none"> 1) the value for the message selector specified in the @uri attribute value's "selector" parameter (highest priority); 2) the value for the message selector specified in the messageSelection/@selector attribute; 3) otherwise no message selector is used (lowest priority) <p>This is the default case</p>
Artifacts	<p>BJM_3026_3_TestCase.java</p> <p>Test_BJM_3026_3.composite</p> <p>Service1.wsdl</p>
Expected output	<p>Positive test:</p> <pre><?xml version="1.0" encoding="UTF-8"?><return>service1 operation1 invoked with BJM_3026 request message</return></pre>

137 **BJM_3029_TestCase**

Testcase ID	BJM_3029_TestCase
Test Assertion	BJM-TA-30029
Description	<p>Tests that the value of the operationProperties/@selectedOperation attribute MUST be unique across the containing binding.jms element</p>

Artifacts	BJM_3029_TestCase.java Test_BJM_3029.composite Service1.wsdl
Expected output	Negative test: "exception"

138 **BJM_3031_TestCase**

Testcase ID	BJM_3031_TestCase
Test Assertion	BJM-TA-30031
Description	Tests that the resourceAdapter element MUST be present when JMS resources are to be created for a JMS provider that implements the JCA 1.5 Specification [JCA15] specification, and is ignored otherwise
Artifacts	BJM_3031_TestCase.java Test_BJM_3031.composite Service1.wsdl
Expected output	Positive test: "<?xml version='1.0' encoding='UTF-8'?'><return>service1 operation1 invoked with BJM_3031 request message</return>"

139 **BJM_3034_TestCase**

Testcase ID	BJM_3034_TestCase
Test Assertion	BJM-TA-30034
Description	Tests when the @uri attribute is specified, the destination element MUST NOT be present
Artifacts	BJM_3034_TestCase.java Test_BJM_3034.composite Service1.wsdl
Expected output	Negative test: "exception"

140 **BJM_3036_TestCase**

Testcase ID	BJM_3036_TestCase
Test Assertion	BJM-TA-30036
Description	Tests that the binding.jms element MUST conform to the XML schema defined in sca-bindingjms-1.1.xsd
Artifacts	BJM_3036_TestCase.java Test_BJM_3036.composite Service1.wsdl

Expected output	Negative test: "exception"
-----------------	-------------------------------

141 2.2 TestCases for JMS Bindings Specification Section 4

142 BJM_4001_TestCase

Testcase ID	BJM_4001_TestCase
Test Assertion	BJM-TA-40001
Description	Tests The SCA runtime MUST support the default JMS wire format and operation selector behavior
Artifacts	BJM_4001_TestCase.java Test_BJM_4001.composite Service1.wsdl
Expected output	Positive test: "<?xml version='1.0' encoding='UTF-8'?><return>service1 operation1 invoked with BJM_4001 request message</return>"

143 BJM_4002_1_TestCase

Testcase ID	BJM_4002_1_TestCase
Test Assertion	BJM-TA-40002
Description	Tests if operationSelector.jmsDefault is used if no operationSelector element is specified This tests if there is only one operation on the service's interface, then that operation is the selected operation name
Artifacts	BJM_4002_TestCase.java Test_BJM_4002.composite TestComposite21.composite Service1.wsdl
Expected output	Positive test: "<?xml version='1.0' encoding='UTF-8'?><return>service1 operation1 invoked with BJM_4002_1 request message</return>"

144 BJM_4002_2_TestCase

Testcase ID	BJM_4002_2_TestCase
Test Assertion	BJM-TA-40002
Description	Tests if operationSelector.jmsDefault is used if no operationSelector element is specified This tests when more than one operation in the interface; the JMS user property "scaOperationName" is present and the value of that user property is used as the selected operation name

Artifacts	BJM_4002_2_TestCase.java Test_BJM_4002.composite TestComposite21.composite Service2.wsdl
Expected output	Positive test: “<?xml version="1.0" encoding="UTF-8"?><return>service2 operation2 invoked with BJM_4002_2 request message</return>”

145 **BJM_4002_3_TestCase**

Testcase ID	BJM_4002_3_TestCase
Test Assertion	BJM-TA-40002
Description	Tests if operationSelector.jmsDefault is used if no operationSelector element is specified This tests when more than one operation in the interface; no scaOperationName user property; the message is a JMS text or bytes message containing XML, and the selected operation name is the local name of the root element of the XML payload.
Artifacts	BJM_4002_3_TestCase.java Test_BJM_4002.composite TestComposite21.composite Service2.wsdl
Expected output	Positive test: “<?xml version="1.0" encoding="UTF-8"?><return>service2 operation2 invoked with BJM_4002 request message</return>”

146 **BJM_4002_4_TestCase**

Testcase ID	BJM_4002_4_TestCase
Test Assertion	BJM-TA-40002
Description	Tests if operationSelector.jmsDefault is used if no operationSelector element is specified This tests when more than one operation in the interface; no scaOperationName user property; no top-level XML element in the message body matching an operation name; the selected operation name is "onMessage”
Artifacts	BJM_4002_4_TestCase.java Test_BJM_4002.composite TestComposite21.composite Service5.wsdl
Expected output	Positive test: “<?xml version="1.0" encoding="UTF-8"?><return>service5 onMessage invoked

	with BJM_4002_4 request message</return>
--	--

147 **BJM_4003_TestCase**

Testcase ID	BJM_4003_TestCase
Test Assertion	BJM-TA-40003
Description	Tests when using the default wire format to send request messages, if there is a single parameter and the interface includes more than one operation, the SCA runtime MUST set the JMS user property "scaOperationName" to the name of the operation being invoked
Artifacts	BJM_4003_TestCase.java Test_BJM_4003.composite
Expected output	Positive test: “<?xml version="1.0" encoding="UTF-8"?><return>Service2Impl2.operation1 service1 operation1 invoked with BJM_4003 request message</return>”

148 **BJM_4004_TestCase**

Testcase ID	BJM_4004_TestCase
Test Assertion	BJM-TA-40004
Description	Tests if no wireFormat element is specified in a JMS binding then SCA runtimes MUST use wireFormat.jmsDefault as the default
Artifacts	BJM_4004_TestCase.java Test_BJM_4004.composite TestComposite1.composite Service1.wsdl
Expected output	Negative test: “exception”

149 **BJM_4004_2_TestCase**

Testcase ID	BJM_4004_2_TestCase
Test Assertion	BJM-TA-40004
Description	Tests if no wireFormat element is specified in a JMS binding then SCA runtimes MUST use wireFormat.jmsDefault as the default
Artifacts	BJM_4004_2_TestCase.java Test_BJM_4004.composite TestComposite1.composite Service1.wsdl
Expected output	Positive test: “<?xml version="1.0" encoding="UTF-8"?><return>service1 operation1 invoked with BJM_4004 request message</return>”

150 **BJM_4005T_TestCase**

Testcase ID	BJM_4005T_TestCase
Test Assertion	BJM-TA-40005
Description	Tests When using the default wire format an SCA runtime MUST be able to receive both JMS text and bytes messages This is the Text message test
Artifacts	BJM_4005T_TestCase.java Test_BJM_4005.composite TestComposite1.composite Service1.wsdl
Expected output	Positive test: “<?xml version="1.0" encoding="UTF-8"?><return>service1 operation1 invoked with BJM_4005 request message</return>”

151 **BJM_4005B_TestCase**

Testcase ID	BJM_4005B_TestCase
Test Assertion	BJM-TA-40005
Description	Tests When using the default wire format an SCA runtime MUST be able to receive both JMS text and bytes messages This is the Bytes message test
Artifacts	BJM_4005B_TestCase.java Test_BJM_4005.composite TestComposite1.composite Service1.wsdl
Expected output	Positive test: “<?xml version="1.0" encoding="UTF-8"?><return>service1 operation1 invoked with BJM_4005 request message</return>”

152 **BJM_4006_TestCase**

Testcase ID	BJM_4006_TestCase
Test Assertion	BJM-TA-40006
Description	Tests when using the default wire format an SCA runtime MUST send either a JMS text or a JMS bytes message
Artifacts	BJM_4006_TestCase.java Test_BJM_4006.composite TestComposite34.composite Service3.wsdl
Expected output	Positive test:

	“Reply message is BytesMessage or TextMessage”
--	--

153 **BJM_4008_TestCase**

Testcase ID	BJM_4008_TestCase
Test Assertion	BJM-TA-40008
Description	Tests when a binding.jms element specifies the operationSelector.jmsDefault element, the SCA runtime MUST use the default operation selection algorithm to determine the selected operation
Artifacts	BJM_4008_TestCase.java Test_BJM_4008.composite TestComposite21.composite Service2.wsdl
Expected output	Positive test: “<?xml version="1.0" encoding="UTF-8"?><return>service2 operation2 invoked with BJM_4008 request message</return>”

154 **BJM_4009_TestCase**

Testcase ID	BJM_4009_TestCase
Test Assertion	BJM-TA-40009
Description	Tests when a binding.jms element specifies the wireFormat.jmsDefault element, the SCA runtime MUST use the default wire format
Artifacts	BJM_4009_TestCase.java Test_BJM_4009.composite TestComposite1.composite Service1.wsdl
Expected output	Positive test: “<?xml version="1.0" encoding="UTF-8"?><return>service1 operation1 invoked with BJM_4009 request message</return>”

155 **BJM_4010_TestCase**

Testcase ID	BJM_4010_TestCase
Test Assertion	BJM-TA-40010
Description	Tests when a message is received at an SCA service with JMS binding and the resolved operation name is in the target component's interface, the SCA runtime MUST invoke the target component using the resolved operation name
Artifacts	BJM_4010_TestCase.java Test_BJM_4010.composite TestComposite21.composite

	Service2.wsdl
Expected output	Positive test: “<?xml version="1.0" encoding="UTF-8"?><return>service2 operation2 invoked with BJM_4010 request message</return>”

156 **BJM_4011_TestCase**

Testcase ID	BJM_4011_TestCase
Test Assertion	BJM-TA-40011
Description	Tests when a message is received at an SCA service with JMS binding and the resolved operation name is not in the target component's interface the SCA runtime MUST raise an error
Artifacts	BJM_4011_TestCase.java Test_BJM_4011.composite TestComposite21.composite Service2.wsdl
Expected output	Negative test: “exception”

157 **2.3 TestCases for JMS Bindings Specification Section 5**

158 **BJM_5001_TestCase**

Testcase ID	BJM_5001_TestCase
Test Assertion	BJM-TA-50001
Description	Tests that the JMS binding implementations MUST support the JMS intent
Artifacts	BJM_5001_TestCase.java Test_BJM_5001.composite TestComposite1.composite Service1.wsdl
Expected output	Positive test: “<?xml version="1.0" encoding="UTF-8"?><return>service1 operation1 invoked with BJM_5001 request message</return>”

159 **BJM_6002_TestCase**

Testcase ID	BJM_6002_TestCase
Test Assertion	BJM-TA-60002
Description	Tests that for an SCA service with a JMS binding and unidirectional interface, when a request message is received as part of a one-way MEP, the SCA runtime MUST ignore the JMSReplyTo destination header in the JMS message, and not raise an error

Artifacts	BJM_6002_TestCase.java Test_BJM_6002.composite TestComposite34.composite Service3.wsdl
Expected output	Positive test: “<?xml version="1.0" encoding="UTF-8"?><arg0>service3 operation1 invoked with BJM_6002 request message</arg0>”

160 2.4 TestCases for JMS Bindings Specification Section 6

161 BJM_6003_1_TestCase

Testcase ID	BJM_6003_1_TestCase
Test Assertion	BJM-TA-60003
Description	Tests that for an SCA reference with a JMS binding that has a destination specified via the response element, the SCA runtime MUST receive response messages as defined by the binding's @correlationScheme attribute. This is the test for the messageID correlation scheme
Artifacts	BJM_6003_1_TestCase.java Test_BJM_6003.composite Service1.wsdl TestComposite1.composite TestInvocation.wsdl
Expected output	Positive test: “<?xml version="1.0" encoding="UTF-8"?><return>service1 operation1 invoked service1 operation1 invoked with BJM_6003_1 request message</return>”

162 BJM_6003_2_TestCase

Testcase ID	BJM_6003_2_TestCase
Test Assertion	BJM-TA-60003
Description	Tests that for an SCA reference with a JMS binding that has a destination specified via the response element, the SCA runtime MUST receive response messages as defined by the binding's @correlationScheme attribute. This is the test for the correlationID correlation scheme
Artifacts	BJM_6003_2_TestCase.java Test_BJM_6003.composite Service1.wsdl TestComposite1.composite TestInvocation.wsdl

Expected output	Positive test: <pre><?xml version="1.0" encoding="UTF-8"?><return>service1 operation1 invoked service1 operation1 invoked with BJM_6003_2 request message</return></pre>
-----------------	---

163 **BJM_6003_3_TestCase**

Testcase ID	BJM_6003_3_TestCase
Test Assertion	BJM-TA-60003
Description	Tests that for an SCA reference with a JMS binding that has a destination specified via the response element, the SCA runtime MUST receive response messages as defined by the binding's @correlationScheme attribute. This is the test for the none correlation scheme
Artifacts	BJM_6003_3_TestCase.java Test_BJM_6003.composite Service1.wsdl TestComposite1.composite TestInvocation.wsdl
Expected output	Positive test: <pre><?xml version="1.0" encoding="UTF-8"?><return>service1 operation1 invoked service1 operation1 invoked with BJM_6003_3 request message</return></pre>

164 **BJM_6004_TestCase**

Testcase ID	BJM_6004_TestCase
Test Assertion	BJM-TA-60004
Description	Tests that for an SCA reference with a JMS binding, when a request message is sent as part of a request/response MEP, and the JMS binding has a response element with a destination defined, then the SCA runtime MUST use that destination for the JMSReplyTo header in the JMS message it creates for the request
Artifacts	BJM_6004_TestCase.java Test_BJM_6004.composite
Expected output	Positive test: <p>“JMSReplyTo is as expected”</p>

165 **BJM_6005_TestCase**

Testcase ID	BJM_6005_TestCase
Test Assertion	BJM-TA-60005
Description	Tests that for an SCA reference with a JMS binding, when a request message is sent as part of a request/response MEP, and the JMS binding does not have a response element with a destination defined, the SCA runtime MUST provide an appropriate destination on which to receive response messages and use that destination for the JMSReplyTo header in the JMS message it creates for the request

Artifacts	BJM_6005_TestCase.java Test_BJM_6005.composite
Expected output	Positive test: "JMSReplyTo is set"

166 **BJM_6007_TestCase**

Testcase ID	BJM_6007_TestCase
Test Assertion	BJM-TA-60007
Description	Tests that for an SCA service with a JMS binding, when a response message is sent as part of a request/response MEP where the request message included a non-null JMSReplyTo destination, the SCA runtime MUST send the response message to that destination
Artifacts	BJM_6007_TestCase.java Test_BJM_6007.composite Service1.wsdl TestComposite1.composite
Expected output	Positive test: "<?xml version='1.0' encoding='UTF-8'?'><return>service1 operation1 invoked with BJM_6007 request message</return>"

167 **BJM_6007_2_TestCase**

Testcase ID	BJM_6007_2_TestCase
Test Assertion	BJM-TA-60007
Description	Tests that for an SCA service with a JMS binding, when a response message is sent as part of a request/response MEP where the request message included a non-null JMSReplyTo destination, the SCA runtime MUST send the response message to that destination This is the case where the service binding includes a response destination, which should be ignored as the JMSReplyTo should be used.
Artifacts	BJM_6007_2_TestCase.java Test_BJM_6007.composite Service1.wsdl TestComposite1.composite
Expected output	Positive test: "<?xml version='1.0' encoding='UTF-8'?'><return>service1 operation1 invoked with BJM_6007 request message</return>"

168 **BJM_6008_TestCase**

Testcase ID	BJM_6008_TestCase
Test Assertion	BJM-TA-60008

Description	Tests that for an SCA service with a JMS binding, when a response message is sent as part of a request/response MEP where the request message included a null JMS-ReplyTo destination and the JMS binding includes a response/destination element the SCA runtime MUST send the response message to that destination
Artifacts	BJM_6008_TestCase.java Test_BJM_6008.composite TestComposite1.composite Service1.wsdl
Expected output	Positive test: “<?xml version="1.0" encoding="UTF-8"?><return>service1 operation1 invoked with BJM_6008 request message</return>”

169 **BJM_6011_TestCase**

Testcase ID	BJM_6011_TestCase
Test Assertion	BJM-TA-60011
Description	Tests that for an SCA reference with a JMS binding and a bidirectional interface, when a request message is sent as part of a request/response MEP the SCA runtime MUST set the scaCallbackDestination user property in the message it creates to a JMS URI string, in the format defined by the IETF URI Scheme for Java Message Service 1.0 [IETFJMS] , that identifies the destination to which callback messages are to be sent
Artifacts	BJM_6011_TestCase.java Test_BJM_6011.composite Service3Impl3.java
Expected output	Positive test: “scaCallbackDestination property is a jms URI”

170 **BJM_6012_TestCase**

Testcase ID	BJM_6012_TestCase
Test Assertion	BJM-TA-60012
Description	Tests that for an SCA reference with a JMS binding and bidirectional interface, when a request message is sent as part of a one-way MEP the SCA runtime MUST set the destination to which callback messages are to be sent as the JMSReplyTo destination in the message it creates
Artifacts	BJM_6012_TestCase.java Test_BJM_6012.composite Service3Impl4.java
Expected output	Positive test: “JMSReplyTo is set”

171 **BJM_6013_TestCase**

Testcase ID	BJM_6013_TestCase
Test Assertion	BJM-TA-60013
Description	Tests that for an SCA reference with a JMS binding and bidirectional interface, when a request message is sent as part of a request/response MEP, the SCA runtime MUST set the JMSReplyTo header in the message it creates as described in section 6.2
Artifacts	BJM_6013_TestCase.java Test_BJM_6013.composite Service3Impl3.java
Expected output	Positive test: "JMSReplyTo header is set"

172 **BJM_6013_2_TestCase**

Testcase ID	BJM_6013_2_TestCase
Test Assertion	BJM-TA-60013
Description	Tests that for an SCA reference with a JMS binding and bidirectional interface, when a request message is sent as part of a request/response MEP, the SCA runtime MUST set the JMSReplyTo header in the message it creates as described in section 6.2
Artifacts	BJM_6013_2_TestCase.java Test_BJM_6013_2.composite Service3Impl3.java
Expected output	Positive test: "JMSReplyTo header is set as expected"

173 **BJM_6014_1_1_TestCase**

Testcase ID	BJM_6014_1_1_TestCase
Test Assertion	BJM-TA-60014
Description	Tests that for an SCA reference with a JMS binding and bidirectional interface, the SCA runtime MUST identify the callback destination from the reference's callback service binding if present, or supply a suitable callback destination if not present This is the test for the destination defined on the callback binding using a uri attribute
Artifacts	BJM_6014_1_1_TestCase.java Test_BJM_6014_1_1.composite Service3Impl3.java
Expected output	Positive test: "scaCallbackDestination property is a jms URI"

174 **BJM_6014_1_2_TestCase**

Testcase ID	BJM_6014_1_2_TestCase
Test Assertion	BJM-TA-60014
Description	<p>Tests that for an SCA reference with a JMS binding and bidirectional interface, the SCA runtime MUST identify the callback destination from the reference's callback service binding if present, or supply a suitable callback destination if not present</p> <p>This is the case where the callback destination is specified on the binding by a destination element</p>
Artifacts	BJM_6014_1_2_TestCase.java Test_BJM_6014_1_2.composite Service3Impl3.java
Expected output	Positive test: "scaCallbackDestination property is a jms URI"

175 **BJM_6014_2_TestCase**

Testcase ID	BJM_6014_2_TestCase
Test Assertion	BJM-TA-60014
Description	<p>Tests that for an SCA reference with a JMS binding and bidirectional interface, the SCA runtime MUST identify the callback destination from the reference's callback service binding if present, or supply a suitable callback destination if not present</p> <p>This is the test for the destination defined on the callback binding using a <destination> element</p>
Artifacts	BJM_6014_2_TestCase.java Test_BJM_6014_2.composite Service3Impl3.java
Expected output	Positive test: "scaCallbackDestination property is a jms URI"

176 **BJM_6015_1_TestCase**

Testcase ID	BJM_6015_1_TestCase
Test Assertion	BJM-TA-60015
Description	<p>For an SCA service with a JMS binding, when a callback request message is sent for either a one-way or request/response MEP, the SCA runtime MUST send the callback request message to the callback destination.</p> <p>This is test for the service callback binding identifying the callback destination</p>
Artifacts	BJM_6015_1_TestCase.java Test_BJM_6015.composite Service4Impl1.java
Expected output	Positive test:

	"<?xml version="1.0" encoding="UTF-8"?><arg0>onewayOperation1 callback request</arg0>"
--	--

177 **BJM_6015_2_TestCase**

Testcase ID	BJM_6015_2_TestCase
Test Assertion	BJM-TA-60015
Description	For an SCA service with a JMS binding, when a callback request message is sent for either a one-way or request/response MEP, the SCA runtime MUST send the callback request message to the callback destination. This is test for the scaCallbackDestination property identifying the callback destination
Artifacts	BJM_6015_2_TestCase.java Test_BJM_6015.composite Service4Impl1.java
Expected output	Positive test: "<?xml version="1.0" encoding="UTF-8"?><arg0>onewayOperation1 callback request</arg0>"

178 **BJM_6015_3_TestCase**

Testcase ID	BJM_6015_3_TestCase
Test Assertion	BJM-TA-60015
Description	For an SCA service with a JMS binding, when a callback request message is sent for either a one-way or request/response MEP, the SCA runtime MUST send the callback request message to the callback destination. This is test for the JMS replyTo property identifying the callback destination
Artifacts	BJM_6015_3_TestCase.java Test_BJM_6015.composite Service4Impl1.java
Expected output	Positive test: "<?xml version="1.0" encoding="UTF-8"?><arg0>onewayOperation1 callback request</arg0>"

179 **BJM_6016_TestCase**

Testcase ID	BJM_6016_TestCase
Test Assertion	BJM-TA-60016
Description	Tests that for an SCA service with a JMS binding, when a callback request message is sent and no callback destination can be identified then the SCA runtime MUST raise an error and throw an exception to the caller of the callback operation.
Artifacts	BJM_6016_TestCase.java Test_BJM_6016.composite

	Service4Impl1.java
Expected output	Negative test: "exception"

180 **BJM_6017_1_TestCase**

Testcase ID	BJM_6017_1_TestCase
Test Assertion	BJM-TA-60017
Description	<p>Tests that for an SCA service with a JMS binding, when a callback request message is sent the SCA runtime MUST set the JMSReplyTo destination in the callback request message as defined in sections 6.1 or 6.2 as appropriate for the type of the callback operation invoked.</p> <p>This is the section 6.2 request-response callback case so a replyTo should be set.</p>
Artifacts	BJM_6017_1_TestCase.java Test_BJM_6017.composite Service4Impl2.java
Expected output	Positive test: "<?xml version='1.0' encoding='UTF-8'><arg0>onewayOperation1 callback request</arg0>"

181 **BJM_6017_2_TestCase**

Testcase ID	BJM_6017_2_TestCase
Test Assertion	BJM-TA-60017
Description	<p>Tests that for an SCA service with a JMS binding, when a callback request message is sent the SCA runtime MUST set the JMSReplyTo destination in the callback request message as defined in sections 6.1 or 6.2 as appropriate for the type of the callback operation invoked.</p> <p>This is the section 6.1 oneway callback case so no replyTo should be set.</p>
Artifacts	BJM_6017_2_TestCase.java Test_BJM_6017.composite Service4Impl2.java
Expected output	Positive test: "<?xml version='1.0' encoding='UTF-8'><arg0>operation1 callback request</arg0>"

182

183 **3 Catalog of Test Artifacts**

184 **3.1 Composite Files - lower level**

Name	Valid	Description
TestClient_0001.composite	Y	<i>Test client invocation composite</i> 1 service TestInvocation interface TestInvocation 1 reference reference1 (1..1) interface Service1
TestComposite1.composite	Y	1 service Service1 interface Service1 0 references Service1Impl
TestComposite21.composite	Y	1 service Service2 interface Service2 0 references Service2Impl
TestComposite34.composite	Y	1 service Service3 interface Service3 1 reference Reference3 interface Service3 Service3Impl
TestComposite4.composite	Y	1 service Service1 interface Service1 0 references Service1Impl2

185 **3.2 Java Interfaces**

Name	Description
Service1.java	Remotable interface with 1 operation "operation1", string input and output
Service2.java	Remotable interface with 2 operations "operation1", string input and output "operation2", string input and output
Service3.java	Remotable interface with 1 oneway operation "operation1", string input
Service4.java	Remotable interface with call back Service4Call-

	back, with 2 operations “operation1”, string input and output “onewayOperation1”, string input
Service5.java	Remotable interface with 2 operations “onMessage”, string input and output “dummy”, string input and output
Service4Callback.java	Remotable interface with 2 operations “callbackMessage”, string input “callbackWithReply”, string input and output
TestInvocation.java	Remotable interface with 1 operation “invokeTest”, string input, string output

186 3.3 Java Implementation Classes

Name	Description
Service1Impl.java	1 service “Service1”, 1 property “serviceName”
Service1Impl2.java	1 service “Service1”, 1 property “serviceName”, 1 reference “reference1”
Service2Impl.java	1 service “Service2”, 1 property “serviceName”
Service2Impl2.java	1 service “Service2”, 1 references “reference1”
Service3Impl2.java	1 service “Service3”, 1 property “serviceName”, 1 reference “reference3”
Service3Impl3.java	1 service “Service3”, 1 property “serviceName”, 1 reference “reference4”
Service3Impl4.java	1 service “Service3”, 1 property “serviceName”, 1 reference “reference4”
Service4Impl1.java	1 service “Service4”
Service4Impl2.java	1 service “Service4”
Service5Impl.java	1 service “Service5”, 1 property “serviceName”
BJM_0001_Client.java	1 service “TestInvocation”, 1 property “testName”, 1 reference “reference1”

187 3.4 WSDL Interface Files

Name	Description
------	-------------

Service1.wsdl	Service1 interface 1 operation "operation1", string input and output
Service2.wsdl	Service2 interface 2 operations "operation1", string input and output "operation2", string input and output
Service3.wsdl	Service3 interface 1 operation "operation1", string input and no output
Service5.wsdl	Service5 interface 2 operations "onMessage", string input and output "dummy", string input and output
TestInvocation.wsdl	TestInvocation interface supplied by SCA component to allow client application to invoke test artifacts 1 operation: - "invokeTest" string input, string output

188 **4 Conformance**

189 The artifacts contained in the sca-jmsbinding-1.1-testcases.zip file are considered to be authoritative and
190 take precedence over the artifacts described in this document.

191 An implementation that claims to conform to this specification **MUST** be able to run all test cases in Sec-
192 tion 2 TestCases, producing the 'Expected Output'.

193 Appendix A. Test Assertions for the JMS Binding

194 This section defines the Test Assertions for the SCA JMS Binding specification, following the format
195 defined in the OASIS Test Assertion Guidelines specification [TA-GUIDE].

196 A.1. Example Test Assertion

197 Test assertions are presented in a tabular format with rows corresponding to the entry types defined in
198 the OASIS Test Assertions Guidelines

Assertion ID	BJM-TA-nnnnn
	[BJMnnnnn]
Target	<xyuvbghs/> element of composite file
Prerequisites	The [<xyuvbghs/> element] has a @foobar attribute
Predicate	The @foobar attribute of [the <xyuvbghs/> element] is a URI that refer- ences a foobar element in the SCA Domain-
Prescription Level	Mandatory
Tags	foobar references

199 **Assertion ID:** Is a unique ID for the test assertion. Its format starts with a 3 letter string that identifies the
200 specification to which it relates - "BJM" for the SCA JMS Binding specification. This is followed by "-TA-"
201 to indicate that this identifier is for a test assertion. This is then followed by a unique 5 digit number

202 **Source:** Is the identifier(s) of the normative statement(s) in the specification to which this assertion
203 relates.

204 **Target:** Identifies the target which is addressed by this assertion. This is typically some SCA document
205 element, but possibly could identify an SCA runtime and its behaviour.

206 **Prerequisites:** Defines any prerequisites for this test assertion. The prerequisites can be defined in
207 terms of one or more other test assertions that have to be true.

208 **Predicate:** The meat of the assertion - something that evaluates to true or false for the given target.

209 **Prescription Level:** Mandatory (for "MUST" requirements) or Preferred (for "SHOULD" requirements) or
210 Permitted (for "MAY" requirements).

211 **Tags:** Zero or more labels to be attached to this test assertion - these tags can be used to group sets of
212 assertions.

213 A.2. Test Assertions for JMS Bindings Specification Section 3

Assertion ID	BJM-TA-30001
Source	[BJM30001]
Target	The @uri attribute of a <binding.jms> element
Prerequisites	
Predicate	The @uri attribute matches the syntax defined in [IETFJMS]
Prescription Level	Mandatory

Tags	uri
------	-----

214

Assertion ID	BJM-TA-30002
Source	[BJM30002]
Target	The @uri attribute of a <binding.jms> element
Prerequisites	One or more of the JNDI resources identified by the destination and jndiConnectionFactoryName in the @uri attribute does not exist
Predicate	SCA runtime raises an error
Prescription Level	Mandatory
Tags	uri, jndi

215

Assertion ID	BJM-TA-30003
Source	[BJM30003]
Target	The @correlationScheme attribute of a <binding.jms> element
Prerequisites	1) <binding.jms> element child of a <service> element has the @correlationScheme attribute set to "sca:messageID" 2) the <service> element has an interface that includes at least one request/reply operation
Predicate	The correlation ID of a reply message is set to the value of the message ID of the corresponding request message when a request/reply operation is invoked
Prescription Level	Mandatory
Tags	request/reply, correlation, service

216

Assertion ID	BJM-TA-30004
Source	[BJM30004]
Target	The @correlationScheme attribute of a <binding.jms> element
Prerequisites	1) <binding.jms> element child of a <service> element has the @correlationScheme attribute set to "sca:correlationID" 2) the <service> element has an interface that includes at least one request/reply operation
Predicate	The correlation ID of a reply message is set to the value of the correlation ID of the corresponding request message when a request/reply operation is invoked
Prescription Level	Mandatory
Tags	request/reply, correlation, service

217

Assertion ID	BJM-TA-30005
Source	[BJM30005]
Target	The @correlationScheme attribute of a <binding.jms> element
Prerequisites	1) <binding.jms> element child of a <service> element has the @correlationScheme attribute set to "sca:none" 2) the <service> element has an interface that includes at least one request/reply operation
Predicate	The correlation ID of a reply message is unset when a request/reply operation is invoked
Prescription Level	Mandatory
Tags	request/reply, correlation, service

218

Assertion ID	BJM-TA-30007
Source	[BJM30007]
Target	The @correlationScheme attribute of a <binding.jms> element child of a <reference> element
Prerequisites	1) <binding.jms> element child of a <reference> element has the @correlationScheme attribute set to "sca:correlationID"
Predicate	The correlation ID of request messages is set to a non-null value.
Prescription Level	Mandatory
Tags	correlation, reference

219

Assertion ID	BJM-TA-30010
Source	[BJM30010]
Target	SCA Runtime
Prerequisites	1) interface with at least one request/reply operation 2) <service> with a child <binding.jms> element JMS client application invokes request/reply operation
Predicate	One and only one response is received by the JMS client application
Prescription Level	Mandatory
Tags	request/reply, service
Comment	This is untestable as there is no defined timescale over which the second response could appear

220

Assertion ID	BJM-TA-30011
--------------	--------------

Source	[BJM30011]
Target	@create attribute of a <destination>, <connectionFactory> or <activationSpec> element
Prerequisites	1) @create attribute value is "always" 2) @jndiName attribute specified 3) Resource of the required type cannot be created at the JNDI location
Predicate	SCA runtime raises an error
Prescription Level	Mandatory
Tags	jndi, connectionFactory, activationSpec, destination

221

Assertion ID	BJM-TA-30012
Source	[BJM30012]
Target	@create attribute of a <destination>, <connectionFactory> or <activationSpec> element
Prerequisites	@create attribute value is "ifNotExist"
Predicate	The @jndiName attribute specifies the location of the resource
Prescription Level	Mandatory
Tags	jndi, connectionFactory, activationSpec, destination

222

Assertion ID	BJM-TA-30013
Source	[BJM30013]
Target	@create attribute of a <destination>, <connectionFactory> or <activationSpec> element
Prerequisites	1) @create attribute value is "ifNotExist" 2) @jndiName attribute specified 3) resource does not exist at given JNDI location, and cannot be created there
Predicate	SCA runtime raises an error
Prescription Level	Mandatory
Tags	jndi, connectionFactory, activationSpec, destination
Comment	Untestable as no portable way to simulate an internal failure to create JMS resources

223

Assertion ID	BJM-TA-30014
Source	[BJM30014]
Target	@jndiName attribute of a <destination>, <connectionFactory> or <activationSpec> ele-

	ment
Prerequisites	1) @create attribute value is "ifNotExist" 2) The @jndiName attribute refers to an existing resource 3) The existing resource is not of the correct type
Predicate	SCA runtime raises an error
Prescription Level	Mandatory
Tags	jndi, connectionFactory, activationSpec, destination

224

Assertion ID	BJM-TA-30015
Source	[BJM30015]
Target	@create attribute of a <destination>, <connectionFactory> or <activationSpec> element
Prerequisites	1) @create attribute value is "never" 2a) @jndiName not specified, or 2b) @jndiName specified but refers to a non-existent resource, or 2c) @jndiName specified but refers to a resource of an incorrect type
Predicate	SCA runtime raises an error
Prescription Level	Mandatory
Tags	jndi, connectionFactory, activationSpec, destination

225

Assertion ID	BJM-TA-30017
Source	[BJM30017]
Target	<binding.jms> element
Prerequisites	
Predicate	The <binding.jms> element does not have both a <connectionFactory> and <activationSpec> child element
Prescription Level	Mandatory
Tags	connectionFactory, activationSpec

226

Assertion ID	BJM-TA-30018
Source	[BJM30018]
Target	<connectionFactory> element child of <binding.jms> element
Prerequisites	<binding.jms> element with a <connectionFactory> child

Predicate	The destination is defined either by the <destination> element child of the <binding.jms> element or by the @uri attribute of the <binding.jms> element
Prescription Level	Mandatory
Tags	connectionFactory, destination

227

Assertion ID	BJM-TA-30019
Source	[BJM30019]
Target	<activationSpec> element child of <binding.jms> element
Prerequisites	1) <binding.jms> element with an <activationSpec> child 2) destination is defined either by the <destination> element or by the @uri attribute of the <binding.jms> element
Predicate	The destination defined by the <destination> element or @uri attribute refers to the same JMS destination as the <activationSpec>
Prescription Level	Mandatory
Tags	activationSpec, destination
Comment	Untestable as no portable way to check the configuration of an activation spec.

228

Assertion ID	BJM-TA-30020
Source	[BJM30020]
Target	<binding.jms> element
Prerequisites	<binding.jms> element child of a <reference> element
Predicate	The <binding.jms> element does not have an <activationSpec> child
Prescription Level	Mandatory
Tags	reference, activationSpec

229

Assertion ID	BJM-TA-30021
Source	[BJM30021]
Target	<response> element
Prerequisites	<binding.jms> element with <response> child element
Predicate	The <response> element does not include both a <connectionFactory> and <activationSpec> child
Prescription Level	Mandatory
Tags	response, connectionFactory, activationSpec

230

Assertion ID	BJM-TA-30022
Source	[BJM30022]
Target	<response> element
Prerequisites	<response> element with both <destination> and <activationSpec> child elements
Predicate	The <destination> and <activationSpec> elements refer to the same destination
Prescription Level	Mandatory
Tags	response, activationSpec, destination
Comment	Untestable as no portable way to check the configuration of an activation spec.

231

Assertion ID	BJM-TA-30023
Source	[BJM30023]
Target	<response> element
Prerequisites	<service> element with <binding.jms> element child with <response> element child
Predicate	The <response> element does not have an <activationSpec> child element
Prescription Level	Mandatory
Tags	response, activationSpec, service

232

Assertion ID	BJM-TA-30024-1
Source	[BJM30024]
Target	SCA runtime
Prerequisites	@uri attribute including parameters specifying values for type, deliveryMode, timeToLive and priority
Predicate	JMS messages sent have JMSType, JMSDeliveryMode, JMSTimeToLive and JMSPriority headers set as specified by the @uri element
Prescription Level	Mandatory
Tags	uri, headers

233

Assertion ID	BJM-TA-30024-2
Source	[BJM30024]
Target	SCA runtime
Prerequisites	1) operationProperties/headers element corresponding to the operation being invoked with values specified for one or more of @type, @deliveryMode, @timeToLive and @priority

	2) @uri attribute not present or not including parameters specifying values for those headers
Predicate	JMS messages sent have JMSType, JMSDeliveryMode, JMSTimeToLive and JMSPriority headers set as specified by the operationProperties/headers element for the operation being invoked
Prescription Level	Mandatory
Tags	uri, headers, operationProperties
Comment	Priority 2 case for BJM30024

234

Assertion ID	BJM-TA-30024-3
Source	[BJM30024]
Target	SCA runtime
Prerequisites	<p>1) headers element with values specified for one or more of @type, @deliveryMode, @timeToLive and @priority</p> <p>2) No operationProperties/headers element corresponding to the operation being invoked, or the operationProperties/headers element that does correspond to the operation being invoked does not have values specified those headers</p> <p>3) @uri attribute not present, or not including parameters specifying values for those headers</p>
Predicate	JMS messages sent have JMSType, JMSDeliveryMode, JMSTimeToLive and JMSPriority headers set as specified by the headers element
Prescription Level	Mandatory
Tags	uri, headers, operationProperties
Comment	Priority 3 case for BJM30024

235

Assertion ID	BJM-TA-30024-4
Source	[BJM30024]
Target	SCA runtime
Prerequisites	<p>1) no headers element, or headers element no values specified for one or more of @type, @deliveryMode, @timeToLive and @priority</p> <p>2) No operationProperties/headers element corresponding to the operation being invoked, or the operationProperties/headers element that does correspond to the operation being invoked does not have values specified those headers</p> <p>3) @uri attribute not present, or not including parameters specifying values for those headers</p>
Predicate	JMS messages sent have JMSDeliveryMode, JMSTimeToLive and JMSPriority headers set to default values of "persistent", 0, and 4 respectively

Prescription Level	Mandatory
Tags	uri, headers, operationProperties
Comment	Priority 4 case for BJM30024; note that there is no defined default for the type parameter.

236

Assertion ID	BJM-TA-30025-1
Source	[BJM30025]
Target	SCA runtime
Prerequisites	operationProperties element corresponding to the operation being invoked with one or more headers/property children
Predicate	JMS messages sent include a user property for each operationProperties/headers/property element, with the given name, type and value
Prescription Level	Mandatory
Tags	headers, operationProperties

237

Assertion ID	BJM-TA-30025-2
Source	[BJM30025]
Target	SCA runtime
Prerequisites	headers element with one or more headers/property children No operationProperties element corresponding to the operation being invoked, or an operationProperties element corresponding to the operation being invoked with no headers/property children with the same names as those in the headers element
Predicate	JMS messages sent include a user property for each headers/property element, with the given name, type and value
Prescription Level	Mandatory
Tags	headers, operationProperties
Comment	Priority 2 case for BJM30025

238

Assertion ID	BJM-TA-30026-1
Source	[BJM30026]
Target	SCA runtime
Prerequisites	@uri attribute including selector parameter
Predicate	Only messages received by the binding matching the selector specified in the @uri attribute are delivered to the component

Prescription Level	Mandatory
Tags	uri, selector

239

Assertion ID	BJM-TA-30026-2
Source	[BJM30026]
Target	SCA runtime
Prerequisites	1) messageSelection/@selector attribute present 2) @uri attribute not present, or not including selector parameter
Predicate	Only messages received by the binding matching the selector specified in the messageSelection/@selector attribute are delivered to the component
Prescription Level	Mandatory
Tags	uri, selector
Comment	Priority 2 case for BJM30026

240

Assertion ID	BJM-TA-30026-3
Source	[BJM30026]
Target	SCA runtime
Prerequisites	1) messageSelection/@selector attribute not present 2) @uri attribute not present, or not including selector parameter
Predicate	All messages received by the binding are delivered to the component
Prescription Level	Mandatory
Tags	uri, selector
Comment	Priority 3 case for BJM30026

241

Assertion ID	BJM-TA-30029
Source	[BJM30029]
Target	@selectedOperation attribute
Prerequisites	Multiple operationProperties/@selectedOperation attributes in the same binding.jms element
Predicate	All @selectedOperation attributes of operationProperties elements have different values
Prescription Level	Mandatory
Tags	selectedOperation, operationProperties

242

Assertion ID	BJM-TA-30031
Source	[BJM30031]
Target	<resourceAdapter> element
Prerequisites	JMS provider for the resources referenced by the JMS binding is implemented using JCA 1.5 [JCA15] Destination, connectionFactory or activationSpec element with @create attribute value of “always” or “ifNotExist”.
Predicate	The <resourceAdapter> element is present
Prescription Level	Mandatory
Tags	resource adapter, destination, connectionFactory, activationSpec

243

Assertion ID	BJM-TA-30034
Source	[BJM30034]
Target	<binding.jms> element
Prerequisites	<binding.jms> element with @uri attribute
Predicate	The <binding.jms> element has no <destination> child element
Prescription Level	Mandatory
Tags	uri, destination

244

Assertion ID	BJM-TA-30036
Source	[BJM30036]
Target	<binding.jms> element
Prerequisites	
Predicate	The <binding.jms> element conforms to the XML schema
Prescription Level	Mandatory
Tags	
Comment	The binding.jms element MUST conform to the XML schema defined in sca-binding-jms-1.1.xsd

245

Assertion ID	BJM-TA-30037
Source	[BJM30037]
Target	@create attribute of a <destination>, <connectionFactory> or <activationSpec> element

Prerequisites	1) @create attribute value is "always" 2) @jndiName attribute not specified 3) Resource of the required type cannot be created
Predicate	SCA runtime raises an error
Prescription Level	Mandatory
Tags	jndi, connectionFactory, activationSpec, destination
Comment	Untestable as no portable way to simulate an internal failure to create JMS resources

246 **A.3. Test Assertions for JMS Bindings Specification Section 4**

Assertion ID	BJM-TA-40001
Source	[BJM40001]
Target	SCA runtime
Prerequisites	<binding.jms> element with either no <wireFormat> child or a <wireFormat.jmsDefault> child, and either no <operationSelector> child or a <operationSelector.jmsDefault> child.
Predicate	Messages sent by the service or reference adhere to the default wire format and operation selector behaviour, and messages received by the service or reference that follow this behaviour are correctly processed.
Prescription Level	Mandatory
Tags	wireFormat, operationSelector, default

247

Assertion ID	BJM-TA-40002
Source	[BJM40002]
Target	SCA runtime
Prerequisites	<binding.jms> element with no <operationSelector> child
Predicate	The SCA runtime behaves as if <operationSelector.jmsDefault> was specified on the binding
Prescription Level	Mandatory
Tags	operationSelector default

248

Assertion ID	BJM-TA-40003
Source	[BJM40003]
Target	SCA runtime
Prerequisites	<service> element with: <binding.jms> element with either no <wireFormat> child or <wireFormat.jmsDefault>

	<p><interface> element that identifies an interface with more than one operation, and at least one operation with a single parameter</p> <p>An invocation from a component connected to the service of one of the operations with a single parameter</p>
Predicate	The JMS message sent from the service has the JMS user property "scaOperation-Name" set to the name of the operation being invoked
Prescription Level	Mandatory
Tags	wireFormat, operation name

249

Assertion ID	BJM-TA-40004
Source	[BJM40004]
Target	SCA runtime
Prerequisites	<binding.jms> element with no <wireFormat> child
Predicate	The SCA runtime behaves as if <operationSelector.jmsDefault> was specified on the binding
Prescription Level	Mandatory
Tags	wireFormat, default

250

Assertion ID	BJM-TA-40005
Source	[BJM40005]
Target	SCA runtime
Prerequisites	A <service> or <reference> element with a <binding.jms> element with either no <wireFormat> child or a <wireFormat.jmsDefault> child
Predicate	Response messages sent to the reference and request messages sent to the service are accepted using either JMS text or JMS bytes format
Prescription Level	Mandatory
Tags	wireFormat, default

251

Assertion ID	BJM-TA-40006
Source	[BJM40006]
Target	SCA runtime
Prerequisites	A <service> or <reference> element with a <binding.jms> element with either no <wireFormat> child or a <wireFormat.jmsDefault> child
Predicate	Response messages sent by the service and request messages sent by the reference are either JMS text or JMS bytes
Prescription	Mandatory

Level	
Tags	wireFormat, default

252

Assertion ID	BJM-TA-40008
Source	[BJM40008]
Target	SCA runtime
Prerequisites	<service> element with <binding.jms> child with either no <operationSelector> child or a <operationSelector.jmsDefault> child
Predicate	The resolved operation name is identified using the JMS default operation selector algorithm
Prescription Level	Mandatory
Tags	operationSelector, default

253

Assertion ID	BJM-TA-40009
Source	[BJM40009]
Target	SCA runtime
Prerequisites	<service> or <reference> with <binding.jms> child with <wireFormat.jmsDefault> child
Predicate	Messages sent by the service or reference adhere to the default wire format behaviour, and messages received by the service or reference that follow this behaviour are correctly processed.
Prescription Level	Mandatory
Tags	wireFormat, default

254

Assertion ID	BJM-TA-40010
Source	[BJM40010]
Target	SCA runtime
Prerequisites	<service> element with <binding.jms> child Resolved operation name in the target component's interface
Predicate	The target component's operation corresponding to the resolved operation name is invoked
Prescription Level	Mandatory
Tags	resolved operation, operationSelector

255

Assertion ID	BJM-TA-40011
--------------	--------------

Source	[BJM40011]
Target	SCA runtime
Prerequisites	<service> element with <binding.jms> child Resolved operation name not in the target component's interface
Predicate	An error is raised by the SCA runtime
Prescription Level	Mandatory
Tags	resolved operation, operationSelector

256 **A.4. Test Assertions for JMS Bindings Specification Section 5**

Assertion ID	BJM-TA-50001
Source	[BJM50001]
Target	SCA runtime
Prerequisites	SCA service or reference element with requires="JMS" and binding.jms child.
Predicate	The SCA runtime does not report this as an error
Prescription Level	Mandatory
Tags	JMS intent

257

Assertion ID	BJM-TA-50002
Source	[BJM50002]
Target	JMS <bindingType> element
Prerequisites	<bindingType> element for the JMS binding
Predicate	The <bindingType> element includes the JMS intent in the @alwaysProvides attribute
Prescription Level	Mandatory
Tags	JMS intent
Comment	Untestable as no way to examine the content of the JMS binding type

258 **A.5. Test Assertions for JMS Bindings Specification Section 6**

Assertion ID	BJM-TA-60002
Source	[BJM60002]
Target	SCA runtime
Prerequisites	<service> element with <binding.jms> child Request message corresponding to a one-way operation in the service's interface sent to the service's JMS binding with a non-null JMSReplyTo
Predicate	No error is raised

Prescription Level	Mandatory
Tags	JMSReplyTo unidirectional service one-way

259

Assertion ID	BJM-TA-60003
Source	[BJM60003]
Target	SCA runtime
Prerequisites	<reference> element with <binding.jms> child with <response> child with <destination> child element.
Predicate	Responses are received according to the value of the @correlationScheme attribute
Prescription Level	Mandatory
Tags	reference request/response correlation

260

Assertion ID	BJM-TA-60004
Source	[BJM60004]
Target	SCA runtime
Prerequisites	<reference> element with <binding.jms> child with <response> child with <destination> child Request/response operation invoked using the JMS reference binding
Predicate	Request messages sent by the JMS reference binding have the JMSReplyTo set to the destination specified in the <destination> element
Prescription Level	Mandatory
Tags	JMSReplyTo reference destination request/response

261

Assertion ID	BJM-TA-60005
Source	[BJM60005]
Target	SCA runtime
Prerequisites	<reference> element with <binding.jms> child with either no <response> child, or a <response> child with no <destination> child. Request/response operation invoked using the JMS reference binding
Predicate	Request messages sent by the JMS reference binding have the JMSReplyTo set to a non-null destination
Prescription Level	Mandatory
Tags	JMSReplyTo reference destination request/response

262

Assertion ID	BJM-TA-60006
Source	[BJM60006]
Target	SCA runtime
Prerequisites	<reference> element with <binding.jms> child, with either no <response> child, or a <response> child with no <destination> child element.
Predicate	Responses are received either on unique destinations, or according to the value of the @correlationScheme attribute
Prescription Level	Mandatory
Tags	Reference request/response destination correlation
Comment	Untestable as no way to check the way that the runtime implementation behaves

263

Assertion ID	BJM-TA-60007
Source	[BJM60007]
Target	SCA runtime
Prerequisites	<service> element with <binding.jms> child Request message received as part of a request/response MEP with non-null JMS-ReplyTo destination
Predicate	Response message is sent by the service JMS binding to the JMSReplyTo destination
Prescription Level	Mandatory
Tags	JMSReplyTo service response destination

264

Assertion ID	BJM-TA-60008
Source	[BJM60008]
Target	SCA runtime
Prerequisites	<service> element with <binding.jms> child with <response> child with <destination> child Request message received as part of a request/response MEP with null JMSReplyTo destination
Predicate	Response message is sent by the service JMS binding to the binding's response destination
Prescription Level	Mandatory
Tags	JMSReplyTo service response destination

265

Assertion ID	BJM-TA-60009
Source	[BJM60009]

Target	SCA runtime
Prerequisites	<service> element with <binding.jms> child with either no <response> child, or a <response> child with no <destination> child Request message received as part of a request/response MEP with null JMSReplyTo destination
Predicate	The request is not processed and an error is raised
Prescription Level	Mandatory
Tags	JMSReplyTo service response destination
Comment	Not tested

266

Assertion ID	BJM-TA-60010
Source	[BJM60010]
Target	SCA runtime
Prerequisites	<service> element with <binding.jms> child Request message is received by the service JMS binding as part of a request/response MEP
Predicate	Response message sent by the service JMS binding with the correlation identifier set as defined by the @correlationScheme attribute
Prescription Level	Mandatory
Tags	Service response correlation
Comment	No test case as implementation-specific values cannot be tested. The cases for the defined correlationScheme values sca:messageID, sca:correlationID and sca:none are tested by BJM-TA-30003, BJM-TA-30004 and BJM-TA-30005.

267

Assertion ID	BJM-TA-60011
Source	[BJM60011]
Target	SCA runtime
Prerequisites	<reference> with <binding.jms> child and bidirectional interface
Predicate	Request messages sent by the reference JMS binding for request/response interactions include the scaCallbackDestination user property whose value is a JMS URI string, in the format defined by the IETF URI Scheme for Java™ Message Service 1.0 [IETFJMS] , that identifies the destination to which callback messages are to be sent
Prescription Level	Mandatory
Tags	Reference bidirectional callback destination

268

Assertion ID	BJM-TA-60012
--------------	--------------

Source	[BJM60012]
Target	SCA runtime
Prerequisites	<reference> element with <binding.jms> child and bidirectional interface, one-way operation invoked
Predicate	JMSReplyTo set to the destination for callback messages
Prescription Level	Mandatory
Tags	

269

Assertion ID	BJM-TA-60013
Source	[BJM60013]
Target	SCA runtime
Prerequisites	<reference> element with <binding.jms> child and bidirectional interface Request message sent as part of a request/response MEP
Predicate	Request messages sent by the reference JMS binding have the JMSReplyTo header set as in section 6.2
Prescription Level	Mandatory
Tags	Reference bidirectional JMSReplyTo
Comment	Already tested by BJM60004 and BJM60005

270

Assertion ID	BJM-TA-60014-1
Source	[BJM60014]
Target	SCA runtime
Prerequisites	<reference> with: <ul style="list-style-type: none"> • <binding.jms> child • bidirectional interface callback destination identified via callback service JMS binding
Predicate	Request messages sent by the reference JMS binding include the scaCallbackDestination user property set to the specified callback destination
Prescription Level	Mandatory
Tags	Reference bidirectional callback destination

271

Assertion ID	BJM-TA-60014-2
Source	[BJM60014]

Target	SCA runtime
Prerequisites	<reference> with: <ul style="list-style-type: none"> • <binding.jms> child • bidirectional interface no callback destination specified via callback service JMS binding
Predicate	Request messages sent by the reference JMS binding include the scaCallbackDestination user property set to a specified callback destination provided by the SCA runtime
Prescription Level	Mandatory
Tags	Reference bidirectional callback destination

272

Assertion ID	BJM-TA-60015
Source	[BJM60015]
Target	SCA runtime
Prerequisites	<service> element with <binding.jms> child Callback destination identified as follows, in order of priority: <ul style="list-style-type: none"> • The scaCallbackDestination identified by an earlier request, if not null; • the JMSReplyTo destination identified by an earlier one-way request, if not null; • the request destination of the service's callback reference JMS binding, if specified
Predicate	Request messages sent by the service's callback JMS reference are sent to the callback destination
Prescription Level	Mandatory
Tags	Service callback destination

273

Assertion ID	BJM-TA-60016
Source	[BJM60016]
Target	SCA runtime
Prerequisites	<service> element with <binding.jms> child <ul style="list-style-type: none"> • No scaCallbackDestination identified by an earlier request No JMSReplyTo destination identified by an earlier one-way request No request destination specified by the service's callback reference JMS binding
Predicate	When a callback request is made an exception is thrown
Prescription Level	Mandatory

274

Tags	JMSReplyTo service callback destination
------	---

Assertion ID	BJM-TA-60017
Source	[BJM60017]
Target	SCA runtime
Prerequisites	<service> element with <binding.jms> child
Predicate	Callback request messages have the JMSReplyTo set as defined in section 6.1 or 6.2 as appropriate
Prescription Level	Mandatory
Tags	JMSReplyTo service callback destination

275

Assertion ID	BJM-TA-60018
Source	[BJM60018]
Target	<binding.jms> element
Prerequisites	<service> or <reference> with <binding.jms> child, bidirectional interface and callback <binding.jms>
Predicate	Behaviour as defined in section 6.4 and its subsections is observed
Prescription Level	Mandatory
Tags	
Comment	Tested by the test cases defined for statements in section 6.4.

276

Appendix B. Cross Mapping of Normative Statements to Test Assertions

277

278 This section contains a list of normative statements in the SCA JMS Binding specification and the corresponding Test Assertions.
279

Normative Statement ID	Test Assertion
BJM30001	BJM-TA-30001
BJM30002	BJM-TA-30002
BJM30003	BJM-TA-30003
BJM30004	BJM-TA-30004
BJM30005	BJM-TA-30005
BJM30007	BJM-TA-30007
BJM30010	BJM-TA-30010
BJM30011	BJM-TA-30011
BJM30012	BJM-TA-30012
BJM30013	BJM-TA-30013
BJM30014	BJM-TA-30014
BJM30015	BJM-TA-30015
BJM30017	BJM-TA-30017
BJM30018	BJM-TA-30018
BJM30019	BJM-TA-30019
BJM30020	BJM-TA-30020
BJM30021	BJM-TA-30021
BJM30022	BJM-TA-30022
BJM30023	BJM-TA-30023
BJM30024	BJM-TA-30024-1, BJM-TA-30024-2, BJM-TA-30024-3, BJM-TA-30024-4
BJM30025	BJM-TA-30025-1, BJM-TA-30025-2
BJM30026	BJM-TA-30026-1, BJM-TA-30026-2, BJM-TA-30026-3
BJM30029	BJM-TA-30029
BJM30031	BJM-TA-30031
BJM30034	BJM-TA-30034
BJM30036	BJM-TA-30036
BJM30037	BJM-TA-30037
BJM40001	BJM-TA-40001
BJM40002	BJM-TA-40002

BJM40003	BJM-TA-40003
BJM40004	BJM-TA-40004
BJM40005	BJM-TA-40005
BJM40006	BJM-TA-40006
BJM40008	BJM-TA-40008
BJM40009	BJM-TA-40009
BJM40010	BJM-TA-40010
BJM40011	BJM-TA-40011
BJM50001	BJM-TA-50001
BJM50002	BJM-TA-50002
BJM60002	BJM-TA-60002
BJM60003	BJM-TA-60003
BJM60004	BJM-TA-60004
BJM60005	BJM-TA-60005
BJM60006	BJM-TA-60006
BJM60007	BJM-TA-60007
BJM60008	BJM-TA-60008
BJM60009	BJM-TA-60009
BJM60010	BJM-TA-60010
BJM60011	BJM-TA-60011
BJM60012	BJM-TA-60012
BJM60013	BJM-TA-60013
BJM60014	BJM-TA-60014-1, BJM-TA-60014-2
BJM60015	BJM-TA-60015
BJM60016	BJM-TA-60016
BJM60017	BJM-TA-60017
BJM60018	BJM-TA-60018

280

Appendix C. Cross Mapping of Test Assertions to TestCases

281

282

This section contains a list of Test Assertions and the corresponding TestCases.

Test Assertion	Test Cases
BJM-TA-30001	BJM_3001_TestCase
BJM-TA-30002	BJM_3002_1_TestCase,BJM_3002_2_TestCase
BJM-TA-30003	BJM_3003_TestCase
BJM-TA-30004	BJM_3004_TestCase
BJM-TA-30005	BJM_3005_TestCase
BJM-TA-30007	BJM_3007_TestCase
BJM-TA-30010	Untestable
BJM-TA-30011	BJM_3011A_TestCase,BJM_3011C_TestCase, BJM_3011D_TestCase
BJM-TA-30012	BJM_3012A_TestCase,BJM_3012C_TestCase, BJM_3012D_TestCase
BJM-TA-30013	Not tested
BJM-TA-30014	BJM_3014A_TestCase,BJM_3014C_TestCase, BJM_3014D_TestCase
BJM-TA-30015	BJM_3015Aa_TestCase, BJM_3015Ab_TestCase, BJM_3015Ac_TestCase, BJM_3015Ca_TestCase, BJM_3015Cb_TestCase, BJM_3015Cc_TestCase, BJM_3015Da_TestCase, BJM_3015Db_TestCase, BJM_3015Dc_TestCase
BJM-TA-30017	BJM_3017_TestCase
BJM-TA-30018	BJM_3018_TestCase
BJM-TA-30019	Not tested
BJM-TA-30020	BJM_3020_TestCase
BJM-TA-30021	BJM_3021_TestCase
BJM-TA-30022	Not tested
BJM-TA-30023	BJM_3023_TestCase
BJM-TA-30024-1	BJM_3024_1_TestCase
BJM-TA-30024-2	BJM_3024_2_TestCase
BJM-TA-30024-3	BJM_3024_3_TestCase
BJM-TA-30024-4	BJM_3024_4_TestCase
BJM-TA-30025-1	BJM_3025_1_TestCase
BJM-TA-30025-2	BJM_3025_2_TestCase

BJM-TA-30026-1	BJM_3026_1_TestCase
BJM-TA-30026-2	BJM_3026_2_TestCase
BJM-TA-30026-3	BJM_3026_3_TestCase
BJM-TA-30029	BJM_3029_TestCase
BJM-TA-30031	BJM_3031_TestCase
BJM-TA-30034	BJM_3034_TestCase
BJM-TA-30036	BJM_3036_TestCase
BJM-TA-30037	Not tested

283

Test Assertion	Test Cases
BJM-TA-40001	BJM_4001_TestCase
BJM-TA-40002	BJM_4002_1_TestCase, BJM_4002_2_TestCase, BJM_4002_3_TestCase, BJM_4002_4_TestCase
BJM-TA-40003	BJM_4003_TestCase
BJM-TA-40004	BJM_4004_TestCase, BJM_4004_2_TestCase
BJM-TA-40005	BJM_4005B_TestCase, BJM_4005T_TestCase
BJM-TA-40006	BJM_4006_TestCase
BJM-TA-40008	BJM_4008_TestCase
BJM-TA-40009	BJM_4009_TestCase
BJM-TA-40010	BJM_4010_TestCase
BJM-TA-40011	BJM_4011_TestCase

284

285

Test Assertion	Test Cases
BJM-TA-50001	BJM_5001_TestCase
BJM-TA-50002	Not tested

286

287

Test Assertion	Test Cases
BJM-TA-60002	BJM_6002_TestCase
BJM-TA-60003	BJM_6003_1_TestCase, BJM_6003_2_TestCase, BJM_6003_3_TestCase
BJM-TA-60004	BJM_6004_TestCase
BJM-TA-60005	BJM_6005_TestCase
BJM-TA-60006	Not tested

BJM-TA-60007	BJM_6007_TestCase, BJM_6007_2_TestCase
BJM-TA-60008	BJM_6008_TestCase
BJM-TA-60009	Not tested
BJM-TA-60010	Not tested
BJM-TA-60011	BJM_6011_TestCase
BJM-TA-60012	BJM_6012_TestCase
BJM-TA-60013	BJM_6013_TestCase, BJM_6013_2_TestCase
BJM-TA-60014-1	BJM_6014_1_1_TestCase, BJM_6014_1_2_Test- Case
BJM-TA-60014-2	BJM_6014_2_TestCase
BJM-TA-60015	BJM_6015_1_TestCase, BJM_6015_2_TestCase, BJM_6015_3_TestCase
BJM-TA-60016	BJM_6016_TestCase
BJM-TA-60017	BJM_6017_1_TestCase, BJM_6017_2_TestCase
BJM-TA-60018	Not tested

288 **Appendix D. Acknowledgments**

289 The following individuals have participated in the creation of this specification and are gratefully acknow-
290 ledged

Participants:

Participant Name	Affiliation
Bryan Aupperle	IBM
Ron Barack	SAP AG
Michael Beisiegel	IBM
Henning Blohm	SAP AG
David Booz	IBM
Martin Chapman	Oracle Corporation
Jean-Sebastien Delfino	IBM
Laurent Domenech	TIBCO Software Inc.
Jacques Durand	Fujitsu Limited
Mike Edwards	IBM
Ant Elder	IBM
Billy Feng	Primeton Technologies, Inc.
Nimish Hathalia	TIBCO Software Inc.
Simon Holdsworth	IBM
Eric Johnson	TIBCO Software Inc.
Uday Joshi	Oracle Corporation
Khanderao Kand	Oracle Corporation
Anish Karmarkar	Oracle Corporation
Nickolaos Kavantzas	Oracle Corporation
Mark Little	Red Hat
Ashok Malhotra	Oracle Corporation
Jim Marino	Individual
Jeff Mischkinsky	Oracle Corporation
Dale Moberg	Axway Software
Simon Nash	Individual
Sanjay Patil	SAP AG
Plamen Pavlov	SAP AG
Peter Peshev	SAP AG
Piotr Przybylski	IBM
Luciano Resende	IBM
Tom Rutt	Fujitsu Limited
Vladimir Savchenko	SAP AG
Scott Vorthmann	TIBCO Software Inc.
Tim Watson	Oracle Corporation
Owen Williams	Avaya, Inc.
Prasad Yendluri	Software AG, Inc.

291

292

Appendix E. Revision History

293

Revision	Date	Editor	Changes Made
wd01	2010-04-15	Simon Holdsworth	Initial draft
wd02	2010-09-16	Ant Elder	Initial tests for wd06 test assertions doc
wd03	2010-10-07	Ant Elder	Review updates and wd07 test assertions doc
wd04	2010-10-21	Ant Elder	More review updates
wd05	2010-10-27	Ant Elder	Added BJM_3007 and further review updates
wd06	2010-10-29	Simon Holdsworth	Updated references, other editorial updates
wd07	2010-11-11	Ant Elder	Updated some expect messages texts
csd01-rev1	2011-03-28	Simon Holdsworth	Updated with resolutions to issues BINDINGS-143, BINDINGS-147, BINDINGS-150
csd01-rev2	2011-03-28	Simon Holdsworth	Renamed to remove -1.0 from file name
csd01-rev3	2011-05-25	Simon Holdsworth	Updated with resolutions to issues: BINDINGS-154, BINDINGS-155, BINDINGS-156, BINDINGS-157, BINDINGS-158, BINDINGS-159
csd01-rev4	2011-05-26	Simon Holdsworth	Added comments to explain untested assertions
csd01-rev5	2011-07-04	Simon Holdsworth	Updated with resolution to issue BINDINGS-169

294