



# OASIS ebXML RegRep Version 4.0

## Part 0: Overview Document

OASIS Standard

25 January 2012

### Specification URIs

#### This version:

<http://docs.oasis-open.org/regrep/regrep-core/v4.0/os/regrep-core-overview-v4.0-os.odt>  
(Authoritative)  
<http://docs.oasis-open.org/regrep/regrep-core/v4.0/os/regrep-core-overview-v4.0-os.html>  
<http://docs.oasis-open.org/regrep/regrep-core/v4.0/os/regrep-core-overview-v4.0-os.pdf>

#### Previous version:

<http://docs.oasis-open.org/regrep/regrep-core/v4.0/csd01/regrep-core-overview-v4.0-csd01.odt>  
(Authoritative)  
<http://docs.oasis-open.org/regrep/regrep-core/v4.0/csd01/regrep-core-overview-v4.0-csd01.html>  
<http://docs.oasis-open.org/regrep/regrep-core/v4.0/csd01/regrep-core-overview-v4.0-csd01.pdf>

#### Latest version:

<http://docs.oasis-open.org/regrep/regrep-core/v4.0/regrep-core-overview-v4.0.odt> (Authoritative)  
<http://docs.oasis-open.org/regrep/regrep-core/v4.0/regrep-core-overview-v4.0.html>  
<http://docs.oasis-open.org/regrep/regrep-core/v4.0/regrep-core-overview-v4.0.pdf>

#### Technical Committee:

OASIS ebXML Registry TC

#### Chairs:

Kathryn Breininger ([Kathryn.r.Breininger@boeing.com](mailto:Kathryn.r.Breininger@boeing.com)), Boeing  
Farrukh Najmi ([farrukh@wellfleetsoftware.com](mailto:farrukh@wellfleetsoftware.com)), Wellfleet Software

#### Editors:

Farrukh Najmi, ([farrukh@wellfleetsoftware.com](mailto:farrukh@wellfleetsoftware.com)), Wellfleet Software  
Nikola Stojanovic ([nikola.stojanovic@acm.org](mailto:nikola.stojanovic@acm.org)), Individual

#### Additional artifacts:

This specification consists of the following documents, schemas, and ontologies:

- [Part 0: Overview Document](#) (this document) - provides a global overview and description of the other parts
- [Part 1: Registry Information Model \(ebRIM\)](#) - specifies the types of metadata and content that can be stored in an ebXML RegRep
- [Part 2: Services and Protocols \(ebRS\)](#) - specifies the services and protocols for ebXML RegRep
- [Part 3: XML Schema](#) - specifies the XML Schema for ebXML RegRep
- [Part 4: WSDL](#) - specifies the WSDL interface descriptions for ebXML RegRep
- [Part 5: XML Definitions](#) - specifies the canonical XML data for ebXML RegRep as well as example XML documents used in the specification

#### Related work:

This specification replaces or supersedes the [OASIS ebXML RegRep 3.0 specifications](#).

### Declared XML namespaces:

urn:oasis:names:tc:ebxml-regrep:xsd:lcm:4.0  
urn:oasis:names:tc:ebxml-regrep:xsd:query:4.0  
urn:oasis:names:tc:ebxml-regrep:xsd:rim:4.0  
urn:oasis:names:tc:ebxml-regrep:xsd:rs:4.0  
urn:oasis:names:tc:ebxml-regrep:xsd:spi:4.0  
urn:oasis:names:tc:ebxml-regrep:wsdl:NotificationListener:bindings:4.0  
urn:oasis:names:tc:ebxml-regrep:wsdl:NotificationListener:interfaces:4.0  
urn:oasis:names:tc:ebxml-regrep:wsdl:NotificationListener:services:4.0  
urn:oasis:names:tc:ebxml-regrep:wsdl:registry:bindings:4.0  
urn:oasis:names:tc:ebxml-regrep:wsdl:registry:interfaces:4.0  
urn:oasis:names:tc:ebxml-regrep:wsdl:registry:services:4.0  
urn:oasis:names:tc:ebxml-regrep:wsdl:spi:bindings:4.0  
urn:oasis:names:tc:ebxml-regrep:wsdl:spi:interfaces:4.0

### Abstract:

This document is the overview document for the OASIS ebXML RegRep Version 4.0 specification. The specification may be used to implement registry and repository servers and clients using standard interfaces, protocols and information model for publishing, management, discovery and retrieval of arbitrary content and metadata that describes it.

### Status:

This document was last revised or approved by the OASIS ebXML Registry TC on the above date. The level of approval is also listed above. Check the "Latest version" location noted above for possible later revisions of this document.

Technical Committee members should send comments on this specification to the Technical Committee's email list. Others should send comments to the Technical Committee by using the "Send A Comment" button on the Technical Committee's web page at <http://www.oasis-open.org/committees/regrep/>.

For information on whether any patents have been disclosed that may be essential to implementing this specification, and any offers of patent licensing terms, please refer to the Intellectual Property Rights section of the Technical Committee web page (<http://www.oasis-open.org/committees/regrep/ipr.php>).

### Citation format:

When referencing this specification the following citation format should be used:

#### **[regrep-overview-v4.0]**

*OASIS ebXML RegRep Version 4.0 Part 0: Overview Document*. 25 January 2012. OASIS Standard. <http://docs.oasis-open.org/regrep/regrep-core/v4.0/os/regrep-core-overview-v4.0-os.html>.

---

## Notices

Copyright © OASIS Open 2012. All Rights Reserved.

All capitalized terms in the following text have the meanings assigned to them in the OASIS Intellectual Property Rights Policy (the "OASIS IPR Policy"). The full [Policy](#) may be found at the OASIS website.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to OASIS, except as needed for the purpose of developing any document or deliverable produced by an OASIS Technical Committee (in which case the rules applicable to copyrights, as set forth in the OASIS IPR Policy, must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

OASIS requests that any OASIS Party or any other party that believes it has patent claims that would necessarily be infringed by implementations of this OASIS Committee Specification or OASIS Standard, to notify OASIS TC Administrator and provide an indication of its willingness to grant patent licenses to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this specification.

OASIS invites any party to contact the OASIS TC Administrator if it is aware of a claim of ownership of any patent claims that would necessarily be infringed by implementations of this specification by a patent holder that is not willing to provide a license to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this specification. OASIS may include such claims on its website, but disclaims any obligation to do so.

OASIS takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this document or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on OASIS' procedures with respect to rights in any document or deliverable produced by an OASIS Technical Committee can be found on the OASIS website. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this OASIS Committee Specification or OASIS Standard, can be obtained from the OASIS TC Administrator. OASIS makes no representation that any information or list of intellectual property rights will at any time be complete, or that any claims in such list are, in fact, Essential Claims.

The name "OASIS" is a trademark of [OASIS](#), the owner and developer of this specification, and should be used only to refer to the organization and its official outputs. OASIS welcomes reference to, and implementation and use of, specifications, while reserving the right to enforce its marks against misleading uses. Please see <http://www.oasis-open.org/who/trademark.php> for above guidance.

---

# Table of Contents

1	Introduction.....	6
1.1	Terminology.....	6
1.2	Normative References.....	6
1.3	Non-normative References.....	7
1.4	The Library Analogy (Informative).....	7
1.5	RepositoryItems and RegistryObjects.....	8
1.6	Namespaces.....	8
1.6.1	Namespaces Defined.....	8
1.6.2	Namespaces Referenced.....	10
1.7	Core Specification Documents.....	11
1.8	XML Schema.....	11
1.8.1	Citation Format.....	11
1.9	WSDL.....	11
1.9.1	Citation Format.....	11
1.10	XML Descriptions.....	11
1.10.1	Citation Format.....	11
1.11	Release Notes.....	11
2	Conformance.....	12
2.1	QueryManager Interface.....	12
2.1.1	Canonical Queries.....	12
2.1.2	Canonical Query Functions.....	13
2.2	LifecycleManager Interface.....	13
2.3	Version Control.....	13
2.4	Validator Interface.....	14
2.5	Cataloger Interface.....	14
2.6	Subscription and Notification.....	14
2.7	Multi-Server Features.....	14
2.8	Governance Features.....	15
2.9	Security Features.....	15
2.10	Native Language Support.....	15
2.11	REST Binding.....	15
2.12	SOAP Binding.....	16
	Appendix A. Acknowledgements.....	17
	Appendix B. Revision History.....	18

## Index of Tables

Table 1: ebXML RegRep comparison with your local library.....	8
Table 2: Namespaces Defined.....	10
Table 3: Namespaces Referenced.....	10

---

# 1 Introduction

ebXML RegRep is a standard defining the service interfaces, protocols and information model for an integrated registry and repository. The repository stores digital content while the registry stores metadata that describes the content in the repository.

At some later time a more detailed overview of this specification may be provided in the ebXML RegRep 4.0 Primer.

## 1.1 Terminology

The keywords "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this specification are to be interpreted as described in IETF [RFC 2119].

## 1.2 Normative References

- [RFC 2119]** S. Bradner. *Key words for use in RFCs to Indicate Requirement Levels*. IETF RFC 2119, March 1997. <http://www.ietf.org/rfc/rfc2119.txt>.
- [RFC 1766]** IETF (Internet Engineering Task Force). RFC 1766: Tags for the Identification of Languages, ed. H. Alvestrand. 1995. <http://www.ietf.org/rfc/rfc1766.txt>
- [RFC 2130]** IETF (Internet Engineering Task Force). RFC 2130 The Report of the IAB Character Set Workshop held 29 February - 1 March, 1996 <http://www.faqs.org/rfcs/rfc2130.html>
- [RFC 2277]** IETF (Internet Engineering Task Force). RFC 2277: IETF policy on character sets and languages, ed. H. Alvestrand. 1998. <http://www.ietf.org/rfc/rfc2277.txt>
- [RFC 2278]** IETF (Internet Engineering Task Force). RFC 2278: IANA Charset Registration Procedures, ed. N. Freed and J. Postel. 1998. <http://www.ietf.org/rfc/rfc2278.txt>
- [RFC2616]** IETF (Internet Engineering Task Force). RFC 2616: Fielding et al. *Hypertext Transfer Protocol -- HTTP/1.1*. 1999. <http://www.ietf.org/rfc/rfc2616.txt>
- [RFC2965]** IETF (Internet Engineering Task Force). RFC 2965: D. Kristol et al. *HTTP State Management Mechanism*. 2000. <http://www.ietf.org/rfc/rfc2965.txt>
- [SOAP-MF]** SOAP Version 1.2 Part1 – Messaging Framework, April 2007 <http://www.w3.org/TR/2007/REC-soap12-part1-20070427/>
- [SOAP-ADJ]** SOAP Version 1.2 Part2 – Adjuncts, April 2007 <http://www.w3.org/TR/2007/REC-soap12-part2-20070427/>
- [WSA-CORE]** Web Services Addressing – Core 1.0 <http://www.w3.org/TR/2006/REC-ws-addr-core-20060509/>
- [WSA-SOAP]** Web Services Addressing – SOAP Binding 1.0 <http://www.w3.org/TR/2006/REC-ws-addr-soap-20060509/>
- [WSA-WSDL]** Web Services Addressing 1.0 - WSDL Binding, February 2006. <http://www.w3.org/TR/ws-addr-wsdl>

43	<b>[WSDL2]</b>	Web Services Description Language (WSDL) Version 2.0 Part 1: Core Language <a href="http://www.w3.org/TR/wsdl20">http://www.w3.org/TR/wsdl20</a>
44		
45	<b>[WSS-CORE]</b>	WS-Security Core Specification 1.1, February 2006. <a href="http://www.oasis-open.org/committees/download.php/16790/wss-v1.1-spec-os-SOAPMessageSecurity.pdf">http://www.oasis-open.org/committees/download.php/16790/wss-v1.1-spec-os-SOAPMessageSecurity.pdf</a>
46		
47		
48	<b>[WSS-UNT]</b>	WS-Security Username Token Profile 1.1, February 2006. <a href="http://www.oasis-open.org/committees/download.php/16782/wss-v1.1-spec-os-UsernameTokenProfile.pdf">http://www.oasis-open.org/committees/download.php/16782/wss-v1.1-spec-os-UsernameTokenProfile.pdf</a>
49		
50		
51	<b>[WSS-X509]</b>	WS-Security X.509 Token Profile 1.1, February 2006. <a href="http://www.oasis-open.org/committees/download.php/16785/wss-v1.1-spec-os-x509TokenProfile.pdf">http://www.oasis-open.org/committees/download.php/16785/wss-v1.1-spec-os-x509TokenProfile.pdf</a>
52		
53		
54	<b>[WSS-SAML]</b>	WS-Security SAML Token profile 1.1, February 2006. <a href="http://www.oasis-open.org/committees/download.php/16768/wss-v1.1-spec-os-SAMLTOKENProfile.pdf">http://www.oasis-open.org/committees/download.php/16768/wss-v1.1-spec-os-SAMLTOKENProfile.pdf</a>
55		
56		
57	<b>[WSS-KRB]</b>	WS-Security Kerberos Token Profile 1.1, February 2006. <a href="http://www.oasis-open.org/committees/download.php/16788/wss-v1.1-spec-os-KerberosTokenProfile.pdf">http://www.oasis-open.org/committees/download.php/16788/wss-v1.1-spec-os-KerberosTokenProfile.pdf</a>
58		
59		
60	<b>[XML]</b>	T. Bray, et al. Extensible Markup Language (XML) 1.0 (Second Edition). World Wide Web Consortium, October 2000. <a href="http://www.w3.org/TR/REC-xml">http://www.w3.org/TR/REC-xml</a>
61		
62		
63	<b>[XMLDSIG]</b>	XML-Signature Syntax and Processing <a href="http://www.w3.org/TR/2001/PR-xmlsig-core-20010820/">http://www.w3.org/TR/2001/PR-xmlsig-core-20010820/</a>
64		
65		

### 66 1.3 Non-normative References

67	<b>[BPMN2]</b>	BPMN 2.0 Specification <a href="http://www.omg.org/spec/BPMN/2.0/Beta2/">http://www.omg.org/spec/BPMN/2.0/Beta2/</a>
68		
69	<b>[IANA]</b>	IANA (Internet Assigned Numbers Authority). Official Names for Character Sets, ed. Keld Simonsen et al. <a href="http://www.iana.org/">http://www.iana.org/</a>
70		
71		
72	<b>[WSDL]</b>	W3C Note. Web Services Description Language (WSDL) 1.1 <a href="http://www.w3.org/TR/wsdl">http://www.w3.org/TR/wsdl</a>
73		
74	<b>[UML]</b>	Unified Modeling Language <a href="http://www.uml.org">http://www.uml.org</a> <a href="http://www.omg.org/cgi-bin/doc?formal/03-03-01">http://www.omg.org/cgi-bin/doc?formal/03-03-01</a>
75		
76		
77	<b>[UUID]</b>	DCE 128 bit Universal Unique Identifier <a href="http://pubs.opengroup.org/onlinepubs/009629399/apdx.htm">http://pubs.opengroup.org/onlinepubs/009629399/apdx.htm</a>
78		
79	<b>[XPath2]</b>	XML Path Language (XPath) 2.0, W3C Recommendation 23 January 2007 <a href="http://www.w3.org/TR/xpath20">http://www.w3.org/TR/xpath20</a>
80		
81	<b>[XPathFunc]</b>	XQuery 1.0 and XPath 2.0 Functions and Operators, W3C Recommendation 23 January 2007 <a href="http://www.w3.org/TR/xpath-functions">http://www.w3.org/TR/xpath-functions</a>
82		
83		

### 84 1.4 The Library Analogy (Informative)

85 To explain what is an ebXML RegRep we use the following familiar analogy. The ebXML Registry-Repository is to  
86 digital content, what your local library is to books and other published content. We make this analogy clearer with  
87 the comparisons made in the following table:

Your Local Library	ebXML RegRep
Manages books and all types of published material	Manages all types of digital content
Has book shelves containing books and other published material	Has a "repository" containing all types of digital content
Has a card catalog that describes the published material that is available in the book shelves	Has a "registry" that describes the digital content that is available in the repository
Multiple libraries can voluntarily participate in a cooperative network and offer a unified service	Multiple ebXML Registry-Repository's can voluntarily participate in a cooperative network and offer a unified service

Table 1: ebXML RegRep comparison with your local library

## 89 1.5 RepositoryItems and RegistryObjects

90 An ebXML Registry is capable of storing any type of electronic content such as XML documents, text documents,  
91 images, sound and video. Instances of such content are referred to as a RepositoryItems. RepositoryItems are  
92 stored in a content *repository* provided by the ebXML Registry.

93 In addition to the RepositoryItems, an ebXML Registry is also capable of storing **standardized** metadata that  
94 **MUST** be used to further describe RepositoryItems. Instances of such metadata are referred to as a RegistryObjects  
95 (or one of its sub-types, as described later in this document). RegistryObjects are stored in the *registry* provided by  
96 the ebXML Registry.

97 To illustrate these concepts we use the library analogy as follows:

- 98 ● An ebXML Registry is like your local library.
- 99 ● The repository is like the bookshelves in the library.
- 100 ● The repository items in the repository are like book on the bookshelves. The repository items can  
101 contain any type of electronic content just like the books in the bookshelves can contain any type  
102 of information.
- 103 ● The registry is like the card catalog. It is organized for finding things quickly.
- 104 ● A RegistryObject is like a card in the card catalog. All RegistryObjects conform to a standard just  
105 like the cards in the card catalog conform to a standard.
- 106 ● Every repository item **MUST** have a RegistryObject that describes it, just like every book must  
107 have a card in the card catalog.

108 To summarize, ebXML Registry stores any type of content as RepositoryItems in a repository and stores  
109 standardized metadata describing the content as RegistryObjects in a registry.

## 110 1.6 Namespaces

### 111 1.6.1 Namespaces Defined

112 The following namespaces are defined by this specification.



Prefix	Namespace URI	Defining Specification / Description
lcm	urn:oasis:names:tc:ebxml-regrep:xsd:lcm:4.0	ebXML RegRep Part 3: XML Schema file xsd/lcm.xsd Schema used by the LifecycleManager interface.
query	urn:oasis:names:tc:ebxml-regrep:xsd:query:4.0	ebXML RegRep Part 3: XML Schema file xsd/query.xsd Schema used by the QueryManager interface.
rim	urn:oasis:names:tc:ebxml-regrep:xsd:rim:4.0	ebXML RegRep Part 3: XML Schema file xsd/rim.xsd Schema used for information model objects specified by [regrep-rim-v4.0].
rs	urn:oasis:names:tc:ebxml-regrep:xsd:rs:4.0	ebXML RegRep Part 3: XML Schema file xsd/rs.xsd Common schema used by registry protocols defined by [regrep-rs-v4.0].
spi	urn:oasis:names:tc:ebxml-regrep:xsd:spi:4.0	ebXML RegRep Part 3: XML Schema file xsd/spi.xsd Schema used by the service provider interfaces defined by [regrep-rs-v4.0].
nl-bind	urn:oasis:names:tc:ebxml-regrep:wSDL:Notification-Listener:bindings:4.0	ebXML RegRep Part 4: WSDL file wsdl/1.1/Notification-ListenerBindings.wsdl WSDL binding definitions for NotificationListeners defined by [regrep-rs-v4.0].
nl-int	urn:oasis:names:tc:ebxml-regrep:wSDL:Notification-Listener:interfaces:4.0	ebXML RegRep Part 4: WSDL file wsdl/1.1/Notification-ListenerInterfaces.wsdl WSDL interface definitions for NotificationListeners defined by [regrep-rs-v4.0].
nl-serv	urn:oasis:names:tc:ebxml-regrep:wSDL:Notification-Listener:services:4.0	ebXML RegRep Part 4: WSDL file wsdl/1.1/Notification-ListenerServices.wsdl WSDL service definitions for NotificationListeners defined by [regrep-rs-v4.0].
rr-bind	urn:oasis:names:tc:ebxml-regrep:wSDL:registry:bindings:4.0	ebXML RegRep Part 4: WSDL file wsdl/1.1/regrep-server-binding.wsdl WSDL binding definitions for interfaces defined by [regrep-rs-v4.0].
rr-int	urn:oasis:names:tc:ebxml-regrep:wSDL:registry:interfaces:4.0	ebXML RegRep Part 4: WSDL file wsdl/1.1/regrep-server-interface.wsdl WSDL interface definitions for interfaces defined by [regrep-rs-v4.0].
rr-serv	urn:oasis:names:tc:ebxml-regrep:wSDL:registry:services:4.0	ebXML RegRep Part 4: WSDL file wsdl/1.1/regrep-server-service.wsdl WSDL service definitions for services defined by [regrep-rs-v4.0].
spi-	urn:oasis:names:tc:ebxml-regrep:wSDL:spi:bindings:4.0	ebXML RegRep Part 4: WSDL file wsdl/1.1/re-

Prefix	Namespace URI	Defining Specification / Description
bind		grep-server-binding.wsdl  WSDL binding definitions for service provider interfaces for server plugins defined by [regrep-rs-v4.0].
spi-int	urn:oasis:names:tc:ebxml-regrep:wsdl:spi:interfaces:4.0	ebXML RegRep Part 4: WSDL file wsdl/1.1/regrep-server-interface.wsdl  WSDL interface definitions for service provider interfaces for server plugin defined by [regrep-rs-v4.0].

Table 2: Namespaces Defined

## 113 1.6.2 Namespaces Referenced

114 The following is a list of namespaces referenced by this specification. This list is not exhaustive and may  
115 be incomplete.

Namespace Prefix	Namespace URI	Defining Specification
enc	<a href="http://www.w3.org/2003/05/soap-encoding">http://www.w3.org/2003/05/soap-encoding</a>	A normative XML Schema <a href="#">[XML Schema Part 1]</a> , <a href="#">[XML Schema Part 2]</a> document for the "http://www.w3.org/2003/05/soap-encoding" namespace can be found at <a href="http://www.w3.org/2003/05/soap-encoding">http://www.w3.org/2003/05/soap-encoding</a> .
env	<a href="http://www.w3.org/2003/05/soap-envelope">http://www.w3.org/2003/05/soap-envelope</a>	SOAP Version 1.2 Part 1.  A normative XML Schema <a href="#">[XML Schema Part 1]</a> , <a href="#">[XML Schema Part 2]</a> document for the "http://www.w3.org/2003/05/soap-envelope" namespace can be found at <a href="http://www.w3.org/2003/05/soap-envelope">http://www.w3.org/2003/05/soap-envelope</a> .
mime	<a href="http://schemas.xmlsoap.org/wsdl/mime/">http://schemas.xmlsoap.org/wsdl/mime/</a>	WSDL namespace for WSDL MIME binding.
wsdl	<a href="http://schemas.xmlsoap.org/wsdl/">http://schemas.xmlsoap.org/wsdl/</a>	WSDL 1.1 namespace defined by <a href="#">WSDL 1.1 specification</a> .
xacml	<a href="urn:oasis:names:tc:xacml:2.0:policy:schema:os">urn:oasis:names:tc:xacml:2.0:policy:schema:os</a>	<a href="#">XACML 2.0 Core: eXtensible Access Control Markup Language (XACML) Version 2.0</a>
xacmlc	<a href="urn:oasis:names:tc:xacml:2.0:context:schema:os">urn:oasis:names:tc:xacml:2.0:context:schema:os</a>	<a href="#">XACML 2.0 Core: eXtensible Access Control Markup Language (XACML) Version 2.0</a>
xlink	<a href="http://www.w3.org/1999/xlink">http://www.w3.org/1999/xlink</a>	<a href="#">XML Linking Language (XLink) Version 1.1</a>
xs	<a href="http://www.w3.org/2001/XMLSchema">http://www.w3.org/2001/XMLSchema</a>	XML Schema <a href="#">[XML Schema Part 1]</a> , <a href="#">[XML Schema Part 2]</a> specification
xsi	" <a href="http://www.w3.org/2001/XMLSchema-instance">http://www.w3.org/2001/XMLSchema-instance</a> "	W3C XML Schema specification <a href="#">[XML Schema Part 1]</a> , <a href="#">[XML Schema Part 2]</a> .

Table 3: Namespaces Referenced

## 116 **1.7 Core Specification Documents**

117 ebXML RegRep consists of two core specification documents:

- 118 ● **Part 1: Registry Information Model** (*ebRIM*) specification defines the types of metadata that can be  
119 stored in an ebXML RegRep server.
- 120 ● **Part2: Services and Protocols** (*ebRS*) defines the services provided by an ebXML RegRep server and  
121 the protocols used by clients of the registry to interact with these services.

## 122 **1.8 XML Schema**

123 Part 3: XML Schema defines several XSD files that define types and elements referenced in the core spe-  
124 cification documents as well. These are described in [Namespaces Define](#) section.

### 125 **1.8.1 Citation Format**

126 **[regrep-xsd-v4.0]** *OASIS ebXML RegRep Version 4.0 Part 3: XML Schema.* . OASIS Committee  
127 Specification Draft 02. <http://docs.oasis-open.org/regrep/regrep-core/v4.0/csd02/xsd>

## 128 **1.9 WSDL**

129 Part 4: WSDL defines several WSDL files that define the wsdl interfaces, bindings and services refer-  
130 enced in the core specification documents as well. These are described in [Namespaces Define](#) section.

### 131 **1.9.1 Citation Format**

132 **[regrep-wsdl-v4.0]** *OASIS ebXML RegRep Version 4.0 Part 4: WSDL Definitions.* . OASIS Commit-  
133 tee Specification Draft 02. <http://docs.oasis-open.org/regrep/regrep-core/v4.0/csd02/wsdl>

## 134 **1.10 XML Descriptions**

135 Part 4: XML Descriptions provide various XML files that are referenced within the core specification docu-  
136 ments:

- 137 ● `xsd/minDB` – Contains the canonical data that MUST be supported within every ebXML RegRep  
138 server
- 139 ● `xsd/demoDB` – Contains the data that MAY be used to test the operation of an ebXML RegRep  
140 server.
- 141 ● `xsd/examples` – Contains the data that has been used as illustrative examples within the core  
142 specification documents

### 143 **1.10.1 Citation Format**

144 **[regrep-xml-v4.0]** *OASIS ebXML RegRep Version 4.0 Part 5: XML Definitions.* . OASIS Committee  
145 Specification Draft 02. <http://docs.oasis-open.org/regrep/regrep-core/v4.0/csd02/xml>

## 146 **1.11 Release Notes**

147 For a list of issues addressed by this version of the specification please see:

<http://jira.wx.ll.mit.edu/secure/ReleaseNote.jspa?projectId=10170&version=10372>

---

## 148 2 Conformance

149 This section defines the requirements for a server implementation claiming to conform to the ebXML RegRep core  
150 specifications which consist of [regrep-rim-v4.0] and [regrep-rs-v4.0].

151 This specification defines two different conformance profiles for a server implementation. Conformance profile Re-  
152 gistryLite requires the least functionality while conformance profile RegistryFull requires additional functionality.

153 The remainder of this chapter is organized in sections where each section represents a feature set within this spe-  
154 cification. Each section has a conformance table where a row defines conformance requirement for a feature within  
155 the feature set. The first column of each row describes a feature while the second column titled “Profile” indicates  
156 the conformance profile that requires support for that feature. If a feature required for a RegistryLite profile then it is  
157 also required for RegistryFull profile.

### 158 2.1 QueryManager Interface

159

Features	Profile
Support for default QueryRequest format “application/x-ebxml+xml”	RegistryLite
Local query invocation	RegistryLite
Stored query publishing and invocation	RegistryLite
Query plugin configuration and invocation	RegistryLite
Iterative query invocation	RegistryFull
Federated query invocation	RegistryFull
Support for depth parameter	RegistryFull

160

#### 161 2.1.1 Canonical Queries

162

Canonical Queries	Profile
AdhocQuery	RegistryLite
BasicQuery	RegistryLite
ClassificationSchemeSelector	RegistryFull
FindAssociations	RegistryLite
FindAssociatedObjects	RegistryLite
GarbageCollector	RegistryLite
GetAuditTrailById	RegistryLite
GetAuditTrailByLid	RegistryLite

Canonical Queries	Profile
GetAuditTrailByTimeInterval	RegistryLite
GetChildrenByParentId	RegistryLite
GetClassificationSchemesById	RegistryLite
GetRegistryPackagesByMemberId	RegistryLite
GetNotification	RegistryFull
GetObjectById	RegistryLite
GetObjectsByLid	RegistryLite
GetReferencedObject	RegistryLite
KeywordSearch	RegistryFull
RegistryPackageSelector	RegistryFull

163

## 164 2.1.2 Canonical Query Functions

165

Canonical Query Functions	Profile
currentTime	RegistryFull
currentUserId	RegistryFull
relativeTime	RegistryFull
getClassificationNode	RegistryFull

166

## 167 2.2 LifecycleManager Interface

Features	Profile
SubmitObjects protocol	RegistryLite
UpdateObjects protocol	RegistryFull
RemoveObjects protocol	RegistryLite

168

## 169 2.3 Version Control

Features	Profile
Version control of RegistryObjects	RegistryFull

Features	Profile
Version control of Repository Items	RegistryFull

170

## 171 2.4 Validator Interface

Features	Profile
Canonical XML Validator Plugin	RegistryFull
Custom Validator Plugin configuration and invocation	RegistryFull

172

## 173 2.5 Cataloger Interface

Features	Profile
Canonical XML Cataloger Plugin	RegistryFull
Custom Cataloger Plugin configuration and invocation	RegistryFull

174

## 175 2.6 Subscription and Notification

176

Features	Profile
Creating, updating and deleting subscriptions	RegistryFull
Notification delivery to Web Service endpoint	RegistryFull
Notification delivery to email endpoint	RegistryFull
Notification delivery to NotificationListener plugin	RegistryFull
Formatting of Email Notification via XSLT	RegistryFull
Pulling Notifications on demand	RegistryFull

177

## 178 2.7 Multi-Server Features

179

Features	Profile
Remote Object References	RegistryFull
Local replication of remote objects	RegistryFull
Registry Federations and federated queries	RegistryFull

180

## 181 2.8 Governance Features

182

Features	Profile
Default Governance Process	RegistryLite
Custom Governance Processes	RegistryFull

183

## 184 2.9 Security Features

185

Features	Profile
Transport layer security	RegistryFull
SOAP message security	RegistryLite
Message confidentiality	RegistryFull
User registration and identity management	RegistryLite
Authentication	RegistryLite
Authorization using default access control policy	RegistryLite
Authorization using custom XACML access control policies	RegistryFull
Audit Trail	RegistryLite

186

## 187 2.10 Native Language Support

188

Features	Profile
All features described in Native Language Support (NLS) chapter	RegistryLite

189

## 190 2.11 REST Binding

191

Features	Profile
Canonical URL for RegistryObjects	RegistryLite
Canonical URL for RepositoryItems	RegistryLite
Query protocol REST binding: queryId and query parameters	RegistryLite
Query protocol REST binding: depth parameter	RegistryFull

Features	Profile
Query protocol REST binding: format parameter	RegistryFull
Query protocol REST binding: federated parameter	RegistryFull
Query protocol REST binding: federation parameter	RegistryFull
Query protocol REST binding: matchOlderVersions parameter	RegistryFull
Query protocol REST binding: startIndex parameter	RegistryFull
Query protocol REST binding: lang parameter	RegistryFull
Query protocol REST binding: maxResults parameter	RegistryFull

192

## 193 2.12 SOAP Binding

194

Features	Profile
QueryManager SOAP binding	RegistryLite
LifeCycleManager SOAP binding	RegistryLite

195

196



---

197 **Appendix A. Acknowledgements**

198 The following individuals have contributed significantly towards the creation of this specification and are  
199 gratefully acknowledged.

**Technical Committee Contributors:**

- Kathryn Breining, Boeing
- Carl Mattocks, MetLife
- Farrukh Najmi, Wellfleet Software
- Oliver Newell, MIT Lincoln Labs
- Nikola Stojanovic, Individual
- David Webber, Individual
- Ted Habermann, NOAA

**External Contributors:**

- 200 ● Rob Atkinson, Commonwealth Scientific and Industrial Research Organisation (CSIRO), Australia
- 201 ● Simon Cox, Commonwealth Scientific and Industrial Research Organisation (CSIRO), Australia
- 202 ● Mark Ford, MIT Lincoln Labs
- 203 ● Lydia Gietler, Danish Ministry of the Environment
- 204 ● Brett Levasseur, MIT Lincoln Labs
- 205 ● Alissandro Triglia, OSS Nokalva
- 206 ● Aleksei Valikov, Disy Informationssysteme GmbH
- 207 ● Dale Moberg, Axway Software
- 208
- 209

---

210 **Appendix B. Revision History**

211

<b>Revision</b>	<b>Date</b>	<b>Editor</b>	<b>Changes Made</b>
CSD01	24 March 2011	Farrukh Najmi, Nikola Stojanovic	Initial version for 4.0. For a list of changes since 3.0 see <a href="http://wiki.oasis-open.org/regrep/documents/plan/regrep4/SummaryOfChanges">http://wiki.oasis-open.org/regrep/documents/plan/regrep4/SummaryOfChanges</a>
CSD02	8 May 2011	Farrukh Najmi, Nikola Stojanovic	Addressed <a href="#">minor fit-and-finish issues</a> identified in CSD01.