



# SAML 2.0 Session Token Profile Version 1.0

## Committee Specification Draft 02

13 May 2011

### Specification URIs:

#### This version:

<http://docs.oasis-open.org/security/saml/Post2.0/saml-session-token/v1.0/csd02/saml-session-token-v1.0-csd02.odt> (Authoritative)

<http://docs.oasis-open.org/security/saml/Post2.0/saml-session-token/v1.0/csd02/saml-session-token-v1.0-csd02.html>

<http://docs.oasis-open.org/security/saml/Post2.0/saml-session-token/v1.0/csd02/saml-session-token-v1.0-csd02.pdf>

#### Previous version:

<http://docs.oasis-open.org/security/saml/Post2.0/saml-session-token/v1.0/csd01/saml-session-token-v1.0-csd01.odt> (Authoritative)

<http://docs.oasis-open.org/security/saml/Post2.0/saml-session-token/v1.0/csd01/saml-session-token-v1.0-csd01.html>

<http://docs.oasis-open.org/security/saml/Post2.0/saml-session-token/v1.0/csd01/saml-session-token-v1.0-csd01.pdf>

#### Latest version:

<http://docs.oasis-open.org/security/saml/Post2.0/saml-session-token/v1.0/saml-session-token-v1.0.odt> (Authoritative)

<http://docs.oasis-open.org/security/saml/Post2.0/saml-session-token/v1.0/saml-session-token-v1.0.html>

<http://docs.oasis-open.org/security/saml/Post2.0/saml-session-token/v1.0/saml-session-token-v1.0.pdf>

### Technical Committee:

OASIS Security Services (SAML) TC

### Chairs:

Thomas Hardjono, M.I.T.

Nathan Klingenstein, Internet2

### Editor:

Hal Lockhart, Oracle

### Related work:

This specification is related to:

XML schemas: [saml-session-token/v1.0/csd02/xsd/](#)

### Declared XML namespace:

`urn:oasis:names:tc:SAML:2.0:profiles:session:metadata`

**Abstract:**

Web Servers and Application Servers generally maintain security state information for currently active users, particularly once some type of authentication has occurred. This specification defines a format for communicating such security session state based on the OASIS SAML Assertion. It also specifies two different mechanisms for communicating this information between servers via a standard Web browser.

**Status:**

This document was last revised or approved by the OASIS Security Services (SAML) TC on the above date. The level of approval is also listed above. Check the "Latest Version" location noted above for possible later revisions of this document.

Technical Committee members should send comments on this specification to the Technical Committee's email list. Others should send comments to the Technical Committee by using the "Send A Comment" button on the Technical Committee's web page at <http://www.oasis-open.org/committees/security/>.

For information on whether any patents have been disclosed that may be essential to implementing this specification, and any offers of patent licensing terms, please refer to the Intellectual Property Rights section of the Technical Committee web page (<http://www.oasis-open.org/committees/security/ipr.php>).

**Citation format:**

When referencing this specification the following citation format should be used:

**[Reference]**

[SAML-SESSION-TOKEN-v1.0]

*SAML 2.0 Session Token Profile Version 1.0*. 13 May 2011. OASIS Committee Specification Draft 02. <http://docs.oasis-open.org/security/saml/Post2.0/saml-session-token/v1.0/csd02/saml-session-token-v1.0-csd02.odt>.

---

## Notices

Copyright © OASIS Open 2011. All Rights Reserved.

All capitalized terms in the following text have the meanings assigned to them in the OASIS Intellectual Property Rights Policy (the "OASIS IPR Policy"). The full Policy may be found at the OASIS website.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to OASIS, except as needed for the purpose of developing any document or deliverable produced by an OASIS Technical Committee (in which case the rules applicable to copyrights, as set forth in the OASIS IPR Policy, must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

OASIS requests that any OASIS Party or any other party that believes it has patent claims that would necessarily be infringed by implementations of this OASIS Committee Specification or OASIS Standard, to notify OASIS TC Administrator and provide an indication of its willingness to grant patent licenses to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this specification.

OASIS invites any party to contact the OASIS TC Administrator if it is aware of a claim of ownership of any patent claims that would necessarily be infringed by implementations of this specification by a patent holder that is not willing to provide a license to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this specification. OASIS may include such claims on its website, but disclaims any obligation to do so.

OASIS takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this document or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on OASIS' procedures with respect to rights in any document or deliverable produced by an OASIS Technical Committee can be found on the OASIS website. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this OASIS Committee Specification or OASIS Standard, can be obtained from the OASIS TC Administrator. OASIS makes no representation that any information or list of intellectual property rights will at any time be complete, or that any claims in such list are, in fact, Essential Claims.

The names "OASIS" and "SAML" are trademarks of OASIS, the owner and developer of this specification, and should be used only to refer to the organization and its official outputs. OASIS welcomes reference to, and implementation and use of, specifications, while reserving the right to enforce its marks against misleading uses. Please see <http://www.oasis-open.org/who/trademark.php> for above guidance.

---

# Table of Contents

1	Introduction (non-normative).....	5
1.1	Terminology.....	5
1.2	Normative References.....	5
1.3	Non-normative References.....	6
2	Session Management Architectures (non-normative).....	7
3	Session Management Algorithm (normative).....	9
3.1	Stateful Token Algorithm.....	9
3.2	Session Reference Algorithm.....	10
4	Token Format (normative).....	12
4.1	Required Information.....	12
4.2	Assertion Header.....	12
4.3	Authentication Statements.....	13
4.4	Attribute Statement.....	14
4.4.1	Session Id.....	14
4.4.2	Authentication Strength.....	14
4.4.3	Time Last Active.....	14
4.4.4	Token Format Version.....	14
5	Token Carried in Cookie (normative).....	15
5.1	Compression.....	15
6	Session Reference Carried in Cookie (normative).....	16
7	Metadata (normative).....	17
7.1	Element <md:RoleDescriptor>.....	17
7.2	CookieName and CookieNameType.....	17
7.3	Complex Type SessionAuthorityDescriptorType.....	18
8	Example (non-normative).....	19
9	Security Considerations (non-normative).....	21
10	Conformance.....	22
Appendix A.	Acknowledgments.....	23
Appendix B.	Revision History.....	24

# 1 Introduction (non-normative)

Although the HTTP protocol [RFC2616] is deliberately stateless, efficient implementation of security requirements such as attribute-based authorization and inactivity timeout require maintaining state associated with each active connection. This state may consist of historical information (authentication occurred), relatively static information (user's attributes) and dynamic information (time of last interaction).

Web applications are commonly implemented by passing requests from browsers to any of a number of servers. These servers may be heterogeneous or homogeneous in function, geographically centralized or distributed. Typically users are unaware that multiple servers are involved. It is therefore desirable to simulate a single system with uniform knowledge and behavior.

This means that a server receiving a request from a browser that last interacted with a different server must have a means to obtain the most recent session state. The only practical method of doing this is to pass the information via the browser using an HTTP cookie [RFC2965]. (An HTTP cookie is a HTTP header which is provided by a server in a response message and will be added by the browser to any subsequent request messages to a server in the same domain.) The cookie may be used either to pass the encoded session token itself, or if it is too large, to pass a reference to the token.

## 1.1 Terminology

The keywords "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this specification are to be interpreted as described in IETF RFC 2119 [RFC2119].

Conventional XML namespace prefixes are used throughout the listings in this specification to stand for their respective namespaces as follows, whether or not a namespace declaration is present in the example:

Prefix	XML Namespace	Comments
saml:	urn:oasis:names:tc:SAML:2.0:assertion	This is the SAML V2.0 assertion namespace
ds:	http://www.w3.org/2000/09/xmldsig#	This namespace is defined in the W3C XML Schema specification
md:	urn:oasis:names:tc:SAML:2.0:metadata	This is the SAML V2.0 metadata namespace [SAML2Meta].
mdsess:	urn:oasis:names:tc:SAML:2.0:profiles:session:metadata	This is the SAML V2.0 metadata extension namespace defined by this document and its accompanying schema

## 1.2 Normative References

- [RFC1951] P. Deutsch, *DEFLATE Compressed Data Format Specification version 1.3*, IETF RFC 1951, May 1996. <http://www.ietf.org/rfc/rfc1951.txt>
- [RFC2119] S. Bradner, *Key words for use in RFCs to Indicate Requirement Levels*. IETF RFC 2119, March 1997. <http://www.ietf.org/rfc/rfc2119.txt>
- [RFC2616] R. Fielding et al., *Hypertext Transfer Protocol 1.1*. IETF RFC 2616, June 1999. <http://www.ietf.org/rfc/rfc2616.txt>
- [RFC2965] D. Kristol, L. Montulli, *HTTP State Management Mechanism*, IETF RFC 2965, October 2000, <http://www.ietf.org/rfc/rfc2965.txt>
- [RFC3513] R. Hinden, S. Deering, *Internet Protocol Version 6 (IPv6) Addressing Architecture*. IETF RFC 3513, April 2003. <http://www.ietf.org/rfc/rfc3513.txt>
- [RFC3986] T. Berners-Lee et al., *Uniform Resource Identifier (URI): Generic Syntax*, IETF RFC 3986, January 2005. <http://www.ietf.org/rfc/rfc3986.txt>

- 34 **[RFC4648]** S. Josefsson, *The Base16, Base32, and Base64 Data Encodings*, IETF RFC 4648,  
35 October 2006. <http://tools.ietf.org/rfc/rfc4648.txt>
- 36 **[SAML2Bind]** *Bindings for the OASIS Security Assertion Markup Language (SAML) V2.0*.  
37 March 2005. OASIS Standard. [http://docs.oasis-](http://docs.oasis-open.org/security/saml/v2.0/saml-bindings-2.0-os.pdf)  
38 [open.org/security/saml/v2.0/saml-bindings-2.0-os.pdf](http://docs.oasis-open.org/security/saml/v2.0/saml-bindings-2.0-os.pdf).
- 39 **[SAML2Core]** *Assertions and Protocols for the OASIS Security Assertion Markup Language*  
40 *(SAML) V2.0*. March 2005. OASIS Standard. [http://docs.oasis-](http://docs.oasis-open.org/security/saml/v2.0/saml-core-2.0-os.pdf)  
41 [open.org/security/saml/v2.0/saml-core-2.0-os.pdf](http://docs.oasis-open.org/security/saml/v2.0/saml-core-2.0-os.pdf).
- 42 **[SAML2Meta]** *Metadata for the OASIS Security Assertion Markup Language (SAML) V2.0*.  
43 March 2005. OASIS Standard. [http://docs.oasis-](http://docs.oasis-open.org/security/saml/v2.0/saml-metadata-2.0-os.pdf)  
44 [open.org/security/saml/v2.0/saml-metadata-2.0-os.pdf](http://docs.oasis-open.org/security/saml/v2.0/saml-metadata-2.0-os.pdf).
- 45 **[SAML2Prof]** *Profiles for the OASIS Security Assertion Markup Language (SAML) V2.0*.  
46 March 2005. OASIS Standard. [http://docs.oasis-](http://docs.oasis-open.org/security/saml/v2.0/saml-profiles-2.0-os.pdf)  
47 [open.org/security/saml/v2.0/saml-profiles-2.0-os.pdf](http://docs.oasis-open.org/security/saml/v2.0/saml-profiles-2.0-os.pdf).
- 48 **[SAML2AuthnCtx]** *Authentication Context for the OASIS Security Assertion Markup Language*  
49 *(SAML) V2.0*. March 2005. OASIS Standard. [http://docs.oasis-](http://docs.oasis-open.org/security/saml/v2.0/saml-authn-context-2.0-os.pdf)  
50 [open.org/security/saml/v2.0/saml-authn-context-2.0-os.pdf](http://docs.oasis-open.org/security/saml/v2.0/saml-authn-context-2.0-os.pdf).
- 51 **[SAML2IdAssure]** *SAML V2.0 Identity Assurance*. August 2010. OASIS Committee Specification  
52 01. [http://docs.oasis-open.org/security/saml/Post2.0/ssstc-saml-assurance-](http://docs.oasis-open.org/security/saml/Post2.0/ssstc-saml-assurance-profile-cs-01.pdf)  
53 [profile-cs-01.pdf](http://docs.oasis-open.org/security/saml/Post2.0/ssstc-saml-assurance-profile-cs-01.pdf).
- 54 **[XMLSig]** D. Eastlake et al., *XML Signature Syntax and Processing, Second Edition*. World Wide  
55 Web Consortium, June 2008. <http://www.w3.org/TR/xmlsig-core/>


### 1.3 Non-normative References

- 56 **[Overclock-SSL]** A. Langley, *Overclocking SSL*, June 2010,  
57 <http://www.imperialviolet.org/2010/06/25/overclocking-ssl.html>  
58

## 2 Session Management Architectures (non-normative)


In this document the server providing session information is called the Session Authority (SA) and the server using the information is called the Session Consumer (SC). These roles operate only in the context of a single interaction. Usually servers will take on each role in turn. The token is created by the SA and read by the SC.

Session management can be implemented using a variety of architectures. For example, each Web or Application server can implement a session management capability internally as shown in Figure 1. In this case each server acts as both SA and SC.



*Figure 1 – Every Server a Session Manager*

Session management can also be implemented by one or more dedicated session management servers as shown in Figure 2. These are accessed as needed by web and application servers. Depending on the specific design the session manager may act as SA and SC or the roles may be divided between the session manager and web servers.



*Figure 2 – Dedicated Session Management Servers*



## 3 Session Management Algorithm (normative)

This section describes the processing used to by a server which is acting as both an SA and SC. There are two variants, depending on whether the cookie contains the Token or is a reference to the Token.

### 3.1 Stateful Token Algorithm

When the session state is encoded into the cookie, the browser receives the cookie from the SA and returns it in the next request sent to any SC. The browser does not perform any processing on the cookie. The cookie is created by the SA and processed by the SC, but there is no direct communications transfer between the SA and SC as shown in Figure 3.




Figure 3 – Stateful Cookie

1. When an application request is received, the SC first checks to see if a session cookie of the type supported (stateful or reference) is present. The name of the supported cookie type MAY be obtained from metadata. If the cookie is not present, the SC MUST proceed as it would with any request from a user who has not authenticated. Depending on the request this may mean permitting it, causing authentication to be performed or taking some other action.
2. If the cookie contains a session reference, the SC MUST use the reference to obtain the cookie as described in Section 3.2. If the cookie is stateful, it contains the Token. In either case processing continues with the next step.
3. The SC must verify the signature of the Token. The ability to determine the correct key to use for this purpose implies some type of key management function. If the signature is not valid, the SC MUST discard the request with no action, so as to reduce the effect of denial of service attacks by unauthorized users. (Administrative reporting of potential attacks may occur.) If the signature is not present and the Token was not received over a secure channel, the SC SHOULD discard the request.
4. The `<saml:Conditions>` element MUST be checked for validity as described in Section 2.5 of [SAML2Core]. If the Token is not valid, the SC MUST treat the request as unauthenticated. Other checks MAY be performed to ensure the Token contains the required information.
5. The Address XML Attribute of the `<saml:SubjectConfirmationData>` element in the Token MAY be compared to the IP address from which the request originated and if they are different, the request discarded.

- 107 6. Idle time out MAY be implemented by configuring each SC with a maximum idle time value. Typ-  
108 ically, the value will be the same for all SCs hosting the same application type, but this algorithm  
109 does not depend on this being the case. It is simply assumed that each SC is configured with a  
110 maximum idle time value by some means unspecified in this document. In practice, maximum idle  
111 time values might range from 5 minutes to 30 minutes.  
112 If idle timeout is enabled, the SC subtracts the value of the  
113 `urn:oasis:names:tc:SAML:2.0:profiles:session:timeLastActive` SAML Attribute  
114 from the current time and compares the result to the maximum idle time value. If the difference  
115 exceeds the maximum value, the Token is discarded, any existing session information for that  
116 user is cleared and the user is informed that the session has timed out because of inactivity. The  
117 request MUST be treated as unauthenticated.
- 118 7. Maximum login time (sometimes called session time limit) MAY be implemented by configuring  
119 each server with a maximum login time value. This may be a single value or depend on the type  
120 of login performed most recently. Maximum login time limits typically range from 1 hour to 24  
121 hours.  
122 If maximum login time is enabled, the SC subtracts the value of the `AuthnInstant` XML Attrib-  
123 ute of the `<saml:AuthnStatement>` from the current time and compares the result to the max-  
124 imum login time. If the time since the last authentication exceeds the maximum value, the request  
125 MUST be treated as unauthenticated.
- 126 8. After these checks, the SC MAY make use of the information in the Token, for authorization, per-  
127 sonalization or other purposes.
- 128 9. When the HTTP response is sent, the server acts as a Session Authority (SA). If a stateful cookie  
129 is being employed, the SC MUST construct a Token containing the current values as described in  
130 Section 4. The Token is then signed and inserted in the cookie of the response.  
131 If a session reference cookie is being employed, the SA MUST generate the session reference  
132 value and insert the URL and reference in the cookie as described in Section 6. The SA MUST  
133 implement a responder at the given URL which returns a Token with the same contents as would  
134 have been put in a stateful cookie. The SA MAY generate the Token in advance or at the time it is  
135 requested.
- 136 10. As an optimization, the server MAY maintain a Token Freshness value, which allows Tokens to  
137 be reused if they were created recently. For example, the value might be something like 30  
138 seconds. If the value of the `IssueInstant` XML Attribute of the `<saml:AuthnStatement>`  
139 subtracted from the current time is less the Token Freshness value, the received Token (or ses-  
140 sion reference) is put in the cookie instead of creating and signing a new Token. This reduces the  
141 overhead of a series of closely spaced requests at the cost of reducing the precision of the idle  
142 timeout and maximum login time algorithms.

## 3.2 Session Reference Algorithm

143 Instead of the cookie containing the Token, it MAY instead merely contain a reference to the session. The actual  
144 session Token is obtained by making a query to the SA which generated the reference. In this case the cookie con-  
145 tains two parts: a server endpoint in the form of a URI and a large random number. In this case, the SA and SC com-  
146 municate directly as shown in Figure 4




Figure 4 – Session Reference Cookie

The SC MUST call the indicated endpoint, providing the reference as an input value, as described in Section 6. The SA checks to see if the reference corresponds to a valid session. If not, it MUST return an error. If it does correspond to a valid session, the SA must return a session Token, constructed as described above. If this back channel connection is integrity protected, e.g. using TLS, then the SA MAY choose not to sign the Token. The SC MUST process the Token as described in section 3.1 beginning with step 3.

---

## 4 Token Format (normative)

155 The format of the Session Token is based on the `<saml:Assertion>` element defined by [SAML2Core]. The  
156 Assertion MUST contain exactly one `<saml:AuthnStatement>` element and at exactly one `<saml:Attribute-`  
157 `Statement>` element. The contents of the Assertion and the Statements are specified in the following sec-  
158 tions.

### 4.1 Required Information

159 **Identification:** urn:oasis:names:tc:SAML:2.0:profiles:session  
160 **Contact information:** security-services-comment@lists.oasis-open.org  
161 **Description:** Given below.  
162 **Updates:** None.

### 4.2 Assertion Header

163 The assertion header MUST contain the following items.

164 Version [Required]

165 The SA MUST set the value of the `saml:Version` attribute to “2.0” as required by [SAML2Core]. The  
166 SC SHOULD verify this value.

167 ID [Required]

168 The SA MUST set the value of the `saml:ID` or `xs:ID` to a unique identifier as required by [SAML2-  
169 Core].

170 IssueInstant [Required]

171 The SA MUST set the value of the `saml:IssueInstant` to the time the Token was created as required  
172 by [SAML2Core]. When the cookie contains a session reference, it MAY differ from the user’s  
173 TimeLastActive.

174

175 `<saml:Issuer>` [Required]

176 The Session Authority MUST set this value to its own name.

177

178 `<ds:Signature>` [Optional]

179 When the Assertion is carried in a cookie, the SA MUST sign it. See Section 5. If the Assertion is signed,  
180 the SC MUST verify the signature before processing it.

181

182 `<saml:Subject>` [Required]

183 The SA MUST create a `<saml:Subject>` element containing the following Elements and Attributes except as  
184 noted below.

185

186 `<saml:NameID>` [Optional]

187 Any deployment of this specification MUST profile the use of the NameID element and its associated At-  
188 tributes: NameQualifier, SPNameQualifier, Format and SPProviderID. This includes mak-  
189 ing their use required, prohibited or optional.

190 `<saml:SubjectConfirmation>` [Required]

191 The SA MUST include a `<saml:SubjectConfirmation>` which contains a **Subject Conformation**  
 192 `saml:Method` attribute.

193 **Method** [Required]

194 The Subject Confirmation `saml:Method` MUST have a value of  
 195 `urn:oasis:names:tc:SAML:2.0:cm:bearer`

196

197 `<saml:SubjectConfirmationData>` [Required]

198 The SA MUST set the `<saml:SubjectConfirmationData>` element to have the following at-  
 199 tribute.

200

201 **Address** [Required]

202 The SA MUST set the value of the `saml:Address` attribute to contain the address of the  
 203 browser in IPv4 dotted decimal format, e.g. "198.51.100.1" or in IPv6 address format as de-  
 204 scribed in Section 2.2 of [RFC3513], e.g., "2001:db8::1". The SC MAY compare the value to the  
 205 known address of the browser.

206

207 `<saml:Conditions>` [Required]

208 The SC MUST set the `<saml:Conditions>` element to contain the following attributes.

209 **NotBefore** [Required]

210 **NotOnOrAfter** [Required]

211 The SA MUST set these so as to delimit the validity interval of the Token. The SC MUST check the condi-  
 212 tions element, including the validity interval as specified in section 2.5 of [SAML2Core].

213

214 `<saml:Advice>` [Prohibited]

215 The SA MUST NOT include an `<saml:Advice>` element in the Token.

216

217 The SA MAY include any other elements or attributes specified in [SAML2Core] which are not explicitly required  
 218 or prohibited by this document.

### 4.3 Authentication Statements

219 The Assertion MUST contain exactly one `<saml:AuthnStatement>` element. It MUST contain the following  
 220 XML attribute.

221

222 **AuthnInstant** [Required]

223 The SA MUST set the `AuthnInstant` to the time authentication occurred, as defined in [SAML2Core].  
 224 The SC MAY use this value to implement a maximum login time.

225

226 `<saml:AuthnContext>` [Required]

227 The contents of the Authentication Context MUST conform to [SAML2AuthnCtx].

228 The SA MUST set the Authentication Strength attribute in the Attribute Statement, (see section 4.3), to correspond  
 229 to the value assigned to the authentication method present in the Authentication Statement.

230 The level of assurance (LOA) associated with this Authentication MAY be expressed as specified in [SAML2I-  
 231 dAssure].

## 4.4 Attribute Statement

232 The Assertion **MUST** contain exactly one `<saml:AttributeStatement>` element.

233 The following SAML Attributes **MUST** be present.

### 4.4.1 Session Id

234 This attribute has a name format type of `urn:oasis:names:tc:SAML:2.0:attrname-format:uri`. The  
235 name of the attribute is `urn:oasis:names:tc:SAML:2.0:profiles:session:sessionId`.

236 The value of this attribute is of type string and the SA **MUST** set it to contain the unique identifier of the session.  
237 (This is not the same as the session reference described in section 6.) The SC **MAY** use this value as an index to the  
238 stored session information.

### 4.4.2 Authentication Strength

239 This attribute has a name format type of `urn:oasis:names:tc:SAML:2.0:attrname-format:uri`. The  
240 name of the attribute is `urn:oasis:names:tc:SAML:2.0:profiles:session:authentication-`  
241 `Strength`.

242 The value of this attribute is of type integer in the range of 0-99. It is a deployment-specific value associated with  
243 every type of Authentication supported by the deployment, where a higher number represents a more secure method.  
244 The SA **MUST** set the value of the attribute to correspond to the value assigned to the authentication method repres-  
245 ented in the Authentication Statement present in the Assertion. Authentication method is defined as a specific Au-  
246 thentication Context Class with specific instance values or ranges of values.

247 The means by which the mapping of Authentication methods to AuthenticationStrength is communicated to SAs and  
248 SCs is outside the scope of this Profile.

### 4.4.3 Time Last Active

249 This attribute has a name format type of `urn:oasis:names:tc:SAML:2.0:attrname-format:uri`. The  
250 name of the attribute is `urn:oasis:names:tc:SAML:2.0:profiles:session:timeLastActive`.

251 The SA **MUST** set the value to contain the datetime of the completion of the last request. The SC **MAY** use this  
252 value implement an idle timeout algorithm.

### 4.4.4 Token Format Version

253 This attribute has a name format type of `urn:oasis:names:tc:SAML:2.0:attrname-format:uri`. The  
254 name of the attribute is `urn:oasis:names:tc:SAML:2.0:profiles:session:tokenFormatVer-`  
255 `sion`.

256 The SA **MUST** set the value to contain a string value contain the major and minor version numbers of the Token  
257 format being used, e.g. "2.3". The Token format version is the same as the version of this Profile, that is: "1.0".

258 The Attribute Statement **MAY** contain other Attributes as specified in [SAML2Core].

---

## 5 Token Carried in Cookie (normative)

259 If size allows, the session token MAY be carried in the cookie. The cookie name can be determined by out of band  
260 agreement or via metadata.

261 When the token is carried in the cookie, it MUST be signed as specified in [SAML2Core]. The Token MAY also be  
262 encrypted as specified in [SAML2Core].

### 5.1 Compression

263 The Token MAY be compressed to reduce its size. Compression MUST be done after signing and encryption. The  
264 only compression method specified by this document is the DEFLATE algorithm. [RFC1951] After compression the  
265 resulting binary string MUST be encoded using Base64[RFC4648].

266 The use of compression MAY be indicated via metadata. Implementations MAY define alternative compression  
267 methods and corresponding metadata values.

---

## 6 Session Reference Carried in Cookie (normative)

268 Instead of transmitting the Assertion in the cookie, the SA MAY instead put a reference to the Assertion in the  
269 cookie. The reference then MAY be used to retrieve the Assertion.

270 When this approach is used, the cookie value MUST consist of an HTTP scheme URL followed by the “?” charac-  
271 ter, followed by “ID=” followed by an unguessable number of at least 256 bits represented as a positive decimal in-  
272 teger. The entire value MUST be percent encoded as described in Section 2 of [RFC3986].

273 The URL represents a server endpoint which supports the SAML URI Binding as specified in [SAML2Bind].

274 The SA using this scheme MUST respond to protocol requests by returning the indicated Assertion with the session  
275 information.

276 The Token MUST be carried over secure transport and/or signed as specified in [SAML2Core]. The Token MAY  
277 also be encrypted as specified in [SAML2Core].



---

## 7 Metadata (normative)

278 This section defines metadata which MAY be used to communicate cookie names and other properties associated  
279 with a Session Authority.

280 The SAML V2.0 metadata specification [SAML2Meta] defines the following namespace:

```
urn:oasis:names:tc:SAML:2.0:metadata
```

281 By convention, the namespace prefix `md:` is used to refer to the above namespace.

282 This specification defines a new namespace:

```
urn:oasis:names:tc:SAML:2.0:profiles:session:metadata
```

283 The prefix `mdsess:` is used here and in the accompanying schema to refer to this new namespace. In  
284 what follows, any unqualified element or type is assumed to belong to this new namespace.

### 7.1 Element `<md:RoleDescriptor>`

285 The `<md:RoleDescriptor>` element defined in [SAML2Meta] is an abstract extension point that con-  
286 tains descriptive information common across various entity roles. New roles can be defined by extending its ab-  
287 stract `md:RoleDescriptorType` complex type, which is the approach taken here.

### 7.2 CookieName and CookieNameType

288 Complex type `mdsess:CookieNameType` holds information intended to describe cookies used by this profile.

289 The `<mdsess:CookieName>` element is defined to be of type `mdsess:CookieNameType`. The value of  
290 the `<mdsess:CookieName>` element is a string which is the cookie name. It contains the following XML attrib-  
291 utes.

292 `CookieContent` [Required]

Required attribute that indicates the format of the content of the cookie. The values defined by  
this specification are:

293 `urn:oasis:names:tc:SAML:2.0:profiles:session:metadata:token`

294 This indicates that the SAML Assertion is carried in the cookie as described in Section 5 of this  
295 document.

296 `urn:oasis:names:tc:SAML:2.0:profiles:session:metadata:reference`

297 This indicates that the cookie contains a reference to the Token as described in Section 6 of this  
298 document.

299 `CookieCompression` [Optional]

Optional attribute that indicates what kind of compression, if any has been performed on the  
contents of the cookie. If the attribute is not present it indicates no compression has been done.  
The values defined by this specification are:

300 `urn:oasis:names:tc:SAML:2.0:profiles:session:metadata:nocompression`

301 This indicates that no compression has been done.

302 `urn:oasis:names:tc:SAML:2.0:profiles:session:metadata:rfc1951`

303 This indicates that the contents of the cookie have been compressed using the DEFLATE al-  
304 gorithm as described in Section 5.1 of this document.

305 The following schema fragment defines the `<mdsess:CookieName>` element and `mdsess:CookieName-`  
306 `Type` complex type:

```
<element name="CookieName" type="mdsess:CookieNameType"/>

<complexType name="CookieNameType" >
  <simpleContent>
    <extension base="string">
      <attribute name="CookieContent" type="anyURI" use="required"/>
      <attribute name="CookieCompression" type="anyURI" use="optional"/>
    </extension>
  </simpleContent>
```

```
</complexType>
```

### 7.3 Complex Type SessionAuthorityDescriptorType

307 Complex type **SessionAuthorityDescriptorType** extends complex type `<md:RoleDescriptor>` to represent  
308 information about SessionAuthorities.. It adds the `<mdsess:CookieName>` element to the items defined by  
309 the `<md:RoleDescriptor>`.

310 The following schema fragment defines the **SessionAuthorityDescriptorType** complex type:

```
<complexType name="SessionAuthorityDescriptorType" >  
  <complexContent>  
    <extension base="md:RoleDescriptorType">  
      <sequence>  
        <element ref="mdsess:CookieName" minOccurs="0" maxOccurs="unbounded"/>  
      </sequence>  
    </extension>  
  </complexContent>  
</complexType>  
</schema>
```

## 8 Example (non-normative)

311 The following is an example of a session token.

```
<saml:Assertion ID="_a75e1c55-01d7-40cc-929f-d627c72ebdfc"
  IssueInstant="2010-11-25T13:16:02Z" Version="2.0"
  xmlns:saml="urn:oasis:names:tc:SAML:2.0:assertion">
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:xs="http://www.w3.org/2001/XMLSchema"
  xmlns:ds="http://www.w3.org/2000/09/xmldsig#"
  <saml:Issuer>sessionauthority.example.com</Issuer>
  <ds:Signature xmlns:ds="http://www.w3.org/2000/09/xmldsig#">
    <ds:SignedInfo>
      <ds:CanonicalizationMethod
        Algorithm="http://www.w3.org/2001/10/xml-exc-c14n#" />
      <ds:SignatureMethod
        Algorithm="http://www.w3.org/2001/04/xmldsig-more#hmac-sha256" />
      <ds:Reference URI="#_a75e1c55-01d7-40cc-929f-d627c72ebdfc">
        <ds:Transforms>
          <ds:Transform
            Algorithm="http://www.w3.org/2000/09/xmldsig#envelopedsignature" />
          <ds:Transform Algorithm="http://www.w3.org/2001/10/xml-exc-c14n#">
            <InclusiveNamespaces PrefixList="#default saml ds xs xsi"
              xmlns="http://www.w3.org/2001/10/xml-exc-c14n#" />
          </ds:Transform>
        </ds:Transforms>
        <ds:DigestMethod Algorithm="http://www.w3.org/2001/04/xmenc#sha256" />
        <ds:DigestValue>Kcl ... </ds:DigestValue>
      </ds:Reference>
    </ds:SignedInfo>
    <ds:SignatureValue> ... </ds:SignatureValue>
    <ds:KeyInfo>
      <ds:KeyName>SessionKey003</ds:KeyName>
    </ds:KeyInfo>
  </ds:Signature>
  <saml:Subject>
    <saml:NameID NameQualifier="Repository6">John.Smith</NameID>
    <saml:SubjectConfirmation Method="urn:oasis:names:tc:SAML:2.0:cm:bearer">
      <saml:SubjectConfirmationData Address="192.168.1.2">
        </saml:SubjectConfirmationData>
      </saml:SubjectConfirmation>
    </saml:Subject>
    <saml:Conditions NotBefore="2010-11-25T13:16:02Z"
      NotOnOrAfter="2010-11-25T13:20:02Z">
      </saml:Conditions>
    <saml:AuthnStatement AuthnInstant="2010-11-25T13:15:13Z">
      <saml:AuthnContext>
        <saml:AuthnContextClassRef>
          urn:oasis:names:tc:SAML:2.0:ac:classes:Password
        </saml:AuthnContextClassRef>
      </saml:AuthnContext>
    </saml:AuthnStatement>
    <saml:AttributeStatement>
      <saml:Attribute NameFormat=
        "urn:oasis:names:tc:SAML:2.0:attrname-format:uri"
        Name="urn:oasis:names:tc:SAML:2.0:profiles:session:sessionId"
        xsi:type="xs:string" >
        258673
      </saml:Attribute>
      <saml:Attribute NameFormat=
        "urn:oasis:names:tc:SAML:2.0:attrname-format:uri"
        Name="urn:oasis:names:tc:SAML:2.0:profiles:session:AuthenticationSt
        rength"
        xsi:type="xs:integer" >
        >
    </saml:AttributeStatement>
  </saml:AttributeStatement>
</saml:Assertion>
```

```

    20
    </saml:Attribute>
    <saml:Attribute NameFormat=
        "urn:oasis:names:tc:SAML:2.0:attrname-format:uri"
        Name="urn:oasis:names:tc:SAML:2.0:profiles:session:TimeLastActive"
        xsi:type="xs:dateTime" >
        2010-11-25T13:16:02Z
    </saml:Attribute>
    <saml:Attribute NameFormat=
        "urn:oasis:names:tc:SAML:2.0:attrname-format:uri"
        Name="urn:oasis:names:tc:SAML:2.0:profiles:session:TokenFormatVersion"
        xsi:type="xs:string" >
        1.0
    </saml:Attribute>
    </saml:AttributeStatement>
</saml:Assertion>

```

312 For the purpose of this example, it is assumed that the deployment as assigned and **AuthenticationStrength** value  
313 of 20 to the password authentication method.

---

## 9 Security Considerations (non-normative)

314 The short summary is that this proposal has essentially the same security properties as existing deployed products.  
315 The primary threats are: 1) Token forgery, 2) Token capture and unauthorized use and 3) unauthorized disclosure of  
316 Token contents.

317 When the Assertion is carried in the cookie, the signature will prevent forgery.

318 Capture of the Token as it traverses the network can easily be prevented by protecting the browser session with TLS.  
319 This has been rarely done in the past because of performance concerns. However, recently Google has published  
320 work[Overclock-SSL] showing that running TLS has a minimal effect on capacity and throughput. They are also  
321 working on reducing latency, particularly in the initial handshake.

322 Depending on the application, it may be possible to capture a cookie via a cross-site scripting exploit. This can be  
323 mitigated by setting the HttpOnly attribute to the cookie. While this has not yet been standardized by the IETF yet,  
324 most browsers implement it by not allowing a cookie so marked to be accessed from a script.

325 Cookies can also be subject to interception if presented to some web sites without using TLS. Setting the “Secure”  
326 property on the cookie as specified in [RFC2965] will prevent this. Cookies may also be captured if any server in the  
327 domain is controlled by an attacker, whether or not TLS is used.

328 Another approach to preventing unauthorized use of a token is to compare the IP address in the token with the ad-  
329 dress it was received from. However this may suffer in practice from false positives or false negatives. If the mes-  
330 sages transit a firewall or gateway which performs Network Address Translation (NAT) different servers may see  
331 different IP addresses for the same browser. In this case, IP Address comparison will fail even though the user is le-  
332 gitimate..

333 On the other hand, the premise of IP Address checking is that an attacker cannot put the legitimate user’s IP Address  
334 in the message because then the responses will not be routed back to the attacker. However, It would seem that an  
335 attacker who could intercept messages from a point along the network path from browser to server and could also  
336 transmit from that point, could spoof the IP address.

337 Another threat is that one server could take the token from a user and use it to impersonate that user to another  
338 server. This scheme assumes that servers can be trusted not to do this, just as they are trusted not to misuse the pass-  
339 words users type in.

340 If unauthorized disclosure is a concern, the Assertion can be encrypted as specified in [SAML2Core]. However, if  
341 an unauthorized party can obtain a copy of the token, whether encrypted or not, it can be presented to impersonate  
342 the user. Therefore the utility of encrypting the Assertion is unclear. Generally, exposure of a user’s session state in-  
343 formation to that user will not be considered a threat.

344 When the cookie carries only a reference, no integrity check is required. If the value is invalid, the SAML request  
345 will fail. (Technically SAML will return an empty response.) Again, interception of the cookie will permit imper-  
346 sonation, but this seems to be a threat to any cookie-based scheme.

---

## 10 Conformance

- 347 A Session Authority conforms to this specification if it  
348     • generates Assertions conforming to Section 3 and 4,  
349     • uses the cookie naming scheme specified in Section 7, and  
350     • transmits the Assertion using the method defined in Section 5 or Section 6.  
351
- 352 A Session Consumer conforms to this specification if it  
353     • can process an Assertion as specified in Section 3 and 4,  
354     • can process a cookie named as specified in Section 7, and  
355     • access an Assertion using the method defined in Section 5 or Section 6.  
356

---

## Appendix A. Acknowledgments

357 The editor would like to acknowledge the contributions of the OASIS Security Services Technical Commit-  
358 tee, whose voting members at the time of publication were:

**Participants:**

- 359 • Thomas Hardjono, M.I.T.
- 360 • Scott Cantor, Internet2
- 361 • Frederick Hirsch, Nokia Corporation
- 362 • Ari Kermaier, Oracle Corporation
- 363 • Nathan Klingenstein, Internet2
- 364 • Chad La Joie, Internet2
- 365 • Hal Lockhart, Oracle Corporation
- 366 • Bob Morgan, Internet2
- 367 • Tinh Nguyenphu, Nokia Siemens Networks GmbH & Co. KG
- 368 • Rob Philpott, EMC Corporation
- 369 • Anil Saldhana, Red Hat
- 370 • David Staggs, Veterans Health Administration
- 371 • Emily Xu, Oracle Corporation
- 372

---

## Appendix B. Revision History

- 373 • WD01 Initial version
- 374 • WD02 – Removed Cookie Naming, Added Required Information, Changed protocol to URI Binding
- 375 • WD03 – Added example session token.
- 376 • WD04 – Make processing algorithm stateless, allow NameID to be omitted from Subject, remove session
- 377 start time, allow optional compression, define metadata, various corrections and improvements
- 378 • WD05 – Remove `saml:` prefix from XML Attributes, Change validation to refer to SAML Core, Fix
- 379 metadata schema, various editorial and format fixes.
- 380 • WD06 – Correct introductory sentence of section 4 to indicate not all elements are required and mark indi-
- 381 vidual elements and attributes as required, optional or prohibited.
- 382 • WD07 – Correct errors reported on comment list by Paul Knight. Add missing “/” in schema. Add list of
- 383 TC members to Acknowledgments.