



# WS-Calendar Version 1.0

## Committee Specification Draft 03 / Public Review Draft 02

25 March 2011

### Specification URIs:

#### This Version:

<http://docs.oasis-open.org/ws-calendar/ws-calendar-spec/v1.0/csprd02/ws-calendar-spec-v1.0-csprd02.pdf> (Authoritative)  
<http://docs.oasis-open.org/ws-calendar/ws-calendar-spec/v1.0/csprd02/ws-calendar-spec-v1.0-csprd02.html>  
<http://docs.oasis-open.org/ws-calendar/ws-calendar-spec/v1.0/csprd02/ws-calendar-spec-v1.0-csprd02.doc>

#### Previous Version:

<http://docs.oasis-open.org/ws-calendar/ws-calendar-spec/v1.0/csd02/ws-calendar-spec-v1.0-csd02.pdf> (Authoritative)  
<http://docs.oasis-open.org/ws-calendar/ws-calendar-spec/v1.0/csd02/ws-calendar-spec-v1.0-csd02.html>  
<http://docs.oasis-open.org/ws-calendar/ws-calendar-spec/v1.0/csd02/ws-calendar-spec-v1.0-csd02.doc>

#### Latest Version:

<http://docs.oasis-open.org/ws-calendar/ws-calendar/v1.0/ws-calendar-1.0-spec.pdf> (Authoritative)  
<http://docs.oasis-open.org/ws-calendar/ws-calendar/v1.0/ws-calendar-1.0-spec.html>  
<http://docs.oasis-open.org/ws-calendar/ws-calendar/v1.0/ws-calendar-1.0-spec.doc>

### Technical Committee:

OASIS Web Services Calendar (WS-Calendar) TC

### Chair(s):

Toby Considine

### Editor(s):

Toby Considine  
Mike Douglass

### Related work:

[XML Schemas for WS-Calendar Version 1.0](#)

This specification is related to:

- [IETF RFC5545](#), iCalendar
- [IETF RFC5546](#), iCalendar Transport
- [IETF RFC2447](#), iCalendar Message Based Interoperability
- [IETF XCAL](#) specification in progress
- [IETF / CalConnect Calendar Resource Schema](#) specification in progress

### Declared XML Namespace(s):

urn:ietf:params:xml:ns:icalendar-2.0

## Abstract:

WS-Calendar describes:

- A semantic (or information) model for exchange of calendar information to coordinate activities
- A means of synchronizing and maintaining calendars

The specification includes XML vocabularies for the interoperable and standard exchange of:

- Schedules, including sequences of schedules
- Intervals, including sequences of Intervals
- Other calendar information consistent with the IETF iCalendar standards

These vocabularies describe schedules and Intervals future, present, or past (historical).

In this Working Draft the means for synchronizing and maintaining calendars uses REST; in a future version a web services set of services will be defined. The document is divided into three parts; Parts 1 and 2 are in version 1.0; Part 3 will be in a later version.

- 1) The semantic model and XML vocabularies for exchanging schedule information
- 2) RESTful Services for calendar update and synchronization
- 3) Web services for calendar update and synchronization

## Status:

This document was last revised or approved by the [OASIS Web Services Calendar \(WS-Calendar\) TC](#) on the above date. The level of approval is also listed above. Check the "Latest Version" location noted above for possible later revisions of this document.

Technical Committee members should send comments on this specification to the Technical Committee's email list. Others should send comments to the Technical Committee by using the "[Send A Comment](#)" button on the Technical Committee's web page

For information on whether any patents have been disclosed that may be essential to implementing this specification, and any offers of patent licensing terms, please refer to the Intellectual Property Rights section of the Technical Committee web page: <http://www.oasis-open.org/committees/ws-calendar/ipr.php>.

## Citation Format:

When referencing this specification the following citation format should be used:

### **[ws-calendar-spec]**

*WS-Calendar Version 1.0*. 25 March 2011. OASIS Committee Specification Public Review Draft 02. <http://docs.oasis-open.org/ws-calendar/ws-calendar-spec/v1.0/csprd02/ws-calendar-spec-v1.0-csprd02.html>.



---

## Notices

Copyright © OASIS Open 2011. All Rights Reserved.

All capitalized terms in the following text have the meanings assigned to them in the OASIS Intellectual Property Rights Policy (the "OASIS IPR Policy"). The full [Policy](#) may be found at the OASIS website.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to OASIS, except as needed for the purpose of developing any document or deliverable produced by an OASIS Technical Committee (in which case the rules applicable to copyrights, as set forth in the OASIS IPR Policy, must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

OASIS requests that any OASIS Party or any other party that believes it has patent claims that would necessarily be infringed by implementations of this OASIS Committee Specification or OASIS Standard, to notify OASIS TC Administrator and provide an indication of its willingness to grant patent licenses to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this specification.

OASIS invites any party to contact the OASIS TC Administrator if it is aware of a claim of ownership of any patent claims that would necessarily be infringed by implementations of this specification by a patent holder that is not willing to provide a license to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this specification. OASIS may include such claims on its website, but disclaims any obligation to do so.

OASIS takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this document or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on OASIS' procedures with respect to rights in any document or deliverable produced by an OASIS Technical Committee can be found on the OASIS website. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this OASIS Committee Specification or OASIS Standard, can be obtained from the OASIS TC Administrator. OASIS makes no representation that any information or list of intellectual property rights will at any time be complete, or that any claims in such list are, in fact, Essential Claims.

The names "OASIS" and WS-Calendar are trademarks of [OASIS](#), the owner and developer of this specification, and should be used only to refer to the organization and its official outputs. OASIS welcomes reference to, and implementation and use of, specifications, while reserving the right to enforce its marks against misleading uses. Please see <http://www.oasis-open.org/who/trademark.php> for above guidance.

---

# Table of Contents

1	Introduction.....	9
1.1	Terminology.....	10
1.2	Normative References.....	10
1.3	Non-Normative References.....	11
1.4	Namespace.....	12
1.5	Naming Conventions.....	12
1.6	Editing Conventions.....	13
1.7	Architectural References.....	13
1.8	Semantics.....	13
2	Overview of WS-Calendar.....	17
2.1	Approach taken by the WS-Calendar Technical Committee.....	17
2.2	Scheduling Service Performance.....	17
2.2.1	Which Time? UTC vs. Local Time.....	18
2.3	Overview of This Document.....	18
3	PART ONE: Semantic Model for WS-Calendar.....	20
3.1	Intervals, Temporal Relations, and Sequences.....	20
3.1.1	Core Semantics derived from [XCAL].....	20
3.1.2	Intervals.....	21
3.1.3	Connecting the Intervals.....	22
3.1.4	Sequences: Combining Intervals.....	24
3.1.5	State Changes.....	26
3.2	Attachments and Timely Performance.....	27
3.2.1	Attachment and the Artifact.....	27
3.2.2	Specifying Timely Performance.....	28
3.2.3	Expressing Service and Tolerance.....	30
3.3	Using Sequences: referencing, modifying, and remote access.....	31
3.3.1	References and Inheritance.....	31
3.3.2	Calendar Gluons and Sequences.....	35
3.3.3	Inheritance rules for Calendar Gluons.....	37
3.3.4	Optimizing the expression of a Partition.....	37
3.3.5	Controlling Start Times in Service Advertisements.....	42
3.3.6	Other Scheduling Scenarios.....	45
3.4	Time Stamps.....	48
3.4.1	Time Stamp Realm Discussion.....	49
4	PART TWO: Calendar Update and Synchronization with RESTful Services.....	50
4.1	Calendar Services.....	50
4.1.1	Overview of the protocol.....	50
4.1.2	Error conditions.....	52
4.2	Properties and link relations.....	52
4.2.1	Property and relation-type URIs.....	52
4.2.2	supported-features property.....	53
4.2.3	max-attendees-per-instance.....	53
4.2.4	max-date-time.....	53

4.2.5 max-instances .....	53
4.2.6 max-resource-size .....	53
4.2.7 min-date-time .....	53
4.2.8 description .....	53
4.2.9 timezone-service relation. ....	53
4.2.10 principal-home relation .....	54
4.2.11 current-principal-freebusy relation.....	54
4.2.12 principal-freebusy relation. ....	54
4.2.13 child-collection relation. ....	54
4.2.14 created link property .....	54
4.2.15 last-modified property .....	55
4.2.16 displayname property .....	55
4.2.17 timezone property.....	55
4.2.18 owner property .....	55
4.2.19 collection link property.....	55
4.2.20 calendar-collection link property.....	55
4.2.21 CalWS:privilege-set XML element .....	56
4.3 Retrieving Collection and Service Properties .....	56
4.3.1 Request parameters .....	56
4.3.2 Responses:.....	56
4.3.3 Example - retrieving server properties: .....	56
4.4 Creating Calendar Object Resources .....	57
4.4.1 Request parameters .....	57
4.4.2 Responses:.....	57
4.4.3 Preconditions for Calendar Object Creation.....	57
4.4.4 Example - successful POST:.....	58
4.4.5 Example - unsuccessful POST:.....	59
4.5 Retrieving resources .....	59
4.5.1 Request parameters .....	59
4.5.2 Responses:.....	59
4.5.3 Example - successful fetch:.....	59
4.5.4 Example - unsuccessful fetch:.....	60
4.6 Updating resources.....	60
4.6.1 Responses:.....	60
4.7 Deletion of resources .....	61
4.7.1 Delete for Collections .....	61
4.7.2 Responses:.....	61
4.8 Querying calendar resources .....	61
4.8.1 Limiting data returned.....	62
4.8.2 Pre/postconditions for calendar queries .....	62
4.8.3 Example: time range limited retrieval .....	62
4.9 Free-busy queries .....	65
4.9.1 ACCEPT header.....	66
4.9.2 URL Query Parameters.....	66
4.9.3 URL parameters - notes .....	67

4.9.4 HTTP Operations .....	67
4.9.5 Response Codes .....	67
4.9.6 Examples .....	68
5 Conformance and Rules for WS-Calendar and Referencing Specifications .....	71
5.1 Introduction .....	71
5.2 Semantic Conformance Rules for WS-Calendar .....	71
5.2.1 Inheritance in WS-Calendar .....	71
5.2.2 Specific Attribute Inheritance in WS-Calendar .....	72
5.2.3 Conformance of Intervals in WS-Calendar .....	72
5.2.4 Conformance of Bound Intervals and Sequences in WS-Calendar .....	72
5.3 Conformance Rules for RESTful Services .....	73
5.4 Conformance Rules for Specifications Claiming Conformance to WS-Calendar .....	73
A. Acknowledgements .....	74
B. An Introduction to Internet Calendaring .....	75
B.1 icalendar .....	75
B.1.1 History .....	75
B.1.2 Data model .....	75
B.1.3 Scheduling .....	76
B.1.4 Extensibility .....	76
B.2 Calendar data access and exchange protocols .....	76
B.2.1 Internet Calendar Subscriptions .....	76
B.2.2 CalDAV .....	76
B.2.3 ActiveSync/SyncML .....	77
B.2.4 CalWS .....	77
B.2.5 iSchedule .....	77
B.3 References .....	77
C. Overview of WS-Calendar, its Antecedents and its Use .....	78
C.1 Scheduling Sequences .....	79
C.1.1 Academic Scheduling example .....	79
C.1.2 Market Performance schedule .....	80
D. Revision History .....	81

---

# Tables

## Index of Tables

Table 1-1: Namespaces used in this specification.....	12
Table 1-2: Schemas and Extensions Used in this Specification.....	12
Table 1-3: Semantics: Foundational Elements.....	13
Table 1-4: Semantics: Relations, Limits, and Constraints.....	14
Table 1-5: Semantics: Inheritance.....	14
Table 1-6: Semantics: Describing Intervals.....	15
Table 3-1: Properties of Intervals.....	21
Table 3-2: Temporal Relationships.....	22
Table 3-3: Introducing the Sequence.....	24
Table 3-4: Elements of a WS-Calendar Attachment.....	27
Table 3-5: Performance Tolerance.....	28
Table 3-6: Calendar Gluon Elements.....	32
Table 3-7: Vavailability elements with specified use in WS-Calendar.....	33
Table 3-8: Availability elements contained within Vavailability.....	34
Table 3-9 Gluon Inheritance rules.....	37
Table 3-10: Aspects of Time Stamps.....	48

---

## Index of Examples

Example 3-1: An Unanchored Interval.....	22
Example 3-2: Temporal Relationship.....	23
Example 3-3: Temporal Relationship with Gap.....	23
Example 3-4: Temporal Relationship without Gap.....	23
Example 3-5: An Anchored Sequence.....	25
Example 3-6 State Change communication.....	26
Example 3-7: Use of an Attachment with inline XML artifact.....	27
Example 3-8: Use of an Attachment with external reference.....	28
Example 3-9: Performance Component.....	29
Example 3-10: Interval with inline XML artifact and optional specified Performance.....	30
Example 3-11: Sequence with Performance defined in the Calendar Gluon.....	35
Example 3-12: Partition with Duration and Relationship defined in the Calendar Gluon.....	37
Example 3-13: Partition with Duration, Relationship, and Gap defined in the Calendar Gluon.....	40
Example 3-14: Vavailability.....	42
Example 3-15 Gluon publishing availability of pre-existing sequence.....	44
Example 3-16: Standard Sequence with Ramp-Up and Ramp Down.....	46
Example 4-1: Successful Update.....	60
Example 4-2: Unsuccessful Update.....	60

---

# 1 Introduction

2 The semantic model of WS-Calendar is intended to be used by Web services and other service-style  
3 interactions. Placing these requirements in context requires a brief overview of service requirements.

4 One of the most fundamental components of negotiating services is agreeing when something should  
5 occur, and in auditing when they did occur. Short running services traditionally have been handled as if  
6 they were instantaneous, and have handled scheduling through just-in-time requests. Longer running  
7 processes, including physical processes, may require significant lead times. When multiple long-running  
8 services participate in the same business process, it may be more important to negotiate a common  
9 completion time than a common start time. Pre-existing approaches that rely on direct control of such  
10 services by a central system increases integration costs and reduce interoperability as they require the  
11 controlling agent to know and manage multiple lead times.

12 Not all services are requested one time as needed. Processes may have multiple and periodic  
13 occurrences. An agent may need to request identical processes on multiple schedules. An agent may  
14 request services to coincide with or to avoid human interactions. Service performance may be required on  
15 the first Tuesday of every month, or in weeks in which there is no payroll, to coordinate with existing  
16 business processes. Service performance requirements may vary by local time zone. A common  
17 schedule communication must support diverse requirements.

18 Web services already coordinate a number of physical processes. Web services for building-based  
19 systems include the standards **[oBIX]**, BACnet/WS<sup>1</sup>, LON-WS<sup>2</sup>, OPC UA<sup>3</sup>, as well as a number of  
20 proprietary systems. LON-WS<sup>4</sup>, The European research and advanced development project SIRENA  
21 (Service Infrastructure for Real time Embedded Networked Applications) explored SOA for buildings,  
22 factories and devices, including SODA (Service Oriented Device Architecture). SOA4D<sup>5</sup> (Service-  
23 Oriented Architecture for Devices) offers a collaborative open source development web platform,  
24 including implementations (**[SOAP]** messaging, **[WS-Management]**, **[WS-Security]**, **[DP-WS]**) adapted  
25 to the specific constraints of embedded devices. There is a growing interest in coordinating the activities  
26 of things, building systems, industrial processes, homes, with human enterprise activities. In particular, if  
27 building systems coordinate with the schedules of the building's occupants, they can reduce energy use  
28 while improving performance.

29 An increasing number of specifications envision synchronization of processes through mechanisms  
30 including broadcast scheduling. Efforts to build an intelligent power grid (or smart grid) rely on  
31 coordinating processes in homes, offices, and industry with projected and actual power availability;  
32 mechanisms proposed include communicating different prices at different times. Several active OASIS  
33 Technical Committees require a common means to specify schedule and interval: Energy Interoperation  
34 **[EITC]** and Energy Market Information Exchange **[EMIX]**. Emergency management coordinators wish to  
35 inform geographic regions of future events, such as a projected tornado touchdown, using **[EDXL]**. The  
36 open Building Information Exchange specification **[oBIX]** lacks a common schedule communications for  
37 interaction with enterprise activities. These and other efforts would benefit from a common cross-domain,  
38 cross specification standard for communicating schedule and interval.

39 For human interactions and human scheduling, the well-known iCalendar format is used to address these  
40 problems. Prior to WS-Calendar, there has been no comparable standard for web services. As an

---

<sup>1</sup> BACnet® is a registered trademark of American Society of Heating, Refrigerating and Air-Conditioning Engineers (ASHRAE).

<sup>2</sup> LON is a registered trademark of Echelon Corporation.

<sup>3</sup> OPC UA is owned by the OPC Foundation

<sup>4</sup> LON is a registered trademark of Echelon Corporation.

<sup>5</sup> <http://cms.soa4d.org/>

41 increasing number of physical processes become managed by web services, the lack of a similar  
42 standard for scheduling and coordination of services becomes critical.

43 The intent of the WS-Calendar technical committee was to adapt the existing specifications for  
44 calendaring and apply them to develop a standard for how schedule and event information is passed  
45 between and within services. The standard adopts the semantics and vocabulary of iCalendar for  
46 application to the completion of web service contracts. WS Calendar builds on work done and ongoing in  
47 The Calendaring and Scheduling Consortium (CalConnect), which works to increase interoperability  
48 between calendaring systems.

49 While this specification (WS-Calendar) defines the use of core semantic elements from iCalendar, no part  
50 of this document prevents other semantic elements from iCalendar from being used. WS-Calendar  
51 describes the minimal use of that standard, not the maximal.

52 Everything with the exception of all examples, all appendices, and the introduction is normative unless  
53 otherwise specifically noted.

## 54 1.1 Terminology

55 The key words “MUST”, “MUST NOT”, “REQUIRED”, “SHALL”, “SHALL NOT”, “SHOULD”, “SHOULD  
56 NOT”, “RECOMMENDED”, “MAY”, and “OPTIONAL” in this document are to be interpreted as described  
57 in [RFC2119]

## 58 1.2 Normative References

- 59 **Calendar Resource Schema** C. Joy, C. Daboo, M Douglas, *Schema for representing*  
60 *resources for calendaring and scheduling services*, [http://tools.ietf.org/html/draft-](http://tools.ietf.org/html/draft-cal-resource-schema-00)  
61 [cal-resource-schema-00](http://tools.ietf.org/html/draft-cal-resource-schema-00), (Internet-Draft), April 2010.
- 62 **CalDAV** C. Daboo, B. Desruisseaux, L. Dusseault, *Calendaring Extensions to WebDAV*  
63 *(CalDAV)*, <http://www.ietf.org/RFC/RFC4791.txt>, IETF RFC4791, March 1997.
- 64 **DPWS** T Nixon, A Regnier, D Driscoll, Antoine Mensch, *Devices Profile for Web*  
65 *Services 1.1*, <http://docs.oasis-open.org/ws-dd/ns/dpws/2009/01>, July 2009
- 66 **FreeBusy Read URL** E York. Freebusy read URL,  
67 [http://www.calconnect.org/pubdocs/CD0903%20Freebusy%20Read%20URL%20](http://www.calconnect.org/pubdocs/CD0903%20Freebusy%20Read%20URL%20V1.0.pdf)  
68 [V1.0.pdf](http://www.calconnect.org/pubdocs/CD0903%20Freebusy%20Read%20URL%20V1.0.pdf)
- 69 **RFC2119** S. Bradner, *Key words for use in RFCs to Indicate Requirement Levels*,  
70 <http://www.ietf.org/RFC/RFC2119.txt>, IETF RFC2119, March 1997.
- 71 **RFC2447** F. Dawson, S. Mansour, S. Silverberg, *iCalendar Message-Based Interoperability*  
72 *Protocol (iMIP)*, <http://www.ietf.org/RFC/RFC2247.txt>, IETF RFC2447, December  
73 2009.
- 74 **RFC2616** R Fielding, et al. et al, *Hypertext Transfer Protocol -- HTTP/1.1*  
75 <http://tools.ietf.org/html/RFC2616>, IETF RFC2616, November 1998
- 76 **RFC3339** G Klyne, C Newman, *Date and Time on the Internet: Timestamps*  
77 <http://tools.ietf.org/html/rfc3339>
- 78 **RFC4791** Daboo, et al. *Calendaring Extensions to WebDAV (CalDAV)*.  
79 <http://www.ietf.org/rfc/rfc4791.txt>. IETF RFC 2119, March 2007
- 80 **RFC4918** L. Dusseault, *HTTP Extensions for Web Distributed Authoring and Versioning*  
81 *(WebDAV)*. <http://tools.ietf.org/html/rfc4918>
- 82 **RFC5545** B. Desruisseaux *Internet Calendaring and Scheduling Core Object Specification*  
83 *(iCalendar)*, <http://www.ietf.org/rfc/rfc5545.txt>, IETF RFC5545, September 2009.
- 84 **RFC5546** C. Daboo *iCalendar Transport-Independent Interoperability Protocol (iTIP)*,  
85 <http://www.ietf.org/rfc/rfc5546.txt>, IETF RFC5546, December 2009.
- 86 **RFC5598** M. Nottingham, *Web Linking*, <http://www.ietf.org/rfc/rfc5598.txt>, IETF RFC5598,  
87 October 2010.

88	<b>SOA-RM</b>	OASIS Standard, Reference Model for Service Oriented Architecture 1.0, October 2006. <a href="http://docs.oasis-open.org/soa-rm/v1.0/soa-rm.pdf">http://docs.oasis-open.org/soa-rm/v1.0/soa-rm.pdf</a>
89		
90	<b>SOAP</b>	M Gudgin, M Hadley, N Mendelsohn, J Moreau, H Nielsen, A Karmarkar, SOAP Version 1.2 Part 1: Messaging Framework, W3C Recommendation
91		
92		<a href="http://www.w3.org/TR/soap12-part1/">http://www.w3.org/TR/soap12-part1/</a> , April 2007
93	<b>Vavailability</b>	C. Daboo, B. Desruisseaux, Calendar Availability, <a href="http://tools.ietf.org/html/draft-daboo-calendar-availability-01">http://tools.ietf.org/html/draft-daboo-calendar-availability-01</a> , IETF draft, November 2008
94		
95	<b>WSDL</b>	E Christensen, F Curbera, G Meredith, S Weerawarana, Web Services Description Language (WSDL) 1.1, <a href="http://www.w3.org/TR/wsdl">http://www.w3.org/TR/wsdl</a> , W3C Note March 2001
96		
97		
98	<b>WS-Management</b>	DMTF Standard, Web Services for Management,
99		<a href="http://www.dmtf.org/sites/default/files/standards/documents/DSP0226_1.0.0.pdf">http://www.dmtf.org/sites/default/files/standards/documents/DSP0226_1.0.0.pdf</a>
100		April 2010
101	<b>WS-Security</b>	K Lawrence, C Kaler, A Nadalin, R Monzillo, P Hallam-Baker, <b>Web Services Security: 4 SOAP Message Security 1.1</b> , <a href="http://www.oasis-open.org/committees/download.php/16790/wss-v1.1-spec-os-SOAPMessageSecurity.pdf">http://www.oasis-open.org/committees/download.php/16790/wss-v1.1-spec-os-SOAPMessageSecurity.pdf</a> , February 2006
102		
103		
104		
105	<b>draft xCal</b>	C. Daboo, M Douglas, S Lees xCal: The XML format for iCalendar,
106		<a href="http://tools.ietf.org/html/draft-daboo-et-al-icalendar-in-xml-07">http://tools.ietf.org/html/draft-daboo-et-al-icalendar-in-xml-07</a> , Internet-Draft,
107		October 2010.
108	<b>XPATH</b>	A Berglund, S Boag, D Chamberlin, MF Fernández, M Kay, J Robie, J Siméon XML Path Language (XPath) 2.0, <a href="http://www.w3.org/TR/xpath20/">http://www.w3.org/TR/xpath20/</a> January 2007.
109		
110	<b>XLINK</b>	S DeRose, E Maler, D Orchard, N Walsh XML Linking Language (XLink) Version 1.1., <a href="http://www.w3.org/TR/xlink11/">http://www.w3.org/TR/xlink11/</a> May 2010.
111		
112	<b>XPOINTER</b>	S DeRose, E Maler, R Daniel Jr. XPointer xpointer Scheme,
113		<a href="http://www.w3.org/TR/xptr-xpointer/">http://www.w3.org/TR/xptr-xpointer/</a> December 2002.
114	<b>XML SCHEMA</b>	PV Biron, A Malhotra, XML Schema Part 2: Datatypes Second Edition,
115		<a href="http://www.w3.org/TR/xmlschema-2/">http://www.w3.org/TR/xmlschema-2/</a> October 2004.
116	<b>XRD</b>	OASIS XRI Committee Draft 01, Extensible Resource Descriptor (XRD) Version 1.0, <a href="http://docs.oasis-open.org/xri/xrd/v1.0/cd01/xrd-1.0-cd01.pdf">http://docs.oasis-open.org/xri/xrd/v1.0/cd01/xrd-1.0-cd01.pdf</a> October 2009.
117		

### 118 1.3 Non-Normative References

119	<b>NIST Framework and Roadmap for Smart Grid Interoperability Standards</b> , Office of the National
120	Coordinator for Smart Grid Interoperability, Release 1.0, NIST Special
121	Publication 1108,
122	<a href="http://www.nist.gov/public_affairs/releases/upload/smartgrid_interoperability_final.pdf">http://www.nist.gov/public_affairs/releases/upload/smartgrid_interoperability_final</a>
123	<a href="http://www.nist.gov/public_affairs/releases/upload/smartgrid_interoperability_final.pdf">.pdf</a> .
124	<b>NAESB Smart Grid Requirements</b> (awaiting publication) (draft contributed)
125	<a href="http://lists.oasis-open.org/archives/ws-calendar-comment/201005/doc00000.doc">http://lists.oasis-open.org/archives/ws-calendar-comment/201005/doc00000.doc</a> ,
126	May 2010
127	<b>REST</b>
128	T Fielding, Architectural Styles and the Design of Network-based Software Architectures, <a href="http://www.ics.uci.edu/~fielding/pubs/dissertation/top.htm">http://www.ics.uci.edu/~fielding/pubs/dissertation/top.htm</a> .
129	<b>TZDB</b>
130	P Eggert, A.D. Olson, "Sources for Time Zone and Daylight Saving Time Data", <a href="http://www.twinsun.com/tz/tz-link.htm">http://www.twinsun.com/tz/tz-link.htm</a>
131	<b>Time Zone Recommendations</b> , CalConnect, CalConnect EDST (Extended Daylight Savings Time)
132	Reflections and Recommendations, Version: 1.1,
133	<a href="http://www.calconnect.org/pubdocs/CD0707%20CalConnect%20EDST%20Reflections%20and%20Recommendations%20V1.1.pdf">http://www.calconnect.org/pubdocs/CD0707%20CalConnect%20EDST%20Reflections%20and%20Recommendations%20V1.1.pdf</a>
134	
135	October 2010
136	<b>Time Zone Service</b> , M Douglas, C Daboo, Timezone Service Protocol, Draft RFC,IETF,
137	<a href="http://datatracker.ietf.org/doc/draft-douglass-timezone-service/">http://datatracker.ietf.org/doc/draft-douglass-timezone-service/</a>

138 **1.4 Namespace**

139 The XML namespace [XML-ns] URI that MUST be used by implementations of this specification is:

140 `urn:ietf:params:xml:ns:icalendar-2.0`

141 Table 1-1 lists the XML schemas that are used in this specification. The choice of any namespace prefix  
142 is arbitrary and not semantically significant.

143 *Table 1-1: Namespaces used in this specification*

Prefix	Namespace
xs	<a href="http://www.w3.org/2001/XMLSchema">http://www.w3.org/2001/XMLSchema</a>
xcal	urn:ietf:params:xml:ns:icalendar-2.0
ts	<a href="http://docs.oasis-open.org/ns/ws-calendar/timestamp/201103">http://docs.oasis-open.org/ns/ws-calendar/timestamp/201103</a>

144 The Resource Directory Description Language [RDDL 2.0] document that describes this namespace can  
145 be found at <http://docs.oasis-open.org/ns/ws-calendar>. The normative schemas for WS-Calendar can be  
146 found linked from this namespace document. The schemas are listed in Table 1-2.

147 *Table 1-2: Schemas and Extensions Used in this Specification*

Schema	Description
<b>iCalendar.xsd</b>	Base Schema expressing core iCalendar information
<b>iCalendar-params.xsd</b>	Parameters used in iCalendar objects
<b>iCalendar-props.xsd</b>	Properties of iCalendar objects
<b>iCalendar-valtypes.xsd</b>	Values used by iCalendar
<b>iCalendar-link-extension.xsd</b>	Link extensions based on [web linking] to define relationships between components.
<b>iCalendar-wscal-extensions.xsd</b>	Extensions to iCalendar to support service functionality
<b>iCalendar-bw-extensions.xsd</b>	Extensions to support integration with Bedeworks server.
<b>iCalendar-ms-extensions.xsd</b>	Extensions to support integration with MS Exchange Server
<b>TimeStamp.xsd</b>	An ancillary information model describing the elements needed to support event forensics

148 Reviewers can find the schemas at <http://docs.oasis-open.org/ws-calendar/ws-calendar-spec/v1.0/csprd02/xsd/>.

150 **1.5 Naming Conventions**

151 This specification follows some naming conventions for artifacts defined by the specification, as follows:

152 For the names of elements and the names of attributes within XSD files, the names follow the lower  
153 camelCase convention, with all names starting with a lower case letter. For example,

154 `<element name="componentType" type="energyinterop:ComponentType" />`

155 For the names of types within XSD files, the names follow the lower CamelCase convention with all  
156 names starting with a lower case letter prefixed by "type-". For example,

157 `<complexType name="type-componentService">`

158 For the names of intents, the names follow the lower camelCase convention, with all names starting with  
159 a lower case letter, EXCEPT for cases where the intent represents an established acronym, in which  
160 case the entire name is in upper case.

161 An example of an intent that is an acronym is the "SOAP" intent.

## 162 1.6 Editing Conventions

163 For readability, element names in tables appear as separate words. The actual names are  
164 lowerCamelCase, as specified above, and as they appear in the XML schemas.

165 All elements in the tables not marked as "optional" are mandatory.

166 Information in the "Specification" column of the tables is normative. Information appearing in the note  
167 column is explanatory and non-normative.

168 All sections explicitly noted as examples are informational and are not to be considered normative.

## 169 1.7 Architectural References

170 WS-Calendar assumes incorporation into services. Accordingly it assumes a certain amount of definitions  
171 of roles, names, and interaction patterns. This document relies heavily on roles and interactions as  
172 defined in the OASIS Standard *Reference Model for Service Oriented Architecture [SOA-RM]*.

## 173 1.8 Semantics

174 Certain terms appear throughout this document, some with extensive definitions. The table provides  
175 summary definitions for the convenience of the reader and reviewer. When full definitions of the terms  
176 below appear in later sections of this document, with the exception of in the appendices, then that later  
177 definition is normative.

178 WS-Calendar terminology begins with a specialized terminology for the segments of time, and for groups  
179 of related segments of time. These terms are defined in Table 1-3 through Table 1-6 below.

180 *Table 1-3: Semantics: Foundational Elements*

Time Segment	Definition
<b>Duration</b>	Well-known element from iCalendar and [XCAL], Duration is the length of an event scheduled using iCalendar or any of its derivatives. The [XCAL] duration is a data type using the string representation defined in the iCalendar duration. The Duration is the sole descriptive element of the VTOD object that is mandatory in the Interval.
<b>Interval</b>	The Interval is a single duration derived from the common calendar components as defined in iCalendar ([RFC5545]) and refined in [XCAL]. In Calendar systems, it is processed as a vtodo, but the constraints and conformance are different.
<b>Sequence</b>	A Sequence is a set of Intervals with defined temporal relationships. Sequences may have gaps between Intervals, or even simultaneous activities. A Sequence is re-locatable, i.e., it does not have a specific date and time. A Sequence may consist of a single Interval. A Sequence may optionally include a Lineage.
<b>Partition</b>	A Partition is a set of consecutive Intervals. The Partition includes the trivial case of a single Interval. Partitions are used to define a single service or behavior that varies over time. Examples include energy prices over time and energy usage over time.
<b>Gluon</b>	A gluon influences the serialization of Intervals in a Sequence, though inheritance and through schedule setting. The Gluon is similar to the Interval, but has no service or schedule effects until applied to an Interval or Sequence.

Time Segment	Definition
<b>Artifact</b>	An Artifact is the thing that occurs during an Interval. WS-Calendar extends the <b>[XCAL]</b> attach object to contain this placeholder. The contents of the Artifact are not specified in WS-Calendar, rather the Artifact provides an extension base for the use of WS-Calendar in other specifications. Artifacts may inherit elements as do Intervals within a Sequence.

181 WS-Calendar works with groups of Intervals that have relationships between them. These relations  
182 constrain the final instantiation of a schedule-based service. Relations can control the ordering of  
183 Intervals in a Sequence. They can describe when a service can be, or is prevented from, being invoked.  
184 They establish the parameters for how information will be shared between elements using Inheritance.  
185 The terminology for these relationships is defined in Table 1-4.

186 *Table 1-4: Semantics: Relations, Limits, and Constraints*

Term	Definition
<b>Link</b>	The Link is used by one WS-Calendar object to reference another. A link can reference either an internal object, within the same calendar, or an external object in a remote system.
<b>Relationship</b>	Relationships link between components for Binding. ICalendar defines several relationships, but WS-Calendar uses only the CHILD relationship, and that only to bind Gluons to each other and to Intervals.
<b>Temporal Relationship</b>	Temporal Relationships extend the RFC5545 Relationships to define how Intervals become a Sequence by creating an order between Intervals. The Predecessor Interval includes a Temporal Relation, which references the Successor Interval. When the start time and duration of one Interval is known, the start time of the others can be computed through applying Temporal Relations.
<b>Availability</b>	Availability expresses the range of times in which an Interval or Sequence can be Scheduled. Availability is often overlays or is overlaid by Busy. Availability can be Inherited
<b>Busy</b>	Busy expresses the range of times in which an Interval or Sequence cannot be Scheduled. Busy is often used to overlay or be overlaid by Availability. Busy can be Inherited
<b>Child, Children</b>	The CHILD relationship type (rel_type) defines a logical link (via URI or UID) from parent object to a child object. A Child object is the target of one or more CHILD relationships and may have zero to many Parent objects.
<b>Parent [Gluon]</b>	A Gluon (in a Sequence) that includes a CHILD relationship parameter type (rel_type) defines a logical link (via URI or UID) from parent object to a child object. A Parent Component contains one or more CHILD Relationships

187 WS-Calendar describes how to modify and complete the specification of Sequences. WS-Calendar calls  
188 this process Inheritance and specifies a number of rules that govern inheritance. Table 1-5 defines the  
189 terms used to describe inheritance.

190 *Table 1-5: Semantics: Inheritance*

Term	Definition
<b>Lineage</b>	The ordered set of Parents that results in a given inheritance or execution context for a Sequence.

Term	Definition
<b>Inheritance</b>	Parents bequeath information to Children that inherit them. If a child does not already possess that information, then it accepts the inheritance. WS-Calendar specifies rules whereby information specified in one informational object is considered present in another that is itself lacking expression of that information. This information is termed the Inheritance of that object.
<b>Bequeath</b>	A Parent Bequeaths attributes (Inheritance) to its Children
<b>Inherit</b>	A Child Inherits attributes (Inheritance) from its Parent
<b>Covarying Attributes</b>	Some attributes are inherited as a group. If any member of that group is expressed in a Child, all members of that group are deemed expressed in that Child, albeit some may be default values. These characteristics are called covarying or covariant. A parent bequeaths covarying characteristics as a group and a child accepts or refuses them as a group.
<b>Decouplable Attributes</b>	Antonym for Covarying Attributes. Decouplable Attributes can be inherited separately.

191 As Intervals are processed, as Intervals are assembled, and as inheritance is processed, the information  
192 conveyed about each element changes. When WS-Calendar is used to describe a business process or  
193 service, it may pass through several stages in which the information is not yet complete or actionable, but  
194 is still a conforming expression of time and Sequence. Table 1-6 defines the terms used when discussing  
195 the processing or processability of Intervals and Sequences.

196 *Table 1-6: Semantics: Describing Intervals*

Term	Definition
<b>Anchored</b>	An Interval is Anchored [in time] if it is Bound to a full date and time. A Sequence or Partition is Anchored if it contains an Anchored Interval, and when Fully Bound, the specific date, time, and duration of all Intervals can be determined unambiguously. Specific performance of a Service Contract always occurs in an Anchored Sequence.,
<b>Partially Anchored</b>	An Interval is Partially Anchored if EITHER its Date OR its Time is Bound. A Sequence or Partition is Partially Anchored if its Designated Interval is Partially Anchored.
<b>Unanchored</b>	An Interval is Unanchored if NEITHER its Begin Date nor its Begin Time are known.
<b>Bound</b>	As in mathematical logic where a metasyntactic variable is called "bound", an Interval, Sequence, or Partition is said to be Bound when the values necessary to execute it (as a service) are completely filled in.
<b>Partially Bound</b>	A Partially Bound Interval is one that is still not Bound after receiving its Inheritance. A Sequences or Partitions is Partially Bound if it contains at least one Interval that is Partially Bound.
<b>Unbound</b>	An Unbound Interval or Sequence is not itself complete, but must still receive inheritance to be fully specified. A Sequences or Partitions is Unbound if it contains at least one Interval that is Unbound.
<b>Fully Bound</b>	A synonym for Bound

<b>Term</b>	<b>Definition</b>
<b>Constrained</b>	An Interval is Constrained if it is not Anchored and it is bound to one or more Availability or Free/Busy elements
<b>Scheduled</b>	A Sequence or Partition is said to be Scheduled when it is Anchored, Fully Bound, and service performance has been requested.
<b>Unscheduled</b>	An Interval is Unscheduled if its neither its begin date and time nor its end date and time have been set. A Sequence or Partition is Unscheduled if none of its Intervals, after when Fully Bound, is Scheduled.
<b>Designated Interval</b>	In a Sequence the Designated Interval is either (a) (if there are no Gluons related to the Sequence) one of the Earliest Interval(s), or (b) (if there is at least one Gluon related to the Sequence) the single Interval referenced by a Gluon as CHILD.
<b>Predecessor Interval</b>	A Predecessor Interval includes a Temporal Relation which references a Successor Interval.
<b>Successor Interval</b>	A Successor Interval is one referred to by a Temporal Relationship in a Predecessor Interval.
<b>Antecedent Interval(s)</b>	An Interval or set of Intervals that precede a given Interval within the same Sequence
<b>Earliest Interval</b>	The set of Intervals at the earliest time in a given Sequence
<b>Composed Interval</b>	A Composed Interval is the virtual Interval specified by applying inheritance through the entire lineage and into the Sequence in accord with the inheritance rules. A Composed Interval may be Bound or Unbound.
<b>Composed Sequence</b>	A Composed Sequence is the virtual Sequence specified by applying inheritance through the entire lineage and into the Sequence in accord with the inheritance rules. A Composed Sequence may be Bound or Unbound.
<b>Comparable Sequences</b>	Two Sequences are Comparable if and only if there exists a Composed version of each that defines the same schedule.

---

## 2 Overview of WS-Calendar

197

198 A calendar communication without a real world effect<sup>6</sup> is of little interest. That real world effect is the  
199 result of a service execution context within a policy context. Practitioners can use WS-Calendar to add  
200 communication of schedule and Interval to the execution context of a service. Use of WS-Calendar will  
201 align the performance expectations between execution contexts in different domains. The Technical  
202 Committee intends for other specifications and standards to normatively reference and claim  
203 conformance to WS-Calendar, bringing a common scheduling context to diverse interactions in different  
204 domains

### 2.1 Approach taken by the WS-Calendar Technical Committee

205

206 The Technical Committee (TC) based its work upon the iCalendar specification as updated in 2009 (IETF  
207 **[RFC5545]** and its the XML serialization **[XCAL]**, currently (2010-07) on a standards track in the IETF.  
208 Members of the Calendaring and Scheduling Consortium (CalConnect.org) developed both updates to  
209 IETF specifications and provided advice to this TC. This work provides the vocabulary for use in this  
210 specification.

211 This committee developed the normative schema (XSD) for iCalendar. This schema, including the  
212 schema extensions necessary for the services defined herein, is part of the WS-Calendar specification.

213 The committee solicited requirements from a range of interests, notably the NIST Smart Grid Roadmap  
214 and the requirements of the Smart Grid Interoperability Panel (SGIP) as developed by the North  
215 American Energy Standards Board (NAESB). Others submitting requirements included members of the  
216 oBIX technical committee and representative of the FIX Protocol Association. These requirements are  
217 reflected in the semantic elements described in Chapters 3 and 4.

218 In a parallel effort, the CalConnect TC-XML committee developed a number of schedule and calendar-  
219 related services. CalConnect drew on its experience in interoperability between enterprise calendaring  
220 systems as well as interactions with web-based calendars and personal digital assistants (PDAs). These  
221 services were developed as RESTfull (using **[REST]**) services by CalConnect and contributed to the WS-  
222 Calendar TC. CalConnect also developed and contributed **[SOAP]** and **[WSDL]** definitions to this TC.

### 2.2 Scheduling Service Performance

223

224 Time semantics are critical to WS-Calendar. Services requested differently can have different effects on  
225 performance even though they appear to request the same time interval. This is inherent in the concept of  
226 a service-oriented architecture.

227 As defined in the OASIS Reference Model for Service Oriented Architecture 1.0<sup>7</sup>, service requests  
228 access the capability of a remote system.

229 *The purpose of using a capability is to realize one or more real world effects. At its core, an*  
230 *interaction is “an act” as opposed to “an object” and the result of an interaction is an effect (or a*  
231 *set/series of effects). This effect may be the return of information or the change in the state of*  
232 *entities (known or unknown) that are involved in the interaction.*

233 *We are careful to distinguish between public actions and private actions; private actions are*  
234 *inherently unknowable by other parties. On the other hand, public actions result in changes to the*

---

<sup>6</sup> This paragraph includes a number of terms of art used in service oriented architecture (SOA). In all cases, the terms are as defined in the *Reference Model for Service Oriented Architecture*, found in the normative references.

<sup>7</sup> See normative references in section 1.2

235 *state that is shared between at least those involved in the current execution context and possibly*  
236 *shared by others. Real world effects are, then, couched in terms of changes to this shared state*

237 A request for remote service performance is a request for specific real world effects. For WS-Calendar,  
238 these effects are expected to occur during a given period. Consider two service providers that offer the  
239 same service. One must start planning an hour or more in advance. The second may be able to achieve  
240 the service in five minutes. The service start time is the time when that service becomes fully available;  
241 that is the time specified in service interactions. Because this service start time and service period are all  
242 that matters, the same service can be offered by different providers using quite different technologies.

243 The complement of this is the scheduled end time. The party offering the service may need to ramp down  
244 long running processes. Using for example energy demand response, if a system contracts to end energy  
245 use by 3:00, it assumes the onus of turning everything off before 3:00.

246 Duration is how long a behavior is continued. If a service contracts to provide shed load for an hour, it is  
247 not necessary for it to stop shedding load 65 minutes later (which may be the end of the work day). It  
248 must, however, shed the agreed upon load during all of the 60 minutes.

249 In this way, the service scheduled to shed load from 4:00 ending at 5:00 may be quite different than the  
250 one scheduled to shed load for an hour beginning at 4:00.

## 251 **2.2.1 Which Time? UTC vs. Local Time**

252 When 2 or more parties attempt to agree on a time, e.g., for a meeting, or when to provide a service, they  
253 agree to start at a particular instant of time UTC. They agree on that instant in time by converting from  
254 local time, e.g., they want a meeting to start at 13:00 Eastern, 18:00 UK. Our lives and the use of services  
255 are bound by local time not by UTC. To humans local time is the invariant and UTC is mapped on to it. If  
256 a government modifies the rules we adjust the mappings and we shift the UTC time. We still want to meet  
257 at 13:00 local or have the heating start at 07:00.

258 As long as the rules never change this causes no confusion—but they do. Recent experience has  
259 included considerable efforts when the rules for the start of Daylight Savings Time (DST) have changed.  
260 If all information is in UTC, and no record of the events basis in the local time and time zone remains,  
261 there is no way to re-compute existing contracts. We don't know if that UTC was calculated based on an  
262 old or new rule.

263 A triplet of Local time + timezoneid + (UTC or offset) always allows you to determine if the time is valid. If  
264 a recalculation of UTC for that local time + tzid results in a different value from that stored then  
265 presumably the DST rules have changed since the data was stored. If you can detect that the scheduled  
266 time is no longer valid you can take corrective action.

267 For simplicity, all examples and discussion in this document are based on Greenwich Mean Time also  
268 known as Coordinated Universal Time (UTC). The Technical Committee makes no representation as  
269 whether UTC or local time are more appropriate for a given interaction. Because WS-Calendar is based  
270 on **[iCalendar]**, business practices built upon WS-Calendar can support either.

271 Practitioners should consult **[Time Service Recommendations]** and **[Time Zone Service]** in the non-  
272 normative references.

## 273 **2.3 Overview of This Document**

274 The specification consists of a standard schema and semantics for schedule and interval information.  
275 Often the most important service schedule communications involve series of related services over time,  
276 which WS-Calendar defines as a Sequence. These semantic elements are defined and discussed in  
277 Section 3. While this specification the use of core semantic elements from iCalendar, no part of this  
278 document prevents other semantic elements from iCalendar from being used.

279 Section 3.2 introduces notions of tolerance, i.e. what does it mean to be “on time”. This section also  
280 describes the different ways to associate a service request with each Interval in a Sequence.

281 Managing information exchanges about a Sequence of events can easily become cumbersome, or prone  
282 to error. WS-Calendar defines the Calendar Gluon, a mechanism for making assertions about all or most  
283 of the Intervals in a Sequence. Intervals can inherit from a Calendar Gluon, or they can override locally

284 assertions inherited from the Calendar Gluon. Section 3.3 discusses inheritance and parsimony of  
285 communication and introduces contract scheduling.

286 In Sections 4-4.9, this document describes **[REST]**-based, (RESTfull) web services for interacting with  
287 remote calendars. These interactions are derived from the well-known interactions defined in **[CalDAV]**,  
288 although they do not specify any interaction with **[CalDAV]** servers. This specification defines services for  
289 calendar inquiries, event scheduling, event updating, and event cancelation.

290 In Sections n-n, this document describes **[SOAP]**-based interactions for Calendar services. As with  
291 REST, the specification defines services for calendar inquiries, event scheduling, event updating, and  
292 event cancelation using the iCalendar schema.

293 With incompatible communications defined (REST, SOAP), the specification is not prescriptive of the  
294 communications used. The practitioner must decide whether to use either of these communication  
295 protocols, or whether WS-Calendar artifacts are better used when embedded within other messages.  
296 These decisions, along with decisions about the specific security needed by the communication must be  
297 based upon the specific application and message content.

298

## 3 PART ONE: Semantic Model for WS-Calendar

### 3.1 Intervals, Temporal Relations, and Sequences

300 WS-Calendar Elements are semantic elements derived from the [XCAL] specification. These elements  
301 are smaller than a full schedule interaction, and describe the intervals, durations, and time-related events  
302 that are relevant to service interactions. The elements are used to build a precise vocabulary of time,  
303 duration, Sequence, and schedule.

304 WS-Calendar elements adapt the iCalendar objects to make interaction requirements explicit. For  
305 example, in human schedule interactions, different organizations have their own expectations. Meetings  
306 may start on the hour or within 5 minutes of the hour. As agents scheduled in those organizations, people  
307 learn the expected precision. In WS-Calendar, that precision must be explicit to prevent interoperability  
308 problems. WS-Calendar defines a performance element to elaborate the simple specification of [XCAL] to  
309 make explicit the performance expectations within a scheduled event.

310 WS-Calendar defines common semantics for recording and exchanging event information.

#### 3.1.1 Core Semantics derived from [XCAL]

312 The iCalendar data format [RFC5545] is a widely deployed interchange format for calendaring and  
313 scheduling data. The [XCAL] specification (in process) standardizes the XML representation of iCalendar  
314 information. WS-Calendar relies on [XCAL] standards and data representation to develop its semantic  
315 components.

##### 3.1.1.1 Time

317 Time is an ISO 8601 compliant time string with the optional accompaniment of a duration interval to  
318 define times of less than 1 second. Examples of date and time representations from the ISO 8601  
319 standard include:

```
320 Year:  
321   YYYY (eg 1997)  
322 Year and month:  
323   YYYY-MM (eg 1997-07)  
324 Complete date:  
325   YYYY-MM-DD (eg 1997-07-16)  
326 Complete date plus hours and minutes:  
327   YYYY-MM-DDThh:mmTZD (eg 1997-07-16T19:20+01:00)  
328 Complete date plus hours, minutes and seconds:  
329   YYYY-MM-DDThh:mm:ssTZD (eg 1997-07-16T19:20:30+01:00)  
330 Complete date plus hours, minutes, seconds and a decimal fraction of a second  
331   YYYY-MM-DDThh:mm:ss.sTZD (eg 1997-07-16T19:20:30.45+01:00)
```

332 Normative information on [ISO 8601] is found in section 1.2.

##### 3.1.1.2 The iCalendar Components (VComponents)

334 iCalendar and [XCAL] have a number of long defined component objects that comprise the payload  
335 inside of an iCalendar message. These include the VTODO, the VALARM, the VEVENT. (The “v” that  
336 begins each element name is there for historic purposes.) The definitions and use of each of the vObjects  
337 can be found in [RFC5545].

338 The vObjects share the same parameters and properties. The distinctions between these informational  
339 objects is in which are permitted, and which are required. Because of its flexibility, the VTODO object is  
340 the basis for WS-Calendar objects for service performance. Because WS-Calendar services support all  
341 traditional iCalendar-based interactions (CalDAV, et al.), all VComponents SHALL be supported.

342 The Interval and Gluon are new vObjects, and each is derived from vtodo.

### 343 3.1.1.3 Duration and the granularity of Time

344 iCalendar makes a number of assumptions about the meaning of time when expressed as duration,  
345 based on guidance in [ISO 8601]. These become important during times when the meaning of a duration  
346 changes. The passage of a month that begins on January 5 is complete on February 5. Another month  
347 comes to March 5. Each is expressed using the format (1M). These durations are, respectively, 31, 28 or  
348 29, and 31 days. In a similar way, Years (1Y) may be 365 or 366 days long, days (1D) may be 23, 24, or  
349 25 hours long. A duration is over, when the same common metric is reached in the next such unit

350 The meaning of a communication is based upon the granularity of the communication. If the intention is to  
351 express 30 days, then one should use (30D) and not (P1M). Similarly, if the intent is to express from now  
352 until the same time tomorrow, use (1D) rather than 24 hours (24H).

### 353 3.1.2 Intervals

354 Time Segments, i.e., increments of continuous passage of time, are a critical component of service  
355 alignment using WS-Calendar. There are many overloaded uses of terms about time, and within a  
356 particular time segment, there may be many of them.

357 The building block for the WS-Calendar information model is the Interval. The Interval is a time segment  
358 whose length is specified by the Duration. The Duration is represented by a string as defined in the  
359 iCalendar specification [RFC5545]. The Committee listened to arguments that we should redefine the use  
360 and meaning of Duration. Whatever their merit, the iCalendar Duration has a pre-existing meaning of the  
361 length of time of scheduled within an event.

362 An Interval is a unit of service delivery, and can be bound to time. An Unscheduled Interval is not linked to  
363 a specific date and time. A Scheduled Interval has a known start date and time. Intervals can legally  
364 contain all elements of the VTODO as defined in [RFC5545]. For convenience, the elements essential to  
365 Intervals are listed in Table 3-1.

366 Nothing in this section supersedes [RFC5545]. Implementers SHALL refer to those respective  
367 specifications [RFC5545] and the [XCAL] specifications for the normative description of each element.

368 *Table 3-1: Properties of Intervals*

Elements	Use	Use in WS-Calendar
<b>Dtstamp</b>	xcal:dtstamp Mandatory	Identifies when Interval object was created
<b>Uid</b>	Mandatory	Used to enable unambiguous referencing by other components
<b>Duration</b>	xcal:Duration Optional	Identifies length of time for Interval
<b>DtStart</b>	Xcal:dateTime Optional	Scheduled start date and time for Interval
<b>attach</b>	Mandatory	In [XCAL], any attachment. In WS-Calendar, the Attach contains the informational payload used by incorporating specifications. Defined in section 3.2.
<b>Relations</b>	As defined in [RFC5998] Optional	Relations contain the temporal relations between Intervals that create Sequences. Section 3.1.3. describes Temporal Relations and their use.

369 An Interval specifies how long an activity lasts. An Unanchored Interval is not linked to a specific date and  
370 time. The example below shows the components section of a WS-Calendar message containing a single  
371 Interval

372 *Example 3-1: An Unanchored Interval*

```

373 <xcal:interval xmlns:xcal="urn:ietf:params:xml:ns:icalendar-2.0">
374   <xcal:properties>
375     <xcal:uid>
376       <xcal:text>6fa8b9c5-e9b1-4ba1-bf9e-5e5da03cb943@examples.oasis-
377 open.org</xcal:text>
378     </xcal:uid>
379     <xcal:duration>
380       <xcal:duration>T10H</xcal:duration>
381     </xcal:duration>
382   </xcal:properties>
383   <xcal:components/>
384 </xcal:interval>

```

385 Note that no start time is specified, and no relationship. Relationships are not needed until an Interval is  
386 incorporated into a Sequence.

387 **3.1.3 Connecting the Intervals**

388 Many iCalendar communications involve more than one Interval. Classic iCalendar [RFC5545] defines  
389 relationships internally. WS-Calendar instead uses the Web Link [RFC5998], both for the traditional  
390 Relationships (parent, child, sibling) and for the Temporal Relationships. Relationships include a  
391 reference, a relation, and optional Tolerance parameters.

392 Temporal Relationships, new in WS-Calendar, use Web Linking [RFC5998] in an Interval (the  
393 Predecessor) to reference another Interval (the Successor). Temporal Relationships optionally include a  
394 Gap that specifies any lag between Predecessor and Successor.

395 *Table 3-2: Temporal Relationships*

Temporal Relationship	Short Form	Definition	Example
<b>finishToStart</b>	FS	As soon as the predecessor Interval finishes, the successor Interval starts.	When sanding is complete, painting begins.
<b>finishToFinish</b>	FF	The successor Interval continues as long as the predecessor Interval.	The concession stand stops serving 20 minutes after the end of the game.
<b>startToFinish</b>	SF	The start of the predecessor controls the finish of the successor.	The start of Attendee Check-in controls the end of the Interval "Set up registration booth."
<b>startToStart</b>	SS	The Predecessor Interval triggers the start of the second task. The Gap indicates the lag time	20 minutes after the caterer begins work, the dining lines are open.
<b>Gap</b>		Duration indicating the time between the predecessor and the successor. Optional, where missing, Gap is treated as a zero duration	Gap may be positive or negative.

396 While simple relationships may be ordered based on which task occurs first (finishToStart), if a later  
397 Interval is controlling, other choices may make more useful. For example, if ramp-up time must be  
398 completed before run-time, and run-time start is indicated in a contract, it may be useful to specify that the  
399 Ramp Interval (Successor) must complete before (startToFinish) the Designated Interval's (Predecessor)  
400 scheduled start time. Referencing specifications should consider conformance around Temporal  
401 Relationships.

402 The relationship below indicates that this Interval is to start ten minutes following the finish of the Interval  
403 specified.

404 *Example 3-2: Temporal Relationship*

```
405 <xcal:related-to xmlns:xcal="urn:ietf:params:xml:ns:icalendar-2.0">  
406   <xcal:parameters>  
407     <xcal:reltype>  
408       <xcal:text>FS</xcal:text>  
409     </xcal:reltype>  
410     <xcal:gap>  
411       <xcal:duration xs:type="xcal:DurationPropType">  
412         <xcal:parameters/>  
413         <xcal:duration>T10M</xcal:duration>  
414       </xcal:duration>  
415     </xcal:gap>  
416   </xcal:parameters>  
417   <xcal:uid>05782926-1d71-4a55-ae3b-cba5ebf419d3@examples.oasis-  
418   open.org</xcal:uid>  
419 </xcal:related-to>
```

420 If there is no temporal separation between Intervals, the gap element is optional. The following examples  
421 are equivalent expressions to express a relationship wherein both Intervals must start at the same  
422 moment.

423 *Example 3-3: Temporal Relationship with Gap*

```
424 <xcal:related-to xmlns:xs="http://www.w3.org/2001/XMLSchema-instance"  
425 xmlns:xcal="urn:ietf:params:xml:ns:icalendar-2.0">  
426   <xcal:parameters>  
427     <xcal:reltype>  
428       <xcal:text>FS</xcal:text>  
429     </xcal:reltype>  
430     <xcal:gap>  
431       <xcal:duration xs:type="xcal:DurationPropType">  
432         <xcal:parameters/>  
433         <xcal:duration>T0M</xcal:duration>  
434       </xcal:duration>  
435     </xcal:gap>  
436   </xcal:parameters>  
437   <xcal:uid>5decdb30-7278-4e96-9f81-c20c81f283c3@examples.oasis-  
438   open.org</xcal:uid>  
439 </xcal:related-to>
```

440 Leaving out the optional Gap element, we have:

441 *Example 3-4: Temporal Relationship without Gap*

```
442 <xcal:related-to xmlns:xs="http://www.w3.org/2001/XMLSchema-instance"  
443 xmlns:xcal="urn:ietf:params:xml:ns:icalendar-2.0">  
444   <xcal:parameters>  
445     <xcal:reltype>  
446       <xcal:text>FS</xcal:text>  
447     </xcal:reltype>  
448   </xcal:parameters>  
449   <xcal:uid>5decdb30-7278-4e96-9f81-c20c81f283c3@examples.oasis-  
450   open.org</xcal:uid>  
451 </xcal:related-to>
```

452 The two expressions of a Temporal Relationship above are equivalent.

453 Intervals with Temporal Relationships enable the message to express complex temporal relations to form  
454 a Sequence, as well as express the simple consecutive Intervals named a Partition

455 A Sequence describes a coherent set of Intervals that can be assembled from a collection of Intervals. As  
456 the rules for parsing XML do not mandate preservation of order within a sub-set, we cannot assume that  
457 order is preserved when parsing a set of Components. For Sequences in WS-Calendar, then, mere order  
458 is not enough—a Sequence is a collection of Intervals each of which Interval either refers to or is referred  
459 by at least one Interval. Using the references, expressed as Temporal Relations, WS-Calendar describes  
460 a single coherent Sequence that is assembled from a set of Intervals in a collection.

### 461 3.1.4 Sequences: Combining Intervals

462 A Sequence is a collection of Intervals with a coherent set of Temporal Relationships. Temporal  
463 Relationships are transitive, so that if Interval A is related to Interval B, and Interval B is related to Interval  
464 C, then Interval A is related to Interval C. Sequences can also include Gluons (see section 3.3.1,  
465 *References and Inheritance.*, but for this section, we will discuss Sequences only as a set of Intervals.

466 Table 3-3: Introducing the Sequence

```
467 <xcal:vcalendar xmlns:xs="http://www.w3.org/2001/XMLSchema-instance"  
468 xmlns:xcal="urn:ietf:params:xml:ns:icalendar-2.0" xs:type="xcal:VcalendarType">  
469   <xcal:components>  
470     <xcal:interval>  
471       <xcal:properties>  
472         <xcal:uid>  
473           <xcal:text>6bf5b06f-0418-4fd7-b861-d3a2b9b0292a@examples.oasis-  
474 open.org</xcal:text>  
475         </xcal:uid>  
476         <xcal:duration>  
477           <xcal:parameters/>  
478           <xcal:duration>T1H</xcal:duration>  
479         </xcal:duration>  
480       </xcal:properties>  
481     </xcal:interval>  
482     <xcal:interval>  
483       <xcal:properties>  
484         <xcal:uid>  
485           <xcal:text>a40a85bb-3052-4e52-ad20-4d19cb76d9e7@examples.oasis-  
486 open.org</xcal:text>  
487         </xcal:uid>  
488         <xcal:duration>  
489           <xcal:duration>T2H</xcal:duration>  
490         </xcal:duration>  
491         <xcal:related-to>  
492           <xcal:reltype>  
493             <xcal:text>FS</xcal:text>  
494           </xcal:reltype>  
495         </xcal:parameters>  
496         <xcal:uid>6bf5b06f-0418-4fd7-b861-d3a2b9b0292a@examples.oasis-  
497 open.org</xcal:uid>  
498         </xcal:related-to>  
499       </xcal:properties>  
500     </xcal:interval>  
501     <xcal:interval>  
502       <xcal:properties>  
503         <xcal:uid>  
504           <xcal:text>9aa279d1-78d0-4ef7-a737-9519bec09007@examples.oasis-  
505 open.org</xcal:text>  
506         </xcal:uid>  
507         <xcal:duration>  
508           <xcal:duration>T3H</xcal:duration>  
509         </xcal:duration>  
510         <xcal:related-to>  
511           <xcal:parameters>  
512             <xcal:reltype>  
513               <xcal:text>FS</xcal:text>  
514             </xcal:reltype>  
515           <xcal:gap>  
516             <xcal:duration xs:type="xcal:DurationPropType">  
517               <xcal:duration>T10M</xcal:duration>  
518             </xcal:duration>
```

```

519         </xcal:gap>
520     </xcal:parameters>
521     <xcal:uid>a40a85bb-3052-4e52-ad20-4d19cb76d9e7@examples.oasis-
522 open.org</xcal:uid>
523     </xcal:related-to>
524     </xcal:properties>
525     </xcal:interval>
526     </xcal:components>
527 </xcal:vcalendar>

```

528 In this example, the Intervals are one hour, 1 hour, 2 hours, and three hours long. There is a ten minute  
529 period between the second and third periods.

### 530 3.1.4.1 Anchoring a Sequence

531 A Sequence becomes an Anchored Sequence whenever a single Interval within the Sequence is  
532 Anchored. An Interval is Anchored when it has a specific starting date and time (dtstart).

533 *Example 3-5: An Anchored Sequence*

```

534 <xcal:vcalendar xmlns:xs="http://www.w3.org/2001/XMLSchema-instance"
535 xmlns:xcal="urn:ietf:params:xml:ns:icalendar-2.0"
536 xs:type="xcal:VcalendarType">
537     <xcal:components>
538         <xcal:interval>
539             <xcal:properties>
540                 <xcal:uid>
541                     <xcal:text>12b59df6-cac2-41e7-a4c8-
542 41a9d347e54c@examples.oasis-open.org</xcal:text>
543                 </xcal:uid>
544                 <xcal:duration>
545                     <xcal:duration>T15M</xcal:duration>
546                 </xcal:duration>
547             </xcal:properties>
548         </xcal:interval>
549         <xcal:interval>
550             <xcal:properties>
551                 <xcal:uid>
552                     <xcal:text>5dce9e77-8afa-4371-9437-
553 11d673f7f901@examples.oasis-open.org</xcal:text>
554                 </xcal:uid>
555                 <xcal:duration>
556                     <xcal:duration>T2H</xcal:duration>
557                 </xcal:duration>
558                 <xcal:related-to>
559                     <xcal:parameters>
560                         <xcal:reltype>
561                             <xcal:text>FS</xcal:text>
562                         </xcal:reltype>
563                     </xcal:parameters>
564                     <xcal:uid>12b59df6-cac2-41e7-a4c8-41a9d347e54c@examples.oasis-
565 open.org</xcal:uid>
566                 </xcal:related-to>
567                 <xcal:dtstart>
568                     <xcal:parameters>
569                         <xcal:tzid>
570                             <xcal:text>America/New_York</xcal:text>
571                         </xcal:tzid>
572                     </xcal:parameters>
573                     <xcal:date-time>20110315T090000</xcal:date-time>
574                 </xcal:dtstart>
575             </xcal:properties>
576         </xcal:interval>
577     </xcal:components>

```

```

578     </xcal:interval>
579     <xcal:interval>
580         <xcal:properties>
581             <xcal:uid>
582                 <xcal:text>ec72e7df-c837-4cba-afbb-
583 aa54b9043158@examples.oasis-open.org</xcal:text>
584             </xcal:uid>
585             <xcal:duration>
586                 <xcal:duration>T30M</xcal:duration>
587             </xcal:duration>
588             <xcal:related-to>
589                 <xcal:parameters>
590                     <xcal:reltype>
591                         <xcal:text>FS</xcal:text>
592                     </xcal:reltype>
593                     <xcal:gap>
594                         <xcal:duration xs:type="xcal:DurationPropType">
595                             <xcal:duration>T10M</xcal:duration>
596                         </xcal:duration>
597                     </xcal:gap>
598                 </xcal:parameters>
599                 <xcal:uid>5dce9e77-8afa-4371-9437-11d673f7f901@examples.oasis-
600 open.org</xcal:uid>
601             </xcal:related-to>
602         </xcal:properties>
603     </xcal:interval>
604 </xcal:components>
605 </xcal:vcalendar>

```

606 Note that the entire Sequence is Anchored when a single Interval within the Sequence is Anchored.

### 607 3.1.5 State Changes

608 A common service interaction is to request that, at a certain time, a discrete state change will occur. It  
609 could be that the price will rise. It could be that a report will be run. Such a communication has no logical  
610 Duration. WS-Calendar communicates state changes through use of an Interval with the Duration  
611 explicitly set to zero time. Because the Duration is explicit, it will not be over-ridden through inheritance.

612 Specifications that normatively reference and claim conformance with WS-Calendar SHALL define the  
613 business meaning of zero duration Intervals.

614 *Example 3-6 State Change communication*

```

615 <xcal:interval xmlns:xs="http://www.w3.org/2001/XMLSchema-instance"
616 xmlns:xcal="urn:ietf:params:xml:ns:icalendar-2.0">
617     <xcal:properties>
618         <xcal:uid>
619             <xcal:text>f1bac9f0-cdd4-4f78-9a83-e8f2446fe205@examples.oasis-
620 open.org</xcal:text>
621         </xcal:uid>
622         <xcal:duration>
623             <xcal:duration>T0</xcal:duration>
624         </xcal:duration>
625         <xcal:dtstart>
626             <xcal:parameters>
627                 <xcal:tzid>
628                     <xcal:text>America/New_York</xcal:text>
629                 </xcal:tzid>
630             </xcal:parameters>
631             <xcal:date-time>20110315T161500</xcal:date-time>
632         </xcal:dtstart>
633     </xcal:properties>
634 </xcal:components/>

```

635

```
</xcal:interval>
```

### 636 3.2 Attachments and Timely Performance

637 While iCalendar expresses time and intervals, WS-Calendar associates those intervals with specific  
638 services and service performance characteristics. In iCalendar components, the ATTACH component is  
639 used to include information outside the scope of traditional Calendar services. WS-Calendar extends the  
640 ATTACH element to support payloads developed in other specifications. WS-Calendar also defines a new  
641 class of parameters for iCalendar components that specify the temporal performance requirements of the  
642 service.

#### 643 3.2.1 Attachment and the Artifact

644 The WS-Calendar Attach component provides a container for delivering a payload or for referencing an  
645 external service. This payload would be transported within WS-Calendar either because it describes a  
646 service that is or can be provided over an Interval, or whose service qualities vary over several Intervals  
647 in a Sequence. As the Technical Committee cannot know all the specifications that may incorporate WS-  
648 Calendar, this specification cannot discuss the contents of this payload. WS-Calendar does expect,  
649 however, that these payloads will respect and extend the inheritance and conformance rules herein  
650 specified.

651 The payload may be in-line, i.e., contained within the WS-Calendar Attach, or it may be found by  
652 reference. WS-Calendar supports references either to another section of the same XML document  
653 sharing the same message as WS-Calendar element, or to an external service or specification. The WS-  
654 Calendar Attach can be thought of as having three options: "perform as described here", or "perform as  
655 described below", or "perform as described elsewhere."

656 The WS-Calendar Attach has three options for communicating interval-based information as below.

657 *Table 3-4: Elements of a WS-Calendar Attachment*

Attachment Element	Use	Discussion
<b>Artifact</b>	any in-line XML (xs:any) An attachment must have at least one artifact or reference	Unevaluated container for payload describing service.
<b>uri</b>	[XPOINTER] An attachment must have at least one of artifact or reference	Points to external XML, or XML located elsewhere in document
<b>Text</b>	Any text (xs:text)	The use of text in WS-Calendar is not defined.

658 Specifications that incorporate WS-Calendar may wish to restrict these choices through conformance  
659 requirements.

660 *Example 3-7: Use of an Attachment with inline XML artifact*

```

661 <xcal:interval xmlns:xs="http://www.w3.org/2001/XMLSchema-instance"
662 xmlns:xcal="urn:ietf:params:xml:ns:icalendar-2.0">
663   <xcal:properties>
664     <xcal:uid>
665       <xcal:text>38db45b7-0e95-4034-af56-90901cc5b892@examples.oasis-
666       open.org</xcal:text>
667     </xcal:uid>
668     <xcal:duration>
669       <xcal:duration>T10H</xcal:duration>
670     </xcal:duration>
671   <xcal:x-wscalendar-attach>

```

672  
673  
674  
675  
676  
677  
678  
679  
680  
681

```
<xcal:artifact>
  <xx:payload xmlns:xx="urn:externally:defined:artifact">
    <xx:units>furlongs</xx:units>
    <xx:quantity>14</xx:quantity>
  </xx:payload>
</xcal:artifact>
</xcal:x-wscalendar-attach>
</xcal:properties>
<xcal:components />
</xcal:interval>
```

682  
683

The Artifact is of type xs:any, allowing compliant XML from any namespace to be submitted as a payload. Per the conformance rules, the payload should be Fully Bound before evaluation.

684

*Example 3-8: Use of an Attachment with external reference*

685  
686  
687  
688  
689  
690  
691  
692  
693  
694  
695  
696  
697  
698  
699  
700  
701  
702  
703  
704

```
<xcal:interval xmlns:xs="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xcal="urn:ietf:params:xml:ns:icalendar-2.0">
  <xcal:properties>
    <xcal:uid>
      <xcal:parameters/>
      <xcal:text>d3c868ad-91e4-46ab-9281-2505d03421e0@examples.oasis-
open.org</xcal:text>
    </xcal:uid>
    <xcal:duration>
      <xcal:parameters/>
      <xcal:duration>T10H</xcal:duration>
    </xcal:duration>
    <xcal:x-wscalendar-attach>
      <xcal:parameters/>
      <xcal:uri>http://examples.oasis-
open.org/reference/external</xcal:uri>
    </xcal:x-wscalendar-attach>
  </xcal:properties>
  <xcal:components/>
</xcal:interval>
```

705

### 706 3.2.2 Specifying Timely Performance

707  
708  
709  
710  
711

WS-Calendar elements adapt the iCalendar objects to make interaction requirements explicit. For example, in human schedule interactions, different organizations have their own expectations. Meetings may start on the hour or within 5 minutes of the hour. As agents scheduled in those organizations, people learn the expected precision. In WS-Calendar, that precision must be explicit to prevent interoperation problems.

712  
713  
714  
715

Service coordination between systems requires precise communication about expectations for the timeliness of performance. WS-Calendar defines Tolerance parameters. Tolerance parameters are added to any iCalendar component to make explicit the tolerance for time imprecision within a scheduled event. Tolerance can be set for each Interval or for an entire Sequence.

716  
717

The Tolerance component refines the meaning of time-related service communication. All elements of the Tolerance parameter use the Duration element as defined in [RFC5545].

718 *Table 3-5: Performance Tolerance*

Performance Tolerance	Definition	Discussion
<b>startBeforeTolerance</b>	A Duration enumerating how far before the requested start time the requested service may commence.	Indicates if a service that begins at 1:57 is compliant with a request to start at 2:00

Performance Tolerance	Definition	Discussion
<b>startAfterTolerance</b>	A Duration enumerating how far after the requested start time the requested service may commence.	Indicates if a service that begins at 2:01 is compliant with a request to start at 2:00
<b>endBeforeTolerance</b>	A Duration enumerating how far before scheduled end time may end.	Indicates if a service that ends at 1:57 is compliant with a request to end at 2:00
<b>endAfterTolerance</b>	A Duration enumerating how far after the scheduled end time the requested service may commence.	Indicates if a service that ends at 2:01 is compliant with a request to end at 2:00
<b>durationLongTolerance</b>	A Duration indicating by how much the performance Duration may exceed the Duration specified in the Interval . It may be 0.	Used when run time is more important than start and stop time. DurationLongTolerance SHALL NOT be used when Start and End Tolerances are both specified.
<b>durationShortTolerance</b>	A Duration indicating by how much the performance Duration may fall short of Duration specified in the Interval . It may be 0.	Used when run time is more important than start and stop time. DurationShortTolerance SHALL NOT be used when Start and End Tolerances are both specified.
<b>granularity</b>	A Duration enumerating the smallest unit of time measured or tracked	Whatever the time tolerance above, there is some minimum time that is considered insignificant. A Granularity of 1 second defines the tracking and reporting requirements for a service.

719 Tolerance is part of the core WS-Calendar service definition. Similar products or services, identical except  
720 for different Tolerance characteristics may appear in different markets. The ability to perform within  
721 Tolerance influences the price offered and the service selected.

722 Note that Tolerance parameter does not indicate time, but only Duration. A Tolerance parameter  
723 associated with an unscheduled Interval does not change when that Interval is scheduled.

724 Tolerance parameters are optional components of each WS-Calendar attachment.

725 *Example 3-9: Performance Component*

```

726 <xcal:interval xmlns:xs="http://www.w3.org/2001/XMLSchema-instance"
727 xmlns:xcal="urn:ietf:params:xml:ns:icalendar-2.0">
728   <xcal:properties>
729     <xcal:uid>
730       <xcal:parameters>
731         <xcal:startbeforetolerance>
732           <xcal:duration xs:type="xcal:DurationPropType">
733             <xcal:duration>T1M</xcal:duration>
734           </xcal:duration>
735         </xcal:startbeforetolerance>
736         <xcal:startaftertolerance>
737           <xcal:duration xs:type="xcal:DurationPropType">
738             <xcal:duration>T0M</xcal:duration>
739           </xcal:duration>
740         </xcal:startaftertolerance>
741         <xcal:durationlongtolerance>
742           <xcal:duration xs:type="xcal:DurationPropType">
743             <xcal:duration>T0M</xcal:duration>

```

```

744         </xcal:duration>
745         </xcal:durationlongtolerance>
746         <xcal:durationshorttolerance>
747             <xcal:duration xs:type="xcal:DurationPropType">
748                 <xcal:duration>T0M</xcal:duration>
749             </xcal:duration>
750         </xcal:durationshorttolerance>
751     </xcal:parameters>
752     <xcal:text>d79c8b20-68db-43bf-8919-4c397264a654@examples.oasis-
753 open.org</xcal:text>
754 </xcal:uid>
755 <xcal:duration>
756     <xcal:duration>T30M</xcal:duration>
757 </xcal:duration>
758 </xcal:properties>
759 <xcal:components/>
760 </xcal:interval>

```

761 In the example, the service can start as much as 1 minutes earlier than the scheduled time, and must  
762 start no later than the scheduled time. Whenever the service starts, the service must execute for exactly  
763 the Duration indicated.

764 Generally, the implementer should refrain from expressing unnecessary or redundant Tolerance  
765 characteristics.

### 766 3.2.3 Expressing Service and Tolerance

767 Services, references and Tolerance each appear in the example below

768 *Example 3-10: Interval with inline XML artifact and optional specified Performance*

```

769 <xcal:interval xmlns:xs="http://www.w3.org/2001/XMLSchema-instance"
770 xmlns:xcal="urn:iETF:params:xml:ns:icalendar-2.0">
771     <xcal:properties>
772         <xcal:uid>
773             <xcal:text>70e487fc-45c6-40d3-a2ac-51749c7e8c8f@examples.oasis-
774 open.org</xcal:text>
775         </xcal:uid>
776         <xcal:duration>
777             <xcal:parameters>
778                 <xcal:startbeforetolerance>
779                     <xcal:duration xs:type="xcal:DurationPropType">
780                         <xcal:parameters />
781                         <xcal:duration>T10M</xcal:duration>
782                     </xcal:duration>
783                 </xcal:startbeforetolerance>
784                 <xcal:startaftertolerance>
785                     <xcal:duration xs:type="xcal:DurationPropType">
786                         <xcal:parameters />
787                         <xcal:duration>T0M</xcal:duration>
788                     </xcal:duration>
789                 </xcal:startaftertolerance>
790             </xcal:parameters>
791             <xcal:duration>T3H30M</xcal:duration>
792         </xcal:duration>
793         <xcal:x-wscalendar-attach>
794             <xcal:artifact>
795                 <xx:payload xmlns:xx="urn:externally:defined:artifact">
796                     <xx:units>furlongs</xx:units>
797                     <xx:quantity>14</xx:quantity>
798                 </xx:payload>
799             </xcal:artifact>
800         </xcal:x-wscalendar-attach>

```

```
801 </xcal:properties>
802 <xcal:components />
803 </xcal:interval>
```

### 804 **3.3 Using Sequences: referencing, modifying, and remote access**

805 Sequences can define specific progressions of performance or state within a wide range of services and  
806 specifications. They become more useful as they can be re-used or modified. A Sequence that is not fully  
807 specified can be adapted and re-used without re-statement. An abstract Sequence can become a service  
808 through iterative referencing.

809 As a Sequence is reified through reference, WS-Calendar specifies how additional information is applied  
810 or not applied to each Interval through a chain of references. We refer to this process as inheritance.  
811 Derivative specification can take advantage of inheritance by defining specific rules that conform to the  
812 WS-Calendar inheritance pattern.

813 This section describes how to create references to Sequences, including remote references, the rules  
814 that allow schedule-related information to become more complete through those references, and how to  
815 specify conforming rules in derivative specifications.

#### 816 **3.3.1 References and Inheritance.**

817 Sequences are composed of Intervals for which a set of temporal relations have been defined.  
818 **[RFC5545]** also defines the “PARENT”, “CHILD” and “SIBLING” relationships, in which one component  
819 references another by UID. In WS-Calendar, we reference a Sequence by creating a relationship with any  
820 single Interval in the Sequence. We refer to the Interval within a Sequence that has this relationship as  
821 the Designated Interval.

822 Wherever there is “missing” information in the Designated Interval, it can be inherited is inherited from the  
823 referring component; we use the “CHILD” relationship to reference the designated Interval. These  
824 references may be local or remote. Some, but not all, of the information can be inherited by the other  
825 Intervals in the Sequence. Adding additional references can further specify information in the Sequence  
826 through inheritance; these additional references created by specifying an additional component that has a  
827 parent relation to the previous referring component. In this way, we can create a grand-parent and a great  
828 grand-parent.

829 Each parent bequeaths information to its child. A child inherits this information in accord with the  
830 inheritance rules. If the child is itself a parent, it bequeaths its information, the bound result of its internal  
831 information and its inheritance, to its child. Information to complete the specification of a Sequence flows  
832 in this way from parent to child, from the outer reference to the inner Sequence.

833 Inheritance by the designated Interval is governed by slightly different inheritance rules than the other  
834 Intervals in the Sequence. In particular, only the designated Interval can inherit the start date and time  
835 from its parent. The starting date and times if other Intervals in a Sequence are computed using the  
836 temporal relationships within the Sequence. Other information can be inherited by all Intervals in a  
837 Sequence. Full inheritance rules are specified at [reference].

838 The referring components are named Gluons. In physics, gluons are particles that affect the exchanges of  
839 force between quarks, but are not themselves quarks. By analogy, WS-Calendar Gluons affect the  
840 referencing and binding of Intervals in a Sequence, but are not themselves Intervals or part of  
841 Sequences. Because Intervals can inherit almost any property from a Gluon, Gluons must contain most of  
842 the same information elements as Intervals. Because Intervals can contain information payloads for  
843 specifications that use WS-Calendar, and these payloads can inherit information from gluons in the same  
844 way Intervals do, Gluons must be able to contain information payloads from those specifications as well.  
845 Gluons are described in the next section.

#### 846 **3.3.1.1 Introducing the Gluon**

847 WS-Calendar Gluons are used to referencing and bind the Intervals in a Sequence, but are not  
848 themselves Intervals or part of Sequences. Gluons must contain most of the same information elements

849 as Intervals, because Intervals can inherit almost any property from a Gluon. When Intervals are used in  
 850 other specifications, they contain payloads for that are not defined in WS-Calendar. Gluons can also hold  
 851 the same payloads, and conforming specifications MUST define inheritance rules that govern inheritance  
 852 within these payloads. Conformance rules, including those for inheritance conformance, are discussed in  
 853 section 5 *Conformance and Rules for WS-Calendar and Referencing Specifications*.

854 The WS-Calendar Gluon is in essence an the Interval component profiled down to minimal elements for  
 855 which inheritance rules defined, and able to carry a conforming informational payload. (See Appendix  
 856 *Overview of WS-Calendar, its Antecedents and its Use*) Calendar Gluons use iCalendar relations to apply  
 857 service information to Sequences.

858 *Table 3-6: Calendar Gluon Elements*

Calendar Gluon Element	Use	Discussion
<b>dtStamp</b>	[XCAL]:dtstamp <i>Mandatory</i>	Time and date that Calendar Gluon object was created
<b>Uid</b>	<i>Mandatory</i>	Used to enable unambiguous referencing of each Gluon object
<b>Summary</b>	Text <i>Optional</i>	Text describing the Calendar Gluon
<b>child</b>	As defined in <b>[RFC5998]</b>	A Calendar Gluon must have a link to at least one CHILD.
<b>dtStart</b>	dateTime Start time for the Designated Interval. <i>Optional</i>	A Calendar Gluon may either have a dtStart or a dtEnd, but may not have both.
<b>dtEnd</b>	DateTime. Scheduled completion time for the Designated Interval. <i>Optional</i>	An Calendar Gluon may either have a dtStart or a dtEnd, but may not have both.
<b>duration</b>	Duration <i>Optional</i>	If specified, a Duration is potentially inherited by all Intervals in the referred-to Sequence,
<b>WsCalendar Attach</b>	WSCalendar:Attachment <i>Optional</i>	The Attach contains the informational payload used by incorporating specifications. Defined in section 3.2..
<b>Vavailability</b>	Vavailability, <i>Optional</i> See Table 3-7	Provides information as to when information the service can be scheduled.

859 It is important to distinguish between the general model of the Gluon in WS-Calendar and the more  
 860 specific requirements of an incorporating specification. At its minimum, a Gluon may be only a pointer to a  
 861 sequence, containing only a link to its child. A Gluon may alternately include information completing (or  
 862 partially completing) the information in a Sequence; that information may vary based on and what is  
 863 required to make the information payload actionable within any particular transaction.

864 Because the properties of the Calendar Gluon are bequeathed to the child Sequence, they can stand for  
 865 the elements in any Interval in the Sequence, as defined in the Conformance Section. An inherited

866 element can even serve as a substitute for an Interval mandatory element. For example, Duration is  
 867 mandatory for all Intervals. Intervals are able to inherit Duration from a parent. A single Duration in the  
 868 Parent can be inherited by each Interval in a Sequence.

869 In this way, a Sequence in which every Interval does not have a Duration, could be made complete  
 870 through inheritance. If one of those Intervals does include a Duration, the Bound Duration would be its  
 871 own, rather than that it inherited from a Parent of the Sequence.

872 There is a critical distinction between an individual Gluon, which may be only a pointer to a sequence, or  
 873 may have information completing (or partially completing) the information in a Sequence, and what is  
 874 required to make the information payload actionable within any particular transaction.

### 875 3.3.1.2 Availability

876 One use for gluons is to expose a Sequence for remote invocation. The service offered may be  
 877 sometimes unavailable. WS-Calendar incorporates the iCalendar extension **[Vavailability]**.

878 It is likely that the service requester is aware only of when he wants the service and for how long. These  
 879 are properties of the Designated Interval. Availability will be interpreted as a filter on the Designated  
 880 Interval, but on no others.

881 *Table 3-7: Vavailability elements with specified use in WS-Calendar*

Vavailability Element	Use	Discussion
<b>dtStamp</b>	[XCAL]:dtstamp <i>Mandatory</i>	Time and date that Vavailability object was created
<b>Uid</b>	<i>Mandatory</i>	Used to enable unambiguous referencing of each Vavailability object
<b>Summary</b>	Text <i>Optional</i>	Text describing the Vavailability
<b>dtStart</b>	xcal:dateTime Start time for the Availability. <i>Mandatory</i>	All time before the dtStart is considered unavailable..
<b>dtEnd</b>	xcal:dateTime. End point for availability. <i>Optional</i>	If present, all recurrence and other patterns inside the Available objects ends with the dtEnd. Either a dtStart or a dtEnd, may be present, but not both.
<b>duration</b>	Duration <i>Optional</i>	If present, the duration beginning with the dtStart is time for which availability is specified. Either a dtStart or a dtEnd, may be present, but not both,
<b>Availability</b>	Availability, one to many occurrences. See Table 3-8	At least one Availability is required to state the pattern when the service is available
<b>Granularity</b>	xcal:duration <i>Optional</i>	Granularity, when used in Availability, limits when a service can be scheduled. For example, a 15 minute granularity on a 9:00 dtStart, implies that legal dtStarts are 9:00, 9:15, 9:30, 9:45, ...

882 If Vavailability is not terminated by either an dtEnd or bounded by a duration, then the end of the  
 883 Vavailability is undefined. If Vavailability is so terminated, then that termination bounds any recurrence  
 884 patterns defined in the Available elements.

885 Available elements define the actual times during which the resource or service is available for invocation  
 886 or scheduling.

887 *Table 3-8:Availability elements contained within Vavailability.*

Availability Element	Use	Discussion
<b>Uid</b>	<i>Mandatory</i>	Used to enable unambiguous referencing of each Availability object
<b>Summary</b>	Text <i>Optional</i>	Text describing the Availability
<b>dtStart</b>	xcal:dateTime Start time for the Availability. <i>Mandatory</i>	All time before the dtStart is considered unavailable..
<b>dtEnd</b>	xcal:dateTime. End point for availability. <i>Optional</i>	If present, all recurrence and other patterns inside the Available objects ends with the dtEnd. Either a dtStart or a dtEnd, may be present, but not both.
<b>duration</b>	Duration <i>Optional</i>	If present, the duration beginning with the dtStart is time for which availability is specified. Either a dtStart or a dtEnd, may be present, but not both,
<b>RRule</b>	xcal:rrule	Defines how often the availability interval, defined as either the period bounded by the dtStart and dtEnd OR beginning with the dtStart and lasting for the duration, repeats
<b>Granularity</b>	xcal:duration <i>Optional</i>	Granularity, when used in Availability, limits when a service can be scheduled. For example, a 15 minute granularity on a 9:00 dtStart, implies that legal dtStarts are 9:00, 9:15, 9:30, 9:45, ...

### 888 3.3.1.3 Granularity

889 Granularity affects both Vavailability and Availability. If Granularity is specified, then it communicates the  
 890 expectation that services that invoke WS-Calendar specifications should request them in multiples of the  
 891 Granularity.

892 For example, assume a service is available from 9:00 to 11:00. Granularity suggests that if the duration  
 893 can be specified, then it should be specified as one of 15M, 30M, 45M, 1H, 1H15M, 1H30M, 1H45M or  
 894 2H. The same Granularity indicates that the service can only be specified in integral multiples of the  
 895 Granularity following the dtStart, i.e., at 9:00 (0x), 9:15 (1x), 9:30 (2x), 9:45(3x), and so on.

### 896 3.3.2 Calendar Gluons and Sequences

897 Calendar Gluons express common service requirements for an entire Sequence. If a Gluon is parent to  
898 an Interval in a Sequence, then the Gluon's Attachment expresses service attributes inheritable by all  
899 Intervals in the Sequence.

900 In this example, the Sequence in the previous example is expressed using a Calendar Gluon.

901 *Example 3-11: Sequence with Performance defined in the Calendar Gluon*

```
902 <xcal:vcalendar xmlns:xs="http://www.w3.org/2001/XMLSchema-instance"  
903 xmlns:xcal="urn:ietf:params:xml:ns:icalendar-2.0"  
904 xs:type="xcal:VcalendarType">  
905   <xcal:properties/>  
906   <xcal:components>  
907     <xcal:gluon>  
908       <xcal:properties>  
909         <xcal:uid>  
910           <xcal:text>2f9d675e-88b3-457d-a6e1-  
911 3045ac1816d6@examples.oasis-open.org</xcal:text>  
912         </xcal:uid>  
913         <xcal:related-to>  
914           <xcal:parameters>  
915             <xcal:reltype>  
916               <xcal:text>FS</xcal:text>  
917             </xcal:reltype>  
918           </xcal:parameters>  
919           <xcal:uid>c53d40cc-5e9e-44a4-9674-6ad492e76021@examples.oasis-  
920 open.org</xcal:uid>  
921         </xcal:related-to>  
922         <xcal:dtstart>  
923           <xcal:parameters>  
924             <xcal:tzid>  
925               <xcal:text>America/New_York</xcal:text>  
926             </xcal:tzid>  
927             <xcal:startbeforetolerance>  
928               <xcal:duration xs:type="xcal:DurationPropType">  
929                 <xcal:duration>T0M</xcal:duration>  
930               </xcal:duration>  
931             </xcal:startbeforetolerance>  
932             <xcal:startaftertolerance>  
933               <xcal:duration xs:type="xcal:DurationPropType">  
934                 <xcal:duration>T0M</xcal:duration>  
935               </xcal:duration>  
936             </xcal:startaftertolerance>  
937             <xcal:durationlongtolerance>  
938               <xcal:duration xs:type="xcal:DurationPropType">  
939                 <xcal:duration>T5M</xcal:duration>  
940               </xcal:duration>  
941             </xcal:durationlongtolerance>  
942             <xcal:durationshorttolerance>  
943               <xcal:duration xs:type="xcal:DurationPropType">  
944                 <xcal:duration>T0M</xcal:duration>  
945               </xcal:duration>  
946             </xcal:durationshorttolerance>  
947             <xcal:granularity>  
948               <xcal:duration xs:type="xcal:DurationPropType">  
949                 <xcal:duration>T5S</xcal:duration>  
950               </xcal:duration>  
951             </xcal:granularity>  
952           </xcal:parameters>  
953           <xcal:date-time>20110315T08450000</xcal:date-time>  
954         </xcal:dtstart>  
955       <xcal:x-wscalendar-attach>
```

```

956         <xcal:artifact/>
957     </xcal:x-wscalendar-attach>
958 </xcal:properties>
959 </xcal:gluon>
960 <xcal:interval>
961     <xcal:properties>
962         <xcal:uid>
963             <xcal:text>c53d40cc-5e9e-44a4-9674-
964 6ad492e76021@examples.oasis-open.org</xcal:text>
965         </xcal:uid>
966     </xcal:properties>
967 </xcal:interval>
968 <xcal:interval>
969     <xcal:properties>
970         <xcal:uid>
971             <xcal:parameters/>
972             <xcal:text>67319fa7-28b3-4abe-91b8-
973 c595fc2948a8@examples.oasis-open.org</xcal:text>
974         </xcal:uid>
975         <xcal:related-to>
976             <xcal:parameters>
977                 <xcal:reltype>
978                     <xcal:text>FS</xcal:text>
979                 </xcal:reltype>
980             </xcal:parameters>
981             <xcal:uid>c53d40cc-5e9e-44a4-9674-6ad492e76021@examples.oasis-
982 open.org</xcal:uid>
983         </xcal:related-to>
984     </xcal:properties>
985     <xcal:components/>
986 </xcal:interval>
987 <xcal:interval>
988     <xcal:properties>
989         <xcal:uid>
990             <xcal:text>c6c3e351-77ee-4c27-abce-
991 8e5c1d9ef6db@examples.oasis-open.org</xcal:text>
992         </xcal:uid>
993         <xcal:duration>
994             <xcal:duration>T30M</xcal:duration>
995         </xcal:duration>
996         <xcal:related-to>
997             <xcal:parameters>
998                 <xcal:reltype>
999                     <xcal:text>FS</xcal:text>
1000                 </xcal:reltype>
1001             </xcal:parameters>
1002             <xcal:uid>67319fa7-28b3-4abe-91b8-c595fc2948a8@examples.oasis-
1003 open.org</xcal:uid>
1004         </xcal:related-to>
1005     </xcal:properties>
1006     <xcal:components/>
1007 </xcal:interval>
1008 </xcal:components>
1009 </xcal:vcalendar>

```

1010 Note that the performance expectations, identical for each Interval, have moved into the Calendar Gluon.  
1011 Not also that while the duration for all Intervals in the partition is set in the Calendar Gluon, Interval 3  
1012 overrides that with a half hour duration assigned locally. This Calendar Gluon happens to be related to  
1013 the first Interval in the Sequence; there are specific use cases (discussed below) which require it to be  
1014 linked to other Intervals.

1015 **3.3.3 Inheritance rules for Calendar Gluons**

1016 In general, the rule is that anything specified in the Parent Calendar Gluon applies to each Child. The  
 1017 Parent of an Interval in a Sequence is parent to all Intervals in the Sequence. As a Sequence creates  
 1018 single temporal relationship, assigning a start time (dtstart) to any Interval allows computation of the  
 1019 starting time for each of them.

1020 *Table 3-9 Gluon Inheritance rules*

Attribute	Inheritance Rules
<b>General</b>	A Interval or Calendar Gluon inherits its attributes through it's the parent. Local specification of an attributes overrides any inheritance.
<b>Duration</b>	Follows general rules
<b>Temporal Relation</b>	Relationship Type and Gap only are inherited. Either may be overridden locally. To specify no gap when a parent specifies a gap, an explicit zero duration gap must be specified. Related-to is not inherited.
<b>Performance</b>	Performance is either inherited intact or overridden completely. There are no rules for recombining partial Performance objects through inheritance.
<b>Artifacts</b>	Artifacts hold payload from other specifications. Elements within Artifacts are inherited in accord with the rules in those specifications, which must be consistent the inheritance rules in WS-Calendar. Artifacts are evaluated for completeness and conformance only after processing inheritance.
<b>Schedules</b>	Schedules, i.e., the start date and time, are inherited only by the designated Interval. The start date and times of other Intervals are computed by reference to the designated Interval. Between the Gluon bequeathing a schedule and the Designated Interval, an intervening Gluon may set availability. It is up to the application or to the specification incorporating WS-Calendar to assert whether an Interval that is outside the availability is conforming or not.
<b>Availability</b>	Availability communicates restrictions on when a service is offered. Service availability is interpreted for the Designated Interval only. If there are two availability objects, they are evaluated for the union of the two availabilities. For example, if I am available all week from 2:00 to 6:00 in one, and available all day Tuesday in the other, then after inheritance, there remains only 2:00 to 6:00 on Tuesday,

1021 **3.3.4 Optimizing the expression of a Partition**

1022 Partitions are Sequences composed of consecutive Intervals. A Partition can be further optimized by  
 1023 bringing the relationship into the Gluon. Notice that while the type of the relationship is defined in the  
 1024 Calendar Gluon, the Temporal Relation for each Interval must still be expressed within the Interval.

1025 *Example 3-12: Partition with Duration and Relationship defined in the Calendar Gluon*

```

1026 <xcal:vcalendar xmlns:xs="http://www.w3.org/2001/XMLSchema-instance"
1027 xmlns:xcal="urn:ietf:params:xml:ns:icalendar-2.0"
1028 xs:type="xcal:VcalendarType">
1029   <xcal:properties/>
1030   <xcal:components>
1031     <xcal:gluon>
1032       <xcal:properties>
1033         <xcal:uid>
1034           <xcal:parameters/>
  
```

```

1035         <xcal:text>97c504ed-263e-447d-95a6-
1036 d59b97422edc@examples.oasis-open.org</xcal:text>
1037     </xcal:uid>
1038     <xcal:related-to>
1039         <xcal:parameters>
1040             <xcal:reltype>
1041                 <xcal:text>CHILD</xcal:text>
1042             </xcal:reltype>
1043         </xcal:parameters>
1044         <xcal:uid>9b1c1ae8-ea4f-4065-9cf6-45c53e709e55@examples.oasis-
1045 open.org</xcal:uid>
1046     </xcal:related-to>
1047     <xcal:related-to>
1048         <xcal:parameters>
1049             <xcal:reltype>
1050                 <xcal:text>FS</xcal:text>
1051             </xcal:reltype>
1052         </xcal:parameters>
1053         <xcal:uid>9b1c1ae8-ea4f-4065-9cf6-45c53e709e55@examples.oasis-
1054 open.org</xcal:uid>
1055     </xcal:related-to>
1056     <xcal:duration>
1057         <xcal:duration>T15M</xcal:duration>
1058     </xcal:duration>
1059     <xcal:x-wscalendar-attach>
1060         <xcal:parameters/>
1061         <xcal:artifact/>
1062     </xcal:x-wscalendar-attach>
1063 </xcal:properties>
1064 <xcal:components/>
1065 </xcal:gluon>
1066 <xcal:interval>
1067     <xcal:properties>
1068         <xcal:uid>
1069             <xcal:text>9b1c1ae8-ea4f-4065-9cf6-
1070 45c53e709e55@examples.oasis-open.org</xcal:text>
1071         </xcal:uid>
1072         <xcal:related-to>
1073             <xcal:uid>9b1c1ae8-ea4f-4065-9cf6-45c53e709e55@examples.oasis-
1074 open.org</xcal:uid>
1075         </xcal:related-to>
1076     </xcal:properties>
1077     <xcal:components/>
1078 </xcal:interval>
1079 <xcal:interval>
1080     <xcal:properties>
1081         <xcal:uid>
1082             <xcal:text>50149441-18e8-4e8b-9e0f-
1083 e8da3e671895@examples.oasis-open.org</xcal:text>
1084         </xcal:uid>
1085         <xcal:related-to>
1086             <xcal:uid>50149441-18e8-4e8b-9e0f-e8da3e671895@examples.oasis-
1087 open.org</xcal:uid>
1088         </xcal:related-to>
1089     </xcal:properties>
1090 </xcal:interval>
1091 <xcal:interval>
1092     <xcal:properties>
1093         <xcal:uid>
1094             <xcal:parameters/>
1095             <xcal:text>661e6127-9e06-429c-b641-
1096 205a31df64d1@examples.oasis-open.org</xcal:text>
1097         </xcal:uid>

```

```

1098         <xcal:related-to>
1099             <xcal:uid>661e6127-9e06-429c-b641-205a31df64d1@examples.oasis-
1100 open.org</xcal:uid>
1101         </xcal:related-to>
1102     </xcal:properties>
1103 </xcal:interval>
1104 <xcal:interval>
1105     <xcal:properties>
1106         <xcal:uid>
1107             <xcal:parameters/>
1108             <xcal:text>c4457c5d-a848-4878-8571-
1109 2f35ed02e594@examples.oasis-open.org</xcal:text>
1110         </xcal:uid>
1111         <xcal:related-to>
1112             <xcal:uid>c4457c5d-a848-4878-8571-2f35ed02e594@examples.oasis-
1113 open.org</xcal:uid>
1114         </xcal:related-to>
1115     </xcal:properties>
1116 </xcal:interval>
1117 <xcal:interval>
1118     <xcal:properties>
1119         <xcal:uid>
1120             <xcal:text>13ffa401-dd7a-48cc-980a-
1121 8f19aa91fd58@examples.oasis-open.org</xcal:text>
1122         </xcal:uid>
1123         <xcal:related-to>
1124             <xcal:uid>13ffa401-dd7a-48cc-980a-8f19aa91fd58@examples.oasis-
1125 open.org</xcal:uid>
1126         </xcal:related-to>
1127     </xcal:properties>
1128 </xcal:interval>
1129 <xcal:interval>
1130     <xcal:properties>
1131         <xcal:uid>
1132             <xcal:text>e5ef94b3-4514-4093-b8a7-
1133 70cd7bd174b1@examples.oasis-open.org</xcal:text>
1134         </xcal:uid>
1135         <xcal:related-to>
1136             <xcal:parameters>
1137                 <xcal:uid>e5ef94b3-4514-4093-b8a7-70cd7bd174b1@examples.oasis-
1138 open.org</xcal:uid>
1139             </xcal:related-to>
1140         </xcal:properties>
1141 </xcal:interval>
1142 <xcal:interval>
1143     <xcal:properties>
1144         <xcal:uid>
1145             <xcal:text>38f4e770-5f3d-466f-9222-
1146 flc801a43657@examples.oasis-open.org</xcal:text>
1147         </xcal:uid>
1148         <xcal:related-to>
1149             <xcal:uid>38f4e770-5f3d-466f-9222-flc801a43657@examples.oasis-
1150 open.org</xcal:uid>
1151         </xcal:related-to>
1152     </xcal:properties>
1153 </xcal:interval>
1154 <xcal:interval>
1155     <xcal:properties>
1156         <xcal:uid>
1157             <xcal:text>daa6c916-de0a-4e1a-a852-
1158 1670fd97d47e@examples.oasis-open.org</xcal:text>
1159         </xcal:uid>
1160         <xcal:related-to>

```

```

1161         <xcal:uid>daa6c916-de0a-4e1a-a852-1670fd97d47e@examples.oasis-
1162 open.org</xcal:uid>
1163         </xcal:related-to>
1164         </xcal:properties>
1165     </xcal:interval>
1166 </xcal:components>
1167 </xcal:vcalendar>

```

1168 This Partition shows 8 consecutive 15 minute intervals as part of a 2 hour partition.

1169 *Example 3-13: Partition with Duration, Relationship, and Gap defined in the Calendar Gluon*

```

1170 <xcal:vcalendar xmlns:xs="http://www.w3.org/2001/XMLSchema-instance"
1171 xmlns:xcal="urn:ietf:params:xml:ns:icalendar-2.0"
1172 xs:type="xcal:VcalendarType">
1173     <xcal:components>
1174         <xcal:gluon>
1175             <xcal:properties>
1176                 <xcal:uid>
1177                     <xcal:text>c7496e78-6d71-4118-b42a-
1178 641f1efe02a9@examples.oasis-open.org</xcal:text>
1179                 </xcal:uid>
1180                 <xcal:related-to>
1181                     <xcal:parameters>
1182                         <xcal:reltype>
1183                             <xcal:text>CHILD</xcal:text>
1184                         </xcal:reltype>
1185                     </xcal:parameters>
1186                     <xcal:uid>5b7b5f46-fbc4-455e-9c60-7639463aca4e@examples.oasis-
1187 open.org</xcal:uid>
1188                 </xcal:related-to>
1189                 <xcal:related-to>
1190                     <xcal:parameters>
1191                         <xcal:reltype>
1192                             <xcal:text>FS</xcal:text>
1193                         </xcal:reltype>
1194                     <xcal:gap>
1195                         <xcal:duration xs:type="xcal:DurationPropType">
1196                             <xcal:parameters/>
1197                             <xcal:duration>T10M</xcal:duration>
1198                         </xcal:duration>
1199                     </xcal:gap>
1200                     </xcal:parameters>
1201                 </xcal:related-to>
1202                 <xcal:duration>
1203                     <xcal:parameters/>
1204                     <xcal:duration>T50M</xcal:duration>
1205                 </xcal:duration>
1206                 <xcal:x-wscalendar-attach>
1207                     <xcal:parameters/>
1208                     <xcal:artifact/>
1209                 </xcal:x-wscalendar-attach>
1210             </xcal:properties>
1211         </xcal:gluon>
1212     <xcal:interval>
1213         <xcal:properties>
1214             <xcal:uid>
1215                 <xcal:parameters/>
1216                 <xcal:text>5b7b5f46-fbc4-455e-9c60-
1217 7639463aca4e@examples.oasis-open.org</xcal:text>
1218             </xcal:uid>
1219             <xcal:related-to>

```

```

1220         <xcal:uid>5b7b5f46-fbc4-455e-9c60-7639463aca4e@examples.oasis-
1221 open.org</xcal:uid>
1222         </xcal:related-to>
1223         </xcal:properties>
1224     </xcal:interval>
1225     <xcal:interval>
1226         <xcal:properties>
1227             <xcal:uid>
1228                 <xcal:parameters/>
1229                 <xcal:text>43da0574-d00b-41e8-8a47-
1230 70767f63da78@examples.oasis-open.org</xcal:text>
1231             </xcal:uid>
1232             <xcal:related-to>
1233                 <xcal:uid>43da0574-d00b-41e8-8a47-70767f63da78@examples.oasis-
1234 open.org</xcal:uid>
1235             </xcal:related-to>
1236         </xcal:properties>
1237     </xcal:interval>
1238     <xcal:interval>
1239         <xcal:properties>
1240             <xcal:uid>
1241                 <xcal:parameters/>
1242                 <xcal:text>d586e62f-617b-4207-a937-
1243 9a0ec8d45b5e@examples.oasis-open.org</xcal:text>
1244             </xcal:uid>
1245             <xcal:related-to>
1246                 <xcal:uid>d586e62f-617b-4207-a937-9a0ec8d45b5e@examples.oasis-
1247 open.org</xcal:uid>
1248             </xcal:related-to>
1249         </xcal:properties>
1250     </xcal:interval>
1251     <xcal:interval>
1252         <xcal:properties>
1253             <xcal:uid>
1254                 <xcal:parameters/>
1255                 <xcal:text>848af3d9-5b1b-4b4f-a353-
1256 39a4b2c857f9@examples.oasis-open.org</xcal:text>
1257             </xcal:uid>
1258             <xcal:related-to>
1259                 <xcal:uid>848af3d9-5b1b-4b4f-a353-39a4b2c857f9@examples.oasis-
1260 open.org</xcal:uid>
1261             </xcal:related-to>
1262         </xcal:properties>
1263     </xcal:interval>
1264     <xcal:interval>
1265         <xcal:properties>
1266             <xcal:uid>
1267                 <xcal:parameters/>
1268                 <xcal:text>e088de06-770c-44b8-9abf-
1269 8dbfc6448ce8@examples.oasis-open.org</xcal:text>
1270             </xcal:uid>
1271             <xcal:related-to>
1272                 <xcal:uid>e088de06-770c-44b8-9abf-8dbfc6448ce8@examples.oasis-
1273 open.org</xcal:uid>
1274             </xcal:related-to>
1275         </xcal:properties>
1276     </xcal:interval>
1277     <xcal:interval>
1278         <xcal:properties>
1279             <xcal:uid>
1280                 <xcal:parameters/>
1281                 <xcal:text>c0bc8725-383d-4019-96a0-
1282 3a3a7e19fe83@examples.oasis-open.org</xcal:text>

```

```

1283         </xcal:uid>
1284         <xcal:related-to>
1285             <xcal:uid>c0bc8725-383d-4019-96a0-3a3a7e19fe83@examples.oasis-
1286 open.org</xcal:uid>
1287         </xcal:related-to>
1288     </xcal:properties>
1289 </xcal:interval>
1290 <xcal:interval>
1291     <xcal:properties>
1292         <xcal:uid>
1293             <xcal:parameters/>
1294             <xcal:text>2a4b8df8-47da-474b-9a2e-
1295 771c3f8ef915@examples.oasis-open.org</xcal:text>
1296         </xcal:uid>
1297         <xcal:related-to>
1298             <xcal:uid>2a4b8df8-47da-474b-9a2e-771c3f8ef915@examples.oasis-
1299 open.org</xcal:uid>
1300         </xcal:related-to>
1301     </xcal:properties>
1302 </xcal:interval>
1303 <xcal:interval>
1304     <xcal:properties>
1305         <xcal:uid>
1306             <xcal:parameters/>
1307             <xcal:text>fad65470-0c03-4dea-8669-
1308 90d1b49769c2@examples.oasis-open.org</xcal:text>
1309         </xcal:uid>
1310         <xcal:related-to>
1311             <xcal:uid>fad65470-0c03-4dea-8669-90d1b49769c2@examples.oasis-
1312 open.org</xcal:uid>
1313         </xcal:related-to>
1314     </xcal:properties>
1315 </xcal:interval>
1316 </xcal:components>
1317 </xcal:vcalendar>

```

1318 This Partition shows a school schedule in which classes start one hour apart. Each class is for 50  
1319 minutes, and there is a 10 minute gap between each as students move between classes. Classes may  
1320 not begin before the schedule, but they may start up to five minutes late.

### 1321 3.3.5 Controlling Start Times in Service Advertisements

1322 A Sequence has not been scheduled until it has a start time and date. Sometimes it is useful to control  
1323 the possible start-times. For example, consider a service that is only available at 9:00 AM each day. It has  
1324 not yet been scheduled, so it's dtStart is empty. The Vavailability object, expressed either in the  
1325 designated interval, or in the lineage of Gluons, is used to restrict this offering.

1326 *Example 3-14: Vavailability*

```

1327 <xcal:vavailability xmlns:xs="http://www.w3.org/2001/XMLSchema-instance"
1328 xmlns:xcal="urn:ietf:params:xml:ns:icalendar-2.0">
1329     <xcal:properties>
1330         <xcal:uid>
1331             <xcal:text>eed68bda-ec20-4814-b48b-2ff75ee56821@examples.oasis-
1332 open.org</xcal:text>
1333         </xcal:uid>
1334         <xcal:dtstart>
1335             <xcal:parameters>
1336                 <xcal:tzid>
1337                     <xcal:text>America/New_York</xcal:text>
1338                 </xcal:tzid>
1339             </xcal:parameters>

```

```

1340     <xcal:date-time>20110301T00000000</xcal:date-time>
1341 </xcal:dtstart>
1342 <xcal:dtend>
1343     <xcal:parameters>
1344         <xcal:tzid>
1345             <xcal:text>America/New_York</xcal:text>
1346         </xcal:tzid>
1347     </xcal:parameters>
1348     <xcal:date-time>201103031T00000000</xcal:date-time>
1349 </xcal:dtend>
1350 </xcal:properties>
1351 <xcal:components>
1352     <xcal:available>
1353         <xcal:properties>
1354             <xcal:dtstart>
1355                 <xcal:parameters>
1356                     <xcal:tzid>
1357                         <xcal:text>America/New_York</xcal:text>
1358                     </xcal:tzid>
1359                 </xcal:parameters>
1360                 <xcal:date>20110301T090000</xcal:date>
1361             </xcal:dtstart>
1362             <xcal:dtend>
1363                 <xcal:parameters>
1364                     <xcal:tzid>
1365                         <xcal:text>America/New_York</xcal:text>
1366                     </xcal:tzid>
1367                 </xcal:parameters>
1368                 <xcal:date>20110301T110000</xcal:date>
1369             </xcal:dtend>
1370             <xcal:rrule>
1371                 <xcal:recur>
1372                     <xcal:freq>WEEKLY</xcal:freq>
1373                     <xcal:byday>MO</xcal:byday>
1374                     <xcal:byday>TU</xcal:byday>
1375                     <xcal:byday>WE</xcal:byday>
1376                     <xcal:byday>TH</xcal:byday>
1377                 </xcal:recur>
1378             </xcal:rrule>
1379         </xcal:properties>
1380     </xcal:available>
1381     <xcal:available>
1382         <xcal:properties>
1383             <xcal:dtstart>
1384                 <xcal:parameters>
1385                     <xcal:tzid>
1386                         <xcal:text>America/New_York</xcal:text>
1387                     </xcal:tzid>
1388                 </xcal:parameters>
1389                 <xcal:date>20110301T150000</xcal:date>
1390             </xcal:dtstart>
1391             <xcal:dtend>
1392                 <xcal:parameters>
1393                     <xcal:tzid>
1394                         <xcal:text>America/New_York</xcal:text>
1395                     </xcal:tzid>
1396                 </xcal:parameters>
1397                 <xcal:date>20110301T160000</xcal:date>
1398             </xcal:dtend>
1399             <xcal:rrule>
1400                 <xcal:recur>
1401                     <xcal:freq>WEEKLY</xcal:freq>
1402                     <xcal:byday>FR</xcal:byday>

```

```

1403         </xcal:recur>
1404         </xcal:rrule>
1405         </xcal:properties>
1406         </xcal:available>
1407         </xcal:components>
1408     </xcal:vavailability>

```

1409 The Vavailability above describes service availability for the month of March, 2011, i.e., it has a start date  
1410 of March 1 and an end date of March 31. Within that period, there are two schedules, described by the  
1411 two availability artifacts. The first specifies that starting on March 1, there is a window of 9-11 am, Eastern  
1412 Time, on Monday, Tuesday, Wednesday, and Thursday each week. The second specifies another  
1413 window of availability from 3:00 PM (15:00) to 4:00 PM (16:00) on Fridays. These schedules are each  
1414 valid only through March 31, the dtEnd of the encompassing Vavailability. If neither date nor duration  
1415 were specified, then the end of the schedules would be indefinite.

1416 The example above uses daily schedules with a weekly recurrence. The full breadth of recurrence rules is  
1417 described in [iCalendar].

### 1418 3.3.5.1 Combining a Gluon and Availability.

1419 Consider the school schedule in the partition example in Example 3-13 that is used in several examples.  
1420 The school has a single valid start time, at 8:00. The service can be refined by advertising its Availability  
1421 as beginning at 9:00 on the first day. Availability re-occurs on a weekly schedule, only on the weekdays  
1422 Monday, Tuesday, Thursday, and Friday. Furthermore, the schedule can only be invoked during the Fall  
1423 semester, from September 1, to December 15.

1424 With a granularity of one hour set, the schedule can only begin on the time that the Availability begins, or  
1425 at one hour intervals thereafter. If the Availability Window is only from 8:00 with a Duration of one hour,  
1426 then the service is advertised only for a start at this hour.

1427 The example below illustrates how to use the Vavailability object contained in a gluon to publish  
1428 availability on a pre-existing sequence.

1429 *Example 3-15 Gluon publishing availability of pre-existing sequence*

```

1430 <xcal:gluon xmlns:xs="http://www.w3.org/2001/XMLSchema-instance"
1431 xmlns:xcal="urn:ietf:params:xml:ns:icalendar-2.0">
1432     <xcal:properties>
1433         <xcal:uid>
1434             <xcal:parameters/>
1435             <xcal:text>4b8bcc8a-570a-4d23-8059-3f55b090da35@examples.oasis-
1436 open.org</xcal:text>
1437         </xcal:uid>
1438         <xcal:related-to>
1439             <xcal:parameters>
1440                 <xcal:reltype>
1441                     <xcal:text>CHILD</xcal:text>
1442                 </xcal:reltype>
1443             </xcal:parameters>
1444             <xcal:uid>c7496e78-6d71-4118-b42a-641f1efe02a9@examples.oasis-
1445 open.org</xcal:uid>
1446         </xcal:related-to>
1447     </xcal:properties>
1448     <xcal:components>
1449         <xcal:vavailability>
1450             <xcal:properties>
1451                 <xcal:uid>
1452                     <xcal:text>c83cf824-aeb6-45ab-8bb0-
1453 8648a37e92f6@examples.oasis-open.org</xcal:text>
1454                 </xcal:uid>
1455                 <xcal:dtstart>
1456                     <xcal:parameters>
1457                         <xcal:tzid>

```

```

1458         <xcal:text>America/New_York</xcal:text>
1459     </xcal:tzid>
1460 </xcal:parameters>
1461     <xcal:date-time>20110901T00000000</xcal:date-time>
1462 </xcal:dtstart>
1463 <xcal:dtend>
1464     <xcal:parameters>
1465         <xcal:tzid>
1466             <xcal:text>America/New_York</xcal:text>
1467         </xcal:tzid>
1468     </xcal:parameters>
1469     <xcal:date-time>201112017T00000000</xcal:date-time>
1470 </xcal:dtend>
1471 </xcal:properties>
1472 <xcal:components>
1473     <xcal:available>
1474         <xcal:properties>
1475             <xcal:dtstart>
1476                 <xcal:parameters>
1477                     <xcal:tzid>
1478                         <xcal:text>America/New_York</xcal:text>
1479                     </xcal:tzid>
1480                 </xcal:parameters>
1481                 <xcal:date>20110901T08000000</xcal:date>
1482             </xcal:dtstart>
1483             <xcal:dtend>
1484                 <xcal:parameters>
1485                     <xcal:tzid>
1486                         <xcal:text>America/New_York</xcal:text>
1487                     </xcal:tzid>
1488                 </xcal:parameters>
1489                 <xcal:date>20110901T09000000</xcal:date>
1490             </xcal:dtend>
1491             <xcal:rrule>
1492                 <xcal:recur>
1493                     <xcal:freq>WEEKLY</xcal:freq>
1494                     <xcal:byday>MO</xcal:byday>
1495                     <xcal:byday>WE</xcal:byday>
1496                     <xcal:byday>FR</xcal:byday>
1497                 </xcal:recur>
1498             </xcal:rrule>
1499         </xcal:properties>
1500     </xcal:available>
1501 </xcal:components>
1502 </xcal:vavailability>
1503 </xcal:components>
1504 </xcal:gluon>

```

1505 In the example above, the general classroom schedule has been referenced by a new gluon, and  
1506 established the availability for the Fall semester. The new gluon references the pre-existing gluon that  
1507 establishes the sequence as a partition.

1508 This double inheritance, in which a Sequence inherits from a Calendar Gluon which inherits from a  
1509 Calendar Gluon is a useful pattern for advertising or scheduling a service.

### 1510 3.3.6 Other Scheduling Scenarios

1511 Sometimes, the invoker of a service is interested only in single Interval of the Sequence, but the entire  
1512 Sequence is required. In the example below, the second Interval is advertised, i.e., the Calendar Gluon  
1513 points to the second Interval. The first Interval might be a required ramp-period, during which the  
1514 underlying process is “warming up”, and which may bring some lesser service to market during that ramp

1515 time. The ramp-down time at the end is similarly fixed. The entire Service offering is represented by the  
1516 exposed (it has a public URI) Calendar Gluon.

1517 *Example 3-16: Standard Sequence with Ramp-Up and Ramp Down*

```
1518 <?xml version="1.0" encoding="utf-16"?>
1519 <xcal:icalendar xmlns:xs="http://www.w3.org/2001/XMLSchema-instance"
1520 xmlns:xcal="urn:iETF:params:xml:ns:icalendar-2.0">
1521   <xcal:vcalendar xs:type="xcal:VcalendarType">
1522     <xcal:components>
1523       <xcal:gluon>
1524         <xcal:properties>
1525           <xcal:uid>
1526             <xcal:text>26e1fa7e-aeac-429d-ab7a-f6d92cf9afc2@examples.oasis-
1527 open.org</xcal:text>
1528           </xcal:uid>
1529           <xcal:related-to>
1530             <xcal:parameters>
1531               <xcal:reltype>
1532                 <xcal:text>CHILD</xcal:text>
1533               </xcal:reltype>
1534             </xcal:parameters>
1535             <xcal:uid>429dddae-d6b8-418e-a897-d57c6c83052b@examples.oasis-
1536 open.org</xcal:uid>
1537           </xcal:related-to>
1538           <xcal:dtstart>
1539             <xcal:parameters>
1540               <xcal:tzid>
1541                 <xcal:text>America/New_York</xcal:text>
1542               </xcal:tzid>
1543             </xcal:parameters>
1544             <xcal:date-time>20110315T08450000</xcal:date-time>
1545           </xcal:dtstart>
1546           <xcal:duration>
1547             <xcal:duration>T2H</xcal:duration>
1548           </xcal:duration>
1549           <xcal:x-wscalendar-attach>
1550             <xcal:artifact>
1551               <xx:payload xmlns:xx="urn:not:a:real:artifact">
1552                 <xx:quantity>14</xx:quantity>
1553               </xx:payload>
1554             </xcal:artifact>
1555           </xcal:x-wscalendar-attach>
1556         </xcal:properties>
1557       </xcal:gluon>
1558     <xcal:interval>
1559       <xcal:properties>
1560         <xcal:uid>
1561           <xcal:text>00564cfe-975d-42a1-9f3a-eb4267e89350@examples.oasis-
1562 open.org</xcal:text>
1563         </xcal:uid>
1564         <xcal:duration>
1565           <xcal:duration>T10M</xcal:duration>
1566         </xcal:duration>
1567         <xcal:x-wscalendar-attach>
1568           <xcal:parameters />
1569           <xcal:artifact>
1570             <xx:payload xmlns:xx="urn:not:a:real:artifact">
1571               <xx:warmUp>fixed content</xx:warmUp>
1572             </xx:payload>
1573           </xcal:artifact>
1574         </xcal:x-wscalendar-attach>
1575       </xcal:properties>
```

```

1576     </xcal:interval>
1577     <xcal:interval>
1578         <xcal:properties>
1579             <xcal:uid>
1580                 <xcal:text>429dddae-d6b8-418e-a897-d57c6c83052b@examples.oasis-
1581 open.org</xcal:text>
1582             </xcal:uid>
1583             <xcal:related-to>
1584                 <xcal:parameters>
1585                     <xcal:reltype>
1586                         <xcal:text>FS</xcal:text>
1587                     </xcal:reltype>
1588                 </xcal:parameters>
1589                 <xcal:uid>00564cfe-975d-42a1-9f3a-eb4267e89350@examples.oasis-
1590 open.org</xcal:uid>
1591             </xcal:related-to>
1592             <xcal:x-wscalendar-attach>
1593                 <xcal:artifact>
1594                     <xx:payload xmlns:xx="urn:not:a:real:artifact">
1595                         <xx:units>furlongs</xx:units>
1596                     </xx:payload>
1597                 </xcal:artifact>
1598             </xcal:x-wscalendar-attach>
1599         </xcal:properties>
1600     </xcal:interval>
1601     <xcal:interval>
1602         <xcal:properties>
1603             <xcal:uid>
1604                 <xcal:text>59e717e3-7330-4cf3-8d57-f3239e4bc254@examples.oasis-
1605 open.org</xcal:text>
1606             </xcal:uid>
1607             <xcal:duration>
1608                 <xcal:duration>T5M</xcal:duration>
1609             </xcal:duration>
1610             <xcal:related-to>
1611                 <xcal:parameters>
1612                     <xcal:reltype>
1613                         <xcal:text>FS</xcal:text>
1614                     </xcal:reltype>
1615                 </xcal:parameters>
1616                 <xcal:uid>429dddae-d6b8-418e-a897-d57c6c83052b@examples.oasis-
1617 open.org</xcal:uid>
1618             </xcal:related-to>
1619             <xcal:x-wscalendar-attach>
1620                 <xcal:artifact>
1621                     <xx:payload xmlns:xx="urn:not:a:real:artifact">
1622                         <xx:coolDown>fixed content</xx:coolDown>
1623                     </xx:payload>
1624                 </xcal:artifact>
1625             </xcal:x-wscalendar-attach>
1626         </xcal:properties>
1627     </xcal:interval>
1628 </xcal:components>
1629 </xcal:vcalendar>
1630 </xcal:icalendar>

```

1631 The underlying sequence has a fixed warm up and cool down (intervals 1 and 3). The Gluon shares a  
1632 payload with Interval 2, which has no duration. Interval 2 inherits the quantity (14) and the duration (2H)  
1633 from the Gluon.

1634 If expressed all at once, the Gluon merely provides a handle for the Sequence. A more useful expression  
1635 would have the Gluon separate, or perhaps inheriting its information from a market agreement. This

1636 enables the service interaction to express that Start Time, Duration and Quantity. All three are inherited,  
 1637 in this case, only by the Designated Interval.

### 1638 3.4 Time Stamps

1639 Time stamps are used everywhere in inter-domain service performance analysis and have particular use  
 1640 in smart grids to support event forensics. Time stamps are often assembled and collated from events  
 1641 across multiple time zones and from multiple systems.

1642 Different systems may track time and therefore record events with different levels of Tolerance. It is not  
 1643 unusual for a time stamp from a domain with a low Tolerance to appear to have occurred after events  
 1644 from a domain with high-Tolerance time-stamps that it caused. A fully qualified time-stamp includes the  
 1645 granularity measure.

1646 *Table 3-10: Aspects of Time Stamps*

Time Stamp Element	Definition (Normative)	Note (Non-Normative)
<b>timestamp</b>	WS-Calendar:time A fully qualified date and time of event. Mandatory.	May include two objects as defined above.
<b>accuracy</b>	A Duration defining the accuracy of the TimeStamp value. Mandatory.	Identifies whether an interval of a particular duration (resp. starting at a particular time) is indeed an interval of the mentioned duration plus or minus some number of milliseconds, seconds and minutes (resp. an interval starting at the mentioned time plus or minus some number of milliseconds, seconds and minutes).
<b>timeStampRealm</b>	Of type Uri, shall identify the system where the TimeStamp value originated. The value of this element shall be set by: <ul style="list-style-type: none"> <li>• The component at the realm border in a particular inter-domain interaction or,</li> <li>• By any component able to accurately set it within a system or sub-system.</li> </ul> In the latter case, nothing prevents the component at the realm border to overwrite it without any notice. Optional.	A set of points originating from the same realm are reasonably synchronized. Within a realm, one can assume that time-stamped objects sorted by time are in the order of their occurrence. Between realms, this assumption is rebuttable. A system border is crossed in an interaction when the 2 communication partners are not synchronized based on the same time source. See the example below for more information.

Time Stamp Element	Definition (Normative)	Note (Non-Normative)
<b>leapSecondsKnown</b>	Xs:boolean If True, shall indicate that the TimeStamp value takes into account all leap seconds occurred. Otherwise False. Optional.	Indicates that the time source of the sending device support leap seconds adjustments.
<b>clockFailure</b>	xs:boolean If True, shall indicate a failure on the time source preventing the TimeStamp value issuer from setting accurate timestamps. Otherwise False. Mandatory.	Indicates that the time source of the sending device is unreliable. The timestamp should be ignored.
<b>clockNotSynchronized</b>	xs:boolean If True, shall indicate the time source of the TimeStamp value issuer is not synchronized correctly, putting in doubt the accuracy of the timestamp. Mandatory.	Indicates that the time source of the sending device is not synchronized with the external UTC time source.
<b>timeSourceAccuracy</b>	A Duration defining the accuracy of the time source used in the TimeStampRealm system. Optional.	Represents the time accuracy class of the time source of the sending device relative to the external UTC time source.

### 1647 3.4.1 Time Stamp Realm Discussion

1648 Within a single system, or synchronized system of systems, one can sort the temporal order of event by  
1649 sorting them by TimeStamp. Determining the order of events is the first step of event forensics. This  
1650 assumption does not apply when events are gathered across systems.

1651 Different systems may not have synchronized time, or may synchronize time against different sources.  
1652 This means different system clocks may drift apart. It may be that a later timestamp from one system  
1653 occurred before an earlier timestamp in another. As this drift is unknown, it cannot be automatically  
1654 corrected for without additional information.

1655 The TimeStampRealm element identifies which system created an event time-stamp. The  
1656 TimeStampRealm identifies a source system in inter-domain interactions (a system of systems). For  
1657 example: <http://SystemA.com> and <http://SystemB.com> identify 2 systems. This example assumes  
1658 SystemA and SystemB do not have a common time source.

1659 The TimeStampRealm can also be used to identify sub-systems in intra-domain interactions (sub-systems  
1660 of a system). For example: <http://SystemA.com/SubSystem1> and <http://SystemA.com/SubSystem2>  
1661 identify 2 subsystems of the same higher level system. In case the upper level SystemA does not have a  
1662 global time source for synchronizing all of its sub-system, it can be useful to identify sub-systems in such  
1663 a way.

1664

---

## 4 PART TWO: Calendar Update and Synchronization with RESTful Services

### 4.1 Calendar Services

The Service interactions are built upon and make the same assumptions about structure as the CalDAV protocol defined in [RFC4791] and related specifications. It does NOT require nor assume the WebDAV nor CalDAV protocol but does make use of some of the same elements and structures in the CalDAV XML namespace.

Calendar resources, for example events and tasks are stored as named resources (files) inside special collections (folders) known as "**Calendar Collections**".

These services can be looked upon as a layer built on top of CalDAV and defines the basic operations which allow creation, retrieval, update and deletion. In addition, query, and free-busy operations are defined to allow efficient, partial retrieval of calendar data.

These services assume a degree of conformity with CalDAV is established such that services built in that manner do not have a significant mismatch. It is assumed that some WS-Calendar services will be built without any CalDAV support.

#### 4.1.1 Overview of the protocol

The protocol is an HTTP based RESTfull protocol using a limited set of methods. Each request may be followed by a response containing status information.

The following methods are specified in the protocol description, PUT, POST, GET, DELETE. To avoid various issues with certain methods being blocked clients may use the X-HTTP-Method-Override: header to specify the intended operation. Servers SHOULD behave as if the named method was used.

```
POST /user/fred/calendar/ HTTP/1.1
...
X-HTTP-Method-Override: PUT
Properties
```

A service or resource will have a number of properties which describe the current state of that service or resource. These properties are accessed through a GET on the target resource or service with an ACCEPT header specifying application/xrd+xml. See Section 4.1.1.3.6

The following operations are defined by this specification:

- Retrieval and update of service and resource properties
- Creation of a calendar object
- Retrieval of a calendar object
- Update of a calendar object
- Deletion of a calendar object
- Query
- Free-busy query

##### 4.1.1.1 Calendar Object Resources

The same restrictions apply to Calendar Object Resources as specified in CalDAV [RFC4791] section 4.2. An additional constraint for CalWS is that no timezone specifications are transferred.

1704 **4.1.1.2 Timezone information**

1705 It is assumed that the client and server each have access to a full set of up to date timezone information.  
1706 Timezones will be referenced by a timezone identifier from the full set of Olson data together with a set of  
1707 well-known aliases defined [TZDB]. CalWS services may advertise themselves as timezone servers  
1708 through the server properties object.

1709 **4.1.1.3 Issues not addressed by this specification.**

1710 A number of issues are not addressed by this version of the specification, either because they should be  
1711 addressed elsewhere or will be addressed at some later date.

1712 **4.1.1.3.1 Access Control**

1713 It is assumed that the targeted server will set an appropriate level of access based on authentication. This  
1714 specification will not attempt to address the issues of sharing or Access Control Lists (ACLs).

1715 **4.1.1.3.2 Provisioning**

1716 The protocol will not provide any explicit provisioning operations. If it is possible to authenticate or  
1717 address a principal's calendar resources then they MUST be automatically created if necessary or  
1718 appropriate

1719 **4.1.1.3.3 Copy/Move**

1720 These operations are not yet defined for this version of the CalWS protocol. Both operations raise a  
1721 number of issues. In particular implementing a move operation through a series of retrievals, insertions  
1722 and deletions may cause undesirable side-effects. Both these operations will be defined in a later version  
1723 of this specification.

1724 **4.1.1.3.4 Creating Collections**

1725 We will not address the issue of creating collections within the address space. The initial set is created by  
1726 provisioning.

1727 **4.1.1.3.5 Retrieving collections**

1728 This operation is currently undefined. A GET on a collection may fail or return a complete calendar object  
1729 representing the collection.

1730 **4.1.1.3.6 Setting service and resource properties.**

1731 These operations are not defined in this version of the specification. In the future it will be possible to  
1732 define or set the properties for the service or resources within the service.

1733 **4.1.1.4 CalWS Glossary**

1734 **4.1.1.4.1 Hrefs**

1735 An href is a URI reference to a resource, for example

1736 `"http://example.org/user/fred/calendar/event1.ics".`

1737 The URL above reflects a possible structure for a calendar server. All URLs should be absolute or path-  
1738 absolute following the rules defined in RFC4918 Section 8.3.

#### 1739 4.1.1.4.2 Calendar Object Resource

1740 A calendar object resource is an event, meeting or a task. Attachments are resources but NOT calendar  
1741 object resources. An event or task with overrides is a single calendar resource entity.

#### 1742 4.1.1.4.3 Calendar Collection

1743 A folder only allowed to contain calendar object resources.

#### 1744 4.1.1.4.4 Scheduling Calendar Collection

1745 A folder only allowed to contain calendar resources which is also used for scheduling operations.  
1746 Scheduling events placed in such a collection will trigger implicit scheduling activity on the server.

#### 1747 4.1.1.4.5 Principal Home

1748 The collection under which all the resources for a given principal are stored. For example, for principal  
1749 "fred" the principal home might be "/user/fred/"

### 1750 4.1.2 Error conditions

1751 Each operation on the calendar system has a number of pre-conditions and post-conditions that apply.

1752 A "precondition" for a method describes the state of the server that must be true for that method to be  
1753 performed. A "post-condition" of a method describes the state of the server that must be true after that  
1754 method has been completed. Any violation of these conditions will result in an error response in the form  
1755 of a CalWS XML error element containing the violated condition and an optional description. \

1756 Each method specification defines the preconditions that must be satisfied before the method can  
1757 succeed. A number of post-conditions are generally specified which define the state that must exist after  
1758 the execution of the operation. Preconditions and post-conditions are defined as error elements in the  
1759 CalWS XML namespace.

#### 1760 4.1.2.1 Example: error with CalDAV error condition

```
1761 <?xml version="1.0" encoding="utf-8"  
1762     xmlns:CW="Error! Reference source not found." "  
1763     xmlns:C="urn:iETF:params:xml:ns:caldav" ?>  
1764 <CW:error>  
1765   <C:supported-filter>  
1766     <C:prop-filter name="X-ABC-GUID"/>  
1767   </C:supported-filter>  
1768   <CW:description>Unknown property </CW:description>  
1769 </CW:error>
```

## 1770 4.2 Properties and link relations

### 1771 4.2.1 Property and relation-type URIs

1772 In the XRD entity returned properties and related services and entities are defined by absolute URIs  
1773 which correspond to the extended relation type defined in **[web linking]** Section 4.2. These URIs do NOT  
1774 correspond to any real entity on the server and clients should not attempt to retrieve any data at that  
1775 target.

1776 Certain of these property URIs correspond to CalDAV preconditions. Each URL is prefixed by the CalWS  
1777 relations and properties namespace <http://docs.oasis-open.org/ns/wscal/calws>. Those properties which  
1778 correspond to CalDAV properties have the additional path element "caldav/", for example

```
1779 http://docs.oasis-open.org/ns/wscal/calws/caldav/supported-calendar-data
```

1780 corresponds to

1781 `CalDAV:supported-calendar-data`

1782 In addition to those CalDAV properties, the CalWS specification defines a number of other properties and  
1783 link relations with the URI prefix of <http://docs.oasis-open.org/ns/wscal/calws>.

#### 1784 **4.2.2 supported-features property.**

1785 <http://docs.oasis-open.org/ns/wscal/calws/supported-features>

1786 This property defines the features supported by the target. All resources contained and managed by the  
1787 service should return this property. The value is a comma separated list containing one or more of the  
1788 following

- 1789 • calendar-access - the service supports all MUST requirements in this specification

```
1790 <Property type="http://docs.oasis-open.org/ns/wscal/calws/supported-features"  
1791 >calendar-access</Property>
```

#### 1792 **4.2.3 max-attendees-per-instance**

1793 <http://docs.oasis-open.org/ns/wscal/calws/max-attendees-per-instance>

1794 Defines the maximum number of attendees allowed per event or task.

#### 1795 **4.2.4 max-date-time**

1796 <http://docs.oasis-open.org/ns/wscal/calws/max-date-time>

1797 Defines the maximum date/time allowed on an event or task

#### 1798 **4.2.5 max-instances**

1799 <http://docs.oasis-open.org/ns/wscal/calws/max-instances>

1800 Defines the maximum number of instances allowed per event or task

#### 1801 **4.2.6 max-resource-size**

1802 <http://docs.oasis-open.org/ns/wscal/calws/max-resource-size>

1803 Provides a numeric value indicating the maximum size of a resource in octets that the server is willing to  
1804 accept when a calendar object resource is stored in a calendar collection.

#### 1805 **4.2.7 min-date-time**

1806 <http://docs.oasis-open.org/ns/wscal/calws/min-date-time>

1807 Provides a DATE-TIME value indicating the earliest date and time (in UTC) that the server is willing to  
1808 accept for any DATE or DATE-TIME value in a calendar object resource stored in a calendar collection.

#### 1809 **4.2.8 description**

1810 <http://docs.oasis-open.org/ns/wscal/calws/description>

1811 Provides some descriptive text for the targeted collection.

#### 1812 **4.2.9 timezone-service relation.**

1813 <http://docs.oasis-open.org/ns/wscal/calws/timezone-service>

1814 The location of a timezone service used to retrieve timezone information and specifications. This may be  
1815 an absolute URL referencing some other service or a relative URL if the current server also provides a  
1816 timezone service.

```
1817 <Link rel="http://docs.oasis-open.org/ns/wscal/calws/calws/timezone-service"  
1818 href="http://example.com/tz" />
```

#### 1819 **4.2.10 principal-home relation.**

1820 <http://docs.oasis-open.org/ns/wscal/calws/principal-home>

1821 Provides the URL to the user home for the currently authenticated principal.

```
1822 <Link rel="http://docs.oasis-open.org/ns/wscal/calws/principal-home"  
1823 href="http://example.com/user/fred" />
```

#### 1824 **4.2.11 current-principal-freebusy relation.**

1825 <http://docs.oasis-open.org/ns/wscal/calws/current-principal-freebusy>

1826 Provides the URL to use as a target for freebusy requests for the current authenticated principal.

```
1827 <Link rel="http://docs.oasis-open.org/ns/wscal/calws/current-principal-freebusy"  
1828 href="http://example.com/freebusy/user/fred" />
```

#### 1829 **4.2.12 principal-freebusy relation.**

1830 <http://docs.oasis-open.org/ns/wscal/calws/principal-freebusy>

1831 Provides the URL to use as a target for freebusy requests for a different principal.

```
1832 <Link rel="http://docs.oasis-open.org/ns/wscal/calws/principal-freebusy"  
1833 href="http://example.com/freebusy" />
```

#### 1834 **4.2.13 child-collection relation.**

1835 <http://docs.oasis-open.org/ns/wscal/calws/child-collection>

1836 Provides information about a child collections for the target. The href attribute gives the URI of the  
1837 collection. The element should only have CalWS child elements giving the type of the collection, that is  
1838 the CalWS:collection link property and the CalWS-calendar-collection link property. This allows clients to  
1839 determine the structure of a hierarchical system by targeting each of the child collections in turn.

1840 The xrd:title child element of the link element provides a description for the child-collection.

```
1841 <Link rel="http://http://docs.oasis-open.org/ns/wscal/calws/child-collection"  
1842 href="http://example.com/calws/user/fred/calendar">  
1843 <Title xml:lang="en">Calendar</Title>  
1844 <Property type="http://docs.oasis-open.org/ns/wscal/calws/collection"  
1845 xsi:nil="true" />  
1846 <Property type="http://docs.oasis-open.org/ns/wscal/calws/calendar-  
1847 collection"  
1848 xsi:nil="true" />  
1849 </Link>
```

#### 1850 **4.2.14 created link property**

1851 <http://docs.oasis-open.org/ns/wscal/calws/created>

1852 Appears within a link relation describing collections or entities. The value is a date-time as defined in  
1853 **RFC3339** Section 5.6

```
1854 <Property type="http://docs.oasis-open.org/ns/wscal/calws/created"
```

1855 `>1985-04-12T23:20:50.52Z</Property>`

#### 1856 **4.2.15 last-modified property**

1857 `http://docs.oasis-open.org/ns/wscal/calws/last-modified`

1858 Appears within an xrd object describing collections or entities. The value is the same format as would  
1859 appear in the Last-Modified header and is defined in **[RFC2616]**, Section 3.3.1

1860 `<Property type="http://docs.oasis-open.org/ns/wscal/calws/last-modified"`  
1861 `>Mon, 12 Jan 1998 09:25:56 GMT</Property>`

#### 1862 **4.2.16 displayname property**

1863 `http://docs.oasis-open.org/ns/wscal/calws/displayname`

1864 Appears within an xrd object describing collections or entities. The value is a localized name for the entity  
1865 or collection.

1866 `<Property type="http://docs.oasis-open.org/ns/wscal/calws/displayname"`  
1867 `>My Calendar</Property>`

#### 1868 **4.2.17 timezone property**

1869 `http://docs.oasis-open.org/ns/wscal/calws/timezone`

1870 Appears within an xrd object describing collections. The value is a text timezone identifier.

1871 `<Property type="http://docs.oasis-open.org/ns/wscal/calws/timezone"`  
1872 `>America/New_York</Property>`

#### 1873 **4.2.18 owner property**

1874 `http://docs.oasis-open.org/ns/wscal/calws/owner`

1875 Appears within an xrd object describing collections or entities. The value is a server specific uri.

1876 `<Property type="http://docs.oasis-open.org/ns/wscal/calws/owner"`  
1877 `>/principals/users/mike</Property>`

#### 1878 **4.2.19 collection link property**

1879 `http://docs.oasis-open.org/ns/wscal/calws/collection`

1880 Appears within a link relation describing collections or entities. The property takes no value and indicates  
1881 that this child element is a collection.

1882 `<Property type="http://docs.oasis-open.org/ns/wscal/calws/collection"`  
1883 `xsi:nil="true" />`

#### 1884 **4.2.20 calendar-collection link property**

1885 `http://docs.oasis-open.org/ns/wscal/calws/calendar-collection`

1886 Appears within a link relation describing collections or entities. The property takes no value and indicates  
1887 that this child element is a calendar collection.

1888 `<Property type="http://docs.oasis-open.org/ns/wscal/calws/calendar-collection"`  
1889 `xsi:nil="true" />`

## 1890 4.2.21 CalWS:privilege-set XML element

1891 <http://docs.oasis-open.org/ns/wscal/calws:privilege-set>

1892 Appears within a link relation describing collections or entities and specifies the set of privileges allowed  
1893 to the current authenticated principal for that collection or entity.

```
1894 <!ELEMENT calws:privilege-set (calws:privilege*)>  
1895 <!ELEMENT calws:privilege ANY>
```

1896 Each privilege element defines a privilege or access right. The following set is currently defined

- 1897 • CalWS: Read - current principal has read access
- 1898 • CalWS: Write - current principal has write access

```
1899 <calws:privilege-set>  
1900 <calws:privilege><calws:read></calws:privilege>  
1901 <calws:privilege><calws:write></calws:privilege>  
1902 </calws:privilege-set>
```

## 1903 4.3 Retrieving Collection and Service Properties

1904 Properties, related services and locations are obtained from the service or from service resources in the  
1905 form of an XRD document as defined by [XRD-1.0].

1906 Given the URL of a CalWS service a client retrieves the service XRD document through a GET on the  
1907 service URL with an ACCEPT header specifying application/xrd+xml.

1908 Retrieving resource properties is identical to obtaining service properties, that is, execute a GET on the  
1909 target URL with an ACCEPT header specifying application/xrd+xml.

1910 The service properties define the global limits and defaults. Any properties defined on collections within  
1911 the service hierarchy override those service defaults. The service may choose to prevent such overriding  
1912 of defaults and limits when appropriate.

### 1913 4.3.1 Request parameters

- 1914 • None

### 1915 4.3.2 Responses:

- 1916 • 200: OK
- 1917 • 403: Forbidden
- 1918 • 404: Not found

### 1919 4.3.3 Example - retrieving server properties:

```
1920 >>Request  
1921 GET / HTTP/1.1  
1922 Host: example.com  
1923 ACCEPT:application/xrd+xml  
1924  
1925 >>Response  
1926 <XRD xmlns="http://docs.oasis-open.org/ns/xri/xrd-1.0"  
1927 xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">  
1928 <Expires>1970-01-01T00:00:00Z</Expires>  
1929 <Subject>http://example.com/calws</Subject>  
1930 <Property type="http://docs.oasis-open.org/ns/wscal/calws/created"  
1931 >1970-01-01</Property>
```

```

1933
1934 <Link rel="http://docs.oasis-open.org/ns/wscal/calws/timezone-service"
1935 href="http://example.com/tz" />
1936
1937 <calWS:privilege-set>
1938 <calWS:privilege><calWS:read></calWS:privilege>
1939 </calWS:privilege-set>
1940
1941 <Link rel="http://docs.oasis-open.org/ns/wscal/calws/principal-home"
1942 type="collection"
1943 href="http://example.com/calws/user/fred">
1944 <Title xml:lang="en">Fred's calendar home</Title>
1945 </Link>
1946
1947 <Link rel="http://docs.oasis-open.org/ns/wscal/calws/child-collection"
1948 type="calendar,scheduling"
1949 href="http://example.com/calws/user/fred/calendar">
1950 <Title xml:lang="en">Calendar</Title>
1951 </Link>
1952
1953 <Property type="http://docs.oasis-open.org/ns/wscal/calws/max-instances"
1954 >1000</Property>
1955
1956 <Property type="http://docs.oasis-open.org/ns/wscal/calws/max-attendees-
1957 per-instance"
1958 >100</Property>
1959
1960 </XRD>
1961

```

## 1962 4.4 Creating Calendar Object Resources

1963 Creating calendar object resources is carried out by a POST on the parent collection. The body of the  
1964 request will contain the resource being created. The request parameter "action=create" indicates this  
1965 POST is a create. The location header of the response gives the URL of the newly created object.

### 1966 4.4.1 Request parameters

- 1967 • action=create

### 1968 4.4.2 Responses:

- 1969 • 201: created
- 1970 • 403: Forbidden - no access

### 1971 4.4.3 Preconditions for Calendar Object Creation

- 1972 • **CalWS:target-exists:** The target of a PUT must exist. Use POST to create entities and PUT to  
1973 update them.
- 1974 • **CalWS:not-calendar-data:** The resource submitted in the PUT request, or targeted by a COPY or  
1975 MOVE request, MUST be a supported media type (i.e., iCalendar) for calendar object resources;
- 1976 • **CalWS:invalid-calendar-data:** The resource submitted in the PUT request, or targeted by a COPY  
1977 or MOVE request, MUST be valid data for the media type being specified (i.e., MUST contain valid  
1978 iCalendar data);
- 1979 • **CalWS:invalid-calendar-object-resource:** The resource submitted in the PUT request, or targeted  
1980 by a COPY or MOVE request, MUST obey all restrictions specified in Calendar Object Resources

- 1981 (e.g., calendar object resources MUST NOT contain more than one type of calendar component,  
1982 calendar object resources MUST NOT specify the iCalendar METHOD property, etc.);
- 1983 • **CalWS:unsupported-calendar-component:** The resource submitted in the PUT request, or  
1984 targeted by a COPY or MOVE request, MUST contain a type of calendar component that is  
1985 supported in the targeted calendar collection;
  - 1986 • **CalWS:uid-conflict:** The resource submitted in the PUT request, or targeted by a COPY or MOVE  
1987 request, MUST NOT specify an iCalendar UID property value already in use in the targeted  
1988 calendar collection or overwrite an existing calendar object resource with one that has a different  
1989 UID property value. Servers SHOULD report the URL of the resource that is already making use of  
1990 the same UID property value in the CalWS:href element  
1991 <!ELEMENT uid-conflict (CalWS:href)>
  - 1992 • **CalWS:invalid-calendar-collection-location:** In a COPY or MOVE request, when the Request-  
1993 URI is a calendar collection, the Destination-URI MUST identify a location where a calendar  
1994 collection can be created;
  - 1995 • **CalWS:exceeds-max-resource-size:** The resource submitted in the PUT request, or targeted by a  
1996 COPY or MOVE request, MUST have an octet size less than or equal to the value of the  
1997 CalDAV:max-resource-size property value on the calendar collection where the resource will be  
1998 stored;
  - 1999 • **CalWS:before-min-date-time:** The resource submitted in the PUT request, or targeted by a COPY  
2000 or MOVE request, MUST have all of its iCalendar DATE or DATE-TIME property values (for each  
2001 recurring instance) greater than or equal to the value of the CalDAV:min- date-time property value  
2002 on the calendar collection where the resource will be stored;
  - 2003 • **CalWS:after-max-date-time:** The resource submitted in the PUT request, or targeted by a COPY  
2004 or MOVE request, MUST have all of its iCalendar DATE or DATE-TIME property values (for each  
2005 recurring instance) less than the value of the CalDAV:max-date-time property value on the calendar  
2006 collection where the resource will be stored;
  - 2007 • **CalWS:too-many-instances:** The resource submitted in the PUT request, or targeted by a COPY  
2008 or MOVE request, MUST generate a number of recurring instances less than or equal to the value  
2009 of the CalDAV: max-instances property value on the calendar collection where the resource will be  
2010 stored;
  - 2011 • **CalWS:too-many-attendees-per-instance:** The resource submitted in the PUT request, or  
2012 targeted by a COPY or MOVE request, MUST have a number of ATTENDEE properties on any one  
2013 instance less than or equal to the value of the CalDAV:max-attendees-per-instance property value  
2014 on the calendar collection where the resource will be stored;

#### 2015 4.4.4 Example - successful POST:

```

2016 >>Request
2017
2018 POST /user/fred/calendar/?action=create HTTP/1.1
2019 Host: example.com
2020 Content-Type: application/xml+calendar; charset="utf-8"
2021 Content-Length: ?
2022
2023 <?xml version="1.0" encoding="utf-8" ?>
2024 <icalendar xmlns="urn:iETF:params:xml:ns:icalendar-2.0">
2025   <vcalendar>
2026     ...
2027   </vcalendar>
2028 </icalendar>
2029
2030 >>Response
2031

```

2032  
2033

```
HTTP/1.1 201 Created
Location: http://example.com/user/fred/calendar/event1.ics
```

#### 2034 **4.4.5 Example - unsuccessful POST:**

2035  
2036  
2037  
2038  
2039  
2040  
2041  
2042  
2043  
2044  
2045  
2046  
2047  
2048  
2049  
2050  
2051  
2052  
2053

```
>>Request

POST /user/fred/readcalendar/?action=create HTTP/1.1
Host: example.com
Content-Type: text/text; charset="utf-8"
Content-Length: ?

This is not an xml calendar object

>>Response

HTTP/1.1 403 Forbidden
<?xml version="1.0" encoding="utf-8"
      xmlns:D="DAV:"
      xmlns:C="urn:ietf:params:xml:ns:caldav" ?>
<D:error>
  <C:supported-calendar-data/>
  <D:description>Not an icalendar object</D:description>
</D:error>
```

### 2054 **4.5 Retrieving resources**

2055 A simple GET on the href will return a named resource. If that resource is a recurring event or task with  
2056 overrides, the entire set will be returned. The desired format is specified in the ACCEPT header. The  
2057 default form is application/xml+calendar

#### 2058 **4.5.1 Request parameters**

- 2059
- none

#### 2060 **4.5.2 Responses:**

- 2061
- 200: OK
- 2062
- 403: Forbidden - no access
- 2063
- 406 The requested format specified in the accept header is not supported.

#### 2064 **4.5.3 Example - successful fetch:**

2065  
2066  
2067  
2068  
2069  
2070  
2071  
2072  
2073  
2074  
2075  
2076  
2077  
2078  
2079

```
>>Request

GET /user/fred/calendar/event1.ics HTTP/1.1
Host: example.com

>>Response

HTTP/1.1 200 OK
Content-Type: application/xml+calendar; charset="utf-8"
Content-Length: ?

<?xml version="1.0" encoding="utf-8" ?>
<icalendar xmlns="urn:ietf:params:xml:ns:icalendar-2.0">
  <vcalendar>
    ...
```

```
2080     </vcalendar>
2081 </icalendar>
```

#### 2082 **4.5.4 Example - unsuccessful fetch:**

```
2083 >>Request
2084
2085 PUT /user/fred/calendar/noevent1.ics HTTP/1.1
2086 Host: example.com
2087
2088 >>Response
2089
2090 HTTP/1.1 404 Not found
```

### 2091 **4.6 Updating resources**

2092 Resources are updated with the PUT method targeted at the resource href. The body of the request  
2093 contains a complete new resource which effectively replaces the targeted resource. To allow for optimistic  
2094 locking of the resource use the if-match header.

2095 When updating a recurring event all overrides and master must be supplied as part of the content.

2096 Preconditions as specified in Section 4.4.3 are applicable.

#### 2097 **4.6.1 Responses:**

- 2098 • 200: OK
- 2099 • 304: Not modified - entity was modified by some other request
- 2100 • 403: Forbidden - no access, does not exist etc. See error response

2101

#### 2102 *Example 4-1: Successful Update*

```
2103 >>Request
2104
2105 PUT /user/fred/calendar/event1.ics HTTP/1.1
2106 Host: example.com
2107 Content-Type: application/xml+calendar; charset="utf-8"
2108 Content-Length: ?
2109
2110 <?xml version="1.0" encoding="utf-8" ?>
2111 <icalendar xmlns="urn:ietf:params:xml:ns:icalendar-2.0">
2112   <vcalendar>
2113     ...
2114   </vcalendar>
2115 </icalendar>
2116
2117 >>Response
2118
2119 HTTP/1.1 200 OK
```

#### 2120 *Example 4-2: Unsuccessful Update*

```
2121 >>Request
2122
2123 PUT /user/fred/readcalendar/event1.ics HTTP/1.1
2124 Host: example.com
2125 Content-Type: application/xml+calendar; charset="utf-8"
2126 Content-Length: ?
2127
```

```

2128 <?xml version="1.0" encoding="utf-8" ?>
2129 <icalendar xmlns="urn:ietf:params:xml:ns:icalendar-2.0">
2130   <vcalendar>
2131     ...
2132   </vcalendar>
2133 </icalendar>
2134
2135 >>Response
2136
2137 HTTP/1.1 403 Forbidden
2138 Content-Type: application/xml; charset="utf-8"
2139 Content-Length: xxxx
2140
2141 <?xml version="1.0" encoding="utf-8"
2142     xmlns:D="DAV:"
2143     xmlns:CW=" http://docs.oasis-open.org/ws-calendar/CalWS" ?>
2144 <CW:error>
2145   <CW:target-exists/>
2146   <CW:description>Target of update must exist</C:description>
2147 </CW:error>

```

## 2148 4.7 Deletion of resources

2149 Delete is defined in **[RFC 2616]** Section 9.7. In addition to conditions defined in that specification, servers  
2150 must remove any references from the deleted resource to other resources. Resources are deleted with  
2151 the DELETE method targeted at the resource URL. After a successful completion of a deletion a GET on  
2152 that URL must result in a 404 - Not Found status.

### 2153 4.7.1 Delete for Collections

2154 Delete for collections may or may not be supported by the server. Certain collections are considered  
2155 undeletable. On a successful deletion of a collection all contained resources to any depth must also be  
2156 deleted.

### 2157 4.7.2 Responses:

- 2158 • 200: OK
- 2159 • 403: Forbidden - no access
- 2160 • 404: Not Found

## 2161 4.8 Querying calendar resources

2162 Querying provides a mechanism by which information can be obtained from the service through possibly  
2163 complex queries. A list of icalendar properties can be specified to limit the amount of information returned  
2164 to the client. A query takes the parts

- 2165 • Limitations on the data returned
- 2166 • Selection of the data
- 2167 • Optional timezone id for floating time calculations.

2168 The current specification uses CalDAV multiget and calendar-query XML bodies as specified in **[RFC**  
2169 **4791]** with certain limitations and differences.

- 2170 1. The POST method is used for all requests, the action being identified by the outer element.
- 2171 2. While CalDAV servers generally only support **[RFC 5545]** and assume that as the default, the  
2172 delivery format for CalWS will, by default, be **[draft-xcal]**.

2173 3. The CalDAV query allows the specification of a number of DAV properties. Specification of these  
2174 properties, with the exception of DAV:getetag, is considered an error in CalWS.

2175 4. The CalDAV:propnames element is invalid

2176 With those differences, the CalDAV specification is the normative reference for this operation.

## 2177 4.8.1 Limiting data returned

2178 This is achieved by specifying one of the following

2179 • CalDAV:allprop return all properties (some properties are specified as not being part of the allprop  
2180 set so are not returned)

2181 • CalDAV:prop An element which contains a list of properties to be returned . May only contain  
2182 DAV:getetag and CalDAV:calendar-data

2183 Of particular interest, and complexity, is the calendar-data property which can contain a time range to limit  
2184 the range of recurrences returned and/or a list of calendar properties to return.

## 2185 4.8.2 Pre/postconditions for calendar queries

2186 The preconditions as defined in in [RFC 4791] Section 7.8 apply here. CalDav errors may be reported by  
2187 the service when preconditions or postconditions are violated.

## 2188 4.8.3 Example: time range limited retrieval

2189 This example shows the time-range limited retrieval from a calendar which results in 2 events, one a  
2190 recurring event and one a simple non-recurring event.

```
2191 >> Request <<
2192
2193 POST /user/fred/calendar/ HTTP/1.1
2194 Host: calws.example.com
2195 Depth: 1
2196 Content-Type: application/xml; charset="utf-8"
2197 Content-Length: xxxx
2198
2199 <?xml version="1.0" encoding="utf-8" ?>
2200 <C:calendar-query xmlns:D="DAV:"
2201                 xmlns:C="urn:ietf:params:xml:ns:caldav">
2202   <D:prop>
2203     <D:getetag/>
2204     <C:calendar-data content-type="application/xml+calendar" >
2205       <C:comp name="VCALENDAR">
2206         <C:prop name="VERSION"/>
2207         <C:comp name="VEVENT">
2208           <C:prop name="SUMMARY"/>
2209           <C:prop name="UID"/>
2210           <C:prop name="DTSTART"/>
2211           <C:prop name="DTEND"/>
2212           <C:prop name="DURATION"/>
2213           <C:prop name="RRULE"/>
2214           <C:prop name="RDATE"/>
2215           <C:prop name="EXRULE"/>
2216           <C:prop name="EXDATE"/>
2217           <C:prop name="RECURRENCE-ID"/>
2218         </C:comp>
2219       </C:comp>
2220     </C:calendar-data>
2221   </D:prop>
2222   <C:filter>
2223     <C:comp-filter name="VCALENDAR">
```

```

2224     <C:comp-filter name="VEVENT">
2225         <C:time-range start="20060104T000000Z"
2226             end="20060105T000000Z"/>
2227     </C:comp-filter>
2228 </C:comp-filter>
2229 </C:filter>
2230 </C:calendar-query>
2231
2232 >> Response <<
2233
2234 HTTP/1.1 207 Multi-Status
2235 Date: Sat, 11 Nov 2006 09:32:12 GMT
2236 Content-Type: application/xml; charset="utf-8"
2237 Content-Length: xxxx
2238
2239 <?xml version="1.0" encoding="utf-8" ?>
2240 <D:multistatus xmlns:D="DAV:"
2241     xmlns:C="urn:ietf:params:xml:ns:caldav">
2242     <D:response>
2243         <D:href>http://cal.example.com/bernard/work/abcd2.ics</D:href>
2244         <D:propstat>
2245             <D:prop>
2246                 <D:getetag>"fffff-abcd2"</D:getetag>
2247                 <C:calendar-data content-type="application/xml+calendar" >
2248                     <xc:icalendar
2249                         xmlns:xc="urn:ietf:params:xml:ns:icalendar-2.0">
2250     <xc:vcalendar>
2251         <xc:properties>
2252             <xc:calscale><text>GREGORIAN</text></xc:calscale>
2253             <xc:prodid>
2254                 <xc:text>-//Example Inc.//Example Calendar//EN</xc:text>
2255             </xc:prodid>
2256             <xc:version><xc:text>2.0</xc:text></xc:version>
2257         </xc:properties>
2258         <xc:components>
2259             <xc:vevent>
2260                 <xc:properties>
2261                     <xc:dtstart>
2262                         <xc:parameters>
2263                             <xc:tzid>US/Eastern<xc:tzid>
2264                         <xc:parameters>
2265                             <xc:date-time>20060102T120000</xc:date-time>
2266                         </xc:dtstart>
2267                     <xc:duration><xc:duration>PT1H</xc:duration></xc:duration>
2268                     <xc:summary>
2269                         <xc:text>Event #2</xc:text>
2270                     </xc:summary>
2271                     <xc:uid>
2272                         <xc:text>00959BC664CA650E933C892C@example.com</xc:text>
2273                     </xc:uid>
2274                     <xc:rrule>
2275                         <xc:recur>
2276                             <xc:freq>DAILY</xc:freq>
2277                             <xc:count>5</xc:count>
2278                         </xc:recur>
2279                     </xc:rrule>
2280                 </xc:properties>
2281             </xc:vevent>
2282
2283         <xc:vevent>
2284             <xc:properties>
2285                 <xc:dtstart>
2286                 <xc:parameters>

```

```

2287         <xc:tzid>US/Eastern<xc:tzid>
2288         <xc:parameters>
2289         <xc:date-time>20060104T140000</xc:date-time>
2290     </xc:dtstart>
2291     <xc:duration><xc:duration>PT1H</xc:duration></xc:duration>
2292     <xc:summary>
2293     <xc:text>Event #2 bis</xc:text>
2294 </xc:summary>
2295 <xc:uid>
2296     <xc:text>00959BC664CA650E933C892C@example.com</xc:text>
2297 </xc:uid>
2298 <xc:recurrence-id>
2299     <xc:parameters>
2300     <xc:tzid>US/Eastern<xc:tzid>
2301     <xc:parameters>
2302     <xc:date-time>20060104T120000</xc:date-time>
2303 </xc:recurrence-id>
2304 <xc:rrule>
2305     <xc:recur>
2306     <xc:freq>DAILY</xc:freq>
2307     <xc:count>5</xc:count>
2308 </xc:recur>
2309 </xc:rrule>
2310 </xc:properties>
2311 </xc:vevent>
2312
2313 <xc:vevent>
2314     <xc:properties>
2315     <xc:dtstart>
2316     <xc:parameters>
2317     <xc:tzid>US/Eastern<xc:tzid>
2318     <xc:parameters>
2319     <xc:date-time>20060106T140000</xc:date-time>
2320 </xc:dtstart>
2321     <xc:duration><xc:duration>PT1H</xc:duration></xc:duration>
2322     <xc:summary>
2323     <xc:text>Event #2 bis bis</xc:text>
2324 </xc:summary>
2325     <xc:uid>
2326     <xc:text>00959BC664CA650E933C892C@example.com</xc:text>
2327 </xc:uid>
2328     <xc:recurrence-id>
2329     <xc:parameters>
2330     <xc:tzid>US/Eastern<xc:tzid>
2331     <xc:parameters>
2332     <xc:date-time>20060106T120000</xc:date-time>
2333 </xc:recurrence-id>
2334     <xc:rrule>
2335     <xc:recur>
2336     <xc:freq>DAILY</xc:freq>
2337     <xc:count>5</xc:count>
2338 </xc:recur>
2339 </xc:rrule>
2340 </xc:properties>
2341 </xc:vevent>
2342 </xc:components>
2343 </xc:vcalendar>
2344 </xc:icalendar>
2345     </C:calendar-data>
2346     </D:prop>
2347     <D:status>HTTP/1.1 200 OK</D:status>
2348 </D:propstat>
2349 </D:response>

```

```

2350     <D:response>
2351         <D:href>http://cal.example.com/bernard/work/abcd3.ics</D:href>
2352     <D:propstat>
2353         <D:prop>
2354             <D:getetag>"fffff-abcd3"</D:getetag>
2355             <C:calendar-data content-type="application/xml+calendar" >
2356                 <xcal:icalendar
2357                     xmlns:xc="urn:ietf:params:xml:ns:icalendar-2.0">
2358 <xc:vcalendar>
2359     <xc:properties>
2360         <xc:calscale><text>GREGORIAN</text></xc:calscale>
2361     <xc:prodid>
2362         <xc:text>-//Example Inc.//Example Calendar//EN</xc:text>
2363     </xc:prodid>
2364     <xc:version><xc:text>2.0</xc:text></xc:version>
2365 </xc:properties>
2366 <xc:components>
2367     <xc:vevent>
2368         <xc:properties>
2369             <xc:dtstart>
2370                 <xc:parameters>
2371                     <xc:tzid>US/Eastern<xc:tzid>
2372                 </xc:parameters>
2373                 <xc:date-time>20060104T100000</xc:date-time>
2374             </xc:dtstart>
2375             <xc:duration><xc:duration>PT1H</xc:duration></xc:duration>
2376             <xc:summary>
2377                 <xc:text>Event #3</xc:text>
2378             </xc:summary>
2379             <xc:uid>
2380                 <xc:text>DC6C50A017428C5216A2F1CD@example.com</xc:text>
2381             </xc:uid>
2382             <xc:rrule>
2383                 <xc:recur>
2384                     <xc:freq>DAILY</xc:freq>
2385                     <xc:count>5</xc:count>
2386                 </xc:recur>
2387             </xc:rrule>
2388         </xc:properties>
2389     </xc:vevent>
2390 </xc:components>
2391 </xc:vcalendar>
2392 </xc:icalendar>
2393     </C:calendar-data>
2394 </D:prop>
2395     <D:status>HTTP/1.1 200 OK</D:status>
2396 </D:propstat>
2397 </D:response>
2398 </D:multistatus>

```

## 2399 4.9 Free-busy queries

2400 Free-busy queries are used to obtain free-busy information for a calendar-collection or principals. The  
2401 result contains information only for events to which the current principal has sufficient access.

2402 When targeted at a calendar collection the result is based only on the calendaring entities contained in  
2403 that collection. When targeted at a principal free-busy URL the result will be based on all information  
2404 which affect the principals free-busy status, for example availability.

2405 The possible targets are:

- 2406 • A calendar collection URL

- 2407 • The XRD link with relation CalWS/current-principal-freebusy
  - 2408 • The XRD link with relation CalWS/principal-freebusy with a principal given in the request.
- 2409 The query follows the specification defined in **[FreeBusy Read URL]** with certain limitations. As an  
 2410 authenticated user to the CalWS service scheduling read-freebusy privileges must have been granted. As  
 2411 an unauthenticated user equivalent access must have been granted to unauthenticated access.
- 2412 Freebusy information is returned by default as xcalendar vfreebusy components, as defined by **[draft-**  
 2413 **xcal]**. Such a component is not meant to conform to the requirements of VFREEBUSY components in  
 2414 **[RFC 5546]**. The VFREEBUSY component SHOULD conform to section "4.6.4 Free/Busy Component" of  
 2415 **[RFC 5545]**. A client SHOULD ignore the ORGANIZER field..
- 2416 Since a Freebusy query can only refer to a single user, a client will already know how to match the result  
 2417 component to a user. A server MUST only return a single vfreebusy component.

## 2418 4.9.1 ACCEPT header

2419 The Accept header is used to specify the format for the returned data. In the absence of a header the  
 2420 data should be returned as specified in **[draft-xcal]**, that is, as if the following had been specified

2421 `ACCEPT: application/xml+calendar`

## 2422 4.9.2 URL Query Parameters

2423 None of these parameters are required except for the conditions noted below. Appropriate defaults will be  
 2424 supplied by the server.

### 2425 4.9.2.1 start

2426 **Default:** The default value is left up to the server. It may be the current day, start of the current  
 2427 month, etc.

2428 **Description:** Specifies the start date for the Freebusy data. The server is free to ignore this value and  
 2429 return data in any time range. The client must check the data for the returned time range.

2430 **Format:** A profile of an **[RFC3339]** Date/Time. Fractional time is not supported. The server MUST  
 2431 support the expanded version e.g.

2432 `2007-01-02T13:00:00-08:00`

2433 It is up to the server to interpret local date/times.

2434 **Example:**

2435 `2007-02-03T15:30:00-0800`  
 2436 `2007-12-01T10:15:00Z`

2437 **Notes:** Specifying only a start date/time without specifying an end-date/time or period should be  
 2438 interpreted as in **[RFC 5545]**. The effective period should cover the remainder of that day.

2439 Date-only values are disallowed as the server cannot determine the correct start of the day. Only  
 2440 UTC or date/time with offset values are permitted.

### 2441 4.9.2.2 end

2442 **Default:** Same as start

2443 **Description:** Specifies the end date for the Freebusy data. The server is free to ignore this value.

2444 **Format:** Same as start

2445 **Example:** Same as start

### 2446 4.9.2.3 period

2447 **Default:** The default value is left up to the server. The recommended value is "P42D".

2448 **Description:** Specifies the amount of Freebusy data to return. A client cannot specify both a period  
2449 and an end date. Period is relative to the start parameter.

2450 **Format:** A duration as defined in section 4.3.6 of [RFC 5545]

2451 **Example:**

```
2452 P42D
```

### 2453 4.9.2.4 account

2454 **Default:** none

2455 **Description:** Specifies the principal when the request is targeted at the XRD CalWS/principal-  
2456 freebusy. Specification of this parameter is an error otherwise.

2457 **Format:** Server specific

2458 **Example:**

```
2459 fred  
2460 /principals/users/jim  
2461 user1@example.com
```

### 2462 4.9.3 URL parameters - notes

2463 The server is free to ignore the start, end and period parameters. It is recommended that the server return  
2464 at least 6 weeks of data from the current day.

2465 A client MUST check the time range in the VFREEBUSY response as a server may return a different time  
2466 range than the requested range.

### 2467 4.9.4 HTTP Operations

2468 The server SHOULD return an Etag response header for a successful GET request targeting a Freebusy  
2469 read URL. Clients MAY use the Etag response header value to do subsequent "conditional" GET  
2470 requests that will avoid re-sending the Freebusy data again if it has not changed.

### 2471 4.9.5 Response Codes

2472 Below are the typical status codes returned by a GET request targeting a Free-busy URL. Note that other  
2473 HTTP status codes not listed here might also be returned by a server.

- 2474 • 200 OK
- 2475 • 302 Found
- 2476 • 400 Start parameter could not be understood / End parameter could not be understood / Period  
2477 parameter could not be understood
- 2478 • 401 Unauthorized
- 2479 • 403 Forbidden
- 2480 • 404 The data for the requested principal is not currently available, but may be available later.
- 2481 • 406 The requested format in the accept header is not supported.
- 2482 • 410 The data for the requested principal is no longer available
- 2483 • 500 General server error

## 2484 4.9.6 Examples

2485 The following are examples of URLs used to retrieve Free-busy data for a user:

```
2486 http://www.example.com/freebusy/user1@example.com?
2487 start=2007-09-01T00:00:00-08:00&end=2007-09-31T00:00:00-08:00
2488
2489 http://www.example.com/freebusy/user1@example.com?
2490 start=2007-09-01T00:00:00-08:00&end=2007-09-31T00:00:00-08:00
2491
2492 http://www.example.com/freebusy/user1@example.com
2493
2494 http://www.example.com/freebusy?user=user%201@example.com&
2495 start=2008-01-01T00:00:00Z&end=2008-12-31T00:00:00Z
```

2496 Some Request/Response Examples:

2497 A URL with no query parameters:

```
2498 >> Request <<
2499 GET /freebusy/bernard/ HTTP/1.1
2500 Host: www.example.com
2501
2502 >> Response <<
2503 HTTP/1.1 200 OK
2504 Content-Type: application/xml+calendar; charset="utf-8"
2505 Content-Length: xxxx
2506
2507 <xc:icalendar xmlns:xc="urn:iETF:params:xml:ns:icalendar-2.0">
2508   <xc:vcalendar>
2509     <xc:properties>
2510       <xc:calscale><text>GREGORIAN</text></xc:calscale>
2511       <xc:prodid>
2512         <xc:text>-//Example Inc.//Example Calendar//EN</xc:text>
2513       </xc:prodid>
2514       <xc:version><xc:text>2.0</xc:text></xc:version>
2515     </xc:properties>
2516     <xc:components>
2517       <xc:vfreebusy>
2518         <xc:properties>
2519           <xc:uid>
2520             <xc:text>76ef34-54a3d2@example.com</xc:text>
2521           </xc:uid>
2522           <xc:dtstart>
2523             <xc:date-time>20060101T000000Z</xc:date-time>
2524           </xc:dtstart>
2525           <xc:dtend>
2526             <xc:date-time>20060108T000000Z</xc:date-time>
2527           </xc:dtend>
2528           <xc:dtstamp>
2529             <xc:date-time>20050530T123421Z</xc:date-time>
2530           </xc:dtstamp>
2531           <xc:freebusy>
2532             <xc:parameters>
2533               <xc:fbsytype>BUSYTENTATIVE<xc:fbsytype>
2534             <xc:parameters>
2535               <xc:period>20060102T100000Z/20060102T120000Z</xc:period>
2536             </xc:freebusy>
2537           <xc:freebusy>
2538             <xc:period>20060103T100000Z/20060103T120000Z</xc:period>
2539             </xc:freebusy>
2540           <xc:freebusy>
2541             <xc:period>20060104T100000Z/20060104T120000Z</xc:period>
2542             </xc:freebusy>
```

```

2543     <xc:freebusy>
2544         <xc:parameters>
2545             <xc:fbtype>BUSYUNAVAILABLE<xc:fbtype>
2546         <xc:parameters>
2547         <xc:period>20060105T100000Z/20060105T120000Z</xc:period>
2548     </xc:freebusy>
2549 <xc:freebusy>
2550     <xc:period>20060106T100000Z/20060106T120000Z</xc:period>
2551 </xc:freebusy>
2552 </xc:vfreebusy>
2553 </xc:components>
2554 </xc:vcalendar>
2555 <xc:icalendar>

```

2556 A URL with start and end parameters:

```

2557 >> Request <<
2558 GET /freebusy/user1@example.com?start=2007-09-01T00:00:00-08:00&end=2007-09-
2559 31T00:00:00-08:00
2560 HTTP/1.1
2561 Host: www.example.com
2562
2563 >> Response <<
2564 HTTP/1.1 200 OK
2565 Content-Type: application/xml+calendar; charset="utf-8"
2566 Content-Length: xxxx
2567
2568 <xc:icalendar xmlns:xc="urn:iETF:params:xml:ns:icalendar-2.0">
2569     <xc:vcalendar>
2570         <xc:properties>
2571             <xc:calscale><text>GREGORIAN</text></xc:calscale>
2572             <xc:prodid>
2573                 <xc:text>-//Example Inc.//Example Calendar//EN</xc:text>
2574             </xc:prodid>
2575             <xc:version><xc:text>2.0</xc:text></xc:version>
2576         </xc:properties>
2577         <xc:components>
2578             <xc:vfreebusy>
2579                 <xc:properties>
2580                     <xc:uid>
2581                         <xc:text>76ef34-54a3d2@example.com</xc:text>
2582                     </xc:uid>
2583                     <xc:dtstart>
2584                         <xc:date-time>20070901T000000Z</xc:date-time>
2585                     </xc:dtstart>
2586                     <xc:dtend>
2587                         <xc:date-time>20070931T000000Z</xc:date-time>
2588                     </xc:dtend>
2589                     <xc:dtstamp>
2590                         <xc:date-time>20050530T123421Z</xc:date-time>
2591                     </xc:dtstamp>
2592                     <xc:freebusy>
2593                         <xc:period>20070915T230000Z/20070916T010000Z</xc:period>
2594                     </xc:freebusy>
2595                 </xc:vfreebusy>
2596             </xc:components>
2597         </xc:vcalendar>
2598     </xc:icalendar>

```

2599 A URL for which the server does not have any data for that user:

```

2600 >> Request <<
2601 GET /freebusy/user1@example.com?start=2012-12-01T00:00:00-08:00&end=2012-12-
2602 31T00:00:00-08:00

```

2603 HTTP/1.1  
2604 Host: www.example.com  
2605  
2606 >> Response <<  
2607 HTTP/1.1 404 No data  
2608

---

## 2609 5 Conformance and Rules for WS-Calendar and 2610 Referencing Specifications

### 2611 5.1 Introduction

2612 This section specifies conformance related to the semantic model and RESTful Services. While the  
2613 semantic model applies to all WS-Calendar implementations; the other conformance statements are  
2614 relevant only to those using those services.

2615 If the implementer is merely using WS-Calendar as part of a larger business or service communication,  
2616 they SHALL follow not only the semantic rules herein, but SHALL also conform to the rules for specifying  
2617 inheritance in referencing standards.

### 2618 5.2 Semantic Conformance Rules for WS-Calendar

2619 There are five kinds of conformance that must be addressed for WS-Calendar and specifications that  
2620 reference WS-Calendar.

- 2621 • Conformance to the *inheritance rules* in WS-Calendar, including the direction of inheritance
- 2622 • *Specific attributes* for each type that MUST or MUST NOT be inherited.
- 2623 • *Conformance rules* that Referencing Specifications MUST follow
- 2624 • Description of *Covarying attributes* with respect to the Reference Specification
- 2625 • *Semantic Conformance* for the information within the artifacts exchanged.

2626 We address each of these in the following sections.

#### 2627 5.2.1 Inheritance in WS-Calendar

2628 In this section we define rules that define inheritance including direction.

2629 **I1: Proximity Rule** Within a given lineage, inheritance is evaluated through each Parent to the Child  
2630 before what the Child bequeaths is evaluated.

2631 **I2: Direction Rule** Intervals MAY inherit attributes from the nearest gluon subject to the Proximity Rule  
2632 and Override Rule, provided those attributes are defined as Inheritable.

2633 **I3: Override Rule** If and only if there is no value for a given attribute of a Gluon or Interval, that Gluon or  
2634 Interval SHALL inherit the value for that attribute from its nearest Ancestor in conformance to the  
2635 Proximity Rule

2636 **I4: Comparison Rule** Two Sequences are equivalent if a comparison of the respective Intervals  
2637 succeeds as if each Sequence were fully Bound and redundant Gluons are removed.

2638 **I5: Designated Interval Inheritance** [To facilitate composition of Sequences] the Designated Interval in  
2639 the ultimate Ancestor of a Gluon is the Designated Interval of the composed Sequence.<sup>8</sup> Special  
2640 conformance rules for Designated Intervals apply only to the Interval linked from the Designator Gluon.

2641 **I6: Start Time Inheritance** When a start time is specified through inheritance, that start time is inherited  
2642 only by the Designated Interval; the start time of all other Intervals are computed through the durations  
2643 and temporal; relationships within the Sequence. The designated Interval is the Interval whose parent is  
2644 at the end of the lineage.

---

<sup>8</sup> We are assuming here that Sequences can be composed to form new Sequences. This needs detailed discussion as the rules for Designated Intervals cannot easily be applied to a Sequence of Sequences.

## 2645 5.2.2 Specific Attribute Inheritance in WS-Calendar

2646 In WS-Calendar the following attributes MUST be inherited in conformance to the Rules (same for Gluons  
2647 and Intervals):

- 2648 • dtStart
- 2649 • dtEnd
- 2650 • duration
- 2651 • designatedInterval (Gluon, special upward inheritance rule)
- 2652 • performance
- 2653 • performanceInterval

2654 In WS-Calendar the following attributes MUST NOT be inherited

- 2655 • UID (Gluons and Intervals)
- 2656 • Temporal Relationships (Intervals)

2657 Some elements of WS-Calendar objects may be **covarying**, meaning that they change together. Such  
2658 elements are treated as a single element for inheritance, they are either inherited together or the child  
2659 keeps its current values intact. This becomes important if one or more of a covarying set have default  
2660 values. In that case, if any are present, then inheritance should deem they are all present, albeit some  
2661 perhaps in their default values.

## 2662 5.2.3 Conformance of Intervals in WS-Calendar

### 2663 5.2.3.1 Intervals

2664 WS-Calendar Intervals SHALL have a Duration.

2665 Intervals MAY have a StartTime.

2666 Intervals SHALL NOT include an END time. If a non-compliant Interval is received with an END time, it  
2667 may be ignored.

### 2668 5.2.3.2 Other Elements

2669 A performance component SHALL not include Start, Stop, and Duration elements. Two out of the three  
2670 elements is acceptable, but not three.

2671 In Partitions, the Description, Summary and Priority of each Interval SHALL be excluded.

2672 A Calendar Gluon may have either a dtStart or a dtEnd, but may not have both.

## 2673 5.2.4 Conformance of Bound Intervals and Sequences in WS-Calendar

2674 Actionable services require Bound Intervals as part of a Bound Sequence. Services may Intervals that  
2675 are not bound for informational or negotiation purposes. Some of these are modeled and described as  
2676 constraints in the UML models that have been produced separately.

- 2677 • Intervals SHALL have values assigned for dtStart and duration
- 2678 • Intervals SHALL have no value assigned for dtEnd<sup>9</sup>
- 2679 • Within a Sequence at most the Designated Interval may have dtStart and duration with a value  
2680 specified or inherited.<sup>10</sup>

---

<sup>9</sup> While VTOD objects allow for all three of dtStart, dtEnd, and duration, the scheduling use for automation is simpler if only dtStart and duration are used.

<sup>10</sup> Note that composition of Sequences to create other Sequences raises issues both of inheritance direction and the meaning of subSequences. We suggest an approach of ignoring Designated Intervals

- 2681       • Any specification claiming conformance to WS-Calendar MUST satisfy all of the following  
2682       conditions:
- 2683           ○ Follow the same style of inheritance (per the Rules)
  - 2684           ○ Specify attribute inheritability in the specification claiming conformance
  - 2685           ○ Specify whether certain sets of elements must be inherited as a group or specify that all  
2686           elements can be inherited or not on an individual basis

### 2687   **5.3 Conformance Rules for RESTful Services**

2688   Still to come

2689

### 2690   **5.4 Conformance Rules for Specifications Claiming Conformance to** 2691   **WS-Calendar**

2692   Specifications that claim conformance to WS-Calendar SHALL specify inheritance rules for use within  
2693   their specification. These rules SHALL NOT violate or override the Proximity, Direction, or Override Rules. If  
2694   the specification includes covariant elements, those elements SHALL be clearly designated in the  
2695   specification.

2696   Specifications that normatively reference and claim conformance with WS-Calendar SHALL define the  
2697   business meaning of zero duration Intervals.

---

with respect to the composed Sequence as simpler than having the new subSequences change form and not be reusable.

2698

---

## A. Acknowledgements

2699 The following individuals have participated in the creation of this specification and are gratefully  
2700 acknowledged:

2701 **Participants:**

2702 Bruce Bartell, Southern California Edison  
2703 Brad Benson, Trane  
2704 Edward Cazalet, Individual  
2705 Toby Considine, University of North Carolina at Chapel Hill  
2706 William Cox, Individual  
2707 Sharon Dinges, Trane  
2708 Mike Douglas, Rensselaer Polytechnic Institute  
2709 Craig Gemmill, Tridium, Inc.  
2710 Girish Ghatikar, Lawrence Berkeley National Laboratory  
2711 Gerald Gray, Southern California Edison  
2712 Gale Horst, Electric Power Research Institute (EPRI)  
2713 Gershon Janssen, Individual  
2714 Ed Koch, Akuacom Inc.  
2715 Benoit Lepeuple, LonMark International\*  
2716 Carl Mattocks, CheckMi\*  
2717 Robert Old, Siemens AG  
2718 Alexander Papaspyrou, Technische Universitat Dortmund  
2719 Jeremy J. Roberts, LonMark International  
2720 David Thewlis, CalConnect

2721  
2722 The Calendaring and Scheduling Consortium (CalConnect) TC-XML committee worked closely with WS-  
2723 Calendar Technical Committee, bridging to developing IETF standards and contributing the services  
2724 definitions that make up Services in Section 4. The Technical Committee gratefully acknowledges their  
2725 assistance and cooperation as well. Contributors to TC XML include:

2726 Cyrus Daboo, Apple  
2727 Mike Douglas, Rensselaer Polytechnic Institute  
2728 Steven Lees, Microsoft  
2729 Tong Li, IBM

2730

2731

2732

---

## B. An Introduction to Internet Calendaring

2733 *The WS-Calendar Technical Committee thanks CalConnect for contributing this overview of iCalendar*  
2734 *and its use.*

### 2735 B.1 icalendar

#### 2736 B.1.1 History

2737 The iCalendar specification was first produced by the IETF in 1998 as RFC 2445 [1]. Since then it has  
2738 become the dominant standard for calendar data interchange on the internet and between devices  
2739 (desktop computers, mobile phones etc.). The specification was revised in 2009 as RFC 5545 [4].

2740 Alongside iCalendar is the iTIP specification (RFC 2446 [2] and revised as RFC 5546[5]) that defines how  
2741 iCalendar is used to carry out scheduling operations (for example, how an organizer can invite attendees  
2742 to a meeting and receive their replies). This forms the basis for email-based scheduling using iMIP (the  
2743 specification that describes how to use iTIP with email - RFC 2447 [3]).

2744 iCalendar itself is a text-based data format. However, an XML format is also available, providing a one-to-  
2745 one mapping to the text format (draft [7]).

2746 iCalendar data files typically have a .ics file name extension. Most desktop calendar clients can import or  
2747 export iCalendar data, or directly access such data over the Internet using a variety of protocols.

#### 2748 B.1.2 Data model

2749 The iCalendar data format has a well defined data model. "iCalendar objects" encompass a set of  
2750 "iCalendar components" each of which contains a set of "iCalendar properties" and possibly other sub-  
2751 components. An iCalendar property consists of a name, a set of optional parameters (specified as "key-  
2752 value" pairs) and a value.

2753 iCalendar components include:

2754 "VEVENT" which represents an event

2755 "VTODO" which represents a task or to-do

2756 "VJOURNAL" which represents a journal entry

2757 "VFREEBUSY" which represents periods of free or busy time information

2758 "VTIMEZONE" which represents a timezone definition (timezone offset and daylight saving rules)

2759 "VALARM" is currently the only defined sub-component and is used to set alarms or reminders on events  
2760 or tasks.

2761 Properties include:

2762 "DTSTART" which represents a start time for a component

2763 "DTEND" which represents an end time for a component

2764 "SUMMARY" which represents a title or summary for a component

2765 "RRULE" which can specify rules for repeating events or tasks (for example, every day, every week on  
2766 Tuesdays, etc.)

2767 "ORGANIZER" which represents the calendar user who is organizing an event or assigning a task

2768 "ATTENDEE" which represents calendar users attending an event or assigned a task

2769 In addition to this data model and the pre-defined properties, the specification defines how all those are  
2770 used together to define the semantics of calendar objects and scheduling. The semantics are basically a  
2771 set of rules stating how all the components and properties are used together to ensure that all iCalendar  
2772 products can work together to achieve good interoperability. For example, a rule requires that all events

2773 must have one and only one "DTSTART" property. The most important part of the iCalendar specification  
2774 is the semantics of the calendaring model that it represents. The use of text or XML to encode those is  
2775 secondary.

### 2776 **B.1.3 Scheduling**

2777 The iTIP specification defines how iCalendar objects are exchanged in order to accomplish the key task  
2778 needed to schedule events or tasks. An example of a simple workflow is as follows:

- 2779 1. To schedule an event, an organizer creates the iCalendar object representing the event and adds  
2780 calendar users as attendees.
- 2781 2. The organizer then sends an iTIP "REQUEST" message to all the attendees.
- 2782 3. Upon receipt of the scheduling message, each attendee can decide whether they want to attend  
2783 the meeting or not.
- 2784 4. Each attendee can then respond back to the organizer using an iTIP "REPLY" message  
2785 indicating their own attendance status.

2786 iTIP supports other types of scheduling messages, for example, to cancel meetings, add new instances to  
2787 a repeating meeting, etc.

### 2788 **B.1.4 Extensibility**

2789 iCalendar was designed to be extensible, allowing for new components, properties and parameters to be  
2790 defined as needed. A registry exists to maintain the list of standard extensions with references to their  
2791 definitions to ensure anyone can use them and work well with others.

## 2792 **B.2 Calendar data access and exchange protocols**

### 2793 **B.2.1 Internet Calendar Subscriptions**

2794 An Internet calendar subscription is simply an iCalendar data file made available on a web server. Users  
2795 can use this data in two ways:

- 2796 – The data can be downloaded from the web server and then imported directly into an iCalendar  
2797 aware client. This solution works well for calendar data that is not likely to change over time (for  
2798 example the list of national holidays for the next year).
- 2799 – Calendar clients that support "direct" subscriptions can use the URL to the calendar data on the  
2800 web server to download the calendar data themselves. Additionally, the clients can check the web  
2801 server on a regular basis for updates to the calendar data, and then update their own cached  
2802 copy of it. This allows calendar data that changes over time to be kept synchronized.

### 2803 **B.2.2 CalDAV**

2804 CalDAV is a calendar access protocol and is defined in RFC 4791 [6]. The protocol is based on WebDAV  
2805 which is an extension to HTTP that provides enhanced capabilities for document management on web  
2806 servers.

2807 CalDAV is used in a variety of different environments, ranging from very large internet service providers,  
2808 to large and small corporations or institutions, and to small businesses and individuals.

2809 CalDAV clients include desktop applications, mobile devices and browser-based solutions. It can also be  
2810 used by "applets", for example, a web page panel that displays a user's upcoming events.

2811 One of the key aspects of CalDAV is its data model. Simply put, it defines a "calendar home" for each  
2812 calendar user, within which any number of "calendars" can be created. Each "calendar" can contain any  
2813 number of iCalendar objects representing individual events, tasks or journal entries. This data model  
2814 ensures that clients and servers can interoperate well.

2815 In addition to providing simple operations to read, write and delete calendar data, CalDAV provides a  
2816 querying mechanism to allow clients to fetch calendar data matching specific criteria. This is commonly  
2817 used by clients to do "time-range" queries, i.e., find the set of events that occur within a given start/end  
2818 time period.

2819 CalDAV also supports access control allowing for features such as delegated calendars and calendar  
2820 sharing.

2821 CalDAV also specifies how scheduling operations can be done using the protocol. Whilst it uses the  
2822 semantics of the iTIP protocol, it simplifies the process by allowing simple calendar data write operations  
2823 to trigger the sending of scheduling messages, and it has the server automatically process the receipt of  
2824 scheduling messages. Scheduling can be done with other users on the CalDAV server or with calendar  
2825 users on other systems (via some form of "gateway").

### 2826 **B.2.3 ActiveSync/SyncML**

2827 ActiveSync and SyncML are technologies that allow multiple devices to synchronize data with a server,  
2828 with calendar data being one of the classes of data supported. These have typically been used for low-  
2829 end and high-end mobile devices.

### 2830 **B.2.4 CalWS**

2831 CalWS is a web services calendar access API developed by The Calendaring and Scheduling  
2832 Consortium and the OASIS organization, to be used as part of the Oasis WS-Calendar standard. It  
2833 provides an API to access and manipulate calendar data stored on a server. It follows a similar data  
2834 model to CalDAV and has been designed to co-exist with a CalDAV service offering the same data.

### 2835 **B.2.5 iSchedule**

2836 iSchedule is a protocol to allow scheduling between users on different calendaring systems and across  
2837 different internet domains. It transports iTIP scheduling messages using HTTP between servers. Servers  
2838 use DNS and various security mechanisms to determine the authenticity of messages received.

2839 It has been specifically designed to be independent of any calendar system in use at the endpoints, so  
2840 that it is compatible with many different systems. This allows organizations with different calendar  
2841 systems to exchange scheduling messages with each other, and also allows a single organization with  
2842 multiple calendar systems (for example due to mergers, or different departmental requirements) to  
2843 exchange scheduling messages between users of each system.

## 2844 **B.3 References**

2845 [1] <https://datatracker.ietf.org/doc/rfc2445/> : 'Internet Calendaring and Scheduling Core Object  
2846 Specification'

2847 [2] <https://datatracker.ietf.org/doc/rfc2446/> : 'iCalendar Transport-Independent Interoperability Protocol'

2848 [3] <https://datatracker.ietf.org/doc/rfc2447/> : 'iCalendar Message-Based Interoperability Protocol'

2849 [4] <https://datatracker.ietf.org/doc/rfc5545/> : 'Internet Calendaring and Scheduling Core Object  
2850 Specification'

2851 [5] <https://datatracker.ietf.org/doc/rfc5546/> : 'iCalendar Transport-Independent Interoperability Protocol'

2852 [6] <https://datatracker.ietf.org/doc/rfc4791/> : 'Calendaring Extensions to WebDAV'

2853 [7] <https://datatracker.ietf.org/doc/draft-daboo-et-al-icalendar-in-xml/> : 'xCal: The XML format for  
2854 iCalendar'


2855

2856 **C. Overview of WS-Calendar, its Antecedents and its**  
 2857 **Use**

2858 iCalendar has long been the predominant message format for an Internet user to send meeting requests  
 2859 and tasks to other Internet users by email. The recipient can respond to the sender easily or counter  
 2860 propose another meeting date/time. iCalendar support is built into all major email systems and email  
 2861 clients. While SMTP is the predominant means to transport iCalendar messages, protocols including  
 2862 WebDAV and SyncML are used to transport collections of iCalendar information. No similar standard for  
 2863 service interactions has achieved similar widespread use.


2864 The Calendar and Scheduling Consortium (CalConnect), working within the IETF, updated the iCalendar  
 2865 standard in the summer of 2009 to support extension ([RFC5545]). In 2010, the same group defined  
 2866 [XCAL], a canonical XML serialization for iCalendar, currently (08/21/2008) on the recommended  
 2867 standards track within the IETF. This specification supports extensions, including handling non-standard,  
 2868 i.e., non-iCalendar, data during message storage and retrieval.

2869 WS-Calendar builds on this work, and consists of extensions to the vocabulary of iCalendar, along with  
 2870 standard services to extend calendaring and scheduling into service interactions. iCalendar consists of a  
 2871 number of fields that support the delivery, update, and synchronization of if calendar messages and a list  
 2872 of components. The components can specify defined relationships between each other.



2873  
 2874 *Figure 1: iCalendar overview*

2875 WS-Calendar defines the Interval, a profile of the vtodo component requiring only a duration and an  
 2876 artifact to define service delivery and performance. WS-Calendar also defines the CalendarGluon  
 2877 component, a container for holding only a service delivery and performance artifact, to associate with a  
 2878 component or group of components.



2879


2880 *Figure 2: WS-Calendar and EMIX*

2881 A set of Intervals that have defined temporal relationships is a Sequence. Temporal relationships express  
2882 how the occurrence of one Interval is related to another. For example, Interval B may begin 10 minutes  
2883 after Interval A completes, or Interval D may start 5 minutes after Interval C starts. An Calendar Gluon  
2884 linked to a Sequence defines service performance for all Intervals in the Sequence. Because each  
2885 Interval has its own service performance contract, specifications built on WS-Calendar can define rules  
2886 for inheritance and over-rides with a Sequence.  
2887 The Partition is a sub-class of a Sequence in which all Intervals follow consecutively with no lag time.  
2888 Intervals in a Partition normally have the same Duration, but WS-Calendar does support overriding the  
2889 duration on an individual basis.

## 2890 **C.1 Scheduling Sequences**

2891 A Sequence is a general pattern of behaviors and results that does not require a specific schedule. A  
2892 publishing service may advertise a Sequence with no schedule, i.e., no specific time for performance.  
2893 When the Sequence is invoked or contracted, a specific performance time is added. In the original  
2894 iCalendar components, this would add the starting date and time (dtStart) to the component. In WS-  
2895 Calendar, we add the starting date and time only to the first Interval of a Sequence; the performance  
2896 times for all other Intervals in the Sequence are derived from that one start time.

### 2897 **C.1.1 Academic Scheduling example**



2898  
2899 *Figure 3: Classroom Scheduling Example*

2900 A college campus uses two schedules to schedule its buildings. In Schedule 1, classes start on the hour,  
2901 and follow one after another; each class starts on the hour. In the second schedule, each class lasts an  
2902 hour and a quarter, and there is a fifteen minute gap between classes; classes start on the half hour. On  
2903 many campuses, the Sequence in Schedule 1 may describe classes taught on Monday, Wednesday, and  
2904 Friday. Schedule 2 may describe classes taught on Tuesday and Thursday.

2905 The registrar's office knows some key facts about each classroom, including whether it hosts a class  
2906 during a particular period, and the number of students that will be in that class. The college wishes to  
2907 optimize the provision of building services for each class. Such services may include adequate ventilation  
2908 and comfortable temperatures to assure alert students. Other services may ensure that the classroom  
2909 projection systems and A/V support services are warmed up in advance of a class, or powered off when a  
2910 classroom is vacant.

2911 Although most classes meet over typical schedule for the week (M-W-F or Tu-Th), some classes may not  
2912 meet on Friday, or may have a tutorial section one day a week. The registrar's system, ever mindful of


2913 student privacy, shares only minimal information with the building systems such as how many students  
2914 will be supported.

2915 The Registrar's system schedule building systems using the Calendar Gluon (registrar's information) and  
2916 the student counts for each Interval, and schedules the Sequence in classroom schedule 1 three days a  
2917 week for the next 10 weeks. The Registrar's system also schedules the Sequence in classroom schedule  
2918 2 two days a week, also for 10 weeks.

2919 This example demonstrates a system (A) that offers services using either of two Sequences. Another  
2920 business system (B) with minimal knowledge of how (A) works determines the performance requirements  
2921 for (A). The business system (B) communicates what these expectations are by scheduling the  
2922 Sequences offered by (A).

### 2923 C.1.2 Market Performance schedule

2924 A factory relies on an energy-intensive process which is performed twice a year for eight weeks. The  
2925 factory has some flexibility about scheduling the process; it can perform the work in either the early  
2926 morning or the early evening; it avoids the afternoon when energy costs are highest. The factory works up  
2927 a detailed profile of when it will need energy to support this process.



2928  
2929 *Figure 4: Daily Load Profile for Market Operations Example*

2930 Factory management has decided that they want to use only renewable energy products for this process.  
2931 They approach two regional wind farms with the intent of making committed purchases of wind energy.  
2932 The wind farms consider their proposals taking into account the seasonal weather forecasts they use to  
2933 project their weather capacity, and considering the costs that may be required to buy additional wind  
2934 energy on the spot market to make up any shortfalls.

2935 Each energy supplier submits of the same Sequence, a schedule, i.e. a daily starting time, and a price for  
2936 the season's production. After considering the bids, and other internal costs of each proposal, the  
2937 factory opts to accept a contract for the purchase of a fixed load profile (Partition), using the evening wind  
2938 generation from one of the suppliers. This contract specifies Schedules of load purchases (starting data  
2939 and time for the Sequence) for each day.

## D. Revision History

Revision	Date	Editor	Changes Made
1.0 WD 01	2010-03-11	Toby Considine	Initial document, largely derived from Charter
1.0 WD 02	2010-03-30	Toby Considine	Straw-man assertion of elements, components to push conversation
1.0 WD 03	2010-04-27	Toby Considine	Cleaned up Elements, added [XPOINTER] use, xs:duration elements
1.0 WD 04	2010-05-09	Toby Considine	Aligned Chapter 4 with the vAlarm and vToDo objects.
1.0 WD 05	2010-05-18	Toby Considine	Responded to comments, added references, made references to [XCAL] more consistent,
1.0 WD 06	2010-05-10	Toby Considine	Responded to comments from CalConnect, mostly constancy of explanations
1.0 WD 07	2010-07-28	Toby Considine	Incorporated input from informal public review, esp. SGIP PAP04. Firmed up relationships between scheduled objects
1.0 WD 08	2010-08-07	Toby Considine	Aligned with Interval / Partition / Sequence language. Reduced performance characteristics to before / after durations.
1.0 WD 09	2010-08-15	Toby Considine	Formalized Attachment section and rolled Performance into the Attachment. Created RelatedComponent object. Added CalWS Outline to specification. Removed SOOP section
1.0 WD 10	2010-08-28	Toby Considine, Benoit Lepeuple	Updated Time Stamp section Added background Appendices Incorporated Association language to replace RelatedComponent Recast examples to show inheritance, remove inconsistencies
1.0 WD 11	2010-09-11	Toby Considine	Traceability Release in support of a re-shuffling of the document. Sections 3, 4 were re-shuffled to create: 3: Interval / Relationships / Time Stamps 4: Performance / Attachments 5: Associations & Inheritance Also, changed all associations to Gluons. No paragraphs have been changed, just shuffled, changes accepted, to create clean base for editing
1.0 WD 12	2010-09-14	Toby Considine Dave Thewlis	Edits for clarity and flow following changes in WD11, updated examples based upon XSD artifacts. Adding final contribution from CalConnect for Services.

1.0 WD 13		Toby Considine	Mechanistic processing of trivial comments for grammar, spelling, etc.
1.0 WD 14	2011-01-17	Toby Considine	Added Conformance rules, redefined inheritance, added terminology section in Section 1, added language on separability of information model, REST, and SOAP sections
1.0 WD 15	2011-01-27	Toby Considine	Pulled more definitions into Terminology Section, re-factored into multiple tables, Added Availability. Have not updated examples.
1.0 WD 15	2011-01-29	Toby Considine	Re-added footers to document (!!?) Added disclaimers on completeness prior to committee spec draft.
1.0 WD16	2011-02-07	Toby Considine	Minor changes to prepare for CSD as directed by TC
1.0 WD17	2011-03-01	Toby Considine	Reworked all examples, responded to numerous Jira editorial comments, eliminated "Mixed Inheritance of Schedule", introduced Vavailability, eliminated UML chapter which confused more than enlightened.
1.0 WD18	2011-03-16	Toby Considine William Cox	Tightened language, spelling and grammar, consolidated chapters into "larger sections" Corrected to use CHILD link instead of PARENT in conformance with RFC5545. Replaced LINK language that was leftover from earlier schemas.
1.0 WD19	2011-03-19	Toby Considine	Changes to namespace to prepare for CSD, PR02, as directed by TC vote on 3/18/2011

2941  
2942  
2943