



Web Services Dynamic Discovery (WS-Discovery) Version 1.1

Public Review Draft 01

28 January 2009

Specification URIs:

This Version:

<http://docs.oasis-open.org/ws-dd/discovery/1.1/pr-01/wsdd-discovery-1.1-spec-pr-01.html>
<http://docs.oasis-open.org/ws-dd/discovery/1.1/pr-01/wsdd-discovery-1.1-spec-pr-01.docx>
(Authoritative Format)
<http://docs.oasis-open.org/ws-dd/discovery/1.1/pr-01/wsdd-discovery-1.1-spec-pr-01.pdf>

Previous Version:

<http://docs.oasis-open.org/ws-dd/discovery/1.1/cd-01/wsdd-discovery-1.1-spec-cd-01.html>
<http://docs.oasis-open.org/ws-dd/discovery/1.1/cd-01/wsdd-discovery-1.1-spec-cd-01.docx>
<http://docs.oasis-open.org/ws-dd/discovery/1.1/cd-01/wsdd-discovery-1.1-spec-cd-01.pdf>

Latest Version:

<http://docs.oasis-open.org/ws-dd/discovery/1.1/wsdd-discovery-1.1-spec.html>
<http://docs.oasis-open.org/ws-dd/discovery/1.1/wsdd-discovery-1.1-spec.docx>
<http://docs.oasis-open.org/ws-dd/discovery/1.1/wsdd-discovery-1.1-spec.pdf>

Technical Committee:

OASIS Web Services Discovery and Web Services Devices Profile (WS-DD) TC

Chair(s):

Toby Nixon, Microsoft Corporation
Alain Regnier, Ricoh Company Limited

Editor(s):

Vipul Modi, Microsoft Corporation
Devon Kemp, Canon Inc.

Declared XML Namespace(s):

<http://docs.oasis-open.org/ws-dd/ns/discovery/2009/01>

Abstract:

This specification defines a discovery protocol to locate services. In an ad hoc mode of operation, probes are sent to a multicast group, and target services that match return a response directly to the requester. To scale to a large number of endpoints and to extend the reach of the protocol, this protocol defines a managed mode of operation and a multicast suppression behavior if a discovery proxy is available on the network. To minimize the need for polling, target services that wish to be discovered send an announcement when they join and leave the network.

Status:

This document was last revised or approved by the WS-DD TC on the above date. The level of approval is also listed above. Check the "Latest Version" or "Latest Approved Version" location noted above for possible later revisions of this document.

Technical Committee members should send comments on this specification to the Technical Committee's email list. Others should send comments to the Technical Committee by using the

“Send A Comment” button on the Technical Committee’s web page at <http://www.oasis-open.org/committees/ws-dd/>.

For information on whether any patents have been disclosed that may be essential to implementing this specification, and any offers of patent licensing terms, please refer to the Intellectual Property Rights section of the Technical Committee web page (<http://www.oasis-open.org/committees/ws-dd/ipr.php>).

The non-normative errata page for this specification is located at <http://www.oasis-open.org/committees/ws-dd/>.

Notices

Copyright © OASIS® 2009. All Rights Reserved.

All capitalized terms in the following text have the meanings assigned to them in the OASIS Intellectual Property Rights Policy (the "OASIS IPR Policy"). The full Policy may be found at the OASIS website.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to OASIS, except as needed for the purpose of developing any document or deliverable produced by an OASIS Technical Committee (in which case the rules applicable to copyrights, as set forth in the OASIS IPR Policy, must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

OASIS requests that any OASIS Party or any other party that believes it has patent claims that would necessarily be infringed by implementations of this OASIS Committee Specification or OASIS Standard, to notify OASIS TC Administrator and provide an indication of its willingness to grant patent licenses to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this specification.

OASIS invites any party to contact the OASIS TC Administrator if it is aware of a claim of ownership of any patent claims that would necessarily be infringed by implementations of this specification by a patent holder that is not willing to provide a license to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this specification. OASIS may include such claims on its website, but disclaims any obligation to do so.

OASIS takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this document or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on OASIS' procedures with respect to rights in any document or deliverable produced by an OASIS Technical Committee can be found on the OASIS website. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this OASIS Committee Specification or OASIS Standard, can be obtained from the OASIS TC Administrator. OASIS makes no representation that any information or list of intellectual property rights will at any time be complete, or that any claims in such list are, in fact, Essential Claims.

The name "OASIS" is trademarks of OASIS, the owner and developer of this specification, and should be used only to refer to the organization and its official outputs. OASIS welcomes reference to, and implementation and use of, specifications, while reserving the right to enforce its marks against misleading uses. Please see <http://www.oasis-open.org/who/trademark.php> for above guidance.

Table of Contents

1	Introduction.....	6
1.1	Composable Architecture	6
1.2	Requirements	6
1.3	Non Requirements.....	7
1.4	Example	7
1.5	Terminology	9
1.5.1	Notational Conventions	9
1.5.2	Terms and Definitions	9
1.6	XML Namespaces	10
1.7	XSD and WSDL Files	11
1.8	Normative References	11
2	Model.....	13
2.1	Endpoint References	13
2.2	Operational Modes	13
2.2.1	Ad hoc Mode	13
2.2.2	Managed Mode	15
2.2.3	Dynamic Mode Switching	16
2.3	Conceptual Message Content	18
3	Protocol Assignments.....	20
3.1.1	Ad hoc mode over IP multicast.....	20
3.1.2	Managed mode over HTTP	20
3.1.3	Application Level Transmission Delay	20
4	Hello and Bye	21
4.1	Hello.....	21
4.1.1	Target Service	22
4.1.2	Client	24
4.1.3	Discovery Proxy	24
4.2	Bye.....	25
4.2.1	Target Service	25
4.2.2	Client	27
4.2.3	Discovery Proxy	27
5	Probe and Probe Match	28
5.1	Matching Types and Scopes	28
5.2	Probe	29
5.2.1	Client	30
5.2.2	Target Service	31
5.2.3	Discovery Proxy	31
5.3	Probe Match.....	31
5.3.1	Target Service	33
5.3.2	Discovery Proxy	33
6	Resolve and Resolve Match.....	35
6.1	Matching Endpoint Reference	35
6.2	Resolve.....	35

6.2.1 Client	35
6.2.2 Target Service	36
6.2.3 Discovery Proxy	36
6.3 Resolve Match	36
6.3.1 Target Service	37
6.3.2 Discovery Proxy	37
7 Application Sequencing	38
8 Security	39
8.1 Security Model	39
8.2 Compact Signature Format	39
8.3 Security Considerations	42
9 Conformance	43
A. Acknowledgements	44
B. Revision History	46

1 Introduction

This specification defines a discovery protocol to locate services. The primary scenario for discovery is a client searching for one or more target services. The protocol defines two modes of operation, an ad hoc mode and a managed mode. In an ad hoc mode, to find a target service by the type of the target service, a scope in which the target service resides, or both, a client sends a probe message to a multicast group; target services that match the probe send a response directly to the client. To locate a target service by name, a client sends a resolution request message to the same multicast group, and again, the target service that matches sends a response directly to the client.

To minimize the need for polling in an ad hoc network, when a target service joins the network, it sends an announcement message to the same multicast group. By listening to this multicast group, clients can detect newly available target services without repeated probing.

To scale to a large number of endpoints and to extend the reach of the protocol beyond the range of an ad hoc network, this specification defines a managed mode of operation and a multicast suppression behavior if a discovery proxy is available on the network. In managed mode, target services send unicast announcement messages to a discovery proxy and clients send unicast probe and resolve messages to a discovery proxy. To reduce multicast traffic, when a discovery proxy detects a probe or resolution request sent multicast on an ad hoc network, it sends an announcement for itself. By listening for these announcements, clients detect discovery proxies and switch to a managed mode of operation and send unicast probe and resolve messages directly to a discovery proxy. However, if a discovery proxy is unresponsive, clients revert to an ad hoc mode of operation.

To support networks with explicit network management services like DHCP, DNS, domain controllers, directories, etc., this specification acknowledges that clients and/or target services may be configured to behave differently than defined herein. For example, another specification may define a well-known DHCP record containing the address of a discovery proxy, and compliance with that specification may require client and target services to operate in a managed mode and send messages to this discovery proxy rather than to a multicast group. While the specific means of such configuration is beyond the scope of this specification, it is expected that any such configuration would allow clients and/or target services to migrate smoothly between carefully-managed and ad hoc networks.

1.1 Composable Architecture

The Web service specifications (WS-*) are designed to be composed with each other to provide a rich set of tools to provide security in the Web services environment. This specification specifically relies on other Web service specifications to provide secure, reliable, and/or transacted message delivery and to express Web service and client policy.

1.2 Requirements

This specification intends to meet the following requirements:

- Allow discovery of services in ad hoc networks with a minimum of networking services (e.g., no DNS or directory services).
- Leverage network services to reduce network traffic and allow discovery of services in managed networks where such network services exist.
- Enable smooth transitions between ad hoc and managed networks.
- Enable discovery of resource-limited service implementations.
- Support bootstrapping to other Web service protocols as well as other transports.
- Enable discovery of services by type and within scope.
- Leverage other Web service specifications for secure, reliable, transacted message delivery.
- Provide extensibility for more sophisticated and/or currently unanticipated scenarios.

46 1.3 Non Requirements

47 This specification does not intend to meet the following requirements:

- 48 • Provide liveness information on services.
- 49 • Define a data model for service description or define rich queries over that description.
- 50 • Support Internet-scale discovery.

51 1.4 Example

52 Table 1 lists an example Probe message sent multicast by a Client searching for a printer in an ad hoc
53 mode.

54 **Table 1: Example Probe sent multicast in an ad hoc mode.**

```
55 (01) <s:Envelope  
56 (02)   xmlns:a="http://www.w3.org/2005/08/addressing"  
57 (03)   xmlns:d="http://docs.oasis-open.org/ws-dd/ns/discovery/2009/01"  
58 (04)   xmlns:i="http://printer.example.org/2003/imaging"  
59 (05)   xmlns:s="http://www.w3.org/2003/05/soap-envelope" >  
60 (06)   <s:Header>  
61 (07)     <a:Action>  
62 (08)       http://docs.oasis-open.org/ws-dd/ns/discovery/2009/01/Probe  
63 (09)     </a:Action>  
64 (10)     <a:MessageID>  
65 (11)       urn:uuid:0a6dc791-2be6-4991-9af1-454778a1917a  
66 (12)     </a:MessageID>  
67 (13)     <a:To>urn:docs-oasis-open-org:ws-dd:ns:discovery:2009:01</a:To>  
68 (14)   </s:Header>  
69 (15)   <s:Body>  
70 (16)     <d:Probe>  
71 (17)       <d:Types>i:PrintBasic</d:Types>  
72 (18)       <d:Scopes>  
73 (19)         MatchBy="http://docs.oasis-open.org/ws-dd/ns/discovery/2009/01/ldap" >  
74 (20)           ldap:///ou=engineering,o=examplecom,c=us  
75 (21)         </d:Scopes>  
76 (22)       </d:Probe>  
77 (23)     </s:Body>  
78 (24) </s:Envelope>  
79 (25)
```

80 Lines (07-09) in Table 1 indicate the message is a Probe, and Line (13) indicates it is being sent to a well-
81 known address [[RFC 2141](#)].

82 Because there is no explicit ReplyTo SOAP header block [[WS-Addressing](#)], any response to this Probe
83 message will be sent as a UDP packet to the source IP address and port of the Probe transport header
84 [[SOAP/UDP](#)].

85 Lines (17-21) specify two constraints on the Probe: Line (17) constrains responses to Target Services
86 that implement a basic print Type; Lines (18-21) constrain responses to Target Services in the Scope for
87 an engineering department. Only Target Services that satisfy both of these constraints will respond.
88 Though both constraints are included in this example, a Probe is not required to include either.

89 Table 2 lists an example Probe Match message sent in response to the Probe in Table 1.

90 **Table 2: Example ProbeMatch sent in response to the ad hoc Probe in Table 1.**

```
91 (01) <s:Envelope  
92 (02)   xmlns:a="http://www.w3.org/2005/08/addressing"  
93 (03)   xmlns:d="http://docs.oasis-open.org/ws-dd/ns/discovery/2009/01"  
94 (04)   xmlns:i="http://printer.example.org/2003/imaging"  
95 (05)   xmlns:s="http://www.w3.org/2003/05/soap-envelope" >  
96 (06)   <s:Header>  
97 (07)     <a:Action>  
98 (08)       http://docs.oasis-open.org/ws-dd/ns/discovery/2009/01/ProbeMatches
```

```

99      (09)    </a:Action>
100     (10)    <a:MessageID>
101         (11)    urn:uuid:e32e6863-ea5e-4ee4-997e-69539d1ff2cc
102     (12)    </a:MessageID>
103     (13)    <a:RelatesTo>
104         (14)    urn:uuid:0a6dc791-2be6-4991-9af1-454778a1917a
105     (15)    </a:RelatesTo>
106     (16)    <a:To>
107         (17)    http://www.w3.org/2005/08/addressing/anonymous
108     (18)    </a:To>
109     (19)    <d:AppSequence InstanceId="1077004800" MessageNumber="2" />
110 </s:Header>
111 <s:Body>
112     <d:ProbeMatches>
113         <d:ProbeMatch>
114             <a:EndpointReference>
115                 <a:Address>
116                     urn:uuid:98190dc2-0890-4ef8-ac9a-5940995e6119
117                 </a:Address>
118             </a:EndpointReference>
119             <d:Types>i:PrintBasic i:PrintAdvanced</d:Types>
120             <d:Scopes>
121                 ldap:///ou=engineering,o=examplecom,c=us
122                 ldap:///ou=floor1,ou=b42,ou=anytown,o=examplecom,c=us
123                 http://itdept/imaging/deployment/2004-12-04
124             </d:Scopes>
125             <d:XAddr>http://prn-example/PRN42/b42-1668-a</d:XAddr>
126             <d:MetadataVersion>75965</d:MetadataVersion>
127         </d:ProbeMatch>
128     </d:ProbeMatches>
129 </s:Body>
130 </s:Envelope>
131

```

132 Lines (07-09) in Table 2 indicate this message is a Probe Match, and Lines (13-15) indicate that it is a
133 response to the Probe in Table 1. Because the Probe did not have an explicit ReplyTo SOAP header
134 block, Lines (16-18) indicate that the response was sent to the source IP address and port of the
135 transport header of the Probe. Line (19) contains an instance identifier as well as a message number; this
136 information allows the receiver to reorder discovery messages received from a Target Service.

137 Lines (23-37) describe a single Target Service.

138 Lines (24-28) contain the stable, unique identifier for the Target Service that is constant across network
139 interfaces, transport addresses, and IPv4/v6. In this case, the value is a UUID based URN [RFC 4122]
140 scheme URI, but it may be a transport URI (like the one in Line 35) if it meets stability and uniqueness
141 requirements.

142 Line (29) lists the Types (see, e.g., [WSDL 1.1]) implemented by the Target Service, in this example, a
143 basic print type that matched the Probe as well as an advanced print type.

144 Lines (30-34) list three administrative Scopes, one that matched the Probe (Line 31), one that is specific
145 to a particular physical location (Line 32), and one that includes data useful when switching over to new
146 infrastructure (Line 33). As in this case, the Scopes may be a heterogeneous collection of deployment-
147 related information.

148 Line (35) indicates the transport addresses where the Target Service may be reached; in this case, a
149 single HTTP transport address.

150 Line (36) contains the version of the metadata for the Target Service; as explained below, this version is
151 incremented if there is a change in the metadata for the Target Service (including Lines 29-34).

152 1.5 Terminology

153 The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD
154 NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described
155 in [RFC 2119].

156 1.5.1 Notational Conventions

157 This specification uses the following syntax to define normative outlines for messages:

158 The syntax appears as an XML instance, but values in italics indicate data types instead of literal values.

159 Characters are appended to elements and attributes to indicate cardinality:

- 160 • "?" (0 or 1)
- 161 • "*" (0 or more)
- 162 • "+" (1 or more)
- 163 • The character "|" is used to indicate a choice between alternatives.
- 164 • The characters "[" and "]" are used to indicate that contained items are to be treated as a group with
165 respect to cardinality or choice.
- 166 • Ellipses (i.e., "...") indicate points of extensibility. Additional children and/or attributes MAY be added
167 at the indicated extension points but MUST NOT contradict the semantics of the parent and/or owner,
168 respectively. If a receiver does not recognize an extension, the receiver SHOULD ignore the
169 extension.
- 170 • XML namespace prefixes (see Table 3) are used to indicate the namespace of the element being
171 defined.

172 Elsewhere in this specification, the characters "[" and "]" are used to call out references and property
173 names. This specification uses the **[action]** and Fault properties [WS-Addressing] to define faults.

174 1.5.2 Terms and Definitions

175 Defined below are the basic definitions for the terms used in this specifications.

176 **Target Service**

177 An endpoint that makes itself available for discovery.

178 **Client**

179 An endpoint that searches for Target Service(s).

180 **Discovery Proxy**

181 An endpoint that facilitates discovery of Target Services by Clients.

182 **Hello**

183 A message sent by a Target Service when it joins a network; this message contains key
184 information for the Target Service. A Hello message is also sent by a Discovery Proxy to reduce
185 multicast traffic on an ad hoc network; this message contains key information about the Discovery
186 Proxy.

187 **Bye**

188 A best-effort message sent by a Target Service when it leaves a network.

189 **Probe**

190 A message sent by a Client searching for a Target Service by Type and/or Scope.

191 **Resolve**

192 A message sent by a Client searching for a Target Service by name.

- 193 **Type**
 194 An identifier for a set of messages an endpoint sends and/or receives (e.g., a WSDL 1.1
 195 portType, see [WSDL 1.1]).
- 196 **Scope**
 197 An extensibility point that allows Target Services to be organized into logical groups.
- 198 **Metadata**
 199 Information about the Target Service; includes, but is not limited to, transports and protocols a
 200 Target Service understands, Types it implements, and Scopes it is in.
- 201 **Ad hoc Mode**
 202 An operational mode of discovery in which the Hello, Bye, Probe and Resolve messages are sent
 203 multicast.
- 204 **Managed Mode**
 205 An operational mode of discovery in which the Hello, Bye, Probe and Resolve messages are sent
 206 unicast to a Discovery Proxy.
- 207 **Ad hoc Network**
 208 A network in which discovery is performed in an ad hoc mode.
- 209 **Managed Network**
 210 A network in which discovery is performed in a managed mode.

211 1.6 XML Namespaces

212 The XML Namespace URI that MUST be used by implementations of this specification is:

213

214 `http://docs.oasis-open.org/ws-dd/ns/discovery/2009/01`

215

216 Table 3 lists XML namespaces that are used in this specification. The choice of any namespace prefix is
 217 arbitrary and not semantically significant.

218 **Table 3: Prefix and XML Namespaces used in this specification.**

Prefix	XML Namespace	Specification(s)
s	(Either SOAP 1.1 or 1.2)	(Either SOAP 1.1 or 1.2)
s11	http://schemas.xmlsoap.org/soap/envelope/	[SOAP 1.1]
s12	http://www.w3.org/2003/05/soap-envelope	[SOAP 1.2]
a	http://www.w3.org/2005/08/addressing	[WS-Addressing]
d	http://docs.oasis-open.org/ws-dd/ns/discovery/2009/01	This specification
ds	http://www.w3.org/2000/09/xmldsig#	[XML Sig]
wsse	http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-secext-1.0.xsd	[WS-Security]
xs	http://www.w3.org/2001/XMLSchema	[XML Schema Part 1, 2]
ec	http://www.w3.org/2001/10/xml-exc-c14n#	[EXC-C14N]

219 1.7 XSD and WSDL Files

220 Dereferencing the XML namespace defined in Section 1.6 XML Namespaces will produce the Resource
221 Directory Description Language (RDDL) [RDDL] document that describes this namespace, including the
222 XML schema [XML Schema Part 1, 2] and WSDL [WSDL 1.1] declarations associated with this
223 specification.

224 SOAP bindings for the WSDL [WSDL 1.1], referenced in the RDDL [RDDL] document, MUST use
225 “document” for the *style* attribute.

226 1.8 Normative References

- 227 [RFC 2119] S. Bradner, *Key words for use in RFCs to Indicate Requirement Levels*,
228 <http://www.ietf.org/rfc/rfc2119.txt>, IETF RFC 2119, March 1997.
229
- 230 [RDDL] Jonathan Borden, et al, *Resource Directory Description Language (RDDL) 2.0*,
231 <http://www.openhealth.org/RDDL/20040118/rddl-20040118.html>, 18 January
232 2004.
233
- 234 [IANA] *Port Numbers*, <http://www.iana.org/assignments/port-numbers>.
235
- 236 [RFC 2141] R. Moats, *URN Syntax*, <http://www.ietf.org/rfc/rfc2141.txt>, IETF RFC 2141, May
237 1997.
238
- 239 [RFC 3986] T. Berners-Lee, et al, *Uniform Resource Identifiers (URI): Generic Syntax*,
240 <http://www.ietf.org/rfc/rfc3986.txt>, IETF RFC 3986, January 2005.
241
- 242 [RFC 3987] M. Duerst, et al, *Internationalized Resource Identifiers (IRIs)*,
243 <http://www.ietf.org/rfc/rfc3987.txt>, IETF RFC 3987, January 2005.
244
- 245 [RFC 4514] Zeilenga, K., Ed., *Lightweight Directory Access Protocol (LDAP): String*
246 *Representation of Distinguished Names*, <http://www.ietf.org/rfc/rfc4514.txt>, IETF
247 RFC 4514, June 2006
248
- 249 [RFC 4516] Smith, M., Ed. and T. Howes, *Lightweight Directory Access Protocol (LDAP):*
250 *Uniform Resource Locator*, <http://www.ietf.org/rfc/rfc4516.txt>, IETF RFC 4516,
251 June 2006.
252
- 253 [RFC 4122] P. Leach, et al, *A Universally Unique Identifier (UUID) URN Namespace*,
254 <http://www.ietf.org/rfc/rfc4122.txt>, IETF RFC 4122, July 2005.
255
- 256 [Namespaces in XML 1.1] W3C Recommendation, *Namespaces in XML 1.1 (Second Edition)*,
257 <http://www.w3.org/TR/2006/REC-xml-names11-20060816/>, 16 August 2006.
258
- 259 [XML Schema, Part 1] W3C Recommendation, *XML Schema Part 1: Structures Second Edition*,
260 <http://www.w3.org/TR/2004/REC-xmlschema-1-20041028/>, 28 October 2004.
261
- 262 [XML Schema, Part 2] W3C Recommendation, *XML Schema Part 2: Datatypes Second Edition*,
263 <http://www.w3.org/TR/2004/REC-xmlschema-2-20041028/>, 28 October 2004.
264
- 265 [XML Sig] W3C Recommendation, *XML-Signature Syntax and Processing (Second*
266 *Edition)*, <http://www.w3.org/TR/2008/REC-xmlsig-core-20080610/>, 10 June
267 2008.

268
269 **[EXC-C14N]** W3C Recommendation, *Exclusive XML Canonicalization*,
270 <http://www.w3.org/TR/2002/REC-xml-exc-c14n-20020718/>, 18 July 2002.
271
272 **[SOAP 1.1]** W3C Note, *Simple Object Access Protocol (SOAP) 1.1*,
273 <http://www.w3.org/TR/2000/NOTE-SOAP-20000508/>, 08 May 2000.
274
275 **[SOAP 1.2]** W3C Recommendation, *SOAP Version 1.2 Part 1: Messaging Framework*
276 *(Second Edition)*, <http://www.w3.org/TR/2007/REC-soap12-part1-20070427/>, 27
277 April 2007.
278
279 **[SOAP 1.2 Part 2]** W3C Recommendation, *SOAP Version 1.2 Part 2: Adjuncts (Second Edition)*,
280 <http://www.w3.org/TR/2007/REC-soap12-part2-20070427/>, 27 April 2007.
281
282 **[SOAP/UDP]** OASIS Committee Draft 02, *SOAP-over-UDP Version 1.1*, [http://docs.oasis-](http://docs.oasis-open.org/ws-dd/soapoverudp/1.1/cd-02/wsdd-soapoverudp-1.1-spec-cd-02.docx)
283 [open.org/ws-dd/soapoverudp/1.1/cd-02/wsdd-soapoverudp-1.1-spec-cd-02.docx](http://docs.oasis-open.org/ws-dd/soapoverudp/1.1/cd-02/wsdd-soapoverudp-1.1-spec-cd-02.docx),
284 January 2009.
285
286 **[WSDL 1.1]** W3C Note, *Web Services Description Language (WSDL) 1.1*,
287 <http://www.w3.org/TR/2001/NOTE-wsdl-20010315>, 15 March 2001.
288
289 **[WS-Addressing]** W3C Recommendation, *Web Services Addressing 1.0 - Core*,
290 <http://www.w3.org/TR/2006/REC-ws-addr-core-20060509>, 9 May 2006.
291
292 **[WS-SecureConversation]** OASIS Standard, *WS-SecureConversation 1.3*, [http://docs.oasis-](http://docs.oasis-open.org/ws-sx/ws-secureconversation/200512/ws-secureconversation-1.3-os.pdf)
293 [open.org/ws-sx/ws-secureconversation/200512/ws-secureconversation-1.3-](http://docs.oasis-open.org/ws-sx/ws-secureconversation/200512/ws-secureconversation-1.3-os.pdf)
294 [os.pdf](http://docs.oasis-open.org/ws-sx/ws-secureconversation/200512/ws-secureconversation-1.3-os.pdf), March 2007.
295
296 **[WS-Trust]** OASIS Standard, *WS-Trust 1.3*, [http://docs.oasis-open.org/ws-sx/ws-](http://docs.oasis-open.org/ws-sx/ws-trust/200512/ws-trust-1.3-os.pdf)
297 [trust/200512/ws-trust-1.3-os.pdf](http://docs.oasis-open.org/ws-sx/ws-trust/200512/ws-trust-1.3-os.pdf), March 2007.
298
299 **[WS-Security]** OASIS Standard, *Web Services Security: SOAP Message Security 1.1 (WS-*
300 *Security 2004)*, [http://www.oasis-open.org/committees/download.php/16790/wss-](http://www.oasis-open.org/committees/download.php/16790/wss-v1.1-spec-os-SOAPMessageSecurity.pdf)
301 [v1.1-spec-os-SOAPMessageSecurity.pdf](http://www.oasis-open.org/committees/download.php/16790/wss-v1.1-spec-os-SOAPMessageSecurity.pdf), February 2006.

302 2 Model

303 2.1 Endpoint References

304 As part of the discovery process, Target Services present to the network (a) a stable identifier and (b) one
305 or more transport addresses at which network messages can be directed.

306 The stable identifier is contained in an `a:EndpointReference` element [WS-Addressing]. Nearly all of
307 the SOAP messages defined herein contain the `a:EndpointReference` element, a facsimile is
308 reproduced here for convenience:


```
309 <a:EndpointReference>  
310   <a:Address>xs:anyURI</a:Address>  
311   <a:ReferenceParameters>xs:any*</a:ReferenceParameters?>  
312   <a:Metadata>xs:any*</a:Metadata?>  
313   ...  
314 </a:EndpointReference>
```

315 The `a:Address` element [WS-Addressing] is an absolute IRI [RFC 3987] that is not required to be a
316 network-resolvable transport address. By convention, it is RECOMMENDED that the value of this element
317 be a stable globally-unique identifier (GUID) based URN [RFC 4122] scheme URI that remains constant
318 across all network interfaces and throughout the lifetime of the Target Service. If the value of this element
319 is not a network-resolvable transport address, such transport address(es) are conveyed in a separate
320 `d:XAddrs` element defined herein (see below).

321 2.2 Operational Modes

322 2.2.1 Ad hoc Mode

323 In an ad hoc mode discovery messages are sent multicast and response messages are sent unicast.
324 Figure 1 depicts the message exchanges between a Target Service and a Client operating in an ad hoc
325 mode.




326

327 **Figure 1 : Message Exchanges in an ad hoc mode.**

328 A Target Service sends a multicast Hello message (1) when it joins a network (see Section 4.1.1 Target
 329 Service). A Client listens for multicast Hello messages (see Section 4.1.2 Client). A Client sends a
 330 multicast Probe message (2) to locate Target Services (see Section 5.2.1 Client). If a Target Service
 331 matches the Probe it responds with a unicast Probe Match (PM) message (3) (see Section 5.3.1 Target
 332 Service). Other matching Target Services may also send unicast Probe Match. A Target Service may also
 333 accept and respond to unicast Probe messages sent to its transport address(es) (see Section 5.2.2
 334 Target Service). A Client sends a multicast Resolve message (4) to locate a particular Target Service
 335 (see Section 6.2.1 Client). If a Target Service matches the Resolve it responds with a unicast Resolve
 336 Match (RM) message (5) (see Section 6.3.1 Target Service). A Target Service makes an effort to send a
 337 multicast Bye message (6) when it leaves a network (see Section 4.2.1 Target Service). A Client listens
 338 for multicast Bye messages (see 4.2.2 Client).

339 Figure 2 depicts the message exchanges in an ad hoc mode when a Discovery Proxy is present on the
 340 network.




341

342 **Figure 2: Message exchanges in an ad hoc mode in the presence of a Discovery Proxy.**

343 A Target Service sends multicast Hello and Bye (4) and responds to matching multicast Probe and
 344 Resolve (5,7). A Client listens for multicast Hello and Bye (4) and sends multicast Probe and Resolve (5).
 345 A Discovery Proxy is also a Target Service of a well known `d:DiscoveryProxy` type and sends a
 346 multicast Hello message announcing its arrival on the network and a multicast Bye message announcing its
 347 departure from the network (1). It responds to the matching Probe and Resolve for itself (2), with a Probe
 348 Match (PM) and a Resolve Match (RM) respectively (3). If a Discovery Proxy is configured to reduce
 349 multicast traffic on the network, it listens for multicast Hello and Bye from other Target Services (4) and
 350 store/update information for corresponding Target Services (see Section 4.1.3 Discovery Proxy and 4.2.3
 351 Discovery Proxy). It responds to the multicast Probe and Resolve for other Target Services (5), with a
 352 Hello message (6) (see Section 4.1.3 Discovery Proxy), indicating the Client to switch to managed mode
 353 and to send unicast Probe and Resolve (see Section 2.2.2 Managed Mode).

354 2.2.2 Managed Mode

355 In a managed mode discovery messages are sent unicast to a Discovery Proxy. Figure 3 depicts the
 356 message exchanges between a Client, a Target Service and a Discovery Proxy in a managed mode.
 357 A Target Service sends a unicast Hello message (1) to a Discovery Proxy when it joins a network (see
 358 Section 4.1.1 Target Service). A Client sends a unicast Probe request (2) to a Discovery Proxy to locate
 359 services (see Section 5.2.1 Client). A Discovery Proxy responds to a unicast Probe request with a Probe
 360 Match response (3) containing matching Target Services, if any (see Section 5.3.2 Discovery Proxy). A
 361 Client sends a unicast Resolve request (4) to a Discovery Proxy to locate a particular Target Service (see
 362 Section 6.2.1 Client). A Discovery Proxy respond to a unicast Resolve request with a Resolve Match
 363 response (4) containing the matching Target Service, if any (see Section 6.3.2 Discovery Proxy). A Target
 364 Service makes an effort to send a unicast Bye message (6) to a Discovery Proxy when it leaves a
 365 network (see Section 4.2.1 Target Service).




366

367 **Figure 3: Message exchanges in a managed mode.**

368 To operate in a managed mode a Target Service and a Client need an Endpoint Reference of the
 369 Discovery Proxy. A Target Service or a Client can acquire this information from a number of ways
 370 including, but not limited to explicit configuration, explicit Probe for Discovery Proxy, DNS or DHCP,
 371 specifics of which are outside the scope of this specification. One such method that reduces the traffic in
 372 an ad hoc network and allows Client to dynamically switch to managed mode is described below.

373 **2.2.3 Dynamic Mode Switching**

374 To limit multicast traffic, Clients may be configured to dynamically switch from an ad hoc mode to a
 375 managed mode and vice versa, depicted in Figure 4.



376

377 **Figure 4: State transitions of a Client configured to dynamically switch operational modes.**

378 By default, a Client assumes that no Discovery Proxy (DP) is available because a Discovery Proxy is an
 379 optional component and may not be present on the network. The Client operates in an ad hoc mode and
 380 listens for multicast Hello and Bye announcements, sends multicast Probe and/or Resolve messages,
 381 and listens for Probe Match and/or Resolve Match messages (see Section 2.2.1 Ad hoc Mode).

382 However, if one or more DP are available, those DP send a unicast Hello with a well-known "discovery
 383 proxy" type `d:DiscoveryProxy` in response to any multicast Probe or Resolve. As depicted in Figure 4,
 384 Clients listen for this signal that one or more DP are available, and for subsequent searches switch to a
 385 managed mode and instead of multicast, send Probe and Resolve messages unicast to one or more DP
 386 they trust whilst ignoring multicast Hello and Bye from Target Services.

387 In a managed mode, a Client communicates with a DP as described in Section 2.2.2 Managed Mode;
 388 using the transport information contained in the DP Hello; this is typically indicated by the scheme of a
 389 transport URI, e.g., "http:" (HTTP), "soap.udp:" (UDP [[SOAP/UDP](#)]), or other.

390 If the DP is unresponsive after `DP_MAX_TIMEOUT`, or if the Client finds the responses from the DP
 391 unsatisfactory, the Client reverts to using the multicast messages specified herein.

392 Table 4 specifies the default value for this parameter.

393 **Table 4: Default value for Discovery Proxy timeout parameter.**


Parameter	Default Value
DP_MAX_TIMEOUT	5 seconds

394 This design minimizes discovery latency in ad hoc networks without increasing multicast traffic in
395 managed networks. To see this, note that a Client only generates multicast traffic when it sends a Probe
396 or Resolve; while a Client could Probe (or Resolve) for a DP *before* Probing (or Resolving) for a Target
397 Service of interest, this is just as expensive in a managed network (in terms of multicast network traffic)
398 as allowing the Client to Probe (or Resolve) for the Target Service directly and having the DP respond to
399 signal its presence; the reduced latency in ad hoc networks arises because the Client does not need to
400 explicitly search and wait for possible DP responses. Some Clients (for example, mobile clients frequently
401 moving within and beyond managed environments) may be configured to Probe first for a DP and only if
402 such Probe fails, switch to the operational mode described above. Specific means of such configuration is
403 beyond of the scope of this specification.

404 Unlike a Client, a Target Service operating in an ad hoc mode always sends (multicast) Hello and Bye,
405 and always responds to Probe and Resolve with (unicast) Probe Match and Resolve Match respectively.
406 A Target Service does not need to explicitly recognize and/or track the availability of a DP in an ad hoc
407 mode – a Target Service behaves the same way in an ad hoc mode regardless of the presence or
408 absence of a DP. This is because the Hello and Bye are too infrequent and therefore generate too little
409 multicast traffic to warrant adding complexity to Target Service behavior. However, some Target Services
410 may be configured to operate only in a managed mode and unicast Hello and Bye directly to a DP; these
411 would not multicast Hello and Bye or respond to Probe or Resolve; specific means of such configuration
412 are beyond the scope of this specification.

413 2.3 Conceptual Message Content

414 Conceptually, Hello, Probe Match, and Resolve Match contain different kinds of information as Figure 5
415 depicts.



416
417 **Figure 5 : Conceptual content of messages.**

418 Starting at the top of Figure 5, Probe maps from Types and/or Scopes to an Endpoint Reference [[WS-](#)
419 [Addressing](#)] and one or more transport addresses (see Section 2.1 Endpoint References). Though not
420 depicted, Hello provides an Endpoint Reference. Resolve maps the Endpoint Reference to one or more
421 transport addresses (see Section 2.1 Endpoint References). Other address mappings may be needed,
422 e.g., DNS, but are beyond the scope of this specification.

423 The required components of each message are defined in detail below, but as an optimization, a Target
424 Service may short-circuit these message exchanges by including additional components; for instance, a
425 Hello may contain transport address(es) along with an Endpoint Reference, or a transport address may
426 use an IP address instead of a DNS name.

427 3 Protocol Assignments

428 3.1.1 Ad hoc mode over IP multicast

429 If IP multicast is used to send multicast messages described herein, they MUST be sent using the
430 following assignments:

- 431 • DISCOVERY_PORT: port 3702 [IANA]
- 432 • IPv4 multicast address: 239.255.255.250
- 433 • IPv6 multicast address: FF02::C (link-local scope)

434 Other address bindings may be defined but are beyond the scope of this specification.

435 Messages sent over UDP MUST be sent using SOAP over UDP [SOAP/UDP]. To compensate for
436 possible UDP unreliability, senders MUST use the example transmission algorithm in Appendix I of SOAP
437 over UDP. In order to improve interoperability and network efficiency use of SOAP 1.2 protocol [SOAP
438 1.2] is RECOMMENDED.

439 3.1.2 Managed mode over HTTP

440 If the messages described herein are sent unicast using HTTP protocol, they MUST be sent using SOAP
441 HTTP Binding as defined in Section 7 of SOAP 1.2 Part 2 [SOAP 1.2 Part 2].

442 3.1.3 Application Level Transmission Delay

443 As designated below, before sending some message types defined herein, a Target Service MUST wait
444 for a timer to elapse before sending the message using the bindings described above. This timer MUST
445 be set to a random value between 0 and APP_MAX_DELAY. Table 5 specifies the default value for this
446 parameter.

447 **Table 5: Default value for an application-level transmission parameter.**

Parameter	Default Value
APP_MAX_DELAY	500 milliseconds

448 The default value in Table 5 MAY be revised by other specifications.

449 *Note: The authors expect this parameter to be adjusted based on interoperability test results.*

450 Other transport bindings may be defined but are beyond the scope of this specification.

451 4 Hello and Bye

452 Support for messages described in this section **MUST** be implemented by a Target Service, **MUST** be
453 implemented by a Discovery Proxy, and **MAY** be implemented by a Client as described below.

454 4.1 Hello

455 Hello is a one-way message sent by a Target Service to announce its availability when it joins the
456 network. It is also sent by a Discovery Proxy to reduce multicast traffic on an ad hoc network.

457 The normative outline for Hello is:

```
458 <s:Envelope ... >  
459   <s:Header ... >  
460     <a:Action ... >  
461       http://docs.oasis-open.org/ws-dd/ns/discovery/2009/01/Hello  
462     </a:Action>  
463     <a:MessageID ... >xs:anyURI</a:MessageID>  
464     [<a:RelatesTo>  
465       xs:anyURI  
466     </a:RelatesTo>]?  
467     <a:To ... >urn:docs-oasis-open-org:ws-dd:ns:discovery:2009:01</a:To>  
468     [<d:AppSequence ... />]?  
469     ...  
470   </s:Header>  
471   <s:Body ... >  
472     <d:Hello ... >  
473       <a:EndpointReference ... </a:EndpointReference>  
474       [<d:Types>list of xs:QName</d:Types>]?  
475       [<d:Scopes>list of xs:anyURI</d:Scopes>]?  
476       [<d:XAddrs>list of xs:anyURI</d:XAddrs>]?  
477       <d:MetadataVersion>xs:unsignedInt</d:MetadataVersion>  
478       ...  
479     </d:Hello>  
480   </s:Body>  
481 </s:Envelope>
```

482 The following describes additional normative constraints on the outline listed above:

483 /s:Envelope/s:Header/*

484 Per SOAP [SOAP 1.1, SOAP 1.2], header blocks **MAY** appear in any order.

485 /s:Envelope/s:Header/a:RelatesTo

486 **MUST** be included only by a Discovery Proxy and if and only if Hello is sent unicast in response
487 to a multicast Probe (or Resolve). It **MUST** be the value of the **[message id]** property [WS-
488 Addressing] of the multicast Probe (Resolve).

489 /s:Envelope/s:Header/a:To

490 **MUST** be included.

491 In an ad hoc mode, it **MUST** be “urn:docs-oasis-open-org:ws-
492 dd:ns:discovery:2009:01” [RFC 2141].

493 In a managed mode, it **MUST** be the **[address]** property [WS-Addressing] of the Endpoint
494 Reference of the Discovery Proxy.

495 /s:Envelope/s:Header/d:AppSequence
 496 MUST be included to allow ordering discovery messages from a Target Service (see Section 7
 497 Application Sequencing).
 498 SHOULD be omitted in a managed mode.

499 /s:Envelope/s:Body/d:Hello/a:EndpointReference
 500 Endpoint Reference for the Target Service (or Discovery Proxy) (see Section 2.1 Endpoint
 501 References).

502 /s:Envelope/s:Body/d:Hello/d:Types
 503 Unordered set of Types implemented by the Target Service (or Discovery Proxy).
 504 • For a Target Service, if omitted or empty, no implied value. A Target Service MAY omit Types
 505 due to security and message size considerations. In a managed mode, all supported Types
 506 SHOULD be included.
 507 • For a Discovery Proxy, MUST be included and MUST explicitly include `d:DiscoveryProxy`.

508 /s:Envelope/s:Body/d:Hello/d:Scopes
 509 Unordered set of Scopes the Target Service (or Discovery Proxy) is in, which MAY be of more
 510 than one URI scheme. If included, MUST be a set of absolute URIs, and contained URIs MUST
 511 NOT contain whitespaces. If omitted or empty, no implied value.
 512 In a managed mode, all Scopes SHOULD be included.

513 /s:Envelope/s:Body/d:Hello/d:XAddr
 514 Transport address(es) that MAY be used to communicate with the Target Service (or Discovery
 515 Proxy). Contained URIs MUST NOT contain whitespaces. If omitted or empty, no implied value.
 516 In a managed mode, all transport address(es) SHOULD be included.

517 /s:Envelope/s:Body/d:Hello/d:MetadataVersion
 518 Incremented by a positive value (≥ 1) whenever there is a change in the metadata of the Target
 519 Service. If a Target Service goes down and comes back up again, this value MAY be
 520 incremented but MUST NOT be decremented (see Section 7 Application Sequencing). Metadata
 521 includes, but is not limited to, `.. /d:Types` and `.. /d:Scopes`. By design, this value MAY be
 522 used by the Client and/or Discovery Proxy for cache control of Target Service metadata.

523 4.1.1 Target Service

524 A Target Service MUST send a Hello when any of the following occur:

- 525 • It joins a network. This may be detected through low-level mechanisms, such as wireless beacons, or
 526 through a change in IP connectivity on one or more of its network interfaces, or when it becomes
 527 available through one or more additional transport addresses.
- 528 • Its metadata changes (see `/s:Envelope/s:Body/d:Hello/d:MetadataVersion` above).

529 To minimize the risk of a network storm and to not overwhelm the recipient (e.g., after a network crash
 530 and recovery or power blackout and restoration), a Target Service MUST wait for a timer to elapse before
 531 sending the Hello as described in Section 3.1.3 Application Level Transmission Delay.

532 In an ad hoc mode,

- 533 • A Hello MUST be sent multicast to "urn:docs-oasis-open-org:ws-
 534 dd:ns:discovery:2009:01" [RFC 2141].
- 535 • A Target Service MAY vary the amount of metadata it includes in Hello messages (or Probe Match or
 536 Resolve Match messages), and consequently, a Client (or a Discovery Proxy) may receive two such
 537 messages containing the same `/s:Envelope/s:Body/*/d:MetadataVersion` but containing
 538 different metadata. If a Client (or a Discovery Proxy) chooses to cache metadata, it MAY, but is not
 539 constrained to, adopt any of the following behaviors:

- 540 - Cache the union of the previously cached and new metadata.
 - 541 - Replace the previously cached with new metadata.
 - 542 - Use some other means to retrieve more complete metadata.
- 543 However, to prevent network storms, a Client (or a Discovery Proxy) SHOULD NOT delete cached
 544 metadata and SHOULD NOT repeat a Probe (or Resolve) if it detects differences in contained
 545 metadata.

546 Table 6 lists an example Hello sent multicast in an ad hoc mode by the same Target Service that
 547 responded with a Probe Match in Table 2.

548 **Table 6: Example Hello sent multicast in an ad hoc mode**

```

549 (01) <s:Envelope
550 (02)   xmlns:a="http://www.w3.org/2005/08/addressing"
551 (03)   xmlns:d="http://docs.oasis-open.org/ws-dd/ns/discovery/2009/01"
552 (04)   xmlns:s="http://www.w3.org/2003/05/soap-envelope" >
553 (05)   <s:Header>
554 (06)     <a:Action>
555 (07)       http://docs.oasis-open.org/ws-dd/ns/discovery/2009/01/Hello
556 (08)     </a:Action>
557 (09)     <a:MessageID>
558 (10)       urn:uuid:73948edc-3204-4455-bae2-7c7d0ff6c37c
559 (11)     </a:MessageID>
560 (12)     <a:To>urn:docs-oasis-open-org:ws-dd:ns:discovery:2009:01</a:To>
561 (13)     <d:AppSequence InstanceId="1077004800" MessageNumber="1" />
562 (14)   </s:Header>
563 (15)   <s:Body>
564 (16)     <d:Hello>
565 (17)       <a:EndpointReference>
566 (18)         <a:Address>
567 (19)           urn:uuid:98190dc2-0890-4ef8-ac9a-5940995e6119
568 (20)         </a:Address>
569 (21)       </a:EndpointReference>
570 (22)       <d:MetadataVersion>75965</d:MetadataVersion>
571 (23)     </d:Hello>
572 (24)   </s:Body>
573 (25) </s:Envelope>
574 (26)

```

575 Lines (06-08) indicate this is a Hello, and because Line (12) is set to the distinguished URI defined herein,
 576 this is a multicast Hello. Line (13) contains an instance identifier as well as a message number; this
 577 information allows the receiver to reorder Hello and Bye messages from a Target Service. Lines (17-21)
 578 are identical to the corresponding lines in the Probe Match in Table 2.

579 **In a managed mode,**

- 580 • A Hello MUST be sent unicast to [address] property [WS-Addressing] of the Endpoint Reference of
 581 the Discovery Proxy.
- 582 • A Target Service SHOULD include complete metadata information in the Hello message.

583 Table 7 lists an example Hello sent unicast in a managed mode to a Discovery Proxy.

584 **Table 7: Example Hello sent unicast in a managed mode to a Discovery Proxy**

```

585 (01) <s:Envelope
586 (02)   xmlns:a="http://www.w3.org/2005/08/addressing"
587 (03)   xmlns:d="http://docs.oasis-open.org/ws-dd/ns/discovery/2009/01"
588 (04)   xmlns:i="http://printer.example.org/2003/imaging"
589 (05)   xmlns:s="http://www.w3.org/2003/05/soap-envelope">
590 (06)   <s:Header>
591 (07)     <a:Action>
592 (08)       http://docs.oasis-open.org/ws-dd/ns/discovery/2009/01/Hello
593 (09)     </a:Action>
594 (10)     <a:MessageID>
595 (11)       urn:uuid:b10688d7-ea05-4bb1-a6bc-3aaf3be47f8e

```

```

596 (12) </a:MessageID>
597 (13) <a:To>http://example.com/DiscoveryProxy</a:To>
598 (14) </s:Header>
599 (15) <s:Body>
600 (16) <d:Hello>
601 (17) <a:EndpointReference>
602 (18) <a:Address>
603 (19) urn:uuid:98190dc2-0890-4ef8-ac9a-5940995e6119
604 (20) </a:Address>
605 (21) </a:EndpointReference>
606 (22) <d:Types>i:PrintBasic i:PrintAdvanced</d:Types>
607 (23) <d:Scopes>
608 (24) ldap:///ou=engineering,o=exampleorg,c=us
609 (25) ldap:///ou=floor1,ou=b42,ou=anytown,o=exampleorg,c=us
610 (26) http://itdept/imaging/deployment/2004-12-04
611 (27) </d:Scopes>
612 (28) <d:XAddrs>http://prn-example/PRN42/b42-1668-a</d:XAddrs>
613 (29) <d:MetadataVersion>75965</d:MetadataVersion>
614 (30) </d:Hello>
615 (31) </s:Body>
616 (32) </s:Envelope>
617 (33)

```

618 Lines (06-08) indicate this is a Hello, and Line (12) indicates it is sent unicast to Discovery Proxy over
619 HTTP. The AppSequence header is omitted here because the messages sent over HTTP are received in
620 the same order in which they are sent. The Lines (16-28) describe a single Target Service and they are
621 identical to corresponding lines (24-36) in the Probe Match in Table 2. This Hello message sent in a
622 managed mode contains complete information, Lines (16-28), about the Target Service, as opposed to
623 the one sent in the ad hoc mode, Lines (17-22) in Table 6.

624 4.1.2 Client

625 In an ad hoc mode,

- 626 • To minimize the need to Probe, Clients SHOULD listen for Hello messages and store (or update)
627 information for the corresponding Target Services.
- 628 • If a Client receives a Hello message from a Discovery Proxy in response to a multicast Probe (or
629 Resolve) (see Section 4.1.3 Discovery Proxy), the Client SHOULD switch to a managed mode and
630 send unicast Probe (or Resolve) to the Discovery Proxy (see Section 2.2.3 Dynamic Mode
631 Switching).

632 4.1.3 Discovery Proxy

633 In an ad hoc mode,

- 634 • A Discovery Proxy MUST send a Hello for itself (as a Target Service of `d:DiscoveryProxy` type)
635 as described in Section 4.1.1 Target Service.
- 636 • A Discovery Proxy MAY be configured to reduce multicast traffic on an ad hoc network, in this
637 capacity:
 - 638 • A Discovery Proxy MUST listen for multicast Hello messages and store (or update) information
639 for the corresponding Target Services.
 - 640 • A Discovery Proxy MUST listen for multicast Probe (and Resolve). In response to any multicast
641 Probe (or multicast Resolve) from a Client, a Discovery Proxy MUST send a unicast Hello to the
642 Client and SHOULD send the Hello without waiting for a timer to elapse.

643 In a managed mode,

- 644 • A Discovery Proxy MUST listen for unicast Hello messages and store (or update) information for the
645 corresponding Target Services.

646 4.2 Bye

647 Bye is a one-way message sent by a Target Service when it is preparing to leave the network.

648 The normative outline for Bye is:

```
649 <s:Envelope ... >
650   <s:Header ... >
651     <a:Action ... >
652       http://docs.oasis-open.org/ws-dd/ns/discovery/2009/01/Bye
653     </a:Action>
654     <a:MessageID ... >xs:anyURI</a:MessageID>
655     <a:To ...>urn:docs-oasis-open-org:ws-dd:ns:discovery:2009:01</a:To>
656     [<d:AppSequence ... />]?
657     ...
658   </s:Header>
659   <s:Body ... >
660     <d:Bye ... >
661       <a:EndpointReference ... </a:EndpointReference>
662       [<d:Types>list of xs:QName</d:Types>]?
663       [<d:Scopes>list of xs:anyURI</d:Scopes>]?
664       [<d:XAddrs>list of xs:anyURI</d:XAddrs>]?
665       [<d:MetadataVersion>xs:unsignedInt</d:MetadataVersion>]?
666       ...
667     </d:Bye>
668   </s:Body>
669 </s:Envelope>
```

670 The following describes additional normative constraints on the outline listed above:

671 /s:Envelope/s:Header/*

672 Per SOAP [SOAP 1.1, SOAP 1.2], header blocks MAY appear in any order.

673 /s:Envelope/s:Header/a:To

674 As constrained for Hello (see Section 4.1 Hello).

675 /s:Envelope/s:Header/d:AppSequence

676 As constrained for Hello (see Section 4.1 Hello).

677 /s:Envelope/s:Body/d:Bye/a:EndpointReference

678 Endpoint Reference for the Target Service (see Section 2.1 Endpoint References).

679 /s:Envelope/s:Body/d:Bye/d:Types

680 As constrained for Hello (see Section 4.1 Hello).

681 /s:Envelope/s:Body/d:Bye/d:Scopes

682 As constrained for Hello (see Section 4.1 Hello).

683 /s:Envelope/s:Body/d:Bye/d:XAddrs

684 Transport address(es) on which the Target Service (or Discovery Proxy) is no longer available.

685 Contained URIs MUST NOT contain whitespaces. If omitted or empty, no implied value.

686 /s:Envelope/s:Body/d:Bye/d:MetadataVersion

687 As constrained for Hello (see Section 4.1 Hello). If omitted, no implied value.

688 4.2.1 Target Service

689 A Target Service SHOULD send a Bye message when it is preparing to leave a network, such as when it
690 will no longer be accessible through one or more of its advertised transport addresses, or in a controlled
691 shutdown. (A Target Service MUST NOT send a Bye message when its metadata changes.)

692 A Target Service MAY send the Bye without waiting for a timer to elapse.

693 In an ad hoc mode,

- 694 • A Bye MUST be sent multicast to "urn:docs-oasis-open-org:ws-
695 dd:ns:discovery:2009:01" [RFC 2141].

696 Table 8 lists an example Bye message sent multicast in an ad hoc mode corresponding to the Hello in
697 Table 6.

698 **Table 8 Example Bye message sent multicast in an ad hoc mode.**

```
699 (01) <s:Envelope  
700 (02)   xmlns:a="http://www.w3.org/2005/08/addressing"  
701 (03)   xmlns:d="http://docs.oasis-open.org/ws-dd/ns/discovery/2009/01"  
702 (04)   xmlns:s="http://www.w3.org/2003/05/soap-envelope" >  
703 (05)   <s:Header>  
704 (06)     <a:Action>  
705 (07)       http://docs.oasis-open.org/ws-dd/ns/discovery/2009/01/Bye  
706 (08)     </a:Action>  
707 (09)     <a:MessageID>  
708 (10)       urn:uuid:337497fa-3b10-43a5-95c2-186461d72c9e  
709 (11)     </a:MessageID>  
710 (12)     <a:To>urn:docs-oasis-open-org:ws-dd:ns:discovery:2009:01</a:To>  
711 (13)     <d:AppSequence InstanceId="1077004800" MessageNumber="4" />  
712 (14)   </s:Header>  
713 (15)   <s:Body>  
714 (16)     <d:Bye>  
715 (17)       <a:EndpointReference>  
716 (18)         <a:Address>  
717 (19)           urn:uuid:98190dc2-0890-4ef8-ac9a-5940995e6119  
718 (20)         </a:Address>  
719 (21)       </a:EndpointReference>  
720 (22)     </d:Bye>  
721 (23)   </s:Body>  
722 (24) </s:Envelope>  
723 (25)
```

724 Lines (06-08) indicate this is a Bye, and like the Hello in Table 6, the distinguished URI in Line (12)
725 indicates it is a multicast Bye.

726 The sequence information in Line (13) indicates this message is to be ordered after the Hello in Table 6
727 because the Bye has a larger message number than the Hello within the same instance identifier. Note
728 that the Body (Lines 16-22) is an abbreviated form of the corresponding information in the Hello; when a
729 Target Service leaves a network, it is sufficient to send the stable identifier to indicate the Target Service
730 is no longer available.

731 In a managed mode,

- 732 • A Bye MUST be sent unicast to [address] property [WS-Addressing] of the Endpoint Reference of the
733 Discovery Proxy.

734 Table 9 lists an example Bye message corresponding to the Hello message in Table 7, sent unicast in a
735 managed mode to a Discovery Proxy.

736 **Table 9: Example Bye message sent unicast in a managed mode to a Discovery Proxy.**

```
737 (01) <s:Envelope  
738 (02)   xmlns:a="http://www.w3.org/2005/08/addressing"  
739 (03)   xmlns:d="http://docs.oasis-open.org/ws-dd/ns/discovery/2009/01"  
740 (04)   xmlns:s="http://www.w3.org/2003/05/soap-envelope">  
741 (05)   <s:Header>  
742 (06)     <a:Action>  
743 (07)       http://docs.oasis-open.org/ws-dd/ns/discovery/2009/01/Bye  
744 (08)     </a:Action>  
745 (09)     <a:MessageID>  
746 (10)       urn:uuid:cceb5804-1bcc-4721-bef3-dd688763b6aa  
747 (11)     </a:MessageID>  
748 (12)     <a:To>http://example.com/DiscoveryProxy</a:To>
```

```

749 (13) </s:Header>
750 (14) <s:Body>
751 (15)   <d:Bye>
752 (16)     <a:EndpointReference>
753 (17)       <a:Address>
754 (18)         urn:uuid:98190dc2-0890-4ef8-ac9a-5940995e6119
755 (19)       </a:Address>
756 (20)     </a:EndpointReference>
757 (21)   </d:Bye>
758 (22) </s:Body>
759 (23) </s:Envelope>
760 (24)

```

761 Lines (06-08) indicate this is a Bye, and like Hello in Table 7, Line (12) indicates that it is sent unicast to a
762 Discovery Proxy over HTTP. Like Hello in Table 7, the application sequencing information is omitted
763 because the messages sent unicast over HTTP are received in the same order in which they are sent.
764 Like Bye in Table 10 the Body (Lines 15-21) is an abbreviated form of the corresponding information in
765 the Hello.

766 4.2.2 Client

767 **In an ad hoc mode,** Clients SHOULD listen for Bye messages, marking or removing corresponding
768 information as invalid. Clients MAY wish to retain information associated with a Target Service that has
769 left the network, for instance if the Client expects the Target Service to rejoin the network at some point in
770 the future. Conversely, Clients MAY discard information associated with a Target Service at any time,
771 based on, for instance, preset maximums on the amount of memory allocated for this use, lack of
772 communication to the Target Service, preferences for other Target Service Types or Scopes, and/or other
773 application-specific preferences.

774 4.2.3 Discovery Proxy

775 **In an ad hoc mode,**

- 776 • A Discovery Proxy SHOULD send a Bye for itself (as a Target Service of `d:DiscoveryProxy` type)
777 when it is preparing to leave the network as described in Section 4.2.1 Target Service.
- 778 • A Discovery Proxy MAY be configured to reduce multicast traffic on an ad hoc network, in this
779 capacity:
 - 780 • A Discovery Proxy MUST listen for multicast Bye messages, marking or removing corresponding
781 information as invalid.

782 **In a managed mode,**

- 783 • A Discovery Proxy MUST listen for unicast Bye messages, marking or removing corresponding
784 information as invalid.

785 Note that both in an ad hoc mode and a managed mode, a Discovery Proxy MAY retain information
786 associated with a Target Service that has left the network, for instance if the Discovery Proxy expects the
787 Target Service to rejoin the network at some point in the future. Conversely, Discovery Proxy MAY
788 discard information associated with a Target Service at any time, based on, for instance, preset
789 maximums on the amount of memory allocated for this use, lack of communication to the Target Service,
790 preferences for other Target Service Types or Scopes, and/or other application-specific preferences.

791 5 Probe and Probe Match

792 To find Target Services by the Type of the Target Service, a Scope in which the Target Service resides,
793 both, or simply all Target Services, a Client sends a Probe.

794 Support for messages described in this section MUST be implemented by a Target Service, MUST be
795 implemented by a Discovery Proxy, and MAY be implemented by a Client as described below.

796 5.1 Matching Types and Scopes

797 A Probe includes zero, one, or two constraints on matching Target Services: a set of Types and/or a set
798 of Scopes. A Probe Match MUST include a Target Service if and only if all of the Types and all of the
799 Scopes in the Probe match the Target Service.

800 A Type T1 in a Probe matches Type T2 of a Target Service if the QNames match. Specifically, T1
801 matches T2 if all of the following are true:

- 802 • The namespace [[Namespaces in XML 1.1](#)] of T1 and T2 are the same.
- 803 • The local name of T1 and T2 are the same.

804 (The namespace prefix of T1 and T2 is relevant only to the extent that it identifies the namespace.)

805 A Scope S1 in a Probe matches Scope S2 of a Target Service per the rule indicated within the Probe.
806 This specification defines the following matching rules. Other matching rules MAY be used, but if a
807 matching rule is not recognized by a receiver of the Probe, S1 does not match S2 regardless of the value
808 of S1 and/or S2.

809 <http://docs.oasis-open.org/ws-dd/ns/discovery/2009/01/rfc3986>

810 Using a case-insensitive comparison,

- 811 • The `scheme` [[RFC 3986](#)] of S1 and S2 is the same and
- 812 • The `authority` of S1 and S2 is the same and

813 Using a case-sensitive comparison,

- 814 • The `path_segments` of S1 is a `segment-wise` (not string) prefix of the `path_segments` of S2
815 and
- 816 • Neither S1 nor S2 contain the `"."` segment or the `".."` segment.

817 All other components (e.g., `query` and `fragment`) are explicitly excluded from comparison. S1 and
818 S2 MUST be canonicalized (e.g., unescaping escaped characters) and trailing slashes (`'/'`) MUST be
819 removed before using this matching rule.

820 Note: this matching rule does NOT test whether the string representation of S1 is a prefix of the string
821 representation of S2. For example, `"http://example.com/abc"` matches `"http://example.com/abc/def"`
822 using this rule but `"http://example.com/a"` does not.

823 <http://docs.oasis-open.org/ws-dd/ns/discovery/2009/01/uuid>

824 S1 and S2 are universally-unique identifier (UUID) based URN [[RFC 4122](#)] scheme URIs and each of
825 the unsigned integer fields [[RFC 4122](#)] in S1 is equal to the corresponding field in S2, or equivalently,
826 the 128 bits of the in-memory representation of S1 and S2 are the same 128 bit unsigned integer.

827 <http://docs.oasis-open.org/ws-dd/ns/discovery/2009/01/ldap>

828 Using a case-insensitive comparison, the `scheme` of S1 and S2 is `"ldap"` and the `host` and the `port`
829 [[RFC 3986](#)] of S1 and S2 are the same and the `RDNSSequence` [[RFC 4514](#)] of the `dn` [[RFC 4516](#)] of
830 S1 is a prefix of the `RDNSSequence` [[RFC 4514](#)] of the `dn` [[RFC 4516](#)] of S2.

831 <http://docs.oasis-open.org/ws-dd/ns/discovery/2009/01/strcmp0>

832 Using a case-sensitive comparison, the string representation of S1 and S2 is the same.

833 <http://docs.oasis-open.org/ws-dd/ns/discovery/2009/01/none>

834 With this rule the Probe matches the Target Service if and only if the Target Service does not have
835 any Scopes. When a Probe specifies this rule it MUST NOT contain any Scopes.

836 5.2 Probe

837 The normative outline for Probe is:

```
838 <s:Envelope ... >  
839   <s:Header ... >  
840     <a:Action ... >  
841       http://docs.oasis-open.org/ws-dd/ns/discovery/2009/01/Probe  
842     </a:Action>  
843     <a:MessageID ... >xs:anyURI</a:MessageID>  
844     [<a:ReplyTo ... >endpoint-reference</a:ReplyTo>]?  
845     <a:To ... >xs:anyURI</a:To>  
846     ...  
847   </s:Header>  
848   <s:Body ... >  
849     <d:Probe ... >  
850       [<d:Types>list of xs:QName</d:Types>]?  
851       [<d:Scopes [MatchBy="xs:anyURI"]? ... >  
852         list of xs:anyURI  
853       </d:Scopes>]?  
854       ...  
855     </d:Probe>  
856   </s:Body>  
857 </s:Envelope>
```

858 The following describes additional normative constraints on the outline listed above:

859 /s:Envelope/s:Header/*

860 Per SOAP [SOAP 1.1, SOAP 1.2], header blocks MAY appear in any order.

861 /s:Envelope/s:Header/a:ReplyTo

862 If included, MUST be of type a:EndpointReferenceType [WS-Addressing]. If omitted, implied
863 value of the [reply endpoint] property [WS-Addressing] is

864 "http://www.w3.org/2005/08/addressing/anonymous".

865 /s:Envelope/s:Header/a:ReplyTo/a:Address

866 If the value is "http://www.w3.org/2005/08/addressing/anonymous", [reply endpoint]
867 property is defined by the underlying transport. For example, if the Probe was received over UDP
868 using the assignments listed in Section 3.1.1 Ad hoc mode over IP multicast, the [reply
869 endpoint] is the IP source address and port number of the Probe transport header [SOAP/UDP].

870 /s:Envelope/s:Header/a:To

- 871 • If sent to a Target Service, MUST be "urn:docs-oasis-open-org:ws-
872 dd:ns:discovery:2009:01" [RFC 2141].
- 873 • If sent to a Discovery Proxy, MUST be the [address] property of the Endpoint Reference for
874 the Discovery Proxy, e.g., as contained in a Hello from the Discovery Proxy.

875 /s:Envelope/s:Body/d:Probe/d:Types

876 If omitted or empty, implied value is any Type.

877 /s:Envelope/s:Body/d:Probe/d:Scopes

878 If included, MUST be a list of absolute URIs, and contained URIs MUST NOT contain
879 whitespaces. The contained URIs MAY be of more than one URI scheme. If omitted or empty,
880 implied value is any Scope.

881 /s:Envelope/s:Body/d:Probe/d:Scopes/@MatchBy

882 If omitted, implied value is

883 " http://docs.oasis-open.org/ws-dd/ns/discovery/2009/01/rfc3986 ".

884 The value MUST be compared per RFC 3986 Section 6.2.1 Simple String Comparison [RFC
885 3986].

886 If a Target Service or a Discovery Proxy receives a unicast Probe and does not support the
887 matching rule, it MAY choose not to send a Probe Match and instead generate a fault, bound to
888 SOAP [WS-Addressing] as follows:

[action]	http://docs.oasis-open.org/ws-dd/ns/discovery/2009/01/fault
[Code]	s12:Sender
[Subcode]	d:MatchingRuleNotSupported
[Reason]	E.g., the matching rule specified is not supported.
[Detail]	<pre><d:SupportedMatchingRules> list of xs:anyURI </d:SupportedMatchingRules></pre>

889 To Probe for all Target Services, a Client MAY omit both /s:Envelope/s:Body/d:Probe/d:Types
890 and ./d:Scopes.

891 5.2.1 Client

892 A Client MAY send a Probe to find Target Services of a given Type and/or in a given Scope or to find
893 Target Services regardless of their Types or Scopes.

894 In an ad hoc mode,

- 895 • A Probe is a one-way message.
- 896 • A Probe MUST be sent multicast to "urn:docs-oasis-open-org:ws-
897 dd:ns:discovery:2009:01" [RFC 2141].

898 In an ad hoc network a Client may not know in advance how many Target Services (if any) will send
899 Probe Match therefore the Client MAY adopt either of the following behaviors:

- 900 • Wait for a sufficient number of Probe Match messages.
- 901 • Repeat the Probe several times until the Client is convinced that no further Probe Match messages
902 will be received. The Client MUST use the same value for the [message id] property [WS-
903 Addressing] in all copies of the Probe.

904 If a Client knows a transport address of a Target Service, the Probe MAY be sent unicast to that address.

905 Table 1 lists an example Probe message sent multicast by a Client searching for a printer in an ad hoc
906 mode.

907 In a managed mode,

- 908 • A Probe is a request message.
- 909 • A Probe MUST be sent unicast to [address] property [WS-Addressing] of the Endpoint Reference of
910 the Discovery Proxy.

911 Table 10 lists an example Probe message sent unicast to a Discovery Proxy by a Client searching for a
912 printer in a managed mode.

913 Table 10: Example Probe sent unicast to a Discovery Proxy in a managed mode.

```
914 (01) <s:Envelope
915 (02)   xmlns:a="http://www.w3.org/2005/08/addressing"
916 (03)   xmlns:d="http://docs.oasis-open.org/ws-dd/ns/discovery/2009/01"
917 (04)   xmlns:i="http://printer.example.org/2003/imaging"
918 (05)   xmlns:s="http://www.w3.org/2003/05/soap-envelope" >
919 (06)   <s:Header>
920 (07)     <a:Action>
921 (08)       http://docs.oasis-open.org/ws-dd/ns/discovery/2009/01/Probe
922 (09)     </a:Action>
```



```

923 (10) <a:MessageID>
924 (11) urn:uuid:d78c2d8d-1123-4a51-a814-955efdded812
925 (12) </a:MessageID>
926 (13) <a:To>http://example.com/DiscoveryProxy</a:To>
927 (14) </s:Header>
928 (15) <s:Body>
929 (16) <d:Probe>
930 (17) <d:Types>i:PrintBasic</d:Types>
931 (18) <d:Scopes
932 (19) MatchBy="http://docs.oasis-open.org/ws-dd/ns/discovery/2009/01/ldap" >
933 (20) ldap:///ou=engineering,o=examplecom,c=us
934 (21) </d:Scopes>
935 (22) </d:Probe>
936 (23) </s:Body>
937 (24) </s:Envelope>
938 (25)

```

939 Lines (07-09) in Table 10 indicate this message is a Probe, and Line (13) indicates it is being sent to a
940 Discovery Proxy over HTTP.

941 Lines (17-21) specify two constants on the Target Services and they are identical to the corresponding
942 Lines (17-21) in Table 1.

943 5.2.2 Target Service

944 In an ad hoc mode,

- 945 • A Target Service MUST listen for multicast Probe messages and respond as described in Section
- 946 5.3.1 Target Service.
- 947 • A Target Service MAY listen for unicast Probe requests at its transport address(es) (see Section 2.1
- 948 Endpoint References) and respond to them as described in Section 5.3.1 Target Service.

949 5.2.3 Discovery Proxy

950 In an ad hoc mode,

- 951 • A Discovery Proxy MUST listen for multicast Probe messages for itself and respond as described in
- 952 Section 5.3.2 Discovery Proxy.
- 953 • A Discovery Proxy MAY be configured to reduce multicast traffic on an ad hoc network, in this
- 954 capacity, a Discovery Proxy MUST listen for multicast Probe for other Target Services and respond to
- 955 them with a Hello message as described in Section 4.1.3 Discovery Proxy.

956 In a managed mode,

- 957 • A Discovery Proxy MUST listen for unicast Probe request and respond to them as described in
- 958 Section 5.3.2 Discovery Proxy.

959 5.3 Probe Match

960 Probe Match is sent by a Target Service or a Discovery Proxy in response to a Probe.

961 The normative outline for Probe Match is:

```

962 <s:Envelope ... >
963 <s:Header ... >
964 <a:Action ... >
965 http://docs.oasis-open.org/ws-dd/ns/discovery/2009/01/ProbeMatches
966 </a:Action>
967 <a:MessageID ... >xs:anyURI</a:MessageID>
968 <a:RelatesTo ... >xs:anyURI</a:RelatesTo>
969 <a:To ... >xs:anyURI</a:To>
970 [<d:AppSequence ... />]?
971 ...
972 </s:Header>
973 <s:Body ... >

```

```

974 <d:ProbeMatches ... >
975   [<d:ProbeMatch ... >
976     <a:EndpointReference> ... </a:EndpointReference>
977     [<d:Types>list of xs:QName</d:Types>]?
978     [<d:Scopes>list of xs:anyURI</d:Scopes>]?
979     [<d:XAddr>list of xs:anyURI</d:XAddr>]?
980     <d:MetadataVersion>xs:unsignedInt</d:MetadataVersion>
981     ...
982   </d:ProbeMatch>]*
983   ...
984 </d:ProbeMatches>
985 </s:Body>
986 </s:Envelope>

```

987 The following describes additional normative constraints on the outline listed above:

988 /s:Envelope/s:Header/*

989 Per SOAP [SOAP 1.1, SOAP 1.2], header blocks MAY appear in any order.

990 /s:Envelope/s:Header/a:RelatesTo

991 MUST be the value of the [message id] property [WS-Addressing] of the Probe.

992 /s:Envelope/s:Header/a:To

993 If the [reply endpoint] property [WS-Addressing] of the corresponding Probe is the IP source
 994 address and port number of the Probe transport header (e.g., when the a:ReplyTo header block
 995 was omitted from the corresponding Probe), the value of this header block MUST be
 996 "http://www.w3.org/2005/08/addressing/anonymous".

997 /s:Envelope/s:Header/d:AppSequence

998 MUST be included to allow ordering discovery messages from a Target Service (see Section 7
 999 Application Sequencing).

1000 SHOULD be omitted in a managed mode.

1001 /s:Envelope/s:Body/d:ProbeMatches

1002 Matching Target Services.

- 1003 • If this Probe Match was sent by a Target Service, this element will contain one
 1004 d:ProbeMatch child. (If Target Service doesn't match the Probe, the Target Service does
 1005 not send a Probe Match at all.)
- 1006 • If this Probe Match was sent by a Discovery Proxy, this element will contain zero or more
 1007 d:ProbeMatch children. (Discovery Proxies always respond to Probe.)

1008 /s:Envelope/s:Body/d:ProbeMatches/d:ProbeMatch/a:EndpointReference

1009 Endpoint Reference for the Target Service (see Section 2.1 Endpoint References).

1010 /s:Envelope/s:Body/d:ProbeMatches/d:ProbeMatch/d:Types

1011 See /s:Envelope/s:Body/d:Hello/d:Types in Section 4.1 Hello.

1012 /s:Envelope/s:Body/d:ProbeMatches/d:ProbeMatch/d:Scopes

1013 See /s:Envelope/s:Body/d:Hello/d:Scopes in Section 4.1 Hello.

1014 /s:Envelope/s:Body/d:ProbeMatches/d:ProbeMatch/d:XAddr

1015 Transport address(es) that MAY be used to communicate with the Target Service (or Discovery
 1016 Proxy). Contained URIs MUST NOT contain whitespaces. If a Target Service (or Discovery
 1017 Proxy) has transport addresses (see Section 2.1 Endpoint References) at least one transport
 1018 address MUST be included. If omitted or empty, no implied value.

1019 /s:Envelope/s:Body/d:ProbeMatches/d:ProbeMatch/d:MetadataVersion

1020 See /s:Envelope/s:Body/d:Hello/d:MetadataVersion in Section 4.1 Hello.

1021 5.3.1 Target Service

1022 In an ad hoc mode,

- 1023 • If a Target Service receives a Probe that match, it MUST respond with a Probe Match message. If the
1024 Target Service receives more than one copy of the Probe as determined by the **[message id]**
1025 property **[WS-Addressing]**, it SHOULD respond only once. A Target Service MUST wait for a timer to
1026 elapse after receiving a Probe and before sending a Probe Match as described in Section 3.1.3
1027 Application Level Transmission Delay. The Probe Match MUST be unicast to the **[reply endpoint]**
1028 property **[WS-Addressing]** of the Probe.
- 1029 • If a Target Service receives a Probe and does not match the Probe, it MUST NOT respond with a
1030 Probe Match.

1031 Table 2 lists an example Probe Match message sent in response to the multicast Probe listed in Table 1.

1032 5.3.2 Discovery Proxy

1033 In an ad hoc mode,

- 1034 • If a Discovery Proxy receives a Probe for itself as determined by the presence of
1035 `d:DiscoveryProxy` in the Types, it MUST respond with a Probe Match message and MUST wait
1036 for a timer to elapse (see Section 3.1.3 Application Level Transmission Delay). The Probe Match
1037 MUST be unicast to the **[reply endpoint]** property **[WS-Addressing]** of the Probe.
- 1038 • A Discovery Proxy MAY be configured to reduce multicast traffic on an ad hoc network, in this
1039 capacity, if a Discovery Proxy receives a Probe for other Target Services it MUST respond with a
1040 Hello (see Section 4.1.3 Discovery Proxy).

1041 In a managed mode,

- 1042 • If a Discovery Proxy receives a Probe request it MUST respond with a Probe Match message without
1043 waiting for a timer to elapse. The Probe Match SHOULD include complete metadata information
1044 about the matching Target Services. However, the Probe Match MAY contain zero matches if the
1045 Discovery Proxy has no matching Target Services.

1046 Table 11 lists an example Probe Match message sent by the Discovery Proxy in response to the Probe
1047 message in Table 10.

1048 **Table 11: Example Probe Match sent in response to the managed Probe in Table 10**

```
1049 (01) <s:Envelope  
1050 (02)   xmlns:a="http://www.w3.org/2005/08/addressing"  
1051 (03)   xmlns:d="http://docs.oasis-open.org/ws-dd/ns/discovery/2009/01"  
1052 (04)   xmlns:i="http://printer.example.org/2003/imaging"  
1053 (05)   xmlns:s="http://www.w3.org/2003/05/soap-envelope" >  
1054 (06)   <s:Header>  
1055 (07)     <a:Action>  
1056 (08)       http://docs.oasis-open.org/ws-dd/ns/discovery/2009/01/ProbeMatches  
1057 (09)     </a:Action>  
1058 (10)     <a:MessageID>  
1059 (11)       urn:uuid:7e5bb4ee-621a-4ea6-b326-3db7d99ddb47  
1060 (12)     </a:MessageID>  
1061 (13)     <a:RelatesTo>  
1062 (14)       urn:uuid:d78c2d8d-1123-4a51-a814-955efdded812  
1063 (15)     </a:RelatesTo>  
1064 (16)   </s:Header>  
1065 (17)   <s:Body>  
1066 (18)     <d:ProbeMatches>  
1067 (19)       <d:ProbeMatch>  
1068 (20)         <a:EndpointReference>  
1069 (21)           <a:Address>  
1070 (22)             urn:uuid:98190dc2-0890-4ef8-ac9a-5940995e6119  
1071 (23)           </a:Address>  
1072 (24)         </a:EndpointReference>  
1073 (25)       <d:Types>i:PrintBasic i:PrintAdvanced</d:Types>  
1074 (26)     </d:Scopes>
```

```

1075 (27) ldap:///ou=engineering,o=examplecom,c=us
1076 (28) ldap:///ou=floor1,ou=b42,ou=anytown,o=examplecom,c=us
1077 (29) http://itdept/imaging/deployment/2004-12-04
1078 (30) </d:Scopes>
1079 (31) <d:XAddr>http://prn-example/PRN42/b42-1668-a</d:XAddr>
1080 (32) <d:MetadataVersion>75965</d:MetadataVersion>
1081 (33) </d:ProbeMatch>
1082 (34) <d:ProbeMatch>
1083 (35) <a:EndpointReference>
1084 (36) <a:Address>
1085 (37) urn:uuid:70eda11c-200a-4a5e-b60e-d6793e77ace3
1086 (38) </a:Address>
1087 (39) </a:EndpointReference>
1088 (40) <d:Types>i:PrintBasic</d:Types>
1089 (41) <d:Scopes>
1090 (42) ldap:///ou=engineering,o=examplecom,c=us
1091 (43) ldap:///ou=floor1,ou=b42,ou=anytown,o=examplecom,c=us
1092 (44) http://itdept/imaging/deployment/2008-10-16
1093 (45) </d:Scopes>
1094 (46) <d:XAddr>http://prn-example/PRN42/b42-1668-b</d:XAddr>
1095 (47) <d:MetadataVersion>23654</d:MetadataVersion>
1096 (48) </d:ProbeMatch>
1097 (49) </d:ProbeMatches>
1098 (50) </s:Body>
1099 (51) </s:Envelope>
1100 (52)

```

1101 Lines (07-09) in Table 11 indicate this message is a Probe Match; and Lines (13-15) indicate that it is a
1102 response to the Probe message in Table 10. Since this Probe Match message was sent over HTTP in
1103 response to the Probe message and since messages sent over HTTP are received in the order they are
1104 sent, it does not contain a header that identifies the instance number and message number like Line (19)
1105 in Table 2.

1106 Lines (20-32) describe a Target Service and they are identical to the corresponding lines (24-36) in Table
1107 2.

1108 Lines (35-47) describe another Target Service, a basic printer service; that match the Probe in Table 10.

1109 6 Resolve and Resolve Match

1110 To locate a Target Service, i.e., to retrieve its transport address(es), a Client sends a Resolve.
1111 Support for messages described in this section MUST be implemented by a Target Service, MUST be
1112 implemented by a Discovery Proxy and MAY be implemented by a Client as described below.

1113 6.1 Matching Endpoint Reference

1114 A Resolve includes a constraint on matching Target Service: an Endpoint Reference [WS-Addressing]. A
1115 Resolve Match MUST include a Target Service if and only if the Endpoint Reference in the Resolve
1116 match the Target Service.

1117 An Endpoint Reference E1 in a Resolve matches Endpoint Reference E2 of a Target Service if the
1118 [address] property [WS-Addressing] of E1 matches the [address] property [WS-Addressing] of E2 per
1119 Section 6 of RFC 3986 [RFC 3986].

1120 6.2 Resolve

1121 The normative outline for Resolve is:

```
1122 <s:Envelope ... >  
1123   <s:Header ... >  
1124     <a:Action ... >  
1125       http://docs.oasis-open.org/ws-dd/ns/discovery/2009/01/Resolve  
1126     </a:Action>  
1127     <a:MessageID ... >xs:anyURI</a:MessageID>  
1128     [<a:ReplyTo ... >endpoint-reference</a:ReplyTo>]?  
1129     <a:To ... >xs:anyURI</a:To>  
1130     ...  
1131   </s:Header>  
1132   <s:Body>  
1133     <d:Resolve ... >  
1134       <a:EndpointReference ... </a:EndpointReference>  
1135       ...  
1136     </d:Resolve>  
1137   </s:Body>  
1138 </s:Envelope>
```

1139 The following describes additional normative constraints on the outline above:

1140 /s:Envelope/s:Header/*

1141 Per SOAP [SOAP 1.1, SOAP 1.2], header blocks MAY appear in any order.

1142 /s:Envelope/s:Header/a:ReplyTo

1143 As constrained for Probe (see Section 5.2 Probe).

1144 /s:Envelope/s:Header/a:To

1145 As constrained for Probe (see Section 5.2 Probe).

1146 /s:Envelope/s:Body/d:Resolve/a:EndpointReference

1147 Endpoint Reference for the Target Service (see Section 2.1 Endpoint References).

1148 6.2.1 Client

1149 A Client MAY send a Resolve to retrieve network transport information for a Target Service if it has an
1150 Endpoint Reference [WS-Addressing] for the Target Service.

- 1151 **In an ad hoc mode,**
- 1152 • A Resolve is a one-way message.
- 1153 • A Resolve MUST be sent multicast to "urn:docs-oasis-open-org:ws-
- 1154 dd:ns:discovery:2009:01" [RFC 2141].
- 1155 **In a managed mode,**
- 1156 • A Resolve MUST be sent unicast to [address] property [WS-Addressing] of the Endpoint Reference
- 1157 of the Discovery Proxy.

1158 6.2.2 Target Service

- 1159 **In an ad hoc mode,**
- 1160 • A Target Service MUST listen for multicast Resolve messages and respond to them as described in
- 1161 Section 6.3.1 Target Service.

1162 6.2.3 Discovery Proxy

- 1163 **In an ad hoc mode,**
- 1164 • A Discovery Proxy MUST listen for multicast Resolve messages for itself and respond to them as
- 1165 described in Section 6.3.2 Discovery Proxy.
- 1166 • A Discovery Proxy MAY be configured to reduce multicast traffic on an ad hoc network, in this
- 1167 capacity, a Discovery Proxy MUST listen for multicast Resolve for other Target Services and respond
- 1168 to them with a Hello message as described in Section 4.1.3 Discovery Proxy.
- 1169 **In a managed mode,**
- 1170 • A Discovery Proxy MUST listen for unicast Resolve requests and respond to them as described in
- 1171 Section 6.3.2 Discovery Proxy.

1172 6.3 Resolve Match

1173 Resolve Match is sent by a Target Service or a Discovery Proxy in response to a Resolve.

1174 The normative outline for Resolve Match is:

```

1175 <s:Envelope ... >
1176   <s:Header ... >
1177     <a:Action ... >
1178       http://docs.oasis-open.org/ws-dd/ns/discovery/2009/01/ResolveMatches
1179     </a:Action>
1180     <a:MessageID ... >xs:anyURI</a:MessageID>
1181     <a:RelatesTo ... >xs:anyURI</a:RelatesTo>
1182     <a:To ... >xs:anyURI</a:To>
1183     [<d:AppSequence ... />]?
1184     ...
1185   </s:Header>
1186   <s:Body ... >
1187     <d:ResolveMatches ... >
1188       [<d:ResolveMatch ... >
1189         <a:EndpointReference ... </a:EndpointReference>
1190         [<d:Types>list of xs:QName</d:Types>]?
1191         [<d:Scopes>list of xs:anyURI</d:Scopes>]?
1192         [<d:XAddrs>list of xs:anyURI</d:XAddrs>]?
1193         <d:MetadataVersion>xs:unsignedInt</d:MetadataVersion>
1194         ...
1195       </d:ResolveMatch>]?
1196       ...
1197     </d:ResolveMatches>
1198   </s:Body>
1199 </s:Envelope>

```

1200 The following describes additional normative constraints on the outline listed above:

1201 /s:Envelope/s:Header/*
 1202 Per SOAP [SOAP 1.1, SOAP 1.2], header blocks MAY appear in any order.
 1203 /s:Envelope/s:Header/a:RelatesTo
 1204 MUST be the value of the [message id] property [WS-Addressing] of the Resolve.
 1205 /s:Envelope/s:Header/a:To
 1206 As constrained for Probe Match (see Section 5.3 Probe Match).
 1207 /s:Envelope/s:Header/d:AppSequence
 1208 As constrained for Probe Match (see Section 5.3 Probe Match).
 1209 /s:Envelope/s:Body/d:ResolveMatches
 1210 Matching Target Service.
 1211 /s:Envelope/s:Body/d:ResolveMatches/d:ResolveMatch/a:EndpointReference
 1212 Endpoint Reference for the Target Service (see Section 2.1 Endpoint References).
 1213 /s:Envelope/s:Body/d:ResolveMatches/d:ResolveMatch/d:Types
 1214 See /s:Envelope/s:Body/d:Hello/d:Types in Section 4.1 Hello.
 1215 /s:Envelope/s:Body/d:ResolveMatches/d:ResolveMatch/d:Scopes
 1216 See /s:Envelope/s:Body/d:Hello/d:Scopes in Section 4.1 Hello.
 1217 /s:Envelope/s:Body/d:ResolveMatches/d:ResolveMatch/d:XAddr
 1218 As constrained for Probe Match (see Section 5.3 Probe Match).
 1219 /s:Envelope/s:Body/d:ResolveMatches/d:ResolveMatch/d:MetadataVersion
 1220 See /s:Envelope/s:Body/d:Hello/d:MetadataVersion in Section 4.1 Hello.

1221 6.3.1 Target Service

1222 In an ad hoc mode,

- 1223 • If a Target Service receives a Resolve that matches it MUST respond with a Resolve Match
 1224 message. If the Target Service receives more than one copy of the Resolve as determined by the
 1225 [message id] property [WS-Addressing], it SHOULD respond only once. The Resolve Match MUST
 1226 be unicast to the [reply endpoint] property [WS-Addressing] of the Resolve without waiting for a
 1227 timer to elapse.
- 1228 • If a Target Service receives a Resolve that does not match, it MUST NOT respond with a Resolve
 1229 Match.

1230 6.3.2 Discovery Proxy

1231 In an ad hoc mode,

- 1232 • If a Discovery Proxy receives a Resolve for itself, it MUST respond with a Resolve Match message. If
 1233 the Discovery Proxy receives more than one copy of the Resolve as determined by the [message id]
 1234 property [WS-Addressing], it SHOULD respond only once. The Resolve Match MUST be unicast to
 1235 the [reply endpoint] property [WS-Addressing] of the Resolve without waiting for a timer to elapse.
- 1236 • A Discovery Proxy MAY be configured to reduce multicast traffic on an ad hoc network, in this
 1237 capacity, if a Discovery Proxy receives a Resolve for other Target Services, it SHOULD respond with
 1238 a Hello (see Section 4.1.3 Discovery Proxy).

1239 In a managed mode,

- 1240 • If a Discovery Proxy receives a Resolve request and it has a Target Service that matches the
 1241 Resolve, it MUST respond with a Resolve Match message. The Resolve Match SHOULD include
 1242 complete metadata information about the matching Target Service. However, the Resolve Match
 1243 MAY contain zero matches if the Discovery Proxy has no matching Target Service.

7 Application Sequencing

1244

1245 The Application Sequencing header block allows a receiver to order messages that contain this header
1246 block though they might have been received out of order. It is used by this specification to allow ordering
1247 messages from a Target Service; it is also expected that this header block will be useful in other
1248 applications.

1249 The normative outline for the application sequence header block is:

```
1250 <s:Envelope ...>  
1251   <s:Header ...>  
1252     <d:AppSequence InstanceId="xs:unsignedInt"  
1253       [SequenceId="xs:anyURI"]?  
1254       MessageNumber="xs:unsignedInt"  
1255       ... />  
1256   </s:Header>  
1257   <s:Body ...> ... </s:Body>  
1258 </s:Envelope>
```

1259 The following describes normative constraints on the outline listed above:

1260 /s:Envelope/s:Header/d:AppSequence/@Instanceid

1261 MUST be incremented by a positive value (≥ 1) each time the service has gone down, lost state,
1262 and came back up again. SHOULD NOT be incremented otherwise. Means to set this value
1263 include, but are not limited to:

- 1264 • A counter that is incremented on each 'cold' boot
- 1265 • The boot time of the service, expressed as seconds elapsed since midnight January 1, 1970

1266 /s:Envelope/s:Header/d:AppSequence/@Sequenceid

1267 Identifies a sequence within the context of an instance identifier. If omitted, implied value is null.
1268 MUST be unique within ./@Instanceid. MUST be compared per RFC 3986 Section 6.2.1 Simple
1269 String Comparison [RFC 3986]. The ordering of messages with different value of Sequenceid but
1270 the same value of Instanceid within the Application Sequencing Header block is undefined.

1271 /s:Envelope/s:Header/d:AppSequence/@MessageNumber

1272 Identifies a message within the context of a sequence identifier and an instance identifier. MUST
1273 be incremented by a positive value (≥ 1) for each message sent. Transport-level retransmission
1274 MUST preserve this value.

1275 Other components of the outline above are not further constrained by this specification.

1276 8 Security

1277 8.1 Security Model

1278 This specification does not require that endpoints participating in the discovery process be secure.
1279 However, this specification RECOMMENDS that security be used to mitigate various types of attacks (see
1280 Section 8.3 Security Considerations).

1281 If a Target Service wishes to secure Hello, Bye, Probe Match and/or Resolve Match, it SHOULD use the
1282 compact signature format defined in Section 8.2 Compact Signature Format. A Client MAY choose to
1283 ignore Hello, Bye, Probe Match, and/or Resolve Match if it cannot verify the signature.

1284 If a Client wishes to secure Probe and Resolve, it SHOULD use the compact signature format defined in
1285 Section 8.2 Compact Signature Format. A Target Service MAY chose to ignore received Probe and/or
1286 Resolve if it cannot verify the signature.

1287 There is no requirement for a Target Service to respond to a Probe (or Resolve) if any of the following are
1288 true:

- 1289 • The Target Service is in a different administrative domain than the Client, and the Probe (or
1290 Resolve) was sent as multicast, or
- 1291 • The Target Service fails to verify the signature contained in the Probe (or Resolve).

1292 To avoid participating in a Distributed Denial of Service attack, a Target Service or Discovery Proxy
1293 SHOULD NOT respond to a message without a valid signature and MUST NOT respond to a message
1294 without a valid signature if the **[reply endpoint]** is not
1295 "<http://www.w3.org/2005/08/addressing/anonymous>".

1296 A Client MAY discard a Probe Match (or Resolve Match) if any of the following are true:

- 1297 • The Probe Match (or Resolve Match) is received MATCH_TIMEOUT seconds or more later than
1298 the last corresponding Probe was sent, or
- 1299 • The Client fails to verify the signature contained in the Probe Match (or Resolve Match).

1300 Table 12 specifies the default value for the MATCH_TIMEOUT parameter.

1301 **Table 12: Default value for an application-level parameter.**

Parameter	Default Value
MATCH_TIMEOUT	APP_MAX_DELAY + 100 milliseconds

1302 If a Target Service has multiple credentials, it SHOULD send separate Hello, Bye, Probe Match, and/or
1303 Resolve Match using different credentials to sign each.

1304 The same security requirements as defined for a Target Service apply to a Discovery Proxy.

1305 8.2 Compact Signature Format

1306 This section defines the compact signature format for signing UDP unicast and multicast messages. A
1307 sender creates the compact signature from a full XML Signature [[XML Sig](#)] for optimized transmission. A
1308 receiver expands the compact signature to a full XML Signature [[XML Sig](#)] for verification.

1309 To minimize the number of XML namespace declarations in messages, the following global attribute is
1310 defined:

1311 @d:Id

1312 An alternate ID reference mechanism with the same meaning as @wsu:Id [[WS-Security](#)]. This
1313 attribute MAY be used to identify which message parts are signed by the compact signature.

1314 The compact signature itself is of the following form:

```
1315 <d:Security ... >
1316   [<d:Sig Scheme="xs:anyURI"
1317     [KeyId="xs:base64Binary"]?
1318     Refs="xs:IDREFS"
1319     [PrefixList="xs:NMTOkens"]?
1320     Sig="xs:base64Binary"
1321     ... />]?
1322   ...
1323 </d:Security>
```

1324 d:Security

1325 A sub-class of the `wsse:Security` header block [WS-Security] that has the same processing
1326 model and rules but is restricted in terms of content and usage. The `d:Sig` child element
1327 provides a compact message signature. Its format is a compact form of XML Signature. To
1328 process the signature, the compact form is parsed, and an XML Signature `ds:SignedInfo`
1329 block is created and used for signature verification.

1330 d:Security/@s11:mustUnderstand | d:Security/@s12:mustUnderstand

1331 Processing of the `d:Security` header block is not mandatory; therefore, the `d:Security`
1332 header block SHOULD NOT be marked `mustUnderstand` with a value of "true".

1333 d:Security/d:Sig/@Scheme

1334 The governing scheme of the signature. Provides exactly one algorithm for digests and
1335 signatures.

1336 The value MUST be compared per RFC 3986 Section 6.2.1 Simple String Comparison [RFC
1337 3986].

1338 d:Security/d:Sig/@Scheme = "http://docs.oasis-open.org/ws-
1339 dd/ns/discovery/2009/01/rsa"

1340 Exclusive C14N is used for all canonicalization, SHA1 is used for all digests, and Signatures use
1341 RSA. Specifically:

1342 `http://www.w3.org/2001/10/xml-exc-c14n#`

1343 `http://www.w3.org/2000/09/xmlsig#sha1`

1344 `http://www.w3.org/2000/09/xmlsig#rsa-sha1`

1345 d:Security/d:Sig/@KeyId

1346 The key identifier of the signing token in Base64-encoded form. MUST be specified if a public key
1347 token is used. If included, MUST be the Thumbprint (SHA-1 hash of the raw octets) of the signing
1348 token. If omitted, the semantics are undefined.

1349 d:Security/d:Sig/@Refs

1350 Parts of the message that have been canonicalized and digested. Each part is referenced by
1351 `@d:Id` (see above). Only the immediate children of the security header, top-level SOAP header
1352 blocks (`/s:Envelope/s:Header/*`) other than the security header
1353 (`/s:Envelope/d:Security`), and the full SOAP Body (`/s:Envelope/s:Body`) can be
1354 referenced in this list. The value is a space-separated list of IDs to elements within the message.

1355 d:Security/d:Sig/@PrefixList

1356 If present, MUST NOT be empty and MUST be the value of **InclusiveNamespaces PrefixList**
1357 parameter [EXC-C14N] passed to the exclusive canonicalization method. If omitted, no implied
1358 value. The **IncludeNamespaces PrefixList** MUST include the prefixes that declare the XML
1359 namespace for the Types (`/s:Envelope/s:Body/*d:Types`) and MAY include other content
1360 of the type `xs:QName` in the message, as the exclusive canonicalization method excludes (see
1361 Exclusive XML Canonicalization Section 1.3 [EXC-C14N]) the namespaces that are not visibly
1362 utilized.

1363 d:Security/d:Sig/@Sig

1364 The Base64-encoded value of the signature.

1365 Table 13 lists an example compact signature.

1366 **Table 13: Example compact signature.**

```
1367 (01) <d:Sig xmlns:d="http://docs.oasis-open.org/ws-dd/ns/discovery/2009/01"  
1368 (02) Scheme="http://docs.oasis-open.org/ws-dd/ns/discovery/2009/01/rsa"  
1369 (03) KeyId="Dx42/9g="  
1370 (04) Refs="ID1"  
1371 (05) PrefixList="i"  
1372 (06) Sig="ru5Ef76xGz5Y5IB2iAzDuMvR5Tg=" />  
1373 (07)
```

1374 A compact signature is expanded into an XML Signature `ds:SignedInfo` using the following pseudo-
1375 code. The `SignedInfo` block within the expanded XML Signature **MUST NOT** use whitespaces inside the
1376 character content. This ensures that each party can compute a consistent digest value.

- 1377 1. Create an XML Signature `ds:SignedInfo` block. Because canonicalization includes the
1378 namespace prefix, this **MUST** use an XML namespace prefix of "ds" so each party can compute a
1379 consistent digest value.
- 1380 2. Populate the block with the appropriate canonicalization and algorithm blocks based on the scheme
1381 in `d:Security/d:Sig/@Scheme`.
 - 1382 • First add a `ds:CanonicalizationMethod` element with `Algorithm` attribute set to
1383 `http://www.w3.org/2001/10/xml-exc-c14n#`.
 - 1384 • Next add a `ds:SignatureMethod` element with `Algorithm` attribute value set to
1385 `http://www.w3.org/2000/09/xmldsig#rsa-sha1`.
- 1386 3. For each ID in `d:Security/d:Sig/@Refs` create a corresponding XML Signature Reference
1387 element to the identified part (using URI fragments) annotated with the canonicalization and digest
1388 algorithms from the scheme in `d:Security/d:Sig/@Scheme`. Note that individual digests need to
1389 be computed on the fly.
 - 1390 • Add a `ds:Reference` element.
 - 1391 • The `@URI` attribute's value is a "#" followed by the specified ID.
 - 1392 • Inside the `ds:Reference` element add a `ds:Transforms` element that contains a
1393 `ds:Transform` element indicating the selected canonicalization algorithm.
 - 1394 • If `d:Security/d:Sig/@PrefixList` is present, create an `ec:InclusiveNamespaces`
1395 element inside `ds:Transform` element. Because canonicalization includes the namespace
1396 prefix, this **MUST** use an XML namespace prefix of "ec" so each party can compute a consistent
1397 digest value. Add `PrefixList` attribute to `ec:InclusiveNamespaces` element with value
1398 equal to that of `d:Security/d:Sig/@PrefixList`.
 - 1399 • Inside the `ds:Reference` element add a `ds:DigestMethod` element with `Algorithm` attribute
1400 set to `http://www.w3.org/2000/09/xmldsig#sha1`.
 - 1401 • Inside the `ds:Reference` element add a `ds:DigestValue` element with the computed digest
1402 value of the part represented by this `ds:Reference` element.
- 1403 4. Compute the final signature, and verify that it matches.
- 1404 5. `d:Security/d:Sig/@KeyId`, if present, can be processed as a `SecurityTokenReference`
1405 [[WS-Security](#)] with an embedded `KeyIdentifier` [[WS-Security](#)] specifying the indicated value.
1406 While it isn't required to construct a `wsse:SecurityTokenReference` element, the following steps
1407 illustrate how one would be created:
- 1408 6. Create a `wsse:SecurityTokenReference` element.
- 1409 7. Within this, add a `wsse:KeyIdentifier` element with the value of the `KeyId` attribute's value.

1410 Table 14 lists the expanded form corresponding to the compact form in Table 13.

1411 **Table 14: Example expanded signature.**

```
1412 (01) <ds:Signature
1413 (02)   xmlns:ds="http://www.w3.org/2000/09/xmldsig#"
1414 (03)   xmlns:wss="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-
1415   wssecurity-secext-1.0.xsd" >
1416 (04)   <ds:SignedInfo><ds:CanonicalizationMethod
1417   Algorithm="http://www.w3.org/2001/10/xml-exc-c14n#" /><ds:SignatureMethod
1418   Algorithm="http://www.w3.org/2000/09/xmldsig#rsa-sha1" /><ds:Reference
1419   URI="#ID1" ><ds:Transforms><ds:Transform
1420   Algorithm="http://www.w3.org/2001/10/xml-exc-c14n#"><ec:InclusiveNamespaces
1421   PrefixList="i" xmlns:ec="http://www.w3.org/2001/10/xml-exc-
1422   c14n#" /></ds:Transform></ds:Transforms><ds:DigestMethod
1423   Algorithm="http://www.w3.org/2000/09/xmldsig#sha1"
1424   /><ds:DigestValue>ODE3NDkyNzI5</ds:DigestValue></ds:Reference></ds:SignedInfo>
1425 (05)   <ds:SignatureValue>ru5Ef76xGz5Y5IB2iAzDuMvR5Tg=</ds:SignatureValue>
1426 (06)   <ds:KeyInfo>
1427 (07)     <wsse:SecurityTokenReference>
1428 (08)       <wsse:KeyIdentifier>Dx42/9g=</wsse:KeyIdentifier>
1429 (09)     </wsse:SecurityTokenReference>
1430 (10)   </ds:KeyInfo>
1431 (11) </ds:Signature>
1432 (12)
```

1433 8.3 Security Considerations

1434 Message discovery, both announcements and searches, are subject to a wide variety of attacks.
1435 Therefore communication should be secured using the mechanisms described in Section 8.2 Compact
1436 Signature Format.

1437 The following list summarizes common classes of attacks and mitigations provided by this protocol:

- 1438 • **Message alteration** – Message content may be changed by an attacker. To prevent this, the
1439 message should be signed. The Body and all relevant headers should be included in the signature.
1440 Specifically, the Application Sequencing header, WS-Addressing [WS-Addressing] headers and any
1441 headers identified in Endpoint References should be signed together with the Body to "bind" them
1442 together.
- 1443 • **Availability (Denial of Service)** – An attacker may send messages that consume resources. To
1444 prevent this, a signature assures that a message is of genuine origin. To avoid unnecessary
1445 processing, the signature should be validated before performing beginning any significant processing
1446 of message content.
- 1447 • **Replay** – An attacker may resend a valid message and cause duplicate processing. To prevent this,
1448 a replayed message is detected by a duplicate [message id] property [WS-Addressing] or an older
1449 Application Sequencing header and should be discarded. Implementations may also use the
1450 Timestamps mechanism defined in [WS-Security] to protect against the replay attack. In that case the
1451 wsu:Timestamp element [WS-Security] should be included in the d:Security header and should
1452 be signed.
- 1453 • **Spoofing** – An attacker sends a message that pretends to be of genuine origin. To prevent this, the
1454 signature should be unique to the sender.

1455 To provide mitigation against other possible attacks, e.g., message disclosure, mechanisms defined in
1456 WS-Security [WS-Security], WS-SecureConversation [WS-SecureConversation], and/or WS-Trust [WS-
1457 Trust] may be applied.

1458 If a Client communicates with a Discovery Proxy, the Client should establish end-to-end security with the
1459 Discovery Proxy; to improve the efficiency of security operations, the Client should establish a security
1460 context using the mechanisms described in WS-Trust [WS-Trust] and WS-SecureConversation [WS-
1461 SecureConversation]. In such cases, separate derived keys should be used to secure each message.

1462 9 Conformance

1463 To be conformant with this specification an endpoint MUST implement at least one of the roles; Target
1464 Service, Discovery Proxy, and Client; and MAY implement it in more than one of the modes; ad hoc and
1465 managed; however, for each implemented role and mode, it MUST implement them as specified herein.

1466 An implementation is not conformant with this specification if it fails to satisfy one or more of the MUST or
1467 REQUIRED level requirements defined herein for the roles and modes it implements.

1468 Normative text within this specification takes precedence over normative outlines, which in turn take
1469 precedence over the XML Schema [[XML Schema Part 1](#), [Part 2](#)] and WSDL [[WSDL 1.1](#)] descriptions,
1470 which in turn take precedence over examples.

1471

A. Acknowledgements

1472 The following individuals have participated in the creation of this specification and are gratefully
1473 acknowledged:

1474 **Participants:**

1475 Geoff Bullen, Microsoft Corporation
1476 Steve Carter, Novell
1477 Dan Conti, Microsoft Corporation
1478 Doug Davis, IBM
1479 Scott deDeugd, IBM
1480 Dan Driscoll, Microsoft Corporation
1481 Colleen Evans, Microsoft Corporation
1482 Max Feingold, Microsoft Corporation
1483 Travis Grigsby, IBM
1484 Francois Jammes, Schneider Electric
1485 Ram Jeyaraman, Microsoft Corporation
1486 Mike Kaiser, IBM
1487 Supun Kamburugamuva, WSO2
1488 Devon Kemp, Canon Inc.
1489 Akira Kishida, Canon Inc.
1490 Mark Little, Red Hat
1491 Dr. Ingo Lueck, Technische Universitaet Dortmund
1492 Jonathan Marsh, WSO2
1493 Carl Mattocks
1494 Antoine Mensch
1495 Jaime Meritt, Progress Software
1496 Vipul Modi, Microsoft Corporation
1497 Anthony Nadalin, IBM
1498 Tadahiro Nakamura, Canon Inc.
1499 Masahiro Nishio, Canon Inc.
1500 Toby Nixon, Microsoft Corporation
1501 Shin Ohtake, Fuji Xerox Co., Ltd.
1502 Venkat Reddy, CA
1503 Alain Regnier, Ricoh Company, Ltd.
1504 Hitoshi Sekine, Ricoh Company, Ltd.
1505 Hiroshi Tamura, Ricoh Company, Ltd.
1506 Minoru Torii, Canon Inc.
1507 Asir S Vedamuthu, Microsoft Corporation
1508 David Whitehead, Lexmark International Inc.
1509 Don Wright, Lexmark International Inc.
1510 Prasad Yendluri, Software AG, Inc.
1511 Elmar Zeeb, University of Rostock
1512 Gottfried Zimmermann

1513

1514 **Co-Developers of the initial contributions:**

1515 This document is based on initial contributions to the OASIS WS-DD Technical Committee by the
1516 following co-developers.

1517 Gopal Kakivaya, Microsoft Corporation
1518 Devon Kemp, Canon Inc.
1519 Thomas Kuehnel, Microsoft Corporation
1520 Brad Lovering, Microsoft Corporation
1521 Bryan Roe, Intel
1522 Christopher St. John, Software AG

1523 Jeffrey Schlimmer (Editor), Microsoft Corporation
1524 Guillaume Simonnet, Microsoft Corporation
1525 Doug Walter, Microsoft Corporation
1526 Jack Weast, Intel
1527 Yevgeniy Yarmosh, Intel
1528 Prasad Yendluri, Software AG
1529

1530 **Acknowledgements of the initial contributions:**

1531 The following individuals have provided invaluable input to the original contributions and were
1532 acknowledged in the initial contributions.

1533 Don Box, Microsoft Corporation
1534 Shannon Chan, Microsoft Corporation
1535 Dan Conti, Microsoft Corporation
1536 Ken Cooper, Microsoft Corporation
1537 Mike Fenelon, Microsoft Corporation
1538 Omri Gazitt Microsoft Corporation,
1539 Bertus Greeff, Microsoft Corporation
1540 Rob Hain, Microsoft Corporation
1541 Richard Hasha, Microsoft Corporation
1542 Erin Honeycutt, Microsoft Corporation
1543 Christian Huitema, Microsoft Corporation
1544 Chris Kaler, Microsoft Corporation
1545 Umesh Madan, Microsoft Corporation
1546 Vipul Modi, Microsoft Corporation
1547 Jeff Parham, Microsoft Corporation
1548 Yaniv Pessach, Microsoft Corporation
1549 Stefan Pharies, Microsoft Corporation
1550 Dale Sather, Microsoft Corporation
1551 Matt Tavis, Microsoft Corporation

1552

B. Revision History

1553 [optional; should not be included in OASIS Standards]

Revision	Date	Editor	Changes Made
wd-01	09/16/2008	Vipul Modi	Created the initial working draft by converting the input specification to OASIS template.
wd-01	09/16/2008	Vipul Modi	Authoritative format changed to docx from doc
wd-01	09/19/2008	Vipul Modi	Adjusted the location of the document as per the format decided on 09/18/2008 during F2F meeting day 3.
wd-01	09/24/2008	Vipul Modi	Fixed broken links for cross referencing Table, Figure and Section.
wd-02	09/26/2008	Vipul Modi	<p>Incorporated proposals for the following issues:</p> <p>018 - Move Application Sequencing from Appendix to main specification</p> <p>019 - Combine security section under a single top level heading</p> <p>020 - XSD and WSDL files as separate resources</p> <p>047 - Replace reference to RFC 2396 with RFC 3986</p> <p>048 - Probe requirement in ResolveMatch section</p> <p>050 - The UUIDs URIs do not use UUID URN Namespace defined by RFC 4122</p> <p>054 - Remove support for SOAP 1.1</p> <p>058 - Remove transport specification retransmission notes in ProbeMatch and ResolveMatch sections</p> <p>059 - Follow WSDL naming conventions in naming messages and part names</p> <p>062 - Description of Scopes element for Probe does not mention that whitespace is not allowed</p> <p>063 - Clarify matching behavior for empty <d:Types>, <d:Scopes> element</p> <p>064 - Clarify matching algorithm for @MatchBy, @Scheme and @SequenceId</p> <p>065 - Terminologies should not make normative text like statements</p> <p>066 - RelationshipType attribute is not required</p> <p>067 - Define KeyID content in the d:Sig</p> <p>061 - Use OASIS assigned namespace</p>
wd-03	10/20/2008	Vipul Modi	<p>Incorporated the proposal for the following issues</p> <p>022 - request-response MEP for communicating with proxy</p> <p>034 - Discovery proxy and multicast suppression requirement</p>

			<p>035 - define protocol assignment/binding for managed mode</p> <p>036 - discovery messages and managed mode</p> <p>049 - forced managed mode transition for the client</p>
cd-01	10/21/2008	Vipul Modi	<p>Created first committee draft by from working draft 03. Removed all change bars.</p>
wd-04	11/23/2008	Devon Kemp Vipul Modi	<p>Created working draft 04 by applying the proposed resolutions of the following issues to CD-01 version:</p> <p>007 - Old version of WS-Addressing</p> <p>009 - Clarify matching rule rfc2396</p> <p>078 - WS-Discovery - Transport addresses referred to as EPR</p>
wd-05	1/13/2009	Vipul Modi	<p>Applied the resolution of following issues to the document.</p> <p>023 - Clarify use of AppSequence and related fields</p> <p>079 - Too many normative statements in Section 2 Terminology and Notations</p> <p>081 - Use "urn:uuid" scheme for UUID scope matching rule</p> <p>086 - Example Hello sent in managed mode does not define "j"</p> <p>087 - Incorrect reference to RFC 5280</p> <p>088 - Using whitespaces in the expanded signature can result in different digest values</p> <p>089 - Namespace of a Type can be altered in a secure discovery message</p> <p>090 - Compact Signature outline does not include the datatype for Refs attribute</p> <p>091 - Minor Editorial issues in Section 8.2</p> <p>096 - Clarify meaning of "device leaving the network"</p> <p>097 - Clarify meaning of "device joining the network"</p> <p>098 - Assign an OASIS namespace for Committee Draft 2</p> <p>099 - typo in URI</p> <p>100 - typo in introduction</p> <p>101 - typo in section 2.1</p> <p>102 - typo in section 3.1</p> <p>103 - typos in section 3.2</p> <p>104 - clarify case where a TS doesn't specify a Type</p> <p>105 - editorial changes in section 3.3</p> <p>106 - redundant mentions of "one way"</p> <p>107 - typos in section 3.1 (with DP)</p> <p>108 - clarify "stable identifier"</p> <p>118 - Add missing text for adding Algorithmsuite attribute in the expanded signature elements (editorial)</p> <p>119 - Clarify that the DigestValue element inside the</p>

			<p>Reference element should be populated with the computed digest value (editorial)</p> <p>120 - References update</p> <p>069 - Preventing replay attack using [message id] property is impractical</p> <p>123 - Remove special "ad-hoc" scope</p> <p>141 - Editorial - Remove wildcard from the normative outline descriptions</p> <p>142 - Editorial - Remove wildcard from the normative outline descriptions</p> <p>124 - xAddrs in ResolveMatches issue</p> <p>125 - Finding services require a double roundtrip</p> <p>126 - KeyId complexity in compact signatures</p> <p>144 - replace the ≥ 1 symbol with the text</p> <p>145 - clarify that the security header should not be signed</p>
cd-02 (candidate)	1/21/2009	Vipul Modi	<p>Created CD-02 candidate draft from working draft 05 by accepting all changes and removing all comments.</p> <p>Applied the resolution of following issues.</p> <p>146 - Conformance must require implementing at least one of the prescribed roles</p> <p>027 - clarification on accepting unicast Probe</p> <p>Following editorial changes were made to be compliant with the OASIS document format.</p> <ul style="list-style-type: none"> * Cover Page: Previous Version was marked as N/A. * Section 2.1 Terminology is moved under Section 1.5 Terminology and named as 1.5.2 Terms and Definitions. Added a line "Defined below are the basic definitions for the terms used in this specifications." before starting the definitions. * Section 2.2 Notational Conventions- The first paragraph is moved to Section 1.5 Terminology and the second paragraph was moved to 1.5.1 and named Notational Conventions * The format of the definitions in section 1.5.2 is changed to have space in-between two definitions. * Section 2.3 XML Namespaces became Section 1.6 * Section 2.4 XSD and WSDL files became Section 1.7 * Section 2.5 Compliance became Section 9 Conformance.
cd-02 (candidate)	1/23/2009	Vipul Modi	<p>Additional editorial changes to comply with the OASIS document format.</p> <ul style="list-style-type: none"> * Corrected errors in hyperlinks in the first page of the document. * Removed "Latest Approved Version" links as suggested by OASIS TC admin. * Appendix. Acknowledgements. In the list of TC participants,

			removed mention of company name of Individual or Associate members per advice from OASIS TC admin. * Added the Revision History appendix section.
cd-02	1/28/2009	Vipul Modi	Changed the cover page to reflect CD 02 status.
pr-01	1/28/2009	Vipul Modi	Created public review 01 document from CD 02.

1554