



# Web Services Base Notification 1.3 (WS-BaseNotification)

Public Review Draft 04, 31 May 2006

## Document identifier

wsn-ws\_base\_notification-1.3-spec-pr-03

## Location:

[http://docs.oasis-open.org/wsn/wsn-ws\\_base\\_notification-1.3-spec-pr-03.pdf](http://docs.oasis-open.org/wsn/wsn-ws_base_notification-1.3-spec-pr-03.pdf)

## Editors:

Steve Graham, IBM <[sggraham@us.ibm.com](mailto:sggraham@us.ibm.com)>

David Hull, Tibco <[dmh@tibco.com](mailto:dmh@tibco.com)>

Bryan Murray, Hewlett-Packard Company <[bryan.murray@hp.com](mailto:bryan.murray@hp.com)>

## Abstract:

The Event-driven, or Notification-based, interaction pattern is a commonly used pattern for inter-object communications. Examples exist in many domains, for example in publish/subscribe systems provided by Message Oriented Middleware vendors, or in system and device management domains. This notification pattern is increasingly being used in a Web services context.

WS-Notification is a family of related specifications that define a standard Web services approach to notification using a topic-based publish/subscribe pattern. It includes: standard message exchanges to be implemented by service providers that wish to participate in Notifications, standard message exchanges for a notification broker service provider (allowing publication of messages from entities that are not themselves service providers), operational requirements expected of service providers and requestors that participate in notifications, and an XML model that describes topics. The WS-Notification family of documents includes three normative specifications: WS-BaseNotification, [WS-BrokeredNotification], and [WS-Topics].

## Status:

On May 31<sup>st</sup>, 2006, the OASIS WS-Notification Technical Committee approved this document for publication as a Public Review Draft. Committee members should send comments on this specification to the [wsn@lists.oasis-open.org](mailto:wsn@lists.oasis-open.org) list. Others may submit comments to the TC via the web form found on the TC's web page at <http://www.oasis-open.org/committees/wsn>. Click the button for "Send A Comment" at the top of the page.

wsn-ws\_base\_notification-1.3-spec-pr-03

5/31/2006

Copyright © OASIS Open 2004-2006. All Rights Reserved.

Page 1 of 69

36 Submitted comments (for this work as well as other works of the TC) are publicly  
37 archived and can be viewed at:  
38 <http://lists.oasis-open.org/archives/wsn-comment/>.  
39 For information on whether any patents have been disclosed that may be essential to  
40 implementing this specification, and any offers of patent licensing terms, please refer to  
41 the Intellectual Property Rights section of the WSN TC web page ([http://www.oasis-  
43 open.org/committees/wsn/](http://www.oasis-<br/>42 open.org/committees/wsn/)).  
44 [The errata document for this specification is maintained at:  
http://docs.oasis-open.org/wsn/wsn-ws\\_base\\_notification-1.3-errata.pdf](http://docs.oasis-open.org/wsn/wsn-ws_base_notification-1.3-errata.pdf)

## Table of Contents

46	1	Introduction .....	5
47	1.1	Goals and Requirements .....	5
48	1.1.1	Requirements.....	5
49	1.1.2	Non-Goals.....	6
50	1.2	Terminology.....	6
51	1.3	Namespaces .....	7
52	1.4	Fault Definitions.....	8
53	2	Terminology and Concepts.....	9
54	2.1	Definitions.....	9
55	2.2	Production vs. Delivery .....	10
56	3	NotificationConsumer Interface .....	11
57	3.1	Notification Metadata .....	11
58	3.2	Notify .....	12
59	3.2.1	Example SOAP Encoding of the Notify Message.....	13
60	4	NotificationProducer Interface .....	14
61	4.1	NotificationProducer Resource Properties.....	14
62	4.2	Subscribe .....	15
63	4.2.1	Example SOAP Encoding of the Subscribe Message Exchange.....	21
64	4.3	GetCurrentMessage.....	22
65	4.3.1	Example SOAP Encoding of the GetCurrentMessage Message Exchange .....	24
66	5	Pull-Style Notification.....	25
67	5.1	PullPoint Interface .....	25
68	5.1.1	Accumulating Notification Messages.....	25
69	5.1.2	GetMessages.....	26
70	5.1.3	Example SOAP Encoding of the GetMessages Message Exchange.....	27
71	5.1.4	DestroyPullPoint .....	28
72	5.1.5	Example SOAP Encoding of the DestroyPullPoint Message Exchange .....	28
73	5.2	Create PullPoint Interface .....	29
74	5.2.1	Example SOAP Encoding of the CreatePullPoint Message Exchange.....	30
75	6	SubscriptionManager Interface.....	31
76	6.1	Base Subscription Manager .....	31
77	6.1.1	Renew.....	31
78	6.1.2	Unsubscribe .....	33
79	6.2	Pausable Subscription Manager .....	34
80	6.2.1	PauseSubscription.....	35
81	6.2.2	Example SOAP Encoding of the PauseSubscription Message Exchange.....	36
82	6.3	ResumeSubscription .....	36

83	6.3.1 Example SOAP Encoding of the ResumeSubscription Message Exchange.....	37
84	6.4 Subscriptions as WS-Resources.....	38
85	6.4.1 Subscription Resource Properties .....	38
86	7 Security Considerations.....	40
87	7.1 Securing the Message Exchanges.....	40
88	7.2 Securing Subscriptions and Notifications.....	40
89	8 References.....	42
90	8.1 Normative .....	42
91	8.2 Non-Normative .....	42
92	Appendix A. Acknowledgments .....	44
93	Appendix B. XML Schema.....	45
94	Appendix C. WSDL 1.1.....	57
95	Appendix D. Revision History .....	66
96	Appendix E. Notices .....	69
97		

98

# 1 Introduction

99 The Event-driven, or Notification-based, interaction pattern is commonly used in inter-object  
100 communications. Examples exist in many domains, for example in publish/subscribe systems  
101 provided by Message Oriented Middleware vendors, or in system and device management  
102 domains.

103 The WS-Notification family of specifications defines a standard Web services approach to  
104 notification. This document is the base specification on which all the other specifications in the  
105 family depend. It defines the normative Web services interfaces for two of the important roles in  
106 the notification pattern, namely the NotificationProducer and NotificationConsumer roles. This  
107 specification includes standard message exchanges to be implemented by service providers that  
108 wish to act in these roles, along with operational requirements expected of them.

109 In the remainder of this section and section 2 we will give a brief introduction to the Notification  
110 pattern, and the terms we will use in this specification.

111 In the Notification pattern a Web service, or other entity, disseminates information to a set of  
112 other Web services, without having to have prior knowledge of these other Web services.

113 This specification defines a role called the NotificationProducer. A NotificationProducer is capable  
114 of producing a set of Notification messages. A NotificationProducer accepts incoming Subscribe  
115 requests. Each Subscribe request contains a reference to a NotificationConsumer and identifies  
116 the subset of the Notifications the NotificationProducer should produce. This subset can be  
117 described by identifying one or more boolean filters, including filtering by Topic, as discussed in  
118 [WS-Topics]. The NotificationProducer agrees to produce Notification Messages as requested in  
119 the Subscribe request, or returns a fault if the subscription cannot be handled.

120 The production of Notifications may be realized in a number of ways. One particular configuration,  
121 in which the NotificationProducer reproduces Notifications produced by other entities, is  
122 described in the [WS-BrokeredNotification] specification. Alternatively, a NotificationProducer may  
123 produce Notifications itself. An implementer interested only in such direct, point-to-point,  
124 notification need only refer to this WS-BaseNotification specification.

Deleted:

## 1.1 Goals and Requirements

126 The goal of WS-BaseNotification is to standardize the terminology, concepts, operations, WSDL  
127 and XML needed to express the basic roles involved in Web services publish and subscribe for  
128 notification message exchange.

### 1.1.1 Requirements

130 In meeting these goals, the WS-BaseNotification specification must explicitly address the  
131 following requirements:

- 132 • **Must support resource-constrained devices.** The specifications must be factored in a way  
133 that allows resource-constrained devices to participate in the Notification pattern. Such  
134 devices will be able to send information to, and receive information from Web services,  
135 without having to implement all the features of the specifications.
- 136 • **Must provide runtime metadata:** There must be a mechanism that lets a potential  
137 Subscriber discover what elements are provided for subscription by a NotificationProducer,  
138 and in what formats the subscription for notification can be made.

- 139 In addition, the WS-BaseNotification must allow for the following requirements to be met:
- 140 • **WS-BaseNotification must be independent of binding-level details:** Transport protocol
  - 141 details must be orthogonal to the subscription and the delivery of the notifications, so that the
  - 142 specification can be used over a variety of different transports.
  - 143 • **Must allow for Message Oriented Middleware implementations.** The design of the WS-
  - 144 BaseNotification must allow a service that is acting as a NotificationProducer to delegate its
  - 145 implementation of WS-BaseNotification semantics to a Message Oriented Middleware
  - 146 provider.
  - 147 • **Relationship to other WS-\* specifications:** WS-BaseNotification must be composable with
  - 148 other Web services specifications.

## 149 1.1.2 Non-Goals

150 The following topics are outside the scope of the WS-BaseNotification specification:

- 151 • **Defining the format of notification payloads:** The data carried in Notification payloads is
- 152 application-domain specific, and WS-BaseNotification does not prescribe any particular
- 153 format for this data.
- 154 • **Defining any Notifications.** The WS-BaseNotification specification does not define any
- 155 "standard" or "built-in" notification situations or messages.
- 156 • **Defining the mapping between Situations and Notifications.** The WS-BaseNotification
- 157 specification does not define the circumstances under which a potential producer of
- 158 information should decide if and when it should actually produce notifications. However they
- 159 do define the form and semantics of the notification once it has decided to do so.
- 160 • **Defining the means by which NotificationProducers are discovered by subscribers.** It is
- 161 beyond the scope of this specification to define the mechanisms for runtime discovery of
- 162 NotificationProducers.
- 163 • **Defining message ordering or interleaving policies for delivery is beyond the scope of**
- 164 **WS-BaseNotification.**

## 165 1.2 Terminology

166 The keywords "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD",  
167 "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be  
168 interpreted as described in [RFC 2119].

169 When describing abstract data models, this specification uses the notational convention used by  
170 the [XML-Infoset]. Specifically, abstract property names always appear in square brackets (e.g.,  
171 [some property]).

172 This specification uses a notational convention, referred to as "Pseudo-schemas". A Pseudo-  
173 schema uses a BNF-style convention to describe attributes and elements:

- 174 • '?' denotes optionality (i.e. zero or one occurrences),
- 175 • '\*' denotes zero or more occurrences,
- 176 • '+' one or more occurrences,
- 177 • '[' and ']' are used to form groups,
- 178 • '|' represents choice.

Deleted: ¶

Formatted: Bullets and  
Numbering

Deleted:

- 179 • Attributes are conventionally assigned a value which corresponds to their type, as  
180 defined in the normative schema.
- 181 • [Elements with simple content are conventionally assigned a value which corresponds to  
182 the type of their content, as defined in the normative schema.](#)
- 183 • [The use of {any} indicates the presence of an element wildcard \(<xs:any/>\).](#)
- 184 • [The use of @{any} indicates the presence of an attribute wildcard \(<xs:anyAttribute/>\).](#)
- 185 • [In the interest of brevity, some extensibility points have been omitted from the Pseudo-  
186 schemas.](#)

Formatted: Bullets and Numbering

Formatted: Font color: Auto,

Formatted: Font color: Auto

```
187 <!-- sample pseudo-schema -->
188 <element
189   required_attribute_of_type_QName="xs:QName"
190   optional_attribute_of_type_string="xs:string"? >
191   <required_element />
192   <optional_element /> ?
193   <one_or_more_of_these_elements /> +
194   [ <choice_1 /> | <choice_2 /> ] *
195 </element>
```

196 Where there is disagreement between the separate XML schema and WSDL files describing the  
197 messages defined by this specification and the normative descriptive text (excluding any pseudo-  
198 schema) in this document, the normative descriptive text will take precedence over the separate  
199 files. The separate files take precedence over any pseudo-schema and over any schema and  
200 WSDL included in the appendices.

## 201 1.3 Namespaces

202 The following namespaces are used in this document:

Prefix	Namespace
s	<a href="http://schemas.xmlsoap.org/soap/envelope/">http://schemas.xmlsoap.org/soap/envelope/</a> OR <a href="http://www.w3.org/2003/05/soap-envelope">http://www.w3.org/2003/05/soap-envelope</a>
xsd	<a href="http://www.w3.org/2001/XMLSchema">http://www.w3.org/2001/XMLSchema</a>
wsa	<a href="http://www.w3.org/2005/08/addressing">http://www.w3.org/2005/08/addressing</a>
wsrf-rp	<a href="http://docs.oasis-open.org/wsrp/rp-2">http://docs.oasis-open.org/wsrp/rp-2</a>
wsrf-bf	<a href="http://docs.oasis-open.org/wsrp/bf-2">http://docs.oasis-open.org/wsrp/bf-2</a>
wsnt	<a href="http://docs.oasis-open.org/wsn/b-2">http://docs.oasis-open.org/wsn/b-2</a>
wsntw	<a href="http://docs.oasis-open.org/wsn/bw-2">http://docs.oasis-open.org/wsn/bw-2</a>
wstop	<a href="http://docs.oasis-open.org/wsn/t-1">http://docs.oasis-open.org/wsn/t-1</a>

Formatted: Hyperlink, Font color: Blue

Formatted: Hyperlink, Font color: Auto

Formatted: Font color: Blue

Formatted: Font color: Blue

Formatted: Font color: Blue

Formatted: Font color: Blue

Formatted: Font color: Blue

203 **1.4 Fault Definitions**

204 All faults generated by a NotificationProducer or SubscriptionManager SHOULD be compliant  
205 with the WS-BaseFaults [WS-BaseFaults] specification.

206 All faults defined by this specification MUST use the following URI for the WS-Addressing [action]  
207 Message Addressing Property:

208 <http://docs.oasis-open.org/wsn/fault>.



209

---

## 2 Terminology and Concepts

210

### 2.1 Definitions

211

The following definitions outline the terminology and usage in this specification.

212

#### **Situation:**

213

- A Situation is some occurrence known to a NotificationProducer and of potential interest to third parties.

214

215

- A Situation could be a change of the internal state of a resource or could be environmental, such as a timer event. It could also be an external event, such as a piece of news that has been supplied by a news-feed service.

216

217

218

- WS-Notification does not specify what a Situation is or is not, nor does it define the relationship between a Situation and the Notification(s) that are used to describe it.

219

220

#### **Notification:**

221

- A Notification is an artifact of a Situation containing information about that Situation that some entity wishes to communicate to other entities.

222

223

- A Notification is represented as an XML element with a Namespace qualified QName and a type defined using XML Schema.

224

225

- A typical usage pattern is to define a single Notification type (to be precise, its defining XML element) for each kind of Situation, containing information pertinent to that kind of Situation; in this case one can think of a Notification instance as in some sense *being* (or at least representing) the Situation.

226

227

228

229

- A designer could choose to associate several different Notification types with a Situation, for example, describing different aspects of the Situation, destined for different target recipients, etc. Conversely it is possible that several essentially different Situations give rise to Notifications of the same type.

230

231

232

233

#### **NotificationProducer:**

234

- A NotificationProducer is a Web service that implements the message exchanges associated with the NotificationProducer interface.

235

236

- A NotificationProducer is capable of producing Notifications for those NotificationConsumers for which Subscriptions have been registered, based on Situations that occur and on the parameters supplied with the requests from which the Subscriptions were created.

237

238

239

240

- A Web Service that implements the message exchanges associated with NotificationProducer may directly produce Notifications itself, or it may be a NotificationBroker, reproducing Notifications that were produced by separate Publisher and/or NotificationProducer entities.

241

242

243

244

- It is the factory for Subscription resources.

245

#### **NotificationConsumer:**

- 246
- 247
- 248
- A NotificationConsumer is an endpoint, represented by a WS-Addressing endpoint reference, designated to receive Notifications produced by a NotificationProducer as a result of a subscription.
- 249
- A NotificationConsumer may accept the generic Notify message, or it may be able to process one or more domain-specific Notification types.
- 250

251 **Subscription:**

- 252
- A Subscription represents the relationship between a NotificationConsumer and a NotificationProducer, including any filtering parameters such as Topic and various other optional filter expressions, along with any relevant policies and context information.
- 253
- A Subscription resource is created when a Subscriber sends the SubscribeRequest message to a NotificationProducer.
- 254
- Subscription resources are manipulated by messages sent to the SubscriptionManager Web service associated with the Subscription resource.
- 255
- 256
- 257
- 258

259 **SubscriptionManager**

- 260
- A SubscriptionManager is an endpoint, represented by an endpoint reference [WS-Addressing] that implements message exchanges associated with the SubscriptionManager interface.
- 261
- A SubscriptionManager provides operations that allow a service requestor to query and manipulate Subscription resources that it manages.
- 262
- A SubscriptionManager is subordinate to the NotificationProducer, and MAY be implemented by the NotificationProducer service provider. However WS-Notification permits it to be implemented by a separate service provider, should an implementer so desire.
- 263
- 264
- 265
- 266
- 267
- 268

269 **Subscriber:**

- 270
- A Subscriber is any entity that sends the SubscribeRequest message to a NotificationProducer.
- 271
- Note that a Subscriber may be a different entity from the NotificationConsumer for which Notifications are actually produced.
- 272
- 273

274 **2.2 Production vs. Delivery**

275 Various statements in this document refer to a NotificationProducer *producing* a Notification.

276 Producing a Notification means: *supplying a Notification to a delivery mechanism for transmission*

277 *to a NotificationConsumer*. Depending on the actual delivery mechanism, this transmission might

278 be reliable or might be done on a best-effort basis. A Notification which is never produced will

279 definitely never be delivered, but the converse is not necessarily true: a Notification which *is*

280 produced may or may not actually be delivered, depending on the delivery mechanism, the

281 validity of the NotificationConsumer address, the state of the network, and so forth.

---

## 3 NotificationConsumer Interface

282

283 WS-BaseNotification allows a NotificationConsumer to receive a Notification in one of two forms:

- 284 1. The NotificationConsumer MAY simply receive the “raw” Notification (i.e. the application-  
285 specific content).
- 286 2. The NotificationConsumer MAY receive the Notification data as a Notify message as  
287 described below.

288 The second option (the Notify message) provides a well specified mechanism by which the  
289 NotificationProducer can supply additional information defined by WS-BaseNotification (such as  
290 the Topic) in addition to the application-specific Notification content. It also allows the  
291 NotificationConsumer to receive a wide range of Notifications without having to explicitly provide  
292 support for each one in its WSDL. This form of Notification also allows a batch of several  
293 Notifications to be combined into a single physical message.

294 When a Subscriber sends a Subscribe request message, it indicates which form of Notification is  
295 required (the raw Notification, or the Notify Message). The NotificationProducer MUST observe  
296 this component of the Subscription and use the form that has been requested, if it is able. If it  
297 does not support the form requested, it MUST fault.

298 This means that a NotificationConsumer MAY choose to implement the Notify Message, or to  
299 implement raw Notification(s) explicitly (or both). When requesting creation of a Subscription on  
300 behalf of a NotificationConsumer, a Subscriber SHOULD ensure that the NotificationConsumer is  
301 able to handle the form of Notification it has requested for the given Subscription.

### 3.1 Notification Metadata

302

303 In order to inform the NotificationConsumer about the Situation that produced a Notification and  
304 to allow the NotificationConsumer to manipulate the underlying subscription, the  
305 NotificationProducer MAY include any combination of the following metadata elements in the  
306 Notifications it produces:

307 wsnt:SubscriptionReference

308 An EndpointReference to the Subscription that is associated with the Notify message.

309 wsnt:Topic

310 A TopicExpression describing exactly one Topic, which MUST be the Topic that is  
311 associated with the Notification. This element describes the Topic that matched to a  
312 subscription, causing the NotificationProducer to send the Notify message to the  
313 NotificationConsumer.

314 wsnt:Topic/@Dialect

315 The dialect used in the TopicExpression. This MUST be the same dialect used by the  
316 Subscriber when it created the Subscription that yielded this Notify message.

317 wsnt:ProducerReference

318 An EndpointReference to the NotificationProducer that produced the Notification artifact.

319

320 | When using the Notify message format, these elements, if present, MUST take the form  
321 described below. When using the raw message format, these elements MAY appear as

**Deleted:** appear within the  
wsnt:NotificationMessage  
element as

322 components of the message (such as [SOAP 1.1 \[SOAP 1.1\]](#) or [SOAP 1.2 \[SOAP 1.2\]](#) header  
323 elements) in accordance with any contract with the NotificationConsumer.

Deleted: SOAP

324 When producing a raw Notification, the NotificationProducer SHOULD utilise the Action URI  
325 defined below for the Notify operation except in situations where the NotificationProducer has  
326 knowledge which would cause it to use some alternative URI.

327

## 328 3.2 Notify

329 A NotificationProducer MAY produce a Notify message containing one or more Notification(s).  
330 The format of the Notify message is:

```
331 ...  
332 <wsnt:Notify>  
333   <wsnt:NotificationMessage>  
334     <wsnt:SubscriptionReference>  
335       wsa:EndpointReferenceType  
336     </wsnt:SubscriptionReference> ?  
337     <wsnt:Topic Dialect="xsd:anyURI">  
338       {any} ?  
339     </wsnt:Topic>?  
340     <wsnt:ProducerReference>  
341       wsa:EndpointReferenceType  
342     </wsnt:ProducerReference> ?  
343     <wsnt:Message>  
344       {any}  
345     </wsnt:Message>  
346   </wsnt:NotificationMessage> +  
347   {any} *  
348 </wsnt:Notify>  
349 ...
```

Deleted: \*

350 The WS-Addressing [action] Message Addressing Property MUST contain the URI

351 <http://docs.oasis-open.org/wsn/bw-2/NotificationConsumer/Notify>.

352 The components of the Notify message are further described as follows:

353 /wsnt:Notify

354 Contains a collection of one or more Notifications.

355 /wsnt:Notify/wsnt:NotificationMessage

356 Contains a Notification payload along with any metadata components as defined in  
357 section 3.1.

358 /wsnt:Notify/wsnt:NotificationMessage/wsnt:Message

359 A copy of the actual Notification payload.

360 /wsnt:Notify/{any}

361 The Notify message also allows for open content, in order to accommodate elements that  
362 may be needed by extensions built on BaseNotification, including those providing  
363 additional filtering mechanisms.

364

365 No response is expected from the NotificationConsumer upon receipt of this message.

### 366 3.2.1 Example SOAP Encoding of the Notify Message

367 The following is a non-normative example of a Notify message using SOAP:

```
368 <s:Envelope ... >
369   <s:Header>
370     <wsa:Action>
371       http://docs.oasis-open.org/wsn/bw-2/NotificationConsumer/Notify
372     </wsa:Action>
373     ...
374   </s:Header>
375   <s:Body>
376     <wsnt:Notify>
377       <wsnt:NotificationMessage>
378         <wsnt:SubscriptionReference>
379           <wsa:Address>
380             http://www.example.org/SubscriptionManager
381           </wsa:Address>
382         </wsnt:SubscriptionReference>
383         <wsnt:Topic Dialect=
384           "http://docs.oasis-open.org/wsn/t-1/TopicExpression/Simple">
385           npex:SomeTopic
386         </wsnt:Topic>
387         <wsnt:ProducerReference>
388           <wsa:Address>
389             http://www.example.org/NotificationProducer
390           </wsa:Address>
391         </wsnt:ProducerReference>
392         <wsnt:Message>
393           <npex:NotifyContent>exampleNotifyContent</npex:NotifyContent>
394         </wsnt:Message>
395       </wsnt:NotificationMessage>
396     </wsnt:Notify>
397   </s:Body>
398 </s:Envelope>
```

399

## 4 NotificationProducer Interface

400 This section describes the message exchanges that a NotificationProducer MUST support. These  
401 message exchanges allow the NotificationProducer to advertise its support for one or more  
402 Topics, and allow a Subscriber to create Subscriptions.

### 4.1 NotificationProducer Resource Properties

404 In addition to the message exchanges described in this specification, a NotificationProducer MAY  
405 also support the required message exchanges defined in the [WS-ResourceProperties]  
406 specification and MAY support the optional message exchanges defined in the WS-  
407 ResourceProperties specification. In such a case, this specification defines several resource  
408 properties, which MUST conform to the following schema fragment for content:

409  
410  
411  
412  
413  
414  
415  
416  
417  
418  
419  
420

```
...
targetNamespace="http://docs.oasis-open.org/wsn/b-2"
...
<xsd:element name="TopicExpression" type="wsnt:TopicExpressionType"/>
<xsd:element name="FixedTopicSet" type="xsd:boolean" default="true"/>
<xsd:element name="TopicExpressionDialect" type="xsd:anyURI"/>
<xsd:element name="wstop:TopicSet" type="wstop:TopicSetType"/>
...
```

421 These properties must also conform to the following schema fragment for cardinality:

422  
423  
424  
425  
426  
427  
428  
429  
430  
431  
432  
433  
434  
435

```
<xsd:element ref="wsnt:TopicExpression"
minOccurs="0" maxOccurs="unbounded" />
<xsd:element ref="wsnt:FixedTopicSet"
minOccurs="0" maxOccurs="1" />
<xsd:element ref="wsnt:TopicExpressionDialect"
minOccurs="0" maxOccurs="unbounded" />
<xsd:element ref="wstop:TopicSet"
minOccurs="0" maxOccurs="1" />
```

436

437 These Resource Property elements are further constrained as follows:

438 /wsnt:TopicExpression

439 This resource property contains a collection of topics supported by the NotificationProducer.  
440 The set of topics is expressed using one or more wsnt:TopicExpression resource property  
441 element(s). Each wsnt:TopicExpression resource property element is a TopicExpression. The  
442 dialect of TopicExpression used can be any dialect. It is RECOMMENDED to use one of the

443 TopicExpression dialects described in [WS-Topics]. A NotificationProducer MAY use an  
444 expression that refers to multiple topics, if the dialect used has this capability. The same topic  
445 may be referred to by multiple wsnt:TopicExpression resource property element(s), for  
446 example, in different resource property elements each using a different dialect.

447 If a topic is identified by one of the wsnt:TopicExpression resource property elements, a  
448 Subscriber can reasonably expect that the NotificationProducer will not return an  
449 InvalidTopicExpressionFault for subscription requests for the topic. It is not a guarantee that  
450 the NotificationConsumer will receive any Notifications. For example, the NotificationProducer  
451 may not actually produce any Notifications on the particular topic during the time that the  
452 Subscriber is registered.

Deleted: it

Deleted: ;

453 /wsnt:FixedTopicSet

454 Indicates if the collection of topics contained within the wsnt:TopicExpression resource  
455 property may change. This value is "true" if the collection of topics supported by the  
456 NotificationProducer does not change and "false" if the NotificationProducer allows the  
457 collection to change (for example if it allows additional topics to be supported should  
458 publishers or subscribers request them). This property defaults to "true" if missing.

Deleted: is optional and

459 /wsnt:TopicExpressionDialect

460 Indicates one or more TopicExpression dialect(s) that are supported by the  
461 NotificationProducer. If a URI corresponding to a dialect appears in this resource property, a  
462 subscriber is assured that a subscription request containing a valid topic expression using  
463 that dialect will be accepted by the NotificationProducer. The TopicExpressionDialect  
464 property is a "fixed property", i.e. its value, for any given NotificationProducer, does not  
465 change over time.

466 /wstop:TopicSet

467 This resource property contains the collection of topics supported by the NotificationProducer  
468 expressed, as a single XML element as described in [WS-Topics].

Deleted: .

Deleted:

469

## 470 4.2 Subscribe

471 A NotificationProducer is capable of producing a sequence of zero or more Notifications. A  
472 Subscriber can register the interest of a NotificationConsumer to receive a subset of this  
473 sequence. A Subscriber sends a Subscribe message to a NotificationProducer in order to register  
474 this interest.

475 If the processing of a Subscribe message is successful, the NotificationProducer MUST produce  
476 a response message, as described below, containing an endpoint reference representing a  
477 Subscription created as a result of processing the Subscribe request.

478 Sending two identical Subscribe messages to a NotificationProducer MUST result in the creation  
479 of two Subscriptions. The NotificationConsumer will be associated with both Subscriptions with  
480 the result that two copies of any matching Notification will be produced for that consumer.

481 A given NotificationConsumer may be the object of more than one Subscription, and separate  
482 NotificationConsumers may subscribe to the same subset of Notifications. In such situations, WS-  
483 BaseNotification places no restrictions on the order in which Notifications are produced.

484 Notifications for different NotificationConsumers may be produced in different orders, even when  
485 the associated subscription requests are otherwise identical, and Notifications from separate  
486 Subscriptions with the same NotificationConsumer may be interleaved in any manner.

487 NotificationProducers MAY advertise more constrained behavior through policy assertions or  
488 other means.

489 The format of the Subscribe message is:

```
490 ...  
491 <wsnt:Subscribe>  
492   <wsnt:ConsumerReference>  
493     wsa:EndpointReferenceType  
494   </wsnt:ConsumerReference>  
495   <wsnt:Filter>  
496     [ <wsnt:TopicExpression Dialect="xsd:anyURI">  
497       {any} ?  
498     </wsnt:TopicExpression> |  
499     <wsnt:ProducerProperties Dialect="xsd:anyURI">  
500       {any} ?  
501     </wsnt:ProducerProperties> |  
502     <wsnt:MessageContent Dialect="xsd:anyURI">  
503       {any} ?  
504     </wsnt:MessageContent> |  
505     {any} *  
506   ] *  
507 </wsnt:Filter> ?  
508 <wsnt:InitialTerminationTime>  
509   [xsd:dateTime | xsd:duration]  
510 </wsnt:InitialTerminationTime> ?  
511 <wsnt:SubscriptionPolicy>  
512   [ <wsnt:UseRaw/> |  
513     {any}  
514   ] *  
515 </wsnt:SubscriptionPolicy> ?  
516 {any}*  
517 </wsnt:Subscribe>  
518 ...
```

519 The WS-Addressing [action] Message Addressing Property MUST contain the URI  
520 <http://docs.oasis-open.org/wsn/bw-2/NotificationProducer/SubscribeRequest>.

521 The components of the Subscribe message are further described as follows:

522 /wsnt:Subscribe/wsnt:ConsumerReference

523 An endpoint reference element, as defined by WS-Addressing [WS-Addressing], used to  
524 identify the NotificationConsumer.

525 This component SHOULD provide all the necessary information to specify how the  
526 NotificationProducer should send notifications to the NotificationConsumer. However, there  
527 may be cases when the ConsumerReference EPR may not include all the details that the  
528 NotificationProducer expects.

529 The NotificationProducer should specify via WSDL, policy assertions, meta-data or by some  
530 other means, the information it expects to be present in a ConsumerReference. If a  
531 ConsumerReference does not contain sufficient information, the NotificationProducer MAY  
532 choose to fault or it MAY choose to use out of band mechanisms to obtain the required  
533 information.



534 In cases where the wsnt:UseRaw policy component is not specified, the Web service  
535 identified by the endpoint reference **SHOULD** implement the Notify message, as the  
536 **NotificationProducer will by default produce Notifications in this form.**

537 /wsnt:Subscribe/wsnt:Filter

538 The Filter component is the means by which a Subscriber expresses the subset of  
539 Notifications that the NotificationConsumer should receive. This subset is expressed by the  
540 child elements of the Filter. The child elements are a sequence of zero or more expressions  
541 evaluating to a Boolean that constrain the set of possible Notifications. Each expression is  
542 evaluated in a manner specific to that kind of expression (see below); the order and timing of  
543 the evaluation is determined by the NotificationProducer. **The NotificationProducer MUST**  
544 **NOT produce the Notification if any of the filter expressions evaluates to false.**

545 If no Filter component appears in a Subscribe message, then the Subscriber's intent is for the  
546 NotificationConsumer to receive every message produced by the NotificationProducer. The  
547 NotificationProducer MAY reject Subscribe requests that do not contain a Filter component.

548 The NotificationProducer MUST respond with an InvalidFilterFault message if any child  
549 expression element is not supported by the NotificationProducer. For example, if the  
550 NotificationProducer does not support the concept of Topics, it MUST respond with an  
551 InvalidFilterFault message if a Subscribe message contains a Filter component that includes  
552 a TopicExpression child. The fault MUST include the filter QNames for the filters it did not  
553 understand.

554 This specification defines the filters TopicExpression, ProducerProperties, and  
555 MessageContent. A NotificationProducer MAY accept these filters and/or any other filters that  
556 may be defined.

557 /wsnt:Subscribe/wsnt:Filter/wsnt:TopicExpression

558 A filter limiting notification messages to those that are associated with at least one topic  
559 matching the TopicExpression. The TopicExpression identifies one or more topics supported  
560 by the NotificationProducer.

561 /wsnt:Subscribe/wsnt:Filter/wsnt:TopicExpression/@Dialect

562 A REQUIRED attribute of type URI that identifies the language of the TopicExpression. WS-  
563 Topics defines an initial set of standard URIs for TopicExpressions. Designers MAY define  
564 and use other domain-specific URIs to identify the dialect of the TopicExpression.

565 The NotificationProducer MAY refuse to process the Subscribe request if the dialect used by  
566 the Subscriber in the TopicExpression is not one of the dialects supported by the  
567 NotificationProducer.

568 The NotificationProducer MUST respond with a TopicExpressionDialectUnknownFault if it  
569 understands the TopicExpression element, but does not understand the specified  
570 TopicExpression dialect. Note that a NotificationProducer may understand the meaning of a  
571 given dialect URI without actually supporting that dialect.

572 If the TopicExpression is incompatible with or does not comply with the rules of the dialect,  
573 the NotificationProducer MUST respond with an InvalidTopicExpressionFault.

574 If the TopicExpression dialect is understood and the expression references a topic which is  
575 not supported by the NotificationProducer, the NotificationProducer MAY return a  
576 TopicNotSupportedFault.

Deleted: optional

Deleted: MUST

Deleted: the message exchanges defined by NotificationConsumer (i.e.,

Deleted: ).

Deleted: All

Deleted: MUST

Deleted:

Deleted: true in order for the notification message to be sent.

578 This component contains a filter expression evaluated on the ResourceProperties [WS-  
579 ResourceProperties] of the NotificationProducer (if the NotificationProducer is acting as a  
580 WS-Resource [WS-Resource]). The expression MUST be a Boolean expression.

581 /wsnt:Subscribe/wsnt:Filter/wsnt:ProducerProperties/@Dialect

582 This attribute contains a URI specifying the type of ProducerProperties filter expression  
583 contained by the element. Some standard URIs are defined by the WS-ResourceProperties  
584 specification. Designers MAY define and use other domain-specific URIs to identify the  
585 dialect of the ProducerProperties filter expression.

586 The NotificationProducer MAY refuse to process the Subscribe request if the Dialect used by  
587 the Subscriber is not one of the dialects supported by the NotificationProducer.

588 /wsnt:Subscribe/wsnt:Filter/wsnt:MessageContent

589 A filter limiting notification messages to the set for which the specified expression evaluated  
590 over the Notification Message to be produced evaluates to true. A wsnt:MessageContent  
591 expression MUST evaluate to a Boolean. The evaluation context is Notification payload.

592 /wsnt:Subscribe/wsnt:Filter/wsnt:MessageContent/@Dialect

593 This attribute contains a URI specifying the type of MessageContent filter expression  
594 contained by the element. This specification identifies the XPath 1.0 dialect corresponding to  
595 version 1.0 of the XPath language [XPath]:

596 <http://www.w3.org/TR/1999/REC-xpath-19991116>

597 This URI identifies the XPath 1.0 language. The contents of the MessageContent expression  
598 MUST be a string containing a valid XPath 1.0 expression.

599 Designers MAY define and use other domain-specific URIs to identify the dialect of the  
600 MessageContent filter expression.

601 The NotificationProducer MAY refuse to process the Subscribe request if the dialect used by  
602 the Subscriber is not one of the dialects supported by the NotificationProducer.

603 /wsnt:Subscribe/wsnt:InitialTerminationTime

604 This component contains the service requestor's suggestion for the initial termination time of  
605 the Subscription being created. There are two forms of this component, absolute time and  
606 duration. If the type of this component is xsd:dateTime, the value of the component is to be  
607 interpreted as an absolute time. If the type of this component is xsd:duration, the value of the  
608 component is to be interpreted as a duration to be added to the current time. All time  
609 measurements are determined by the NotificationProducer.

610 The resulting absolute time, whether computed from a duration or given explicitly in the  
611 request message, is used to initialize the value of the TerminationTime resource property of  
612 the Subscription resource.

613 If the NotificationProducer is unable or unwilling to set the TerminationTime resource property  
614 of the Subscription resource to the requested time or a value greater, or if this requested time  
615 is not in the future, then the NotificationProducer MUST return an  
616 UnacceptableInitialTerminationTimeFault message.

617 The use of the xsi:nil attribute with value "true" indicates there is no scheduled termination  
618 time requested for the Subscription, implying that the requested Subscription has infinite  
619 duration.

620 If the element does not include the time zone designation, the value of the element MUST be  
621 interpreted as universal time (UTC) time.

622 If this component is not included, the initial value of the TerminationTime resource property is  
623 dependent on the implementation of the NotificationProducer.

624 /wsnt:Subscribe/wsnt:SubscriptionPolicy

625 This component, which can be omitted, is an open component intended to be used in an  
626 application specific way to specify policy related requirements/assertions associated with the  
627 subscribe requests. This mechanism could be used to govern the message rate (e.g.  
628 maximum 3 messages per second), reliability of the Notification delivery, etc. The semantics  
629 of how the NotificationProducer MUST or MAY react to the policy requirements and  
630 assertions appearing in this component are specific to the actual policy grammar used.

Deleted: optional

631 If this component is not specified in the Subscribe request message, then the  
632 NotificationProducer SHOULD use other means (such as directly contacting the  
633 NotificationConsumer) to resolve any policy-related inquiries.

634 /wsnt:Subscribe/wsnt:SubscriptionPolicy/wsnt:UseRaw

635 An element whose presence indicates that the NotificationProducer is to produce  
636 Notifications without using the wsnt:Notify wrapper. This element SHOULD NOT occur more  
637 than once in a Subscribe request message, as only its presence or absence is significant.

638 The presence of this element is interpreted as a request for raw Notification. If raw  
639 notification is requested, then:

- 640 • If the NotificationProducer supports this form of notification, then the NotificationProducer  
641 MUST produce the Notification message in raw form.
- 642 • If the NotificationProducer does not support this form of notification, it MUST return a  
643 UnsupportedPolicyRequestFault message containing a wsnt:UseRaw QName. The  
644 NotificationProducer MUST NOT return an UnrecognizedPolicyRequestFault in response  
645 to this element.

646 The absence of this element is interpreted as a request for notification using the wsnt:Notify  
647 wrapper. If notification using the Notify wrapper is requested, then the NotificationConsumer  
648 referred to in the wsnt:ConsumerReference element SHOULD implement the Notify message  
649 and include a Notify operation in its portType definition, and:

- 650 • If the NotificationProducer supports this form of notification, then the NotificationProducer  
651 MUST produce Notification messages using the Notify wrapper
- 652 • If the NotificationProducer does not support this form of notification, it MUST return a  
653 NotifyMessageNotSupportedFault message.

654 The response to the Subscribe request message is a message of the following form:

```
655 ...  
656 <wsnt:SubscribeResponse>  
657   <wsnt:SubscriptionReference>  
658     wsa:EndpointReferenceType  
659   </wsnt:SubscriptionReference>  
660   <wsnt:CurrentTime>xsd:dateTime</wsnt:CurrentTime> ?  
661   <wsnt:TerminationTime>xsd:dateTime</wsnt:TerminationTime> ?  
662   {any}*  
663 </wsnt:SubscribeResponse>
```

664

...

665 The WS-Addressing [action] Message Addressing Property MUST contain the URI

666 <http://docs.oasis-open.org/wsn/bw-2/NotificationProducer/SubscribeResponse>.

667 The contents of the SubscribeResponse message are further described as follows:

668 /wsnt:SubscribeResponse/wsnt:SubscriptionReference

669 A reference to the Subscription created as a result of the Subscribe message.

670 /wsnt:SubscribeResponse/wsnt:CurrentTime

671 This OPTIONAL component SHOULD be returned if the SubscriptionManager uses  
672 scheduled termination from WS-ResourceLifetime. The value of this component is the value  
673 of the CurrentTime resource property of the Subscription at the time the response message is  
674 created.

675 /wsnt:SubscribeResponse/wsnt:TerminationTime

676 This OPTIONAL component SHOULD be returned if the SubscriptionManager uses  
677 scheduled termination from [WS-ResourceLifetime]. The value of this component is the value  
678 of the TerminationTime resource property of the Subscription at the time the response  
679 message is created.

680 If the NotificationProducer does not respond to the Subscribe request message with the  
681 SubscribeResponse message, then it MUST send a fault. This specification defines the following  
682 faults associated with failure to process the Subscribe request message:

683

684 ResourceUnknownFault

685 • The NotificationProducer is a WS-Resource, and the resource identified in the message  
686 is not known to the Web service. This fault is specified by the WS-Resource [WS-  
687 Resource] specification.

688 InvalidFilterFault

689 • The Subscribe message contained a filter that was not understood or supported by the  
690 NotificationProducer.

691 TopicExpressionDialectUnknownFault

692 • The Subscribe message contained a TopicExpression filter having a dialect that was not  
693 understood or supported by the NotificationProducer.

694 InvalidTopicExpressionFault

695 • The Subscribe message contained a TopicExpression filter where the contents of the  
696 filter did not match the dialect specified.

697 TopicNotSupportedFault

698 • The Subscribe message contained a TopicExpression filter that referenced a topic that  
699 was not supported by the NotificationProducer.

700 InvalidProducerPropertiesExpressionFault

701 • The Subscribe message contained a ProducerProperties filter that did not represent a  
702 valid boolean expression.

703 InvalidMessageContentExpressionFault

- 704       • The Subscribe message contained a MessageContent filter that did not represent a valid  
705 boolean expression.
- 706 UnrecognizedPolicyRequestFault
- 707       • The NotificationProducer does not recognize one or more policy requests carried in the  
708 SubscriptionPolicy element. This fault SHOULD contain elements representing the  
709 offending policy requests.
- 710 UnsupportedPolicyRequestFault
- 711       • The NotificationProducer recognizes, but does not support one or more policy requests  
712 carried in the SubscriptionPolicy element. This fault SHOULD contain elements  
713 representing the offending policy requests.
- 714 NotifyMessageNotSupportedFault
- 715       • The NotificationProducer does not support the wsnt:Notify wrapper and was not able to  
716 determine an alternative.
- 717 UnacceptableInitialTerminationTimeFault
- 718       • The value of InitialTerminationTime specified in the Subscribe message was not  
719 acceptable to the NotificationProducer. The NotificationProducer MAY include a hint in  
720 the fault message indicating acceptable values for InitialTerminationTime.
- 721 SubscribeCreationFailedFault
- 722       • The NotificationProducer failed to process the Subscribe message. The  
723 NotificationProducer SHOULD use a more specific fault message if possible. The  
724 NotificationProducer MAY include a hint in the fault message indicating why it failed to  
725 process the Subscribe message.

#### 726 **4.2.1 Example SOAP Encoding of the Subscribe Message Exchange**

727 The following is a non-normative example of a Subscribe request message using SOAP:

```

728 <s:Envelope ... >
729   <s:Header>
730     <wsa:Action>
731       http://docs.oasis-open.org/wsn/bw-
732 2/NotificationProducer/SubscribeRequest
733     </wsa:Action>
734     ...
735   </s:Header>
736   <s:Body>
737     <wsnt:Subscribe>
738       <wsnt:ConsumerReference>
739         <wsa:Address>
740           http://www.example.org/NotificationConsumer
741         </wsa:Address>
742       </wsnt:ConsumerReference>
743       <wsnt:Filter>
744         <wsnt:TopicExpression Dialect=
745 "http://docs.oasis-open.org/wsn/t-1/TopicExpression/Simple">
746           npex:SomeTopic
747         </wsnt:TopicExpression>
748       <wsnt:MessageContent
749         Dialect="http://www.w3.org/TR/1999/REC-xpath-19991116">
750         boolean(ncex:Producer="15")

```

```
751     </wsnt:MessageContent>
752   </wsnt:Filter>
753   <wsnt:InitialTerminationTime>
754     2005-12-25T00:00:00.000000Z
755   </wsnt:InitialTerminationTime>
756   </wsnt:Subscribe>
757 </s:Body>
758 </s:Envelope>
```

759

760 The following is a non-normative example of a Subscribe response message using SOAP:

```
761 <s:Envelope ... >
762   <s:Header>
763     <wsa:Action>
764       http://docs.oasis-open.org/wsn/bw-
765 2/NotificationProducer/SubscribeResponse
766     </wsa:Action>
767     ...
768   </s:Header>
769   <s:Body>
770     <wsnt:SubscribeResponse>
771       <wsnt:SubscriptionReference>
772         <wsa:Address>
773           http://www.example.org/SubscriptionManager
774         </wsa:Address>
775       </wsnt:SubscriptionReference>
776     </wsnt:SubscribeResponse>
777   </s:Body>
778 </s:Envelope>
```

### 779 4.3 GetCurrentMessage

780 In response to a GetCurrentMessage message, the NotificationProducer MAY return the last  
781 Notification published to a given Topic. This is a non-destructive read, allowing a newly-  
782 subscribed NotificationConsumer to get the last Notification that other NotificationConsumers  
783 have received.

784 In certain circumstances, a NotificationProducer MAY choose to not cache the last Notification to  
785 one or more Topics it supports. In such cases, the NotificationProducer MUST respond with a  
786 fault message indicating that no current message is available on that Topic. The  
787 NotificationProducer MAY choose to communicate its caching policy by some means not  
788 specified in this document, such as using a policy assertion.

789 The format of the GetCurrentMessage request message is:

```
790 ...
791 <wsnt:GetCurrentMessage>
792   <wsnt:Topic Dialect="xsd:anyURI" >
793     {any} ?
794   </wsnt:Topic>
795   {any} *
796 </wsnt:GetCurrentMessage>
797 ...
```

798 The WS-Addressing [action] Message Addressing Property MUST contain the URI

799 <http://docs.oasis-open.org/wsn/bw-2/NotificationProducer/GetCurrentMessageRequest>.  
800 The components of the GetCurrentMessage request message are further described as follows:  
801 /wsnt:GetCurrentMessage/wsnt:Topic

802 A TopicExpression that identifies exactly one Topic.

803 If the NotificationProducer successfully processes the GetCurrentMessage request, it MUST  
804 respond with a GetCurrentMessageResponse message. This response has the following form:

```
805 ...  
806 <wsnt:GetCurrentMessageResponse>  
807   {any}  
808 </wsnt:GetCurrentMessageResponse>  
809 ...
```

Deleted: \*

810 The WS-Addressing [action] Message Addressing Property MUST contain the URI

811 <http://docs.oasis-open.org/wsn/bw-2/NotificationProducer/GetCurrentMessageResponse>.

812 The contents of the GetCurrentMessage response message are further described as follows:

813 /wsnt:GetCurrentMessageResponse/{any}

814 Contains the last Notification associated with the Topic identified by the request message.

815 If the NotificationProducer does not respond to the GetCurrentMessage request message with  
816 the GetCurrentMessageResponse message, then it MUST send a fault. This specification defines  
817 the following faults associated with failure to process the GetCurrentMessage request message:

818 ResourceUnknownFault

- 819 • The NotificationProducer is acting as a WS-Resource, and the resource identified in the  
820 message is not known to the Web service. This fault is specified by the WS-Resource  
821 [WS-Resource] specification.

822 TopicExpressionDialectUnknownFault

- 823 • The Topic element of the GetCurrentMessage message had a dialect that was not  
824 understood or supported by the NotificationProducer.

825 InvalidTopicExpressionFault

- 826 • The Topic element of the GetCurrentMessage message had contents that did not match  
827 the dialect specified.

828 TopicNotSupportedFault

- 829 • The Topic element of the GetCurrentMessage message referenced a topic that was not  
830 supported by the NotificationProducer.

831 MultipleTopicsSpecifiedFault

- 832 • The GetCurrentMessage message referenced more than one topic.

833 NoCurrentMessageOnTopicFault

- 834 • The topic referenced in the GetCurrentMessage message does not have any pending  
835 messages.

836 **4.3.1 Example SOAP Encoding of the GetCurrentMessage Message**  
837 **Exchange**

838 The following is a non-normative example of a GetCurrentMessage request message using  
839 SOAP:

```
840 <s:Envelope ... >  
841   <s:Header>  
842     <wsa:Action>  
843       http://docs.oasis-open.org/wsn/bw-  
844 2/NotificationProducer/GetCurrentMessageRequest  
845     </wsa:Action>  
846     ...  
847   </s:Header>  
848   <s:Body>  
849     <wsnt:GetCurrentMessage>  
850       <wsnt:Topic Dialect=  
851         "http://docs.oasis-open.org/wsn/t-1/TopicExpression/Simple">  
852         npex:SomeTopic  
853       </wsnt:Topic>  
854     </wsnt:GetCurrentMessage>  
855   </s:Body>  
856 </s:Envelope>
```

857 The following is a non-normative example of a GetCurrentMessage response message using  
858 SOAP:

```
859 <s:Envelope ... >  
860   <s:Header>  
861     <wsa:Action>  
862       http://docs.oasis-open.org/wsn/bw-  
863 2/NotificationProducer/GetCurrentMessageResponse  
864     </wsa:Action>  
865     ...  
866   </s:Header>  
867   <s:Body>  
868     <wsnt:GetCurrentMessageResponse>  
869       <npex:NotifyContent>exampleNotifyContent</npex:NotifyContent>  
870     </wsnt:GetCurrentMessageResponse>  
871   </s:Body>  
872 </s:Envelope>
```



873

## 5 Pull-Style Notification

874 There are certain circumstances in which the basic “push-style” of NotificationMessage delivery is  
875 not appropriate. For example, certain NotificationConsumers are behind a firewall such that the  
876 NotificationProducer cannot initiate a message exchange to send the Notification. A similar  
877 circumstance exists for NotificationConsumers that are unable or unwilling to provide an endpoint  
878 to which the NotificationProducer can send Notification Messages. In other situations, the  
879 NotificationConsumer prefers to control the timing of receipt of Notification Messages, instead of  
880 receiving Notification Messages at unpredictable intervals, it may prefer to “pull” retrieve the  
881 Notification Messages at a time of its own choosing.

Deleted: “

Deleted: ”

882 For these and other reasons, WS-BaseNotification defines a pair of portTypes: a PullPoint  
883 interface, defining an endpoint that accumulates Notification Messages and allows a requestor to  
884 retrieve accumulated Notification Messages and a CreatePullPoint interface that acts as a factory  
885 for PullPoint resources. The intended pattern of use is that a Subscriber or other party creates a  
886 PullPoint through the factory interface, and then uses it as the ConsumerReference in one or  
887 more Subscribe requests. The actual consumer then pulls Notifications from the PullPoint.

### 5.1 PullPoint Interface

888  
889 In support of the “pull-style” of Notification Message delivery, this specification describes a  
890 PullPoint resource by defining a PullPoint interface. The PullPoint interface provides the means  
891 by which NotificationProducers can insert Notification Messages into the PullPoint, by which  
892 requestors can retrieve messages from the PullPoint and the means by which requestors can  
893 destroy the PullPoint.

894 A PullPoint MAY be a WS-Resource, and if it is, the PullPoint WS-Resource MUST support the  
895 immediate termination interface defined by WS-ResourceLifetime and it MAY support the  
896 scheduled termination interface defined by WS-ResourceLifetime. If the PullPoint supports the  
897 scheduled termination interface, the initial termination time is set by the factory that creates it.  
898 This termination time may be queried and set via the standard WS-ResourceLifetime message  
899 exchanges. PullPoints SHOULD NOT be destroyed if subscriptions involving them still exist.

Deleted: RF

Deleted:

Deleted: RF

Deleted:

900

#### 5.1.1 Accumulating Notification Messages

901  
902 The PullPoint interface supports the NotificationConsumer interface (as defined in section 3). This  
903 interface allows NotificationProducers to send Notification Messages to the PullPoint using using  
904 the Notify message format. Notification Messages received by the PullPoint through its  
905 NotificationConsumer interface are accumulated by the PullPoint on a best effort basis. If the  
906 PullPoint is no longer capable of accumulating additional Notification Messages, it MAY ignore  
907 Notification Messages sent to its NotificationConsumer interface, or it MAY dispose of any  
908 previously accumulated Notification Messages and continue to accumulate incoming Notification  
909 Messages. The PullPoint interface does not define additional constraints on its use of the  
910 NotificationConsumer interface.

## 911 5.1.2 GetMessages

912 The PullPoint interface provides a message exchange to allow requestors to retrieve (or pull)  
913 Notification Messages from the PullPoint.

914 If a requestor wishes to retrieve Notification Messages accumulated by the PullPoint, it sends a  
915 GetMessages request to the PullPoint endpoint. The format of the GetMessages request  
916 message is:

```
917 <wsnt:GetMessages>  
918   <wsnt:MaximumNumber>xsd:nonNegativeInteger</wsnt:MaximumNumber> ?  
919   {any} *  
920 </wsnt:GetMessages>
```

923 The WS-Addressing [action] Message Addressing Property MUST contain the URI

924 <http://docs.oasis-open.org/wsn/bw-2/PullPoint/GetMessagesRequest>.

925 The components of the GetMessages request message are further described as follows:

926 /wsnt:GetMessages

927 This component requests that messages held by the PullPoint be returned. A response is  
928 generated without waiting for messages to be accumulated by the PullPoint.

929 /wsnt:GetMessages/wsnt:MaximumNumber

930 This non-negative integer, which can be omitted, indicates the maximum number of  
931 accumulated Notification Messages to be returned in the response message. If the total  
932 number of Notification Messages accumulated by the PullPoint is less than or equal to  
933 this number, all of the Notification Messages are returned in the response message. If the  
934 total number of accumulated Notification Messages exceeds this value, the PullPoint  
935 MUST return exactly this number of accumulated Notification Messages; the  
936 implementation of the PullPoint is free to determine which subset of messages are  
937 returned in the response message in this case. If the MaximumNumber component is not  
938 present in the request message, the requestor is asking to receive all messages held by  
939 the PullPoint.

Deleted: optional

940 The response of the GetMessages request message is a message of the following form:

```
941 <wsnt:GetMessagesResponse>  
942   <wsnt:NotificationMessage /> *  
943   {any} *  
944 </wsnt:GetMessagesResponse>
```

947 The WS-Addressing [action] Message Addressing Property MUST contain the URI

948 <http://docs.oasis-open.org/wsn/bw-2/PullPoint/GetMessagesResponse>.

949 The contents of the GetMessages response message are further described as follows:

950 /wsnt:GetMessagesResponse

951 This component contains zero or more accumulated Notification Messages. The number  
952 of messages appearing is limited by the wsnt:MaximumNumber component of the  
953 GetMessages request message. Each accumulated Notification Message appearing in a

954 | GetMessagesResponse is “removed” from the PullPoint and MUST NOT appear in the  
955 | response message of subsequent GetMessages requests.

Deleted: not

956 | /wsnt:GetMessagesResponse/wsnt:NotificationMessage

957 | The content of this component is an accumulated NotificationMessage. The  
958 | NotificationMessage component is described as part of the Notify message (section 3.2)  
959 | the GetMessagesResponse message does not define additional constraints on the  
960 | NotificationMessage component. The content of the NotificationMessage is exactly the  
961 | content of the NotificationMessage component of the accumulated Notify message.

962 | If the PullPoint does not respond to the GetMessages request message with the  
963 | GetMessagesResponse message, then it MUST send a fault. This specification defines the  
964 | following faults associated with failure to process the GetMessages request message:

965 | ResourceUnknownFault

966 | • The PullPoint is acting as a WS-Resource, and the resource identified in the request  
967 | message is not known to the Web service. This fault is specified by the WS-Resource  
968 | [WS-Resource] specification.

Deleted: The resource identified in the message is not known to the Web service

969 | UnableToGetMessagesFault

970 | • The PullPoint was unable to return messages for some reason

Formatted: Bullets and Numbering

### 971 | 5.1.3 Example SOAP Encoding of the GetMessages Message 972 | Exchange

973 | The following is a non-normative example of a GetMessages request message using SOAP:

```
974 | <s:Envelope ... >  
975 |   <s:Header>  
976 |     <wsa:Action>  
977 |       http://docs.oasis-open.org/wsn/bw-2/PullPoint/GetMessagesRequest  
978 |     </wsa:Action>  
979 |     ...  
980 |   </s:Header>  
981 |   <s:Body>  
982 |     <wsnt:GetMessages>  
983 |       <wsnt:MaximumNumber>10</wsnt:MaximumNumber>  
984 |     </wsnt:GetMessages>  
985 |   </s:Body>  
986 | </s:Envelope>
```

987 | The following is a non-normative example of a GetMessages response message using SOAP:

```
988 | <s:Envelope ... >  
989 |   <s:Header>  
990 |     <wsa:Action>  
991 |       http://docs.oasis-open.org/wsn/bw-2/PullPoint/GetMessagesResponse  
992 |     </wsa:Action>  
993 |     ...  
994 |   </s:Header>  
995 |   <s:Body>  
996 |     <wsnt:GetMessagesResponse>  
997 |       <wsnt:NotificationMessage>  
998 |         ...  
999 |     </wsnt:NotificationMessage>
```

1000  
1001  
1002  
1003  
1004  
1005

```
<wsnt:NotificationMessage>
  ...
</wsnt:NotificationMessage>
</wsnt:GetMessagesResponse>
</s:Body>
</s:Envelope>
```

### 1006 5.1.4 DestroyPullPoint

1007 The PullPoint interface provides a destroy operation, providing a means by which a requestor can  
1008 terminate the PullPoint resource. The DestroyPullPoint request message has the following form:

**Deleted:** To terminate a PullPoint resource, a requestor MUST send a DestroyPullPoint request message to the PullPoint.

1009  
1010  
1011  
1012  
1013

```
<wsnt:DestroyPullPoint>
  {any} *
</wsnt:DestroyPullPoint>
```

1014 The WS-Addressing [action] Message Addressing Property MUST contain the URI

1015 <http://docs.oasis-open.org/wsn/bw-2/PullPoint/DestroyPullPointRequest>.

1016 Upon receipt of the DestroyPullPoint request, the PullPoint MUST attempt to destroy itself. If the  
1017 DestroyPullPoint request message is successfully processed, the PullPoint MUST respond with  
1018 the following message:

1019  
1020  
1021  
1022  
1023

```
<wsnt:DestroyPullPointResponse>
  {any} *
</wsnt:DestroyPullPointResponse>
```

1024 The WS-Addressing [action] Message Addressing Property MUST contain the URI

1025 <http://docs.oasis-open.org/wsn/bw-2/PullPoint/DestroyPullPointResponse>.

1026 If the PullPoint does not respond to the DestroyPullPoint request message with the  
1027 DestroyPullPointResponse message, then it MUST send a fault. This specification defines the  
1028 following faults associated with failure to process the DestroyPullPoint request message:

#### 1029 ResourceUnknownFault

- 1030 • The PullPoint is acting as a WS-Resource, and the resource identified in the request  
1031 message is not known to the Web service. This fault is specified by the WS-Resource  
1032 [WS-Resource] specification.

**Deleted:** .

1033

1034 UnableToDestroyPullPointFault.

- 1035 • The PullPoint was unable to destroy the PullPoint resource for some reason.

**Deleted:** .

### 1036 5.1.5 Example SOAP Encoding of the DestroyPullPoint Message 1037 Exchange

1038 The following is a non-normative example of a DestroyPullPoint request message using SOAP:

1039  
1040

```
<s:Envelope ... >
  <s:Header>
```

```
1041     <wsa:Action>
1042         http://docs.oasis-open.org/wsn/bw-
1043 2/PullPoint/DestroyPullPointRequest
1044     </wsa:Action>
1045     ...
1046 </s:Header>
1047 <s:Body>
1048     <wsnt:DestroyPullPoint/>
1049 </s:Body>
1050 </s:Envelope>
```

1051 The following is a non-normative example of a DestroyPullPoint response message using SOAP:

```
1052 <s:Envelope ... >
1053   <s:Header>
1054     <wsa:Action>
1055       http://docs.oasis-open.org/wsn/bw-
1056 2/PullPoint/DestroyPullPointResponse
1057     </wsa:Action>
1058     ...
1059   </s:Header>
1060   <s:Body>
1061     <wsnt:DestroyPullPointResponse/>
1062   </s:Body>
1063 </s:Envelope>
```

## 1064 5.2 Create PullPoint Interface

1065 This specification describes a CreatePullPoint interface standardizing the means by which a  
1066 PullPoint resource is created.

1067 If a requestor wishes to create a new PullPoint resource, it MUST send a CreatePullPoint request  
1068 to an endpoint supporting the PullPoint interface. The CreatePullPoint request message has the  
1069 following form:

```
1070 <wsnt:CreatePullPoint>
1071   {any} *
1072 </wsnt:CreatePullPoint>
```

1075 The WS-Addressing [action] Message Addressing Property MUST contain the URI

1076 <http://docs.oasis-open.org/wsn/bw-2/CreatePullPoint/CreatePullPointRequest>

1077 Upon receipt of the CreatePullPoint request, the receiver MUST attempt to create a new PullPoint  
1078 resource. If the CreatePullPoint request message is successfully processed, the receiver MUST  
1079 respond with the following message:

```
1080 <wsnt:CreatePullPointResponse>
1081   <wsnt:PullPoint>wsa:EndpointReferenceType</wsnt:PullPoint>
1082   {any} *
1083 </wsnt:CreatePullPointResponse>
```

1086 The WS-Addressing [action] Message Addressing Property MUST contain the URI

1087 <http://docs.oasis-open.org/wsn/bw-2/CreatePullPoint/CreatePullPointResponse>.

1088 The contents of the CreatePullPoint response message are further described as follows:

1089 /wsnt:CreatePullPointResponse/wsnt:PullPoint

1090 This component is an EndpointReference, as defined by WS-Addressing, that is a  
1091 reference to the PullPoint resource created during the processing of the CreatePullPoint  
1092 request message.

1093 A PullPoint created by the CreatePullPoint operation MAY choose to ignore Notifications received  
1094 through the NotificationConsumer interface. A Pull Point MAY accumulate Notifications through  
1095 other, implementation-defined mechanisms. Pull point factories SHOULD indicate through policy  
1096 assertions whether pull points they create will ignore Notifications received through the  
1097 NotificationConsumer interface.

1098 If the receiver does not respond to the CreatePullPoint request message with the  
1099 CreatePullPointResponse message, then it MUST send a fault. This specification defines the  
1100 following fault associated with failure to process the DestroyPullPoint request message:

- 1101 • UnableToCreatePullPointFault.

1102

### 1103 **5.2.1 Example SOAP Encoding of the CreatePullPoint Message** 1104 **Exchange**

1105 The following is a non-normative example of a CreatePullPoint request message using SOAP:

```
1106 <s:Envelope ... >  
1107   <s:Header>  
1108     <wsa:Action>  
1109       http://docs.oasis-open.org/wsn/bw-2/PullPoint/CreatePullPointRequest  
1110     </wsa:Action>  
1111     ...  
1112   </s:Header>  
1113   <s:Body>  
1114     <wsnt:CreatePullPoint/>  
1115   </s:Body>  
1116 </s:Envelope>
```

1117 The following is a non-normative example of a CreatePullPoint response message using SOAP:

```
1118 <s:Envelope ... >  
1119   <s:Header>  
1120     <wsa:Action>  
1121       http://docs.oasis-open.org/wsn/bw-2/PullPoint/CreatePullPointResponse  
1122     </wsa:Action>  
1123     ...  
1124   </s:Header>  
1125   <s:Body>  
1126     <wsnt:CreatePullPointResponse>  
1127       <wsnt:PullPoint>  
1128         <wsa:Address>...</wsa:Address>  
1129         ...  
1130       </wsnt:PullPoint>  
1131     </wsnt:CreatePullPointResponse>  
1132   </s:Body>  
1133 </s:Envelope>
```

---

## 6 SubscriptionManager Interface

1134

1135 The SubscriptionManager interface defines message exchanges to manipulate Subscription  
1136 resources. There are two styles of SubscriptionManager interface: base and pausable. All  
1137 SubscriptionManagers MUST implement the message exchanges described in the Base  
1138 Subscription Manager section.

1139 For those environments that choose to implement a Subscription as a WS-Resource, the  
1140 SubscriptionManager MUST implement the resource properties and message exchanges defined  
1141 in [Section 6.4 \(Subscriptions as WS-Resources\)](#). Both the Base Subscription Manager and the  
1142 Pausable Subscription Manager MAY expose Subscriptions as WS-Resources.

Deleted: section

### 6.1 Base Subscription Manager

1143

1144 The basic behavior of a SubscriptionManager is to renew the duration of a Subscription resource  
1145 and terminate a Subscription.

#### 6.1.1 Renew

1146

1147 To modify the current lifetime of a Subscription, a requestor sends a Renew request message to  
1148 the SubscriptionManager. The Renew request message MUST have the following form:

1149

```
1150 <wsnt:Renew>  
1151   <wsnt:TerminationTime>  
1152     [xsd:dateTime | xsd:duration]  
1153   </wsnt:TerminationTime>  
1154   {any} *  
1155 </wsnt:Renew>  
1156 ...
```

1157 The WS-Addressing [action] Message Addressing Property MUST contain the URI

1158 <http://docs.oasis-open.org/wsn/bw-2/SubscriptionManager/RenewRequest>.

1159 The components of the Renew request message are further described as follows:

1160 /wsnt:Renew/wsnt:TerminationTime

1161 This component contains the service requestor's suggestion for change in expiration, or  
1162 termination time of the Subscription resource. There are two forms of this component,  
1163 absolute time and duration. If the type of this component is xsd:dateTime, the value of the  
1164 component is to be interpreted as an "absolute time". If the type of this component is  
1165 xsd:duration, the value of the component is to be interpreted as a "duration".

1166 The duration form is used to "compute" the "absolute time" form in the following fashion. The  
1167 value of this component in "absolute time" form is computed by adding the xsd:duration value  
1168 to the current time value of the SubscriptionManager.

1169 The "absolute time" form (whether computed from a duration, or contained within the request  
1170 message) is used to reset the value of the expiration or termination time component of the  
1171 Subscription resource.

1172 If the SubscriptionManager is unable or unwilling to reset the termination time component of  
1173 the Subscription resource to the given value of the “absolute time” form or a value greater,  
1174 then the Renew request MUST fault. If the value is not “in the future” relative to the current  
1175 time as known by the SubscriptionManager, the Renew request MUST fault.

1176 The use of the xsi:nil attribute with value “true” indicates there is no scheduled termination  
1177 time requested for the Subscription, implying that the Subscription should be renewed to  
1178 have an infinite duration. If the element does not include the time zone designation, the value  
1179 of the element MUST be interpreted as universal time (UTC) time.

1180 If the SubscriptionManager successfully processes the Renew request message, it MUST  
1181 respond with a RenewResponse message. This response has the following form:

```
1182 ...  
1183 <wsnt:RenewResponse>  
1184   <wsnt:TerminationTime>xsd:dateTime</wsnt:TerminationTime>  
1185   <wsnt:CurrentTime>xsd:dateTime</wsnt:CurrentTime?>  
1186   {any} *  
1187 </wsnt:RenewResponse>  
1188 ...
```

1189 The WS-Addressing [action] Message Addressing Property MUST contain the URI  
1190 <http://docs.oasis-open.org/wsn/bw-2/SubscriptionManager/RenewResponse>.

1191 The contents of the RenewResponse message are further described as follows:

1192 /wsnt:RenewResponse/wsnt:TerminationTime

1193 The value of this component is the value of the termination time component of the  
1194 Subscription at the time the response message is created.

1195 /wsnt:RenewResponse/wsnt:CurrentTime

1196 This OPTIONAL component contains the value of the CurrentTime according to the  
1197 SubscriptionManager at the time the response message is created.

1198 If the SubscriptionManager does not respond to the Renew request message with the  
1199 RenewResponse message, then it MUST send a fault. This specification defines the following  
1200 faults associated with failure to process the Renew request message:

1201 ResourceUnknownFault

- 1202 • The SubscriptionManager is acting as a WS-Resource, and the resource identified in the  
1203 message is not known to the Web service. This fault is specified by the WS-Resource  
1204 [WS-Resource] specification.

1205 UnacceptableTerminationTimeFault

- 1206 • The value of TerminationTime specified in the Renew message was not acceptable to the  
1207 NotificationProducer. The NotificationProducer MAY include a hint in the fault message  
1208 indicating acceptable values for InitialTerminationTime.

Deleted: Initial  
Deleted: Subscribe

### 1209 6.1.1.1 Example SOAP Encoding of the Renew Message Exchange

1210 The following is a non-normative example of a Renew request message using SOAP:

```
1211 <s:Envelope ... >  
1212   <s:Header>  
1213     <wsa:Action>
```



```

1214 http://docs.oasis-open.org/wsn/bw-2/SubscriptionManager/RenewRequest
1215 </wsa:Action>
1216 ...
1217 </s:Header>
1218 <s:Body>
1219 <wsnt:Renew>
1220 <wsnt:TerminationTime>PlD</wsnt:TerminationTime>
1221 </wsnt:Renew>
1222 </s:Body>
1223 </s:Envelope>

```

1224 The following is a non-normative example of a Renew response message using SOAP:

```

1225 <s:Envelope ... >
1226 <s:Header>
1227 <wsa:Action>
1228 http://docs.oasis-open.org/wsn/bw-2/SubscriptionManager/RenewResponse
1229 </wsa:Action>
1230 ...
1231 </s:Header>
1232 <s:Body>
1233 <wsnt:RenewResponse>
1234 <wsnt:TerminationTime>
1235 2005-12-26T00:00:00.000000Z
1236 </wsnt:TerminationTime>
1237 </wsnt:RenewResponse>
1238 </s:Body>
1239 </s:Envelope>

```

## 1240 6.1.2 Unsubscribe

1241 To terminate a Subscription, a requestor sends an Unsubscribe request message to the  
1242 SubscriptionManager. The Unsubscribe request message MUST have the following form:

```

1243 ...
1244 <wsnt:Unsubscribe>
1245 {any} *
1246 </wsnt:Unsubscribe>
1247 ...

```

1248 The WS-Addressing [action] Message Addressing Property MUST contain the URI

1249 <http://docs.oasis-open.org/wsn/bw-2/SubscriptionManager/UnsubscribeRequest>.

1250 Upon receipt of the Unsubscribe request, the SubscriptionManager MUST attempt to destroy the  
1251 Subscription resource. If the SubscriptionManager successfully processes the Unsubscribe  
1252 request message, it MUST respond with the following message:

```

1253 ...
1254 <wsnt:UnsubscribeResponse>
1255 {any} *
1256 </wsnt:UnsubscribeResponse>
1257 ...

```

1258 The WS-Addressing [action] Message Addressing Property MUST contain the URI

1259 <http://docs.oasis-open.org/wsn/bw-2/SubscriptionManager/UnsubscribeResponse>.

- 1260 If the SubscriptionManager does not respond to the Unsubscribe request message with the  
1261 UnsubscribeResponse message, then it MUST send a fault. This specification defines the  
1262 following faults associated with failure to process the Unsubscribe request message:
- 1263 ResourceUnknownFault
- 1264 • The SubscriptionManager is acting as a WS-Resource, and the resource identified in the  
1265 message is not known to the Web service. This fault is specified by the WS-Resource  
1266 [WS-Resource] specification.
- 1267 UnableToDestroySubscriptionFault
- 1268 • The SubscriptionManager was unable to destroy the Subscription resource for some  
1269 reason.

### 1270 **6.1.2.1 Example SOAP Encoding of the Unsubscribe Message**

#### 1271 **Exchange**

1272 The following is a non-normative example of an Unsubscribe request message using SOAP:

```
1273 <s:Envelope ... >  
1274 <s:Header>  
1275 <wsa:Action>  
1276 http://docs.oasis-open.org/wsn/bw-  
1277 2/SubscriptionManager/UnsubscribeRequest  
1278 </wsa:Action>  
1279 ...  
1280 </s:Header>  
1281 <s:Body>  
1282 <wsnt:Unsubscribe />  
1283 </s:Body>  
1284 </s:Envelope>
```

1285 The following is a non-normative example of an Unsubscribe response message using SOAP:

```
1286 <s:Envelope ... >  
1287 <s:Header>  
1288 <wsa:Action>  
1289 http://docs.oasis-open.org/wsn/bw-  
1290 2/SubscriptionManager/UnsubscribeResponse  
1291 </wsa:Action>  
1292 ...  
1293 </s:Header>  
1294 <s:Body>  
1295 <wsnt:UnsubscribeResponse />  
1296 </s:Body>  
1297 </s:Envelope>
```

## 1298 **6.2 Pausable Subscription Manager**

1299 A Pausable Subscription Manager implements all the message exchanges defined in the Base  
1300 Subscription Manager and augments this with a set of advanced capabilities to allow third parties  
1301 to pause and resume subscriptions.

## 1302 6.2.1 PauseSubscription

1303 To temporarily suspend the production of Notifications on the given Subscription, a requestor  
1304 MAY send a PauseSubscription request message to the SubscriptionManager. The  
1305 PauseSubscription request message has the following form:

```
1306 ...  
1307 <wsnt:PauseSubscription>{any}*</wsnt:PauseSubscription>  
1308 ...
```

1309 The WS-Addressing [action] Message Addressing Property MUST contain the URI

1310 <http://docs.oasis-open.org/wsn/bw-2/SubscriptionManager/PauseSubscriptionRequest>.

1311 Upon successful processing of this message the Subscription is in the *paused* state. Production  
1312 of Notifications can be resumed by sending the ResumeSubscription request message (see 6.3).

1313 In an asynchronous implementation, a NotificationProducer may continue producing notifications  
1314 while the PauseSubscription request is in transit. In general, there is no way of knowing exactly  
1315 when the pause will take effect.

1316 Note: transitioning between the paused state and the resumed state has no effect on the  
1317 TerminationTime of the Subscription resource. A Subscription's TerminationTime may elapse  
1318 while it is in a paused state, initiating the scheduled destruction of the Subscription resource.

1319 When a Subscription is resumed after having been paused, the NotificationProducer MAY choose  
1320 from one of the courses of action listed below, or any other action. NotificationProducers MAY  
1321 advertise their behavior in this situation via policy assertions. In the absence of a specific policy  
1322 assertion, Subscribers SHOULD NOT assume any particular behavior on the part of the  
1323 NotificationProducer. Possible actions include

- 1324 1. Produce Notifications for all the Situations related to the Subscription that occurred while  
1325 the Subscription was paused (as well as for any new Situations that occur after the  
1326 Subscription has been resumed).
- 1327 2. Produce a Notification for the last Situation that occurred while the Subscription was  
1328 paused (as well as for any new situations that occur after the topic has been resumed).
- 1329 3. Produce no Notifications until a Situation occurs after the Subscription has been  
1330 resumed.

1331 If the SubscriptionManager accepts the PauseSubscription request message, it MUST respond  
1332 with a message of the following form:

```
1333 ...  
1334 <wsnt:PauseSubscriptionResponse>{any}*</wsnt:PauseSubscriptionResponse>  
1335 ...
```

1336 The WS-Addressing [action] Message Addressing Property MUST contain the URI

1337 <http://docs.oasis-open.org/wsn/bw-2/SubscriptionManager/PauseSubscriptionResponse>.

1338 If the SubscriptionManager does not respond to the PauseSubscription request message with the  
1339 PauseSubscription response message, then it MUST send a fault. This specification defines the  
1340 following faults associated with failure to process the PauseSubscription request message:

1341 ResourceUnknownFault

- 1342 • The resource identified in the message is not known to the Web service. This fault is  
1343 specified by the WS-Resource [WS-Resource] specification.

1344 PauseFailedFault

1345 • The Pause operation could not be performed on the Subscription.

## 1346 6.2.2 Example SOAP Encoding of the PauseSubscription Message 1347 Exchange

1348 The following is a non-normative example of a PauseSubscription request message using SOAP:

```
1349 <s:Envelope ... >  
1350   <s:Header>  
1351     <wsa:Action>  
1352       http://docs.oasis-open.org/wsn/bw-  
1353 2/SubscriptionManager/PauseSubscriptionRequest  
1354     </wsa:Action>  
1355     ...  
1356   </s:Header>  
1357   <s:Body>  
1358     <wsnt:PauseSubscription/>  
1359   </s:Body>  
1360 </s:Envelope>
```

1361 The following is a non-normative example of a PauseSubscription response message using  
1362 SOAP:

```
1363 <s:Envelope ... >  
1364   <s:Header>  
1365     <wsa:Action>  
1366       http://docs.oasis-open.org/wsn/bw-  
1367 2/SubscriptionManager/PauseSubscriptionResponse  
1368     </wsa:Action>  
1369     ...  
1370   </s:Header>  
1371   <s:Body>  
1372     <wsnt:PauseSubscriptionResponse/>  
1373   </s:Body>  
1374 </s:Envelope>
```

## 1375 6.3 ResumeSubscription

1376 If a requestor wishes to resume the production of Notifications on the given Subscription, it must  
1377 send a ResumeSubscription request message. The ResumeSubscription request message has  
1378 the following form:

```
1379 ...  
1380 <wsnt:ResumeSubscription>  
1381   {any} *  
1382 </wsnt:ResumeSubscription>  
1383 ...
```

1384 The WS-Addressing [action] Message Addressing Property MUST contain the URI

1385 <http://docs.oasis-open.org/wsn/bw-2/SubscriptionManager/ResumeSubscriptionRequest>.

1386 Upon successful processing of this message the Subscription is no longer in the *paused* state.

1387 If a Subscription is not in the *paused* state, and it is the subject of a ResumeSubscription request  
1388 message, no change occurs.

1389 If the SubscriptionManager accepts the ResumeSubscription request message, it MUST respond  
1390 with a message of the following form:

```
1391 ...  
1392 <wsnt:ResumeSubscriptionResponse>  
1393   {any} *  
1394 </wsnt:ResumeSubscriptionResponse>  
1395 ...
```

1396 The WS-Addressing [action] Message Addressing Property MUST contain the URI

1397 `http://docs.oasis-open.org/wsn/bw-`  
1398 `2/SubscriptionManager/ResumeSubscriptionResponse.`

1399 If the SubscriptionManager does not respond to the ResumeSubscriptionMessage request  
1400 message with the ResumeSubscriptionResponse message, then it MUST send a fault. This  
1401 specification defines the following faults associated with failure to process the  
1402 ResumeSubscriptionMessage request message:

1403 ResourceUnknownFault

1404 

- The resource identified in the message is not known to the Web service. This fault is  
1405 specified by the WS-Resource [WS-Resource] specification.

1406 ResumeFailedFault

1407 

- The Resume operation could not be performed on the Subscription.

### 1408 **6.3.1 Example SOAP Encoding of the ResumeSubscription Message** 1409 **Exchange**

1410 The following is a non-normative example of a ResumeSubscription request message using  
1411 SOAP:

```
1412 <s:Envelope ... >  
1413   <s:Header>  
1414     <wsa:Action>  
1415       http://docs.oasis-open.org/wsn/bw-  
1416 2/SubscriptionManager/ResumeSubscriptionRequest  
1417     </wsa:Action>  
1418     ...  
1419   </s:Header>  
1420   <s:Body>  
1421     <wsnt:ResumeSubscription/>  
1422   </s:Body>  
1423 </s:Envelope>
```

1424 The following is a non-normative example of a ResumeSubscription response message using  
1425 SOAP:

```
1426 <s:Envelope ... >  
1427   <s:Header>  
1428     <wsa:Action>  
1429       http://docs.oasis-open.org/wsn/bw-  
1430 2/SubscriptionManager/ResumeSubscriptionResponse  
1431     </wsa:Action>  
1432     ...  
1433   </s:Header>  
1434   <s:Body>
```

1435  
1436  
1437

```
<wsnt:ResumeSubscriptionResponse/>
</s:Body>
</s:Envelope>
```

## 1438 6.4 Subscriptions as WS-Resources

1439 Either Base Subscription Managers or Pausable Subscription Managers MAY expose  
1440 subscriptions as WS-Resources. A Subscription Manager that exposes Subscriptions as WS-  
1441 Resources MUST support the required message exchanges associated with the WS-  
1442 ResourceProperties specification [WS-ResourceProperties] and MAY support the **OPTIONAL**  
1443 message exchanges defined by WS-ResourceProperties.

Deleted: optional

1444 If a SubscriptionManager exposes Subscriptions as WS-Resources then these WS-Resources  
1445 MUST support the immediate termination interface defined by Web Services Resource Lifetime  
1446 [WS-ResourceLifetime] and MAY support the scheduled termination interface defined by Web  
1447 Services Resource Lifetime. Such Subscription Managers MAY support other means of  
1448 destroying Subscriptions.

Deleted: It is RECOMMENDED that Subscription Managers that expose Subscriptions as WS-Resources support the message exchanges and resource properties defined for both forms of resource lifetime (immediate and scheduled destruction) by WS-ResourceLifetime [WS-ResourceLifetime]. These message exchanges MAY be used to define the means by which Subscription resources can be explicitly destroyed, or destroyed using a scheduled (time-based) mechanism. Such Subscription Managers MAY support other means of destroying subscriptions.

1449 A Subscription Manager, MUST declare to requestors (for example in a WSDL definition) which  
1450 means of Subscription destruction are supported.

Deleted: s

Deleted: (for example in its WSDL definition)

Deleted: is

### 1451 6.4.1 Subscription Resource Properties

1452 In cases where subscriptions are exposed as WS-Resources, this specification defines several  
1453 resource properties, which MUST conform to the following schema fragment for content:

1454  
1455  
1456  
1457  
1458  
1459  
1460  
1461  
1462  
1463  
1464  
1465

```
... targetNamespace="http://docs.oasis-open.org/wsn/b-2"
...
<xsd:element name="ConsumerReference"
type="wsa:EndpointReferenceType" />
<xsd:element name="Filter"
type="wsnt:FilterType" />
<xsd:element name="SubscriptionPolicy"
type="wsnt:SubscriptionPolicyType" />
<xsd:element name="CreationTime"
type="xsd:dateTime" />
```

1466 These properties must also conform to the following schema fragment for cardinality:

1467  
1468  
1469  
1470  
1471  
1472  
1473  
1474

```
<xsd:element ref="wsnt:ConsumerReference"
minOccurs="1" maxOccurs="1" />
<xsd:element ref="wsnt:Filter"
minOccurs="0" maxOccurs="1" />
<xsd:element ref="wsnt:SubscriptionPolicy"
minOccurs="0" maxOccurs="1" />
<xsd:element ref="wsnt:CreationTime"
minOccurs="0" maxOccurs="1" />
```

1475 These Resource Property elements are further described as follows:

1476 /wsnt:ConsumerReference and /wsnt:Filter and /wsnt:SubscriptionPolicy

1477 These elements are as defined in the description of the Subscribe request message (see  
1478 4.2). SubscriptionManagers MAY prohibit any combination of these properties from being set.

1479 If setting a given property is disallowed, the SubscriptionManager MUST fault on receiving a  
1480 request to change it. SubscriptionManagers SHOULD describe using metadata techniques  
1481 defined by WS-ResourceFramework which properties may be set.

1482 If any of these properties is settable, it is implementation dependent whether production of  
1483 notifications will be attempted without interruption when a change is made. The  
1484 SubscriptionManager may choose to treat the change in properties as equivalent to a  
1485 cancellation followed by the creation of a new subscription. In this case, messages may  
1486 potentially be lost in the interim.

1487 A SubscriptionManager MAY choose to provide a stronger guarantee of continuity of  
1488 notification production, and if so it SHOULD advertise this capability, for example in a policy  
1489 assertion. In the absence of any such policy assertion, a subscriber SHOULD NOT make  
1490 any assumption of continuity.

1491 /wsnt:CreationTime

1492 Indicates the date and time at which the Subscription was created. This component MAY be  
1493 omitted, for example by resource constrained devices which cannot associate a creation time  
1494 with subscription resources they create. This property is read-only. SubscriptionManagers  
1495 MUST fault on receiving a request to change it.

Deleted: is an optional

Deleted: , supporting

1496 If the SubscriptionManager also accepts the SetResourceProperties request message as defined  
1497 in WS-ResourceProperties, the following properties MAY be modified by the requestor:

1498 /wsnt:ConsumerReference and /wsnt:Filter and /wsnt:SubscriptionPolicy

1499

---

## 7 Security Considerations

1500 This section deals with the security aspects of WS-BaseNotification. It deals with (a) securing the  
1501 message exchanges defined in this specification, and (b) authorization and denial of service  
1502 considerations specific to the Notification pattern.

### 7.1 Securing the Message Exchanges

1504 In the Notification pattern, Notifications are sent to a NotificationConsumer, Subscribers  
1505 exchange SubscriptionRequest and SubscriptionResponse messages with NotificationProducers,  
1506 and any party with access to a SubscriptionManager endpoint may perform operations on the  
1507 underlying Subscription resources. In cases where this communication must be secured it is  
1508 RECOMMENDED that this be done using the mechanisms described in WS-Security.

1509 Communication between a NotificationProducer and NotificationConsumer will typically comprise  
1510 a number of Notification messages. In cases where this communication must be secure, it is  
1511 RECOMMENDED that a security context be established, allowing for potentially more efficient  
1512 means of authentication. Note that the keys used to secure this channel may differ from any keys  
1513 used in the Subscribe request/response operation that created the associated Subscription.

### 7.2 Securing Subscriptions and Notifications

1514 As WS-BaseNotification provides mechanisms for subscribing to topics, security policies should  
1515 be established such that

- 1517 1. only authorized principals can subscribe to receive Notifications
- 1518 2. only authorized principals can modify or delete Subscriptions

1519 It is recommended that the authorization policies be specified at the granularity of the Topic, if  
1520 Topics are supported. It should be noted that even though Subscriptions may be done by  
1521 authorized principals, the Notifications may be produced for NotificationConsumers whose  
1522 identity may be different from the Subscriber. Message protection policies as outlined in the  
1523 previous section can be used to ensure that sensitive Notifications are not delivered to malicious  
1524 endpoints. For example, a key may need to be specified or generated during the process of  
1525 Subscription, so that the Notifications can be encrypted using the key to ensure confidentiality of  
1526 the messages. The mechanism by which the key is specified is governed by the Subscription  
1527 policy.

1528 Given that WS-BaseNotification may use WS-ResourceProperties and WS-ResourceLifetime, the  
1529 security considerations outlined in WS-those specifications need to be taken into account where  
1530 appropriate. Authorization policies for those Resource Properties should be put in place so that  
1531 the implications of providing the state information (through GetResourceProperty request  
1532 messages) or through notification of state change and modification of the resource properties  
1533 (through SetResourceProperty request messages), are taken into account.

1534 This specification provides a mechanism by which Subscribers can specify a subscription policy.  
1535 Such a policy may contain security policy about protecting the message exchanges resulting from  
1536 the Subscription. Security policy for Subscription message exchanges needs to take this into  
1537 consideration so that the Subscription policies are protected. Also, given this policy may be  
1538 contained in the resource properties of the subscription maintained by the SubscriptionManager,  
1539 the resource properties must be appropriately secured.



1540 In addition to the usual concerns of authorization and message integrity which apply to all web  
1541 services, notification presents issues all its own due to the third-party nature of subscription.  
1542 Since the NotificationProducer is agreeing to produce Notifications for a consumer based on the  
1543 requests of a Subscriber, it must assure itself that there is no harm in producing these  
1544 Notifications. A malicious Subscriber may request Notifications be sent to a party that is not  
1545 authorized to receive them. It may also mount DOS attacks by requesting large volumes of  
1546 Notifications be sent to parties that cannot handle them.  
1547  
1548 The NotificationProducer may address these risks in many different ways, including but not  
1549 limited to:

- 1550 • Simply trusting all Subscribers, perhaps because all parties are known to be on a closed,  
1551 trusted, network, or because the consequences of unauthorized Subscriptions are  
1552 otherwise known to be negligible.
- 1553 • Requiring all Subscribers to provide secure credentials proving that they are trusted to  
1554 make subscriptions.
- 1555 • Refusing to produce notifications for NotificationConsumers that are not known to be  
1556 authorized.
- 1557 • Explicitly confirming with NotificationConsumers whether they wish to receive the  
1558 Notifications that the Subscriber has requested.
- 1559 • Some combination of the above, depending on the identity of the Subscriber and  
1560 NotificationProducer

1561 NotificationProducers SHOULD advertise, whether through policy assertions or other means,  
1562 what security measures they take.

## 8 References

### 8.1 Normative

#### [RFC2119]

S. Bradner, "Key words for use in RFCs to Indicate Requirement Levels", IETF RFC 2119, March 1997. <http://www.ietf.org/rfc/rfc2119.txt>

#### [URI]

T. Berners-Lee, R. Fielding, L. Masinter, "Uniform Resource Identifiers (URI): Generic Syntax," RFC 2396, MIT/LCS, U.C. Irvine, Xerox Corporation, August 1998. <http://www.ietf.org/rfc/rfc2396.txt>

#### [WS-Addressing]

"Web Services Addressing 1.0 - Core", W3C Recommendation. <http://www.w3.org/TR/ws-addr-core>

#### [WS-BrokeredNotification]

"Web Services Brokered Notification 1.3". [http://docs.oasis-open.org/wsn/wsn-ws\\_brokered\\_notification-1.3-spec-pr-03.pdf](http://docs.oasis-open.org/wsn/wsn-ws_brokered_notification-1.3-spec-pr-03.pdf)

#### [WS-Resource]

"Web Services Resource 1.2", OASIS Standard. [http://docs.oasis-open.org/wsr/wsr/ws\\_resource-1.2-spec-os.pdf](http://docs.oasis-open.org/wsr/wsr/ws_resource-1.2-spec-os.pdf)

#### [WS-ResourceLifetime]

"Web Services Resource Lifetime 1.2", OASIS Standard. [http://docs.oasis-open.org/wsr/wsr/ws\\_resource\\_lifetime-1.2-spec-os.pdf](http://docs.oasis-open.org/wsr/wsr/ws_resource_lifetime-1.2-spec-os.pdf)

#### [WS-ResourceProperties]

"Web Services Resource Properties 1.2", OASIS Standard. [http://docs.oasis-open.org/wsr/wsr/ws\\_resource\\_properties-1.2-spec-os.pdf](http://docs.oasis-open.org/wsr/wsr/ws_resource_properties-1.2-spec-os.pdf)

#### [WS-BaseFaults]

"Web Services Base Faults 1.2", OASIS Standard. [http://docs.oasis-open.org/wsr/wsr/ws\\_base\\_faults-1.2-spec-os.pdf](http://docs.oasis-open.org/wsr/wsr/ws_base_faults-1.2-spec-os.pdf)

#### [WS-Topics]

"Web Services Topics 1.3". [http://docs.oasis-open.org/wsn/wsn-ws\\_topics-1.3-spec-pr-02.pdf](http://docs.oasis-open.org/wsn/wsn-ws_topics-1.3-spec-pr-02.pdf)

#### [XML-Infoset]

"XML Information Set", W3C Recommendation. <http://www.w3.org/TR/xml-infoset/>

#### [XPath]

"XML Path Language (XPath) Version 1.0", W3C Recommendation. <http://www.w3.org/TR/xpath>

### 8.2 Non-Normative

#### [SOAP 1.1]

"Simple Object Access Protocol (SOAP) 1.1" <http://www.w3.org/TR/2000/NOTE-SOAP-20000508/>

Deleted: .

Deleted: .

Inserted: .¶

Formatted: Font: Bold

Deleted:

Deleted: S. Bradner, Key words for use in RFCs to Indicate Requirement Levels, <http://www.ietf.org/rfc/rfc2119.txt>, IETF RFC 2119, March 1997.¶

Formatted: Ref term

Formatted: Ref term

Deleted:

Formatted: Ref term

Deleted: Proposed

Formatted: Hyperlink

Formatted: Hyperlink

Deleted: pr-02

Formatted: Hyperlink

Formatted: Hyperlink

Deleted: pr-02

Deleted: .

Deleted: pr-02

Formatted: Ref term, Font: Not Bold

Deleted: pr-02

Formatted: English (U.S.)

Formatted: Ref term, English (U.S.)

Formatted: English (U.S.)

Formatted: Ref term, English (U.S.)

Formatted: Indent: Left: 17.85 pt, Hanging: 45.35 pt, Don't adjust space between Latin and Asian text

Deleted: .

Deleted: <http://www.w3.org/TR/SOAP>

Formatted: Font: Bold

1603  
1604  
1605  
1606  
1607  
1608  
1609

**[SOAP 1.2]**

["SOAP Version 1.2 Part 1: Messaging Framework", W3C Recommendation.  
http://www.w3.org/TR/soap12-part1/](http://www.w3.org/TR/soap12-part1/)

Deleted: .

**[WS-Security]**

["Web Services Security: SOAP Message Security 1.0", OASIS Standard.  
http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-soap-message-security-1.0.pdf](http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-soap-message-security-1.0.pdf)

1610

---

## Appendix A. Acknowledgments

1611

Special thanks to the Global Grid Forum's Open Grid Services Infrastructure working group, which defined the OGS I v1.0 [OGSI] specification which was a large inspiration for the ideas expressed in this specification.

1612

1613

1614

The following individuals were members of the committee during the development of this specification:

1615

1616

1617

Sid Askary, Fred Carter (AmberPoint), Martin Chapman (Oracle), Dave Chappell (Sonic Software), Rick Cobb (KnowNow), Ugo Corda (SeeBeyond Technology Corporation), John Fuller, Stephen Graham (IBM), David Hull (Tibco), Hideharu Kato (Hitachi), Lily Liu (webMethods, Inc.), Tom Maguire (IBM), Susan Malaika (IBM), Samuel Meder (Argonne National Laboratory), Bryan Murray (Hewlett-Packard), Peter Niblett (IBM), Sanjay Patil (SAP), Mark Peel (Novell), Matt Roberts (IBM), Igor Sedukhin (Computer Associates), David Snelling (Fujitsu), Latha Srinivasan (Hewlett-Packard), William Vambenepe (Hewlett-Packard) and Kirk Wilson (Computer Associates).

1618

1619

1620

1621

1622

1623

1624

1625

1626

In addition, the following people made contributions to this specification:

1627

Tim Banks (IBM), Nick Butler (IBM), Doug Davis (IBM), John Dinger (IBM), Don Ferguson (IBM), Jeff Frey (IBM), Andreas Koepfel (SAP), Heather Kreger (IBM), Amy Lewis (TIBCO Software), Kevin Liu (SAP), Nataraj Nagarathnam (IBM), Martin Nally (IBM), Jeff Nick (IBM), Jay Parikh (Akamai Technologies), Claus von Riegen (SAP), Rick Rineholt (IBM), John Rofrano (IBM), Shivajee Samdarshi (TIBCO Software), Eugène Sindambiwe (SAP), Jay Unger (IBM), Bill Weihl (Akamai Technologies), Mark Weitzel (IBM), and Dan Wolfson (IBM).

1628

1629

1630

1631

1632

1633

## Appendix B. XML Schema

1634

The XML types and elements used in this specification are defined in the following XML Schema:

1635

```
<?xml version="1.0" encoding="UTF-8"?>
```

1636

```
<!--
```

1637

1638

OASIS takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this document or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on OASIS's procedures with respect to rights in OASIS specifications can be found at the OASIS website. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementors or users of this specification, can be obtained from the OASIS Executive Director.

1639

1640

1641

1642

1643

1644

1645

1646

1647

1648

1649

1650

1651

1652

1653

1654

1655

OASIS invites any interested party to bring to its attention any copyrights, patents or patent applications, or other proprietary rights which may cover technology that may be required to implement this specification. Please address the information to the OASIS Executive Director.

1656

1657

Copyright (C) OASIS Open (2004-2006). All Rights Reserved.

Deleted: 5

1658

1659

1660

1661

1662

1663

1664

1665

1666

1667

1668

1669

1670

1671

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this paragraph are included on all such copies and derivative works. However, this document itself may not be modified in any way, such as by removing the copyright notice or references to OASIS, except as needed for the purpose of developing OASIS specifications, in which case the procedures for copyrights defined in the OASIS Intellectual Property Rights document must be followed, or as required to translate it into languages other than English.

1672

1673

1674

1675

1676

1677

1678

1679

1680

1681

1682

1683

1684

The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

```
-->
```

```
<xsd:schema
```

```
targetNamespace="http://docs.oasis-open.org/wsn/b-2"
```

```

1685   xmlns:wsnt="http://docs.oasis-open.org/wsn/b-2"
1686   xmlns:wsa="http://www.w3.org/2005/08/addressing"
1687   xmlns:wsrf-bf="http://docs.oasis-open.org/wsrf/bf-2"
1688   xmlns:wstop="http://docs.oasis-open.org/wsn/t-1"
1689   xmlns:xsd="http://www.w3.org/2001/XMLSchema"
1690   elementFormDefault="qualified" attributeFormDefault="unqualified">
1691
1692   <!-- ===== Imports ===== -->
1693
1694   <xsd:import namespace="http://www.w3.org/2005/08/addressing"
1695             schemaLocation="http://www.w3.org/2005/08/addressing/ws-
1696   addr.xsd"
1697             />
1698
1699   <xsd:import namespace="http://docs.oasis-open.org/wsrf/bf-2"
1700             schemaLocation="http://docs.oasis-open.org/wsrf/bf-2.xsd"
1701             />
1702   <xsd:import namespace="http://docs.oasis-open.org/wsn/t-1"
1703             schemaLocation="http://docs.oasis-open.org/wsn/t-1.xsd"
1704             />
1705
1706   <!-- ===== Misc. Helper Types ===== -->
1707
1708   <xsd:complexType name="QueryExpressionType" mixed="true">
1709     <xsd:sequence>
1710       <xsd:any minOccurs="0" maxOccurs="1" processContents="lax" />
1711     </xsd:sequence>
1712     <xsd:attribute name="Dialect" type="xsd:anyURI" use="required" />
1713   </xsd:complexType>
1714
1715   <xsd:complexType name="TopicExpressionType" mixed="true">
1716     <xsd:sequence>
1717       <xsd:any minOccurs="0" maxOccurs="1" processContents="lax" />
1718     </xsd:sequence>
1719     <xsd:attribute name="Dialect" type="xsd:anyURI" use="required" />
1720     <xsd:anyAttribute />
1721   </xsd:complexType>
1722
1723   <xsd:complexType name="FilterType">
1724     <xsd:sequence>
1725       <xsd:any minOccurs="0" maxOccurs="unbounded" />
1726     </xsd:sequence>
1727   </xsd:complexType>
1728
1729   <xsd:complexType name="SubscriptionPolicyType">
1730     <xsd:sequence>
1731       <xsd:any minOccurs="0" maxOccurs="unbounded"
1732   processContents="lax" />
1733     </xsd:sequence>
1734   </xsd:complexType>
1735
1736   <!-- ===== Resource Property Related ===== -->
1737   <!-- ===== Resource Properties for NotificationProducer ===== -->
1738   <xsd:element name="TopicExpression" type="wsnt:TopicExpressionType"/>
1739   <xsd:element name="FixedTopicSet" type="xsd:boolean" default="true"/>
1740   <xsd:element name="TopicExpressionDialect" type="xsd:anyURI"/>

```

1741  
1742  
1743  
1744  
1745  
1746  
1747  
1748  
1749  
1750  
1751  
1752  
1753  
1754  
1755  
1756  
1757  
1758  
1759  
1760  
1761  
1762  
1763  
1764  
1765  
1766  
1767  
1768  
1769  
1770  
1771  
1772  
1773  
1774  
1775  
1776  
1777  
1778  
1779  
1780  
1781  
1782  
1783  
1784  
1785  
1786  
1787  
1788  
1789  
1790  
1791  
1792  
1793  
1794  
1795  
1796

```
<xsd:element name="NotificationProducerRP">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element ref="wsnt:TopicExpression"
        minOccurs="0" maxOccurs="unbounded" />
      <xsd:element ref="wsnt:FixedTopicSet"
        minOccurs="0" maxOccurs="1" />
      <xsd:element ref="wsnt:TopicExpressionDialect"
        minOccurs="0" maxOccurs="unbounded" />
      <xsd:element ref="wstop:TopicSet"
        minOccurs="0" maxOccurs="1" />
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>

<!-- ===== Resource Properties for SubscriptionManager ===== -->
<xsd:element name="ConsumerReference"
  type="wsa:EndpointReferenceType" />
<xsd:element name="Filter" type="wsnt:FilterType" />
<xsd:element name="SubscriptionPolicy"
  type="wsnt:SubscriptionPolicyType" />

<xsd:element name="CreationTime" type="xsd:dateTime" />

<xsd:element name="SubscriptionManagerRP" >
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element ref="wsnt:ConsumerReference"
        minOccurs="1" maxOccurs="1" />
      <xsd:element ref="wsnt:Filter"
        minOccurs="0" maxOccurs="1" />
      <xsd:element ref="wsnt:SubscriptionPolicy"
        minOccurs="0" maxOccurs="1" />
      <xsd:element ref="wsnt:CreationTime"
        minOccurs="0" maxOccurs="1" />
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>

<!-- ===== Notification Metadata ===== -->
<xsd:element name="SubscriptionReference"
  type="wsa:EndpointReferenceType" />
<xsd:element name="Topic"
  type="wsnt:TopicExpressionType" />
<xsd:element name="ProducerReference"
  type="wsa:EndpointReferenceType" />

<!-- ===== Message Helper Types ===== -->
<xsd:complexType name="NotificationMessageHolderType" >
  <xsd:sequence>
    <xsd:element ref="wsnt:SubscriptionReference"
      minOccurs="0" maxOccurs="1" />
    <xsd:element ref="wsnt:Topic"
      minOccurs="0" maxOccurs="1" />
```

Formatted: French (France)

Formatted: English (U.K.)

1797  
1798  
1799  
1800  
1801  
1802  
1803  
1804  
1805  
1806  
1807  
1808  
1809  
1810  
1811  
1812  
1813  
1814  
1815  
1816  
1817  
1818  
1819  
1820  
1821  
1822  
1823  
1824  
1825  
1826  
1827  
1828  
1829  
1830  
1831  
1832  
1833  
1834  
1835  
1836  
1837  
1838  
1839  
1840  
1841  
1842  
1843  
1844  
1845  
1846  
1847  
1848  
1849  
1850  
1851  
1852

```
<xsd:element ref="wsnt:ProducerReference"
minOccurs="0" maxOccurs="1" />
<xsd:element name="Message">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:any namespace="##any" processContents="lax"
minOccurs="1" maxOccurs="1"/>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>
</xsd:sequence>
</xsd:complexType>
<xsd:element name="NotificationMessage"
type="wsnt:NotificationMessageHolderType" />
<!-- ===== Message Types for NotificationConsumer ===== -->
<xsd:element name="Notify" >
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element ref="wsnt:NotificationMessage"
minOccurs="1" maxOccurs="unbounded" />
      <xsd:any namespace="##other" processContents="lax"
minOccurs="0" maxOccurs="unbounded"/>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>
<!-- ===== Message Types for NotificationProducer ===== -->
<xsd:simpleType name="AbsoluteOrRelativeTimeType">
  <xsd:union memberTypes="xsd:dateTime xsd:duration" />
</xsd:simpleType>
<xsd:element name="CurrentTime" type="xsd:dateTime" />
<xsd:element name="TerminationTime"
nillable="true" type="xsd:dateTime" />
<xsd:element name="ProducerProperties"
type="wsnt:QueryExpressionType" />
<xsd:element name="MessageContent"
type="wsnt:QueryExpressionType" />
<xsd:element name="UseRaw"><xsd:complexType/></xsd:element>
<xsd:element name="Subscribe" >
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="ConsumerReference"
type="wsa:EndpointReferenceType"
minOccurs="1" maxOccurs="1" />
      <xsd:element name="Filter"
type="wsnt:FilterType"
minOccurs="0" maxOccurs="1" />
      <xsd:element name="InitialTerminationTime"
```

Formatted: French (France)

Formatted: English (U.K.)



```

1853         type="wsnt:AbsoluteOrRelativeTimeType"
1854         nillable="true"
1855         minOccurs="0" maxOccurs="1" />
1856     <xsd:element name="SubscriptionPolicy"
1857         minOccurs="0" maxOccurs="1">
1858         <xsd:complexType>
1859             <xsd:sequence>
1860                 <xsd:any namespace="##any" processContents="lax"
1861                     minOccurs="0" maxOccurs="unbounded" />
1862             </xsd:sequence>
1863         </xsd:complexType>
1864     </xsd:element>
1865     <xsd:any namespace="##other" processContents="lax"
1866         minOccurs="0" maxOccurs="unbounded" />
1867 </xsd:sequence>
1868 </xsd:complexType>
1869 </xsd:element>
1870
1871 <xsd:element name="SubscribeResponse">
1872     <xsd:complexType>
1873         <xsd:sequence>
1874             <xsd:element name="SubscriptionReference"
1875                 type="wsa:EndpointReferenceType"
1876                 minOccurs="1" maxOccurs="1" />
1877             <xsd:element ref="wsnt:CurrentTime"
1878                 minOccurs="0" maxOccurs="1" />
1879             <xsd:element ref="wsnt:TerminationTime"
1880                 minOccurs="0" maxOccurs="1" />
1881             <xsd:any namespace="##other" processContents="lax"
1882                 minOccurs="0" maxOccurs="unbounded" />
1883         </xsd:sequence>
1884     </xsd:complexType>
1885 </xsd:element>
1886
1887 <xsd:element name="GetCurrentMessage">
1888     <xsd:complexType>
1889         <xsd:sequence>
1890             <xsd:element name="Topic"
1891                 type="wsnt:TopicExpressionType" />
1892             <xsd:any namespace="##other" processContents="lax"
1893                 minOccurs="0" maxOccurs="unbounded" />
1894         </xsd:sequence>
1895     </xsd:complexType>
1896 </xsd:element>
1897
1898 <xsd:element name="GetCurrentMessageResponse">
1899     <xsd:complexType>
1900         <xsd:sequence>
1901             <xsd:any namespace="##other" processContents="lax"
1902                 minOccurs="0" maxOccurs="unbounded" />
1903         </xsd:sequence>
1904     </xsd:complexType>
1905 </xsd:element>
1906
1907 <xsd:complexType name="SubscribeCreationFailedFaultType">
1908     <xsd:complexContent>

```

```

1909     <xsd:extension base="wsrf-bf:BaseFaultType" />
1910     </xsd:complexContent>
1911 </xsd:complexType>
1912 <xsd:element name="SubscribeCreationFailedFault"
1913           type="wsnt:SubscribeCreationFailedFaultType" />
1914
1915 <xsd:complexType name="InvalidFilterFaultType">
1916   <xsd:complexContent>
1917     <xsd:extension base="wsrf-bf:BaseFaultType">
1918       <xsd:sequence>
1919         <xsd:element name="UnknownFilter" type="xsd:QName"
1920               minOccurs="1" maxOccurs="unbounded" />
1921       </xsd:sequence>
1922     </xsd:extension>
1923   </xsd:complexContent>
1924 </xsd:complexType>
1925 <xsd:element name="InvalidFilterFault"
1926           type="wsnt:InvalidFilterFaultType" />
1927
1928 <xsd:complexType name="TopicExpressionDialectUnknownFaultType">
1929   <xsd:complexContent>
1930     <xsd:extension base="wsrf-bf:BaseFaultType" />
1931   </xsd:complexContent>
1932 </xsd:complexType>
1933 <xsd:element name="TopicExpressionDialectUnknownFault"
1934           type="wsnt:TopicExpressionDialectUnknownFaultType" />
1935
1936 <xsd:complexType name="InvalidTopicExpressionFaultType">
1937   <xsd:complexContent>
1938     <xsd:extension base="wsrf-bf:BaseFaultType" />
1939   </xsd:complexContent>
1940 </xsd:complexType>
1941 <xsd:element name="InvalidTopicExpressionFault"
1942           type="wsnt:InvalidTopicExpressionFaultType" />
1943
1944 <xsd:complexType name="TopicNotSupportedFaultType">
1945   <xsd:complexContent>
1946     <xsd:extension base="wsrf-bf:BaseFaultType" />
1947   </xsd:complexContent>
1948 </xsd:complexType>
1949 <xsd:element name="TopicNotSupportedFault"
1950           type="wsnt:TopicNotSupportedFaultType" />
1951
1952 <xsd:complexType name="MultipleTopicsSpecifiedFaultType">
1953   <xsd:complexContent>
1954     <xsd:extension base="wsrf-bf:BaseFaultType" />
1955   </xsd:complexContent>
1956 </xsd:complexType>
1957 <xsd:element name="MultipleTopicsSpecifiedFault"
1958           type="wsnt:MultipleTopicsSpecifiedFaultType" />
1959
1960 <xsd:complexType name="InvalidProducerPropertiesExpressionFaultType">
1961   <xsd:complexContent>
1962     <xsd:extension base="wsrf-bf:BaseFaultType" />
1963   </xsd:complexContent>
1964 </xsd:complexType>

```

1965  
1966  
1967  
1968  
1969  
1970  
1971  
1972  
1973  
1974  
1975  
1976  
1977  
1978  
1979  
1980  
1981  
1982  
1983  
1984  
1985  
1986  
1987  
1988  
1989  
1990  
1991  
1992  
1993  
1994  
1995  
1996  
1997  
1998  
1999  
2000  
2001  
2002  
2003  
2004  
2005  
2006  
2007  
2008  
2009  
2010  
2011  
2012  
2013  
2014  
2015  
2016  
2017  
2018  
2019  
2020

```
<xsd:element name="InvalidProducerPropertiesExpressionFault"
  type="wsnt:InvalidProducerPropertiesExpressionFaultType"/>

<xsd:complexType name="InvalidMessageContentExpressionFaultType">
  <xsd:complexContent>
    <xsd:extension base="wsrf-bf:BaseFaultType"/>
  </xsd:complexContent>
</xsd:complexType>
<xsd:element name="InvalidMessageContentExpressionFault"
  type="wsnt:InvalidMessageContentExpressionFaultType"/>

<xsd:complexType name="UnrecognizedPolicyRequestFaultType">
  <xsd:complexContent>
    <xsd:extension base="wsrf-bf:BaseFaultType">
      <xsd:sequence>
        <xsd:element name="UnrecognizedPolicy" type="xsd:QName"
          minOccurs="0" maxOccurs="unbounded"/>
      </xsd:sequence>
    </xsd:extension>
  </xsd:complexContent>
</xsd:complexType>
<xsd:element name="UnrecognizedPolicyRequestFault"
  type="wsnt:UnrecognizedPolicyRequestFaultType"/>

<xsd:complexType name="UnsupportedPolicyRequestFaultType">
  <xsd:complexContent>
    <xsd:extension base="wsrf-bf:BaseFaultType">
      <xsd:sequence>
        <xsd:element name="UnsupportedPolicy" type="xsd:QName"
          minOccurs="0" maxOccurs="unbounded"/>
      </xsd:sequence>
    </xsd:extension>
  </xsd:complexContent>
</xsd:complexType>
<xsd:element name="UnsupportedPolicyRequestFault"
  type="wsnt:UnsupportedPolicyRequestFaultType"/>

<xsd:complexType name="NotifyMessageNotSupportedFaultType">
  <xsd:complexContent>
    <xsd:extension base="wsrf-bf:BaseFaultType"/>
  </xsd:complexContent>
</xsd:complexType>
<xsd:element name="NotifyMessageNotSupportedFault"
  type="wsnt:NotifyMessageNotSupportedFaultType"/>

<xsd:complexType name="UnacceptableInitialTerminationTimeFaultType">
  <xsd:complexContent>
    <xsd:extension base="wsrf-bf:BaseFaultType">
      <xsd:sequence>
        <xsd:element name="MinimumTime" type="xsd:dateTime"/>
        <xsd:element name="MaximumTime" type="xsd:dateTime"
          minOccurs="0"/>
      </xsd:sequence>
    </xsd:extension>
  </xsd:complexContent>
</xsd:complexType>
```

Formatted: English (U.S.)

2021  
2022  
2023  
2024  
2025  
2026  
2027  
2028  
2029  
2030  
2031  
2032  
2033  
2034  
2035  
2036  
2037  
2038  
2039  
2040  
2041  
2042  
2043  
2044  
2045  
2046  
2047  
2048  
2049  
2050  
2051  
2052  
2053  
2054  
2055  
2056  
2057  
2058  
2059  
2060  
2061  
2062  
2063  
2064  
2065  
2066  
2067  
2068  
2069  
2070  
2071  
2072  
2073  
2074  
2075  
2076

```
<xsd:element name="UnacceptableInitialTerminationTimeFault"
              type="wsnt:UnacceptableInitialTerminationTimeFaultType" />

<xsd:complexType name="NoCurrentMessageOnTopicFaultType">
  <xsd:complexContent>
    <xsd:extension base="wsrf-bf:BaseFaultType" />
  </xsd:complexContent>
</xsd:complexType>
<xsd:element name="NoCurrentMessageOnTopicFault"
              type="wsnt:NoCurrentMessageOnTopicFaultType" />

<!-- ===== Message Types for PullPoint ===== -->
<xsd:element name="GetMessages">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="MaximumNumber"
                  type="xsd:nonNegativeInteger"
                  minOccurs="0" />
      <xsd:any namespace="##other" processContents="lax"
              minOccurs="0" maxOccurs="unbounded" />
    </xsd:sequence>
    <xsd:anyAttribute/>
  </xsd:complexType>
</xsd:element>

<xsd:element name="GetMessagesResponse">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element ref="wsnt:NotificationMessage"
                  minOccurs="0" maxOccurs="unbounded" />
      <xsd:any namespace="##other" processContents="lax"
              minOccurs="0" maxOccurs="unbounded" />
    </xsd:sequence>
    <xsd:anyAttribute/>
  </xsd:complexType>
</xsd:element>

<xsd:element name="DestroyPullPoint">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:any namespace="##other" processContents="lax"
              minOccurs="0" maxOccurs="unbounded" />
    </xsd:sequence>
    <xsd:anyAttribute/>
  </xsd:complexType>
</xsd:element>

<xsd:element name="DestroyPullPointResponse">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:any namespace="##other" processContents="lax"
              minOccurs="0" maxOccurs="unbounded" />
    </xsd:sequence>
    <xsd:anyAttribute/>
  </xsd:complexType>
</xsd:element>
```

Formatted: English (U.K.)

2077  
2078  
2079  
2080  
2081  
2082  
2083  
2084  
2085  
2086  
2087  
2088  
2089  
2090  
2091  
2092  
2093  
2094  
2095  
2096  
2097  
2098  
2099  
2100  
2101  
2102  
2103  
2104  
2105  
2106  
2107  
2108  
2109  
2110  
2111  
2112  
2113  
2114  
2115  
2116  
2117  
2118  
2119  
2120  
2121  
2122  
2123  
2124  
2125  
2126  
2127  
2128  
2129  
2130  
2131  
2132

```
<xsd:complexType name="UnableToGetMessagesFaultType">
  <xsd:complexContent>
    <xsd:extension base="wsrf-bf:BaseFaultType" />
  </xsd:complexContent>
</xsd:complexType>

<xsd:element name="UnableToGetMessagesFault"
  type="wsnt:UnableToGetMessagesFaultType" />

<xsd:complexType name="UnableToDestroyPullPointFaultType">
  <xsd:complexContent>
    <xsd:extension base="wsrf-bf:BaseFaultType" />
  </xsd:complexContent>
</xsd:complexType>

<xsd:element name="UnableToDestroyPullPointFault"
  type="wsnt:UnableToDestroyPullPointFaultType" />

<!-- ===== Message Types for Create PullPoint ===== -->
<xsd:element name="CreatePullPoint">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:any namespace="##other" processContents="lax"
        minOccurs="0" maxOccurs="unbounded" />
    </xsd:sequence>
    <xsd:anyAttribute />
  </xsd:complexType>
</xsd:element>

<xsd:element name="CreatePullPointResponse">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="PullPoint"
        type="wsa:EndpointReferenceType" />
      <xsd:any namespace="##other" processContents="lax"
        minOccurs="0" maxOccurs="unbounded" />
    </xsd:sequence>
    <xsd:anyAttribute />
  </xsd:complexType>
</xsd:element>

<xsd:complexType name="UnableToCreatePullPointFaultType">
  <xsd:complexContent>
    <xsd:extension base="wsrf-bf:BaseFaultType" />
  </xsd:complexContent>
</xsd:complexType>
<xsd:element name="UnableToCreatePullPointFault"
  type="wsnt:UnableToCreatePullPointFaultType" />

<!-- ===== Message Types for Base SubscriptionManager ===== -->
<xsd:element name="Renew">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="TerminationTime"
        type="wsnt:AbsoluteOrRelativeTimeType" />
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>
```

2133  
2134  
2135  
2136  
2137  
2138  
2139  
2140  
2141  
2142  
2143  
2144  
2145  
2146  
2147  
2148  
2149  
2150  
2151  
2152  
2153  
2154  
2155  
2156  
2157  
2158  
2159  
2160  
2161  
2162  
2163  
2164  
2165  
2166  
2167  
2168  
2169  
2170  
2171  
2172  
2173  
2174  
2175  
2176  
2177  
2178  
2179  
2180  
2181  
2182  
2183  
2184  
2185  
2186  
2187  
2188

```
        nillable="true"
        minOccurs="1" maxOccurs="1" />
    <xsd:any namespace="##other" processContents="lax"
        minOccurs="0" maxOccurs="unbounded"/>
</xsd:sequence>
</xsd:complexType>
</xsd:element>

<xsd:element name="RenewResponse">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element ref="wsnt:TerminationTime"
        minOccurs="1" maxOccurs="1" />
      <xsd:element ref="wsnt:CurrentTime"
        minOccurs="0" maxOccurs="1" />
      <xsd:any namespace="##other" processContents="lax"
        minOccurs="0" maxOccurs="unbounded"/>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>

<xsd:complexType name="UnacceptableTerminationTimeFaultType">
  <xsd:complexContent>
    <xsd:extension base="wsrf-bf:BaseFaultType">
      <xsd:sequence>
        <xsd:element name="MinimumTime" type="xsd:dateTime" />
        <xsd:element name="MaximumTime" type="xsd:dateTime"
          minOccurs="0" />
      </xsd:sequence>
    </xsd:extension>
  </xsd:complexContent>
</xsd:complexType>
<xsd:element name="UnacceptableTerminationTimeFault"
  type="wsnt:UnacceptableTerminationTimeFaultType"/>

<xsd:element name="Unsubscribe">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:any namespace="##other" processContents="lax"
        minOccurs="0" maxOccurs="unbounded"/>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>

<xsd:element name="UnsubscribeResponse">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:any namespace="##other" processContents="lax"
        minOccurs="0" maxOccurs="unbounded"/>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>

<xsd:complexType name="UnableToDestroySubscriptionFaultType">
  <xsd:complexContent>
    <xsd:extension base="wsrf-bf:BaseFaultType" />
```

Formatted: English (U.S.)

Formatted: English (U.S.)

Formatted: English (U.K.)

```

2189     </xsd:complexContent>
2190 </xsd:complexType>
2191 <xsd:element name="UnableToDestroySubscriptionFault"
2192     type="wsnt:UnableToDestroySubscriptionFaultType"/>
2193
2194 <!-- ===== Message Types for Pausable SubscriptionManager ===== -->
2195
2196 <xsd:element name="PauseSubscription">
2197   <xsd:complexType>
2198     <xsd:sequence>
2199       <xsd:any namespace="##other" processContents="lax"
2200         minOccurs="0" maxOccurs="unbounded"/>
2201     </xsd:sequence>
2202   </xsd:complexType>
2203 </xsd:element>
2204
2205 <xsd:element name="PauseSubscriptionResponse" >
2206   <xsd:complexType>
2207     <xsd:sequence>
2208       <xsd:any namespace="##other" processContents="lax"
2209         minOccurs="0" maxOccurs="unbounded"/>
2210     </xsd:sequence>
2211   </xsd:complexType>
2212 </xsd:element>
2213
2214 <xsd:element name="ResumeSubscription">
2215   <xsd:complexType>
2216     <xsd:sequence>
2217       <xsd:any namespace="##other" processContents="lax"
2218         minOccurs="0" maxOccurs="unbounded"/>
2219     </xsd:sequence>
2220   </xsd:complexType>
2221 </xsd:element>
2222
2223 <xsd:element name="ResumeSubscriptionResponse">
2224   <xsd:complexType>
2225     <xsd:sequence>
2226       <xsd:any namespace="##other" processContents="lax"
2227         minOccurs="0" maxOccurs="unbounded"/>
2228     </xsd:sequence>
2229   </xsd:complexType>
2230 </xsd:element>
2231
2232 <xsd:complexType name="PauseFailedFaultType">
2233   <xsd:complexContent>
2234     <xsd:extension base="wsrf-bf:BaseFaultType"/>
2235   </xsd:complexContent>
2236 </xsd:complexType>
2237 <xsd:element name="PauseFailedFault"
2238     type="wsnt:PauseFailedFaultType"/>
2239
2240 <xsd:complexType name="ResumeFailedFaultType">
2241   <xsd:complexContent>
2242     <xsd:extension base="wsrf-bf:BaseFaultType"/>
2243   </xsd:complexContent>
2244 </xsd:complexType>

```

2245  
2246  
2247  
2248

```
<xsd:element name="ResumeFailedFault"  
            type="wsnt:ResumeFailedFaultType" />  
  
</xsd:schema>
```



2249

## Appendix C. WSDL 1.1

2250 The following illustrates the WSDL 1.1 for the Web service methods described in this  
2251 specification:

```
2252 <?xml version="1.0" encoding="utf-8"?>
2253 <!--
2254
2255 OASIS takes no position regarding the validity or scope of any
2256 intellectual property or other rights that might be claimed to pertain
2257 to the implementation or use of the technology described in this
2258 document or the extent to which any license under such rights might or
2259 might not be available; neither does it represent that it has made any
2260 effort to identify any such rights. Information on OASIS's procedures
2261 with respect to rights in OASIS specifications can be found at the
2262 OASIS website. Copies of claims of rights made available for
2263 publication and any assurances of licenses to be made available, or the
2264 result of an attempt made to obtain a general license or permission for
2265 the use of such proprietary rights by implementors or users of this
2266 specification, can be obtained from the OASIS Executive Director.
2267
2268 OASIS invites any interested party to bring to its attention any
2269 copyrights, patents or patent applications, or other proprietary rights
2270 which may cover technology that may be required to implement this
2271 specification. Please address the information to the OASIS Executive
2272 Director.
2273
2274 Copyright (C) OASIS Open (2004-2006). All Rights Reserved.
2275
2276 This document and translations of it may be copied and furnished to
2277 others, and derivative works that comment on or otherwise explain it or
2278 assist in its implementation may be prepared, copied, published and
2279 distributed, in whole or in part, without restriction of any kind,
2280 provided that the above copyright notice and this paragraph are
2281 included on all such copies and derivative works. However, this
2282 document itself may not be modified in any way, such as by removing the
2283 copyright notice or references to OASIS, except as needed for the
2284 purpose of developing OASIS specifications, in which case the
2285 procedures for copyrights defined in the OASIS Intellectual Property
2286 Rights document must be followed, or as required to translate it into
2287 languages other than English.
2288
2289 The limited permissions granted above are perpetual and will not be
2290 revoked by OASIS or its successors or assigns.
2291
2292 This document and the information contained herein is provided on an
2293 "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED,
2294 INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE
2295 INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED
2296 WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.
2297
2298 -->
2299 <wsdl:definitions name="WS-BaseNotification"
```

Deleted: 5

```

2300 targetNamespace="http://docs.oasis-open.org/wsn/bw-2"
2301 xmlns:wsntw="http://docs.oasis-open.org/wsn/bw-2"
2302 xmlns:wsnt="http://docs.oasis-open.org/wsn/b-2"
2303 xmlns:wsa="http://www.w3.org/2005/08/addressing"
2304 xmlns:wsrf-rw="http://docs.oasis-open.org/wsrf/rw-2"
2305 xmlns:xsd="http://www.w3.org/2001/XMLSchema"
2306 xmlns:wsdl="http://schemas.xmlsoap.org/wsdl/">
2307
2308 <!-- ===== Imports ===== -->
2309 <wsdl:import
2310     namespace="http://docs.oasis-open.org/wsrf/rw-2"
2311     location="http://docs.oasis-open.org/wsrf/rw-2.wsdl"/>
2312
2313 <!-- ===== Types Definitions ===== -->
2314 <wsdl:types>
2315     <xsd:schema>
2316         <xsd:import
2317             namespace="http://docs.oasis-open.org/wsn/b-2"
2318             schemaLocation="http://docs.oasis-open.org/wsn/b-2.xsd"/>
2319         </xsd:schema>
2320     </wsdl:types>
2321
2322 <!-- ===== NotificationConsumer::Notify =====>
2323 Notify(
2324     NotificationMessage
2325     (SubscriptionReference, TopicExpression, ProducerReference,
2326     Message)*
2327     returns: n/a (one way)
2328 -->
2329 <wsdl:message name="Notify">
2330     <wsdl:part name="Notify" element="wsnt:Notify"/>
2331 </wsdl:message>
2332
2333 <!-- ===== NotificationProducer::Subscribe =====>
2334 Subscribe(
2335     (ConsumerEndpointReference, [Filter], [SubscriptionPolicy],
2336     [InitialTerminationTime])
2337     returns: WS-Resource qualified EPR to a Subscription
2338 -->
2339 <wsdl:message name="SubscribeRequest" >
2340     <wsdl:part name="SubscribeRequest"
2341         element="wsnt:Subscribe"/>
2342 </wsdl:message>
2343
2344 <wsdl:message name="SubscribeResponse">
2345     <wsdl:part name="SubscribeResponse"
2346         element="wsnt:SubscribeResponse"/>
2347 </wsdl:message>
2348
2349 <wsdl:message name="SubscribeCreationFailedFault">
2350     <wsdl:part name="SubscribeCreationFailedFault"
2351         element="wsnt:SubscribeCreationFailedFault" />
2352 </wsdl:message>
2353
2354 <wsdl:message name="TopicExpressionDialectUnknownFault">
2355     <wsdl:part name="TopicExpressionDialectUnknownFault"

```

```

2356         element="wsnt:TopicExpressionDialectUnknownFault" />
2357     </wsdl:message>
2358
2359     <wsdl:message name="InvalidFilterFault">
2360         <wsdl:part name="InvalidFilterFault"
2361             element="wsnt:InvalidFilterFault" />
2362     </wsdl:message>
2363
2364     <wsdl:message name="InvalidProducerPropertiesExpressionFault">
2365         <wsdl:part name="InvalidProducerPropertiesExpressionFault"
2366             element="wsnt:InvalidProducerPropertiesExpressionFault" />
2367     </wsdl:message>
2368
2369     <wsdl:message name="InvalidMessageContentExpressionFault">
2370         <wsdl:part name="InvalidMessageContentExpressionFault"
2371             element="wsnt:InvalidMessageContentExpressionFault" />
2372     </wsdl:message>
2373
2374     <wsdl:message name="UnrecognizedPolicyRequestFault">
2375         <wsdl:part name="UnrecognizedPolicyRequestFault"
2376             element="wsnt:UnrecognizedPolicyRequestFault" />
2377     </wsdl:message>
2378
2379     <wsdl:message name="UnsupportedPolicyRequestFault">
2380         <wsdl:part name="UnsupportedPolicyRequestFault"
2381             element="wsnt:UnsupportedPolicyRequestFault" />
2382     </wsdl:message>
2383
2384     <wsdl:message name="NotifyMessageNotSupportedFault">
2385         <wsdl:part name="NotifyMessageNotSupportedFault"
2386             element="wsnt:NotifyMessageNotSupportedFault" />
2387     </wsdl:message>
2388
2389     <wsdl:message name="UnacceptableInitialTerminationTimeFault">
2390         <wsdl:part name="UnacceptableInitialTerminationTimeFault"
2391             element="wsnt:UnacceptableInitialTerminationTimeFault" />
2392     </wsdl:message>
2393
2394     <!-- ===== NotificationProducer::GetCurrentMessage =====
2395     GetCurrentMessage(topicExpression)
2396     returns: a NotificationMessage (xsd:any)
2397     -->
2398     <wsdl:message name="GetCurrentMessageRequest">
2399         <wsdl:part name="GetCurrentMessageRequest"
2400             element="wsnt:GetCurrentMessage" />
2401     </wsdl:message>
2402
2403     <wsdl:message name="GetCurrentMessageResponse">
2404         <wsdl:part name="GetCurrentMessageResponse"
2405             element="wsnt:GetCurrentMessageResponse" />
2406     </wsdl:message>
2407
2408     <wsdl:message name="InvalidTopicExpressionFault">
2409         <wsdl:part name="InvalidTopicExpressionFault"
2410             element="wsnt:InvalidTopicExpressionFault" />
2411     </wsdl:message>

```

```

2412
2413 <wsdl:message name="TopicNotSupportedFault">
2414   <wsdl:part name="TopicNotSupportedFault"
2415     element="wsnt:TopicNotSupportedFault" />
2416 </wsdl:message>
2417
2418 <wsdl:message name="MultipleTopicsSpecifiedFault">
2419   <wsdl:part name="MultipleTopicsSpecifiedFault"
2420     element="wsnt:MultipleTopicsSpecifiedFault" />
2421 </wsdl:message>
2422
2423 <wsdl:message name="NoCurrentMessageOnTopicFault">
2424   <wsdl:part name="NoCurrentMessageOnTopicFault"
2425     element="wsnt:NoCurrentMessageOnTopicFault" />
2426 </wsdl:message>
2427
2428 <!-- ===== PullPoint::GetMessages =====
2429   GetMessages(MaximumNumber)
2430   returns: NotificationMessage list
2431 -->
2432 <wsdl:message name="GetMessagesRequest">
2433   <wsdl:part name="GetMessagesRequest"
2434     element="wsnt:GetMessages" />
2435 </wsdl:message>
2436
2437 <wsdl:message name="GetMessagesResponse">
2438   <wsdl:part name="GetMessagesResponse"
2439     element="wsnt:GetMessagesResponse" />
2440 </wsdl:message>
2441
2442 <wsdl:message name="UnableToGetMessagesFault">
2443   <wsdl:part name="UnableToGetMessagesFault"
2444     element="wsnt:UnableToGetMessagesFault" />
2445 </wsdl:message>
2446
2447
2448 <!-- ===== PullPoint::DestroyPullPoint =====
2449   DestroyPullPoint()
2450   returns: void
2451 -->
2452 <wsdl:message name="DestroyPullPointRequest">
2453   <wsdl:part name="DestroyPullPointRequest"
2454     element="wsnt:DestroyPullPoint" />
2455 </wsdl:message>
2456
2457 <wsdl:message name="DestroyPullPointResponse">
2458   <wsdl:part name="DestroyPullPointResponse"
2459     element="wsnt:DestroyPullPointResponse" />
2460 </wsdl:message>
2461
2462 <wsdl:message name="UnableToDestroyPullPointFault">
2463   <wsdl:part name="UnableToDestroyPullPointFault"
2464     element="wsnt:UnableToDestroyPullPointFault" />
2465 </wsdl:message>
2466
2467 <!-- ===== PullPoint::CreatePullPoint =====

```

```

2468 CreatePullPoint()
2469 returns: PullPoint (wsa:EndpointReference)
2470 -->
2471 <wsdl:message name="CreatePullPointRequest">
2472 <wsdl:part name="CreatePullPointRequest"
2473 element="wsnt:CreatePullPoint" />
2474 </wsdl:message>
2475
2476 <wsdl:message name="CreatePullPointResponse">
2477 <wsdl:part name="CreatePullPointResponse"
2478 element="wsnt:CreatePullPointResponse" />
2479 </wsdl:message>
2480
2481 <wsdl:message name="UnableToCreatePullPointFault">
2482 <wsdl:part name="UnableToCreatePullPointFault"
2483 element="wsnt:UnableToCreatePullPointFault" />
2484 </wsdl:message>
2485
2486 <!-- ===== SubscriptionManager::Renew =====>
2487 Renew( Duration | AbsoluteTime)
2488 returns: (New Termination Time [CurrentTime])
2489 -->
2490 <wsdl:message name="RenewRequest">
2491 <wsdl:part name="RenewRequest"
2492 element="wsnt:Renew" />
2493 </wsdl:message>
2494
2495 <wsdl:message name="RenewResponse">
2496 <wsdl:part name="RenewResponse"
2497 element="wsnt:RenewResponse" />
2498 </wsdl:message>
2499
2500 <wsdl:message name="UnacceptableTerminationTimeFault">
2501 <wsdl:part name="UnacceptableTerminationTimeFault"
2502 element="wsnt:UnacceptableTerminationTimeFault" />
2503 </wsdl:message>
2504
2505 <!-- ===== SubscriptionManager::Unsubscribe =====>
2506 Unsubscribe()
2507 returns: empty
2508 -->
2509 <wsdl:message name="UnsubscribeRequest">
2510 <wsdl:part name="UnsubscribeRequest"
2511 element="wsnt:Unsubscribe" />
2512 </wsdl:message>
2513
2514 <wsdl:message name="UnsubscribeResponse">
2515 <wsdl:part name="UnsubscribeResponse"
2516 element="wsnt:UnsubscribeResponse" />
2517 </wsdl:message>
2518
2519 <wsdl:message name="UnableToDestroySubscriptionFault">
2520 <wsdl:part name="UnableToDestroySubscriptionFault"
2521 element="wsnt:UnableToDestroySubscriptionFault" />
2522 </wsdl:message>
2523

```

Formatted: English (U.S.)

```

2524 <!-- ===== SubscriptionManager::PauseSubscription =====
2525     PauseSubscription()
2526     returns: empty
2527 -->
2528     <wsdl:message name="PauseSubscriptionRequest">
2529         <wsdl:part name="PauseSubscriptionRequest"
2530             element="wsnt:PauseSubscription" />
2531     </wsdl:message>
2532
2533     <wsdl:message name="PauseSubscriptionResponse">
2534         <wsdl:part name="PauseSubscriptionResponse"
2535             element="wsnt:PauseSubscriptionResponse" />
2536     </wsdl:message>
2537
2538     <wsdl:message name="PauseFailedFault">
2539         <wsdl:part name="PauseFailedFault"
2540             element="wsnt:PauseFailedFault" />
2541     </wsdl:message>
2542
2543 <!-- ===== SubscriptionManager::ResumeSubscription =====
2544     ResumeSubscription()
2545     returns: empty
2546 -->
2547     <wsdl:message name="ResumeSubscriptionRequest">
2548         <wsdl:part name="ResumeSubscriptionRequest"
2549             element="wsnt:ResumeSubscription" />
2550     </wsdl:message>
2551
2552     <wsdl:message name="ResumeSubscriptionResponse">
2553         <wsdl:part name="ResumeSubscriptionResponse"
2554             element="wsnt:ResumeSubscriptionResponse" />
2555     </wsdl:message>
2556
2557     <wsdl:message name="ResumeFailedFault">
2558         <wsdl:part name="ResumeFailedFault"
2559             element="wsnt:ResumeFailedFault" />
2560     </wsdl:message>
2561
2562 <!-- ===== PortType Definitions ===== -->
2563 <!-- ===== NotificationConsumer PortType Definition ===== -->
2564     <wsdl:portType name="NotificationConsumer">
2565         <wsdl:operation name="Notify">
2566             <wsdl:input message="wsntw:Notify" />
2567         </wsdl:operation>
2568     </wsdl:portType>
2569
2570 <!-- ===== NotificationProducer PortType Definition ===== -->
2571     <wsdl:portType name="NotificationProducer">
2572         <wsdl:operation name="Subscribe">
2573             <wsdl:input message="wsntw:SubscribeRequest" />
2574             <wsdl:output message="wsntw:SubscribeResponse" />
2575             <wsdl:fault name="ResourceUnknownFault"
2576                 message="wsrf-rw:ResourceUnknownFault" />
2577             <wsdl:fault name="InvalidFilterFault"
2578                 message="wsntw:InvalidFilterFault" />
2579             <wsdl:fault name="TopicExpressionDialectUnknownFault"

```

```

2580         message="wsntw:TopicExpressionDialectUnknownFault"/>
2581     <wsdl:fault name="InvalidTopicExpressionFault"
2582         message="wsntw:InvalidTopicExpressionFault" />
2583     <wsdl:fault name="TopicNotSupportedFault"
2584         message="wsntw:TopicNotSupportedFault" />
2585     <wsdl:fault name="InvalidProducerPropertiesExpressionFault"
2586         message="wsntw:InvalidProducerPropertiesExpressionFault"/>
2587     <wsdl:fault name="InvalidMessageContentExpressionFault"
2588         message="wsntw:InvalidMessageContentExpressionFault"/>
2589     <wsdl:fault name="UnacceptableInitialTerminationTimeFault"
2590         message="wsntw:UnacceptableInitialTerminationTimeFault"/>
2591     <wsdl:fault name="UnrecognizedPolicyRequestFault"
2592         message="wsntw:UnrecognizedPolicyRequestFault"/>
2593     <wsdl:fault name="UnsupportedPolicyRequestFault"
2594         message="wsntw:UnsupportedPolicyRequestFault"/>
2595     <wsdl:fault name="NotifyMessageNotSupportedFault"
2596         message="wsntw:NotifyMessageNotSupportedFault"/>
2597     <wsdl:fault name="SubscribeCreationFailedFault"
2598         message="wsntw:SubscribeCreationFailedFault"/>
2599 </wsdl:operation>
2600
2601 <wsdl:operation name="GetCurrentMessage">
2602     <wsdl:input message="wsntw:GetCurrentMessageRequest" />
2603     <wsdl:output message="wsntw:GetCurrentMessageResponse" />
2604     <wsdl:fault name="ResourceUnknownFault"
2605         message="wsrf-rw:ResourceUnknownFault" />
2606     <wsdl:fault name="TopicExpressionDialectUnknownFault"
2607         message="wsntw:TopicExpressionDialectUnknownFault"/>
2608     <wsdl:fault name="InvalidTopicExpressionFault"
2609         message="wsntw:InvalidTopicExpressionFault" />
2610     <wsdl:fault name="TopicNotSupportedFault"
2611         message="wsntw:TopicNotSupportedFault" />
2612     <wsdl:fault name="NoCurrentMessageOnTopicFault"
2613         message="wsntw:NoCurrentMessageOnTopicFault" />
2614     <wsdl:fault name="MultipleTopicsSpecifiedFault"
2615         message="wsntw:MultipleTopicsSpecifiedFault" />
2616 </wsdl:operation>
2617 </wsdl:portType>
2618
2619 <!-- ===== PullPoint PortType Definition ===== -->
2620 <wsdl:portType name="PullPoint">
2621     <wsdl:operation name="GetMessages">
2622         <wsdl:input name="GetMessagesRequest"
2623             message="wsntw:GetMessagesRequest" />
2624         <wsdl:output name="GetMessagesResponse"
2625             message="wsntw:GetMessagesResponse" />
2626         <wsdl:fault name="ResourceUnknownFault"
2627             message="wsrf-rw:ResourceUnknownFault" />
2628         <wsdl:fault name="UnableToGetMessagesFault"
2629             message="wsntw:UnableToGetMessagesFault" />
2630     </wsdl:operation>
2631
2632     <wsdl:operation name="DestroyPullPoint">
2633         <wsdl:input name="DestroyPullPointRequest"
2634             message="wsntw:DestroyPullPointRequest" />
2635         <wsdl:output name="DestroyPullPointResponse"

```

```

2636         message="wsntw:DestroyPullPointResponse" />
2637     <wsdl:fault name="ResourceUnknownFault"
2638         message="wsrf-rw:ResourceUnknownFault" />
2639     <wsdl:fault name="UnableToDestroyPullPointFault"
2640         message="wsntw:UnableToDestroyPullPointFault" />
2641 </wsdl:operation>
2642
2643     <wsdl:operation name="Notify">
2644         <wsdl:input message="wsntw:Notify" />
2645     </wsdl:operation>
2646 </wsdl:portType>
2647
2648 <!-- ===== CreatePullPoint PortType Definition ===== -->
2649 <wsdl:portType name="CreatePullPoint">
2650     <wsdl:operation name="CreatePullPoint">
2651         <wsdl:input name="CreatePullPointRequest"
2652             message="wsntw:CreatePullPointRequest" />
2653         <wsdl:output name="CreatePullPointResponse"
2654             message="wsntw:CreatePullPointResponse" />
2655         <wsdl:fault name="UnableToCreatePullPointFault"
2656             message="wsntw:UnableToCreatePullPointFault" />
2657     </wsdl:operation>
2658 </wsdl:portType>
2659
2660 <!-- ===== SubscriptionManager PortType Definition ===== -->
2661 <wsdl:portType name="SubscriptionManager">
2662     <wsdl:operation name="Renew">
2663         <wsdl:input name="RenewRequest"
2664             message="wsntw:RenewRequest" />
2665         <wsdl:output name="RenewResponse"
2666             message="wsntw:RenewResponse" />
2667         <wsdl:fault name="ResourceUnknownFault"
2668             message="wsrf-rw:ResourceUnknownFault" />
2669         <wsdl:fault name="UnacceptableTerminationTimeFault"
2670             message=
2671             "wsntw:UnacceptableTerminationTimeFault" />
2672     </wsdl:operation>
2673     <wsdl:operation name="Unsubscribe">
2674         <wsdl:input name="UnsubscribeRequest"
2675             message="wsntw:UnsubscribeRequest" />
2676         <wsdl:output name="UnsubscribeResponse"
2677             message="wsntw:UnsubscribeResponse" />
2678         <wsdl:fault name="ResourceUnknownFault"
2679             message="wsrf-rw:ResourceUnknownFault" />
2680         <wsdl:fault name="UnableToDestroySubscriptionFault"
2681             message=
2682             "wsntw:UnableToDestroySubscriptionFault" />
2683     </wsdl:operation>
2684 </wsdl:portType>
2685
2686 <!-- ===== PausableSubscriptionManager PortType Definition ===== -->
2687 <wsdl:portType name="PausableSubscriptionManager">
2688     <!-- ===== Extends: SubscriptionManager ===== -->
2689     <wsdl:operation name="Renew">
2690         <wsdl:input name="RenewRequest"
2691             message="wsntw:RenewRequest" />

```



```

2692     <wsdl:output name="RenewResponse"
2693             message="wsntw:RenewResponse" />
2694     <wsdl:fault name="ResourceUnknownFault"
2695             message="wsrf-rw:ResourceUnknownFault" />
2696     <wsdl:fault name="UnacceptableTerminationTimeFault"
2697             message=
2698             "wsntw:UnacceptableTerminationTimeFault" />
2699 </wsdl:operation>
2700 <wsdl:operation name="Unsubscribe">
2701     <wsdl:input name="UnsubscribeRequest"
2702             message="wsntw:UnsubscribeRequest" />
2703     <wsdl:output name="UnsubscribeResponse"
2704             message="wsntw:UnsubscribeResponse" />
2705     <wsdl:fault name="ResourceUnknownFault"
2706             message="wsrf-rw:ResourceUnknownFault" />
2707     <wsdl:fault name="UnableToDestroySubscriptionFault"
2708             message=
2709             "wsntw:UnableToDestroySubscriptionFault" />
2710 </wsdl:operation>
2711
2712 <!-- === PausableSubscriptionManager specific operations === -->
2713 <wsdl:operation name="PauseSubscription">
2714     <wsdl:input message="wsntw:PauseSubscriptionRequest"/>
2715     <wsdl:output message="wsntw:PauseSubscriptionResponse"/>
2716     <wsdl:fault name="ResourceUnknownFault"
2717             message="wsrf-rw:ResourceUnknownFault" />
2718     <wsdl:fault name="PauseFailedFault"
2719             message="wsntw:PauseFailedFault" />
2720 </wsdl:operation>
2721 <wsdl:operation name="ResumeSubscription">
2722     <wsdl:input message="wsntw:ResumeSubscriptionRequest"/>
2723     <wsdl:output message="wsntw:ResumeSubscriptionResponse"/>
2724     <wsdl:fault name="ResourceUnknownFault"
2725             message="wsrf-rw:ResourceUnknownFault" />
2726     <wsdl:fault name="ResumeFailedFault"
2727             message="wsntw:ResumeFailedFault" />
2728 </wsdl:operation>
2729 </wsdl:portType>
2730 </wsdl:definitions>

```

## Appendix D. Revision History

Rev	Date	By Whom	What
wd-01	2004-05-18	Steve Graham	Initial version created from submission by contributing companies. Minor modifications made to reflect OASIS formatting and namespace URI choices.
wd-02	2004-05-24	Steve Graham	Added requirements section draft and updated acknowledgments appendix.
wd-03	2004-06-07	Steve Graham	Minor modifications on wd-02 as reported by Peter N. and William V.
wd-04	2004-06-21	Steve Graham	Finalize list of acknowledgments and annotate title page with result of TC vote.
wd-03	2004-07-12	Steve Graham	"rename" 04 back to 03 to minimize reference rework in WSRF.
wd-04	2004-09-20	Steve Graham	WSN 2.3, 2.11, 2.17, 2.18, 2.19, 2.21, 2.22, 2.29
1.3, 01a	2004-09-27	Steve Graham	Rename to follow agreed upon format, add resolution to WSN 5.2
1.3, 01b	2004-11-17	Steve Graham	Post Oct f2f edits
1.3, 01c	2004-12-7	Steve Graham, David Hull	WSN 1.7, 2.7, 2.13, 2.14, 2.15, 2.24 and WSN2.17 revisited
1.3, 01d	2004-12-8	Steve Graham	Fix Action URIs and other edits per Tom Maguire's comments
1.3, 01e	2005-02-19	Bryan Murray	Editorial text and formatting, WSN2.1, WSN2.37, WSN2.38
1.3,01e	2005-02-25	Steve Graham	Mod's to Bryan's edits, WSN 2.34, WSN2.35
1.3, 01e	2005-03-02	Steve Graham	Minor typos reported by Matt Haynos' team.
1.3, 01f	2005-05-09	Bryan Murray, David Hull	WSN1.5, WSN2.1 (InvalidFilterFault), WSN2.32, WSN2.39, WSN2.43, WSN2.45, WSN2.46
1.3, 01g	2005-05-18	Bryan Murray	Per face-to-face agreement on hygiene issues.

Rev	Date	By Whom	What
			WSN 2.48 (but see comment to list from dmh) (Partially?) WSN 2.49 WSN 2.50 WSN 2.53
1.3.01g	2005-05-19	David Hull	Integrated definitions from White Paper, including updates for WSN2.39 compliance. NotificationMessage is not Notification throughout. Began integrating security section from whitepaper, along with proposed text for WSN 2.24 Fixed a few more WS 2.39 stragglers
1.3.01 h	2005-05-27	David Hull	WSN 2.51, WSN 2.52, (also it seems, 2.33, 2.48, 2.1 (pending David raising omnibus issue), 2.23 (partial), 2.25, 2.34, 2.46)
1.3.01.i	2005-06-02	Steve Graham	Modifications on 01g and 01h text, completion of schema and WSDL related items and 2.47, 2.55, 2.41, 2.23
1.3.01.j	2005-06-09	Bryan Murray	AI 106, AI 109, WSN1.4, section 7.1 cleanup, remove ref to Primer
1.3.01.k	2005-06-29	David Hull	Integrated review comments for 2.1, 2.25, 2.33, 2.39, 2.48, 2.50, 2.52. Pseudo-schema descriptions of open content.
1.3.01.l	2005-07-06	David Hull	Integrated review from chairs: 2.6, 2.34, 2.52, 2.55, typos, abstract, acknowledgements.
1.3.01.m	2005-07-07	David Hull	Amended requirement for composability, per committee vote. Formatting in section 4.2
1.3.02.a	2005-09-13	David Hull	Issues 2.57, 2.59. 2.60, 2.61
1.3.02.a	2005-09-14	Bryan Murray	Changed namespace and [action] URIs to b-2 and bw-2 Added resolution to 2.58
1.3.02b	2005-10-10	David Hull	Issues 2.63, 4.2, AI 132, 134, 136, cleanup of references.

Rev	Date	By Whom	What
1.3.02c	2005-10-11	David Hull	Issues 2.62, 4.2, AI 132, 134, 138, 139, 140
1.3.02d	2005-10-19	David Hull	Various errata
1.3.02f	2005-11-21	David Hull	Issue 2.62 and various errata
<a href="#">1.3.03a</a>	<a href="#">2006-03-27</a>	<a href="#">David Hull</a>	<a href="#">Issues 2.64, 2.65, 2.66, 2.67 and various errata</a>
<a href="#">1.3.04</a>	<a href="#">2006-05-08</a>	<a href="#">Peter Niblett</a>	<a href="#">Miscellaneous pseudo-schema corrections. Changed schema for GetMessages/MaximumNumber to be minOccurs="0"</a>

---

2732 **Appendix E. Notices**

2733 OASIS takes no position regarding the validity or scope of any intellectual property or other rights  
2734 that might be claimed to pertain to the implementation or use of the technology described in this  
2735 document or the extent to which any license under such rights might or might not be available;  
2736 neither does it represent that it has made any effort to identify any such rights. Information on  
2737 OASIS's procedures with respect to rights in OASIS specifications can be found at the OASIS  
2738 website. Copies of claims of rights made available for publication and any assurances of licenses  
2739 to be made available, or the result of an attempt made to obtain a general license or permission  
2740 for the use of such proprietary rights by implementors or users of this specification, can be  
2741 obtained from the OASIS Executive Director.

2742

2743 OASIS invites any interested party to bring to its attention any copyrights, patents or patent  
2744 applications, or other proprietary rights which may cover technology that may be required to  
2745 implement this specification. Please address the information to the OASIS Executive Director.

2746

2747 | Copyright (C) OASIS Open (2004-2006). All Rights Reserved.

Deleted: 5

2748

2749 This document and translations of it may be copied and furnished to others, and derivative works  
2750 that comment on or otherwise explain it or assist in its implementation may be prepared, copied,  
2751 published and distributed, in whole or in part, without restriction of any kind, provided that the  
2752 above copyright notice and this paragraph are included on all such copies and derivative works.  
2753 However, this document itself may not be modified in any way, such as by removing the copyright  
2754 notice or references to OASIS, except as needed for the purpose of developing OASIS  
2755 specifications, in which case the procedures for copyrights defined in the OASIS Intellectual  
2756 Property Rights document must be followed, or as required to translate it into languages other  
2757 than English.

2758

2759 The limited permissions granted above are perpetual and will not be revoked by OASIS or its  
2760 successors or assigns.

2761

2762 This document and the information contained herein is provided on an "AS IS" basis and OASIS  
2763 DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO  
2764 ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE  
2765 ANY RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A  
2766 PARTICULAR PURPOSE.

2767