

OASIS Committee Note

STIX/TAXII™ 2.0 Interoperability Test Document: Part 1 Version 1.1

Committee Note 01

16 August 2018

Specification URIs

This version:

https://docs.oasis-open.org/cti/stix-taxii-2-interop-p1/v1.1/cn01/stix-taxii-2-interop-p1-v1.1-cn01.docx (Authoritative)

https://docs.oasis-open.org/cti/stix-taxii-2-interop-p1/v1.1/cn01/stix-taxii-2-interop-p1-v1.1-cn01.html https://docs.oasis-open.org/cti/stix-taxii-2-interop-p1/v1.1/cn01/stix-taxii-2-interop-p1-v1.1-cn01.pdf

Previous version:

N/A

Latest version:

https://docs.oasis-open.org/cti/stix-taxii-2-interop-p1/v1.1/stix-taxii-2-interop-p1-v1.1.docx (Authoritative)

 $\frac{\text{https://docs.oasis-open.org/cti/stix-taxii-2-interop-p1/v1.1/stix-taxii-2-interop-p1-v1.1.html}{\text{https://docs.oasis-open.org/cti/stix-taxii-2-interop-p1/v1.1/stix-taxii-2-interop-p1-v1.1.pdf}$

Technical Committee:

OASIS Cyber Threat Intelligence (CTI) TC

Chair:

Richard Struse (Richard.Struse@HQ.DHS.GOV), DHS Office of Cybersecurity and Communications (CS&C)

Editors:

Allan Thomson (<u>athomson@lookingglasscyber.com</u>), <u>LookingGlass</u> Jason Keirstead (<u>Jason.Keirstead@ca.ibm.com</u>), <u>IBM</u>

Related work:

This document is related to:

- *STIX™ Version 2.0. Part 1: STIX Core Concepts*. Edited by Rich Piazza, John Wunder, and Bret Jordan. Latest version: http://docs.oasis-open.org/cti/stix/v2.0/stix-v2.0-part1-stix-core.html.
- STIX™ Version 2.0. Part 2: STIX Objects. Edited by Rich Piazza, John Wunder, and Bret Jordan. Latest version: http://docs.oasis-open.org/cti/stix/v2.0/stix-v2.0-part2-stix-objects.html.
- STIX™ Version 2.0. Part 3: Cyber Observable Core Concepts. Edited by Ivan Kirillov and Trey Darley. Latest version: http://docs.oasis-open.org/cti/stix/v2.0/stix-v2.0-part3-cyber-observable-core.html.
- *STIX™ Version 2.0. Part 4: Cyber Observable Objects*. Edited by Ivan Kirillov and Trey Darley. Latest version: http://docs.oasis-open.org/cti/stix/v2.0/stix-v2.0-part4-cyber-observable-objects.html.

- STIX™ Version 2.0. Part 5: STIX Patterning. Edited by Ivan Kirillov and Trey Darley. Latest version: http://docs.oasis-open.org/cti/stix/v2.0/stix-v2.0-part5-stix-patterning.html.
- *TAXII*[™] *Version 2.0.* Edited by John Wunder, Mark Davidson, and Bret Jordan. Latest version: http://docs.oasis-open.org/cti/taxii/v2.0/taxii-v2.0.html.
- STIX/TAXII™ 2.0 Interoperability Test Document: Part 2 Version 1.0. Edited by Allan Thomson and Jason Keirstead. Latest version: https://docs.oasis-open.org/cti/stix-taxii-2-interop-p2/v1.0/stix-taxii-2-interop-p2-v1.0.html.

Abstract:

This is Part 1 of the Interoperability test document to supplement the five-part Structured Threat Information Expression (STIX™) 2.0 specification developed by the Cyber Threat Intelligence Technical Committee (CTI TC) of the Organization for the Advancement of Structured Information Standards (OASIS). The is the first in a series that will be developed concurrent with revisions to the STIX specification. This test document provides detailed requirements on how producers of products within the threat intelligence ecosystem may demonstrate conformity with STIX 2.0 if they wish to self-certify that their software is verified as interoperable.

There are six personas detailed in Part 1 of this specification. These are: Data Feed Provider (DFP), Threat Intelligence Platform (TIP), Threat Mitigation System (TMS), Threat Detection System (TDS), Security Incident and Event Management (SIEM), and Threat Intelligence Sink (TIS).

This Interoperability test document defines tests of the following test cases: indicator sharing, sighting sharing, versioning, data markings, custom objects and properties, and course of action sharing. For each of these test cases the document details the Producer support and the Respondent support to be used for the test cases.

Status:

This is a Non-Standards Track Work Product. The patent provisions of the OASIS IPR Policy do not apply.

This document was last revised or approved by the OASIS Cyber Threat Intelligence (CTI) TC on the above date. The level of approval is also listed above. Check the "Latest version" location noted above for possible later revisions of this document.

Technical Committee (TC) members should send comments on this document to the TC's email list. Others should send comments to the TC's public comment list, after subscribing to it by following the instructions at the "Send A Comment" button on the TC's web page at https://www.oasis-open.org/committees/cti/.

Citation format:

When referencing this document the following citation format should be used:

[STIX-TAXII-Interop-p1-v1.1]

STIX/TAXII™ 2.0 Interoperability Test Document: Part 1 Version 1.1. Edited by Allan Thomson and Jason Keirstead. 16 August 2018. OASIS Committee Note 01. https://docs.oasis-open.org/cti/stix-taxii-2-interop-p1-v1.1/cn01/stix-taxii-2-interop-p1-v1.1.html.

Notices

Copyright © OASIS Open 2018. All Rights Reserved. For the portion subject to the copyright in the United States: Copyright © 2018 United States Government. All Rights Reserved.

All capitalized terms in the following text have the meanings assigned to them in the OASIS Intellectual Property Rights Policy (the "OASIS IPR Policy"). The full <u>Policy</u> may be found at the OASIS website: [<u>https://www.oasis-open.org/policies-guidelines/ipr/</u>].

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to OASIS, except as needed for the purpose of developing any document or deliverable produced by an OASIS Technical Committee (in which case the rules applicable to copyrights, as set forth in the OASIS IPR Policy, must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. OASIS AND ITS MEMBERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THIS DOCUMENT OR ANY PART THEREOF.

The name "OASIS" is a trademark of <u>OASIS</u>, the owner and developer of this document, and should be used only to refer to the organization and its official outputs. OASIS welcomes reference to, and implementation and use of, documents, while reserving the right to enforce its marks against misleading uses. Please see https://www.oasis-open.org/policies-guidelines/trademark/ for above guidance.

STIX, TAXII, AND Cybox (STANDARD OR STANDARDS) AND THEIR COMPONENT PARTS ARE PROVIDED "AS IS" WITHOUT ANY WARRANTY OF ANY KIND, EITHER EXPRESSED, IMPLIED, OR STATUTORY, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTY THAT THESE STANDARDS OR ANY OF THEIR COMPONENT PARTS WILL CONFORM TO SPECIFICATIONS, ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR FREEDOM FROM INFRINGEMENT, ANY WARRANTY THAT THE STANDARDS OR THEIR COMPONENT PARTS WILL BE ERROR FREE, OR ANY WARRANTY THAT THE DOCUMENTATION, IF PROVIDED, WILL CONFORM TO THE STANDARDS OR THEIR COMPONENT PARTS. IN NO EVENT SHALL THE UNITED STATES GOVERNMENT OR ITS CONTRACTORS OR SUBCONTRACTORS BE LIABLE FOR ANY DAMAGES, INCLUDING, BUT NOT LIMITED TO, DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES, ARISING OUT OF, RESULTING FROM, OR IN ANY WAY CONNECTED WITH THESE STANDARDS OR THEIR COMPONENT PARTS OR ANY PROVIDED DOCUMENTATION, WHETHER OR NOT BASED UPON WARRANTY, CONTRACT, TORT, OR OTHERWISE, WHETHER OR NOT INJURY WAS SUSTAINED BY PERSONS OR PROPERTY OR OTHERWISE, AND WHETHER OR NOT LOSS WAS SUSTAINED FROM, OR AROSE OUT OF THE RESULTS OF, OR USE OF, THE STANDARDS, THEIR COMPONENT PARTS, AND ANY PROVIDED DOCUMENTATION. THE UNITED STATES GOVERNMENT DISCLAIMS ALL WARRANTIES AND LIABILITIES REGARDING THE STANDARDS OR THEIR COMPONENT PARTS ATTRIBUTABLE TO ANY THIRD PARTY, IF PRESENT IN THE STANDARDS OR THEIR COMPONENT PARTS AND DISTRIBUTES IT OR THEM "AS IS."

Table of Contents

1 Introduction	7
1.1 IPR Policy	7
1.2 Terminology	7
1.3 Overview	8
1.3.1 Statement on OPTIONAL Properties as defined in STIX™ 2.0	8
1.3.2 Personas	8
2 Test Case Details	10
2.1 Common Test Case Requirements	10
2.2 Indicator Sharing	11
2.2.1 Description	11
2.2.2 Required Producer Persona Support	12
2.2.3 Producer Test Case Data	13
2.2.3.1 Indicator IPv4 Address	13
2.2.3.2 Indicator IPv4 Address CIDR	14
2.2.3.3 Two Indicators with IPv4 Address CIDR	14
2.2.3.4 Indicator with IPv6 Address	15
2.2.3.5 Indicator with IPv6 Address CIDR	15
2.2.3.6 Multiple Indicators within the same bundle	16
2.2.3.7 Indicator FQDN	16
2.2.3.8 Indicator URL	17
2.2.3.9 Indicator URL or FQDN	17
2.2.3.10 Indicator File hash with SHA256 or MD5 values	18
2.2.4 Required Respondent Support	18
2.2.5 Respondent Test Case Data	20
2.3 Sighting Sharing	20
2.3.1 Description	20
2.3.2 Required Producer Persona Support	21
2.3.3 Producer Test Case Data	21
2.3.4 Required Respondent Persona Support	21
2.3.5 Respondent Test Case Data	23
2.3.5.1 Sighting + Indicator with IPv4 Address	23
2.3.5.2 Sighting + Indicator with IPv4 Address Matching CIDR	23
2.3.5.3 Sighting + Indicator with IPv6 Address Matching CIDR	24
2.3.5.4 Sighting + Indicator with NO observed data	25
2.3.5.5 Sighting + Indicator with URL	26
2.3.5.6 Sighting + Indicator with File Hash	27
2.4 Versioning	27
2.4.1 Description	28
2.4.2 Required Producer Persona Creation Support	28
2.4.3 Producer Test Case Data	30
2.4.3.1 Creation of an Indicator with Identity and Date	30
2.4.3.2 Creation of a Sighting with Identity and Date	30

2.4.4 Required Respondent Creation Support	31
2.4.5 Respondent Test Case Creation Data	32
2.4.6 Required Producer Persona Modification Support	32
2.4.7 Producer Test Case Modification Data	34
2.4.7.1 Modification of an Indicator with Identity and Date	34
2.4.7.2 Modification of a Sighting with Identity and Date	
2.4.8 Required Respondent Modification Support	35
2.4.9 Respondent Test Case Modification Data	36
2.4.10 Required Producer Persona Revocation Support	36
2.4.11 Producer Test Case Revocation Data	39
2.4.11.1 Deletion of an Indicator with Identity; Dates	39
2.4.11.2 Deletion of a Sighting and Associated Observed Data	40
2.4.12 Required Respondent Revocation Support	40
2.4.13 Respondent Test Case Revocation Data	41
2.5 Data Markings	41
2.5.1 Description	41
2.5.2 Required Producer Persona Support	42
2.5.3 Producer Test Case Data	43
2.5.3.1 TLP Green + Indicator with IPv4 Address	43
2.5.3.2 TLP Amber + Two Indicators with IPv4 Address CIDR	44
2.5.3.3 TLP White and TLP Red + Indicator with IPv6 Address	44
2.5.3.4 TLP Red + Sighting and Indicator	45
2.5.4 Required Respondent Support	46
2.6 Custom Objects and Properties	47
2.6.1 Description	47
2.6.2 Required Producer Persona Support	47
2.6.3 Producer Test Case Data	48
2.6.3.1 Custom Object Creation	48
2.6.3.2 Custom Property Creation	49
2.6.4 Required Respondent Support	49
2.6.5 Respondent Test Case Data	50
2.7 Course Of Action Sharing	50
2.7.1 Description	50
2.7.2 Required Producer Persona Support	51
2.7.3 Producer Test Case Data	52
2.7.3.1 Create COA	52
2.7.3.2 Create COA with Relationship	52
2.7.4 Required Respondent Persona Support	53
3 Persona Checklist	55
3.1 Data Feed Provider (DFP)	55
3.2 Threat Intelligence Platform (TIP)	57
3.3 Security Incident and Event Management (SIEM)	59
3.4 Threat Mitigation System (TMS)	61
3.5 Threat Detection System (TDS)	64

3.6 Threat Intelligence Sink (TIS)	66
Appendix A Acknowledgments	
Annendix B. Revision History	79

1 Introduction

This document details Part 1 of the Structured Threat Information Expression (STIX™) 2.0 Interoperability Test Documents. It defines a set of test cases that software products, categorized by persona, must implement to achieve STIXPreferred self-certification. The STIXPreferred certification uses the term **persona** throughout the test cases to represent a category of similar product capabilities in a security ecosystem. See Section 1.3.2 for a full list of all persona used. To claim STIXPreferred certification, implementations of one or more personas must adhere to expected behaviors and outcomes as detailed in the test cases.

This document, Part 1, is the first in a series of documents designed to be modular, i.e. new documents will be created as additional test cases are developed. Subsequent documents will be created and numbered Part 2, Part 3, ...etc. Each test document will describe what personas and test cases are covered in that specific document version.

The OASIS Cyber Threat Intelligence Technical Committee (CTI TC) recommends users of this test document become familiar with the STIX 2.0 Core Concepts, and STIX 2.0 Objects, and other supporting specifications (as given in the Related Work section above) prior to implementing the test cases in this document. An organization must submit the results for their specific tests to the OASIS CTI TC Interoperability Subcommittee to achieve confirmation of interoperability and to be listed on the OASIS website page showing the organization's compliance to STIX 2.0. Further submittal instructions are found in Section 3 Persona Checklists.

NOTE: The STIX™ & TAXII™ specifications contain normative references to other specifications with which an implementation may need to reference and meet in order to comply with these specifications. This document assumes that such requirements are also met.

1.1 IPR Policy

This specification is provided under the Non-Assertion Mode of the OASIS IPR Policy, the mode chosen when the Technical Committee was established. For information on whether any patents have been disclosed that may be essential to implementing this specification, and any offers of patent licensing terms, please refer to the Intellectual Property Rights section of the TC's web page (https://www.oasis-open.org/committees/cti/ipr.php).

1.2 Terminology

Security Infrastructure - Any software or hardware instance that provides a function in the support of securing networks and systems

Security Personnel - Any human being that is performing a security function within an organization including threat analysis; security operations; network operations, etc.

Producer - A software instance that creates STIX 2.0 content to share with other systems.

Respondent - A software instance that reads STIX 2.0 content and performs some action on that received data.

1.3 Overview

The approach that is being taken within the CTI TC is to rely primarily on well-defined, common test cases to drive the demonstration of interoperability between products using STIX 2.0 and the Trusted Automated Exchange for Indicator Information (TAXII) version 2.0, also under development within the CTI TC. Section 2 of this document outlines these common test cases for organizations seeking to develop and demonstrate interoperability.

These test cases will enable personas (defined herein) of the cyber threat intelligence information sharing community to build and test information sharing files that are compliant with STIX 2.0 best practices.

1.3.1 Statement on OPTIONAL Properties as defined in STIX™ 2.0

Note that this document includes tests that mandate the presence of OPTIONAL STIX 2.0 object properties. These occurrences can be found in required producer persona support, as well as test cases. In these situations, producers must produce data containing these OPTIONAL properties in order to demonstrate interoperability compliance as defined in this document. Correspondingly, a respondent must properly process these OPTIONAL properties to demonstrate interoperability.

1.3.2 Personas

The STIXPreferred personas shown in Figure 1 are used throughout this document.




Figure 1 - STIXPreferred Persona

- Data Feed Provider (DFP)
 - Software instance that acts as a producer of STIX 2.0 content.
- Threat Intelligence Platform (TIP)
 - Software instance that acts as a Producer and/or Respondent of STIX 2.0 content primarily used to aggregate, refine and share intelligence with other machines or security personnel operating other security infrastructure.
- Security Incident and Event Management system (SIEM)
 - Software instance that acts as a producer and/or Respondent of STIX 2.0 content. A
 SIEM aggregates events, incidents and indicators and may produce STIX content based

on that security operations tasks associated with those activities. A SIEM that consumes STIX content will typically consume sightings and/or indicators.

- Threat Mitigation System (TMS)
 - Software instance such as a firewall or Intrusion Prevention System (IPS), Endpoint
 Detection and Response (EDR) software, etc. that acts on courses of action and other
 threat mitigations.
- Threat Detection System (TDS)
 - Software instance such as Intrusion Detection System (IDS), Endpoint Detection and Response (EDR) software, web proxy, etc. that monitors, detects and alerts.
- Threat Intelligence Sink (TIS)
 - Software instance that consumes STIX 2.0 content in order to perform translations to
 domain specific formats consumable by enforcement and/or detection systems that do
 not natively support STIX 2.0. These consumers may or may not have the capability of
 reporting sightings. A TIS will typically consume intelligence identified in the STIX
 content but will not produce any STIX content itself.

For an organization to receive OASIS STIXPreferred self-certification, the software instances must adhere to persona behavior and prescribed bundle contents as detailed in the Required Producer Persona/Profile Support section of each test case.

For documenting self-certification for each persona tested, refer to the checklist and test requirements in Section 3 Persona Checklist of this document.

2 Test Case Details

The following Part 1 test cases are broken down into a common set of test cases for each of the defined persona. There are also a set of defined optional test cases for those persona that may choose to verify additional capabilities.

The following test cases are defined in this document.

Description **Producer Personas Respondent Personas Indicator Sharing** DFP, TIP TMS, TIS, TDS, TIP, SIEM **Sightings Sharing** DFP, TIP, TMS, TDS TIP, SIEM **Versioning** ΑII ΑII ΑII ΑII **Data Markings Custom Objects & Properties** ΑII ΑII DFP, TIP TIP, TMS, TIS, TDS Course of Action Sharing

Table 1 - List of STIX Interoperability test cases

The following sections provide details on these test cases.

2.1 Common Test Case Requirements

All test data must comply with the following set of additional requirements.

- 1. Identities Created
 - All tests require the creation of an identity for the created_by_ref property across all tests.
 - b. The Identity created should represent the organization that is responsible for the software instance under test.
 - c. The following properties should be filled in:
 - i. **type** with value 'identity'
 - ii. **name** with a value that represents the organization's name
 - iii. identity_class with value 'organization'
 - iv. id with a unique UUID
 - v. Example:

```
"type": "identity",
"name": "ACME Corp, Inc.",
"identity_class": "organization",
"id": "identity--f431f809-377b-45e0-aa1c-6a4751cae5ff"
```

2. x_interop_test use

- a. Throughout this test document this property is used to convey a human-readable reference to the Interoperability document that defines the required test content.
- b. Although this is a best practice to provide descriptive terms for all intelligence produced, it is **not** mandatory for any producer to generate and consume data that includes this property.

2.2 Indicator Sharing

One of the most common test cases that has emerged within enterprises tracking threat intelligence globally and/or within Information Sharing and Analysis Centers (ISACs) and Information Sharing and Analysis Organizations (ISAOs) has been the sharing of Indicators (sometimes referred to as Indicators of Compromise or IOCs) using a threat intelligence platform (TIP) that integrates one or multiple Data Feed Providers (DFPs).

Indicators and other STIX data objects (SDOs), as defined in the STIX 2.0 Specification, may be shared via proprietary feeds, open source feeds and/or through a sharing community. The TIP is used to aggregate and process the data and then map it to the STIX 2.0 data model. Some TIPs also provide for data enrichment, analysis and indexing, visualization and bi-directional IOC sharing with other security products through application programming interfaces (APIs). The Respondents of the SDOs include both the personas documented in this Committee Note for machine readable threat intelligence (MRTI) and human analysts including, but not limited to: threat intelligence analysts, fraud and risk analysts, malware analysts, and network and endpoint guardians, among others. This high-level view is useful for illustrating how a test case (in this case, sharing of Indicator objects) and a persona will work together within this Committee Note for the purpose of interoperability demonstration.

The following sections provide more detailed descriptions of how a STIX 2.0 Indicator object may be used for the purpose of demonstrating interoperability.

2.2.1 Description

A STIX 2.0 Indicator defines a pattern of STIX Cyber Observable values of interest (e.g. suspicious or malicious). There are several common characteristics of data specified in test cases that will be verified. The TIP producer persona, shown on Figure 3 operated by the "Analyst", has identified one or more Indicators that indicate malicious content on the Internet. That content may be an entity of interest to consider for monitoring activity. Also shown is how a TIP processes a STIX Bundle, and it illustrates how the information is published as a Bundle to a TMS, which then issues a response.




Figure 3 - An analyst shares an indicator

2.2.2 Required Producer Persona Support

The Producer persona must be able to create a STIX Bundle with one or more indicators such as IP Address v4; IP Address v6 for all Classless Inter-Domain Routing (CIDR) variations, and options.

Table 2 - Producer Object Bundling Details

Personas	Behavior
DFP; TIP	 Producer allows a user to select or specify the IP Address associated with Actor A and identify that Actor A's IP address as an IOC to share to a Respondent persona. The following data must be verified in the STIX bundle produced by the persona:
	 a) A bundle object must conform to mandatory attributes within the bundle object including 'type'; 'id'; 'spec_version' and 'objects' where id has a globally unique identifier spec_version is '2.0' Within the objects array at least one Identity for the organization of the Producer at least one Indicator with the IP Address identified in the pattern parameter

- b) The Identity object must conform to mandatory attributes within the identity object spec including 'type'; 'name'; 'identity_class' and 'id' where
 - i) **type** is 'identity'
 - ii) id has a globally unique identifier
 - iii) identity_class is specified by the organization of the Producer
 - iv) **name** is the name that the Producer wishes to associate with the identity object
- c) The Indicator object must conform to mandatory attributes including 'type'; 'id'; 'created_by_ref'; 'created'; 'modified'; 'pattern'' where
 - i) **created_by_ref** must point to the identity of the Producer;
 - ii) **created** and **modified** must match the timestamp to millisecond granularity of when the user selected the Actor's IP address to be an IOC
- d) The pattern attribute captures the various required fields that must be supported by the Producer as defined in <ref 2.2.2.1>

2.2.3 Producer Test Case Data

The following subsections provide the test case data for the test. Verify for all test cases that the objects defined in each test are produced either in a single bundle or across multiple bundles.

2.2.3.1 Indicator IPv4 Address

```
"objects": [
            "type": "identity",
            "id": "identity--f431f809-377b-45e0-aa1c-6a4751cae5ff",
            "identity_class": "organization",
            "name": "ACME Corp, Inc.",
            "created": "2018-01-17T11:11:13.000Z",
            "modified": "2018-01-17T11:11:13.000Z"
       },
            "type": "indicator",
            "id": "indicator--12fd1bad-8306-4ed4-8c9b-7dfdd8ad5eb8",
            "name": "Bad IP1",
            "description": "IPv4 Indicator",
            "created_by_ref": "identity--f431f809-377b-45e0-aa1c-6a4751cae5ff",
            "created": "2018-01-17T11:11:13.000Z",
            "modified": "2018-01-17T11:11:13.000Z",
            "valid from": "2018-01-01T00:00:00.000Z",
            "labels": ["malicious-activity"],
            "pattern": "[ipv4-addr:value = '198.51.100.1']"
            "x interop test": "STIX/TAXII 2.0 Interoperability Part 1, §2.2.3.1, Indicator IPv4
Address",
```

2.2.3.2 Indicator IPv4 Address CIDR

```
"objects": [
        {
            "type": "identity",
            "id": "identity--f431f809-377b-45e0-aa1c-6a4751cae5ff",
            "identity_class": "organization",
            "name": "ACME Corp, Inc.",
            "created": "2018-01-17T11:11:13.000Z",
            "modified": "2018-01-17T11:11:13.000Z"
       },
            "type": "indicator",
            "id": "indicator--86449d6c-c47a-4320-bb94-2eb7340928e8",
            "name": "Bad IP CIDR",
            "description": "IPv4 CIDR Indicator",
            "created_by_ref": "identity--f431f809-377b-45e0-aa1c-6a4751cae5ff",
            "created": "2018-01-17T11:11:13.000Z",
            "modified": "2018-01-17T11:11:13.000Z",
            "valid_from": "2018-01-01T00:00:00.000Z",
            "labels": ["malicious-activity"],
            "pattern": "[ipv4-addr:value ISSUBSET '198.51.100.0/24']"
            "x_interop_test": "STIX/TAXII 2.0 Interoperability Part 1, §2.2.3.2,Indicator IPv4
Address CIDR",
1
```

2.2.3.3 Two Indicators with IPv4 Address CIDR

```
"objects": [
            "type": "identity",
            "id": "identity--f431f809-377b-45e0-aa1c-6a4751cae5ff",
            "identity class": "organization",
            "name": "ACME Corp, Inc.",
            "created": "2018-01-17T11:11:13.000Z",
            "modified": "2018-01-17T11:11:13.000Z"
       },
            "type": "indicator",
            "id": "indicator--1b0eb2d2-cce4-4c18-a58d-cf238ceea505",
            "name": "Bad IP Subnets",
            "description": "Two IPv4 CIDR Indicators",
            "created by ref": "identity--f431f809-377b-45e0-aa1c-6a4751cae5ff",
            "created": "2018-01-17T11:11:13.000Z",
            "modified": "2018-01-17T11:11:13.000Z",
            "valid from": "2018-01-01T00:00:00.000Z",
            "labels": ["malicious-activity"],
            "pattern": "[ipv4-addr:value ISSUBSET '198.51.100.0/24' OR ipv4-addr:value
ISSUBSET '196.45.200.0/24']"
            "x interop test": "STIX/TAXII 2.0 Interoperability Part 1, §2.2.3.3, Two Indicators
with IPv4 Address CIDR",
- 1
```

2.2.3.4 Indicator with IPv6 Address

```
"objects": [
        {
            "type": "identity",
            "id": "identity--f431f809-377b-45e0-aa1c-6a4751cae5ff",
            "identity_class": "organization",
            "name": "ACME Corp, Inc.",
            "created": "2018-01-17T11:11:13.000Z",
            "modified": "2018-01-17T11:11:13.000Z"
       },
            "type": "indicator",
            "id": "indicator--919974fa-2461-4476-91ae-dd033c700f49",
            "name": "Bad IPv6-1",
            "description": "IPv6 Indicator",
            "created_by_ref": "identity--f431f809-377b-45e0-aa1c-6a4751cae5ff",
            "created": "2018-01-17T11:11:13.000Z",
            "modified": "2018-01-17T11:11:13.000Z",
            "valid_from": "2018-01-01T00:00:00.000Z",
            "labels": ["malicious-activity"],
            "pattern": "[ipv6-addr:value = '2001:0db8:85a3:0000:0000:8a2e:0370:7334']"
            "x interop test": "STIX/TAXII 2.0 Interoperability Part 1, §2.2.3.4, Indicator with
IPv6 Address",
1
```

2.2.3.5 Indicator with IPv6 Address CIDR

```
"objects": [
    {
            "type": "identity",
            "id": "identity--f431f809-377b-45e0-aa1c-6a4751cae5ff",
            "identity class": "organization",
            "name": "ACME Corp, Inc.",
            "created": "2018-01-17T11:11:13.000Z",
            "modified": "2018-01-17T11:11:13.000Z"
       },
            "type": "indicator",
            "id": "indicator--b5dcc585-bf19-4ace-aa56-1e004448ee2a",
            "name": "Bad IPv6-CIDR",
            "description": "IPv6 CIDR Indicator",
            "created by ref": "identity--f431f809-377b-45e0-aa1c-6a4751cae5ff",
            "created": "2018-01-17T11:11:13.000Z",
            "modified": "2018-01-17T11:11:13.000Z",
            "valid from": "2018-01-01T00:00:00.000Z",
            "labels": ["malicious-activity"],
            "pattern": "[ipv6-addr:value ISSUBSET '2001:DB8::0/120']"
            "x_interop_test": "STIX/TAXII 2.0 Interoperability Part 1, §2.2.3.5,IPv6 Address
CIDR",
```

2.2.3.6 Multiple Indicators within the same bundle

```
"objects": [
        {
            "type": "identity",
            "id": "identity--f431f809-377b-45e0-aa1c-6a4751cae5ff",
            "identity_class": "organization",
            "name": "ACME Corp, Inc.",
            "created": "2018-01-17T11:11:13.000Z",
            "modified": "2018-01-17T11:11:13.000Z"
        },
            "type": "indicator",
            "id": "indicator--674aae52-d49b-412e-ab61-514e31f8021e",
            "name": "Bad IP Subnets",
            "description": "IPv4 CIDR Indicator",
            "created_by_ref": "identity--f431f809-377b-45e0-aa1c-6a4751cae5ff",
            "created": "2018-01-17T11:11:13.000Z",
            "modified": "2018-01-17T11:11:13.000Z",
            "valid_from": "2018-01-01T00:00:00.000Z",
            "labels": ["malicious-activity"],
            "pattern": "[ipv4-addr:value ISSUBSET '198.51.100.0/24' OR ipv4-addr:value
ISSUBSET '196.45.200.0/24']"
            "x_interop_test": "STIX/TAXII 2.0 Interoperability Part 1, §2.2.3.6, Multiple
Indicators within the same bundle",
        },
            "type": "indicator",
            "id": "indicator--e40f9107-9a76-4c92-89c0-d512fde1c120",
            "name": "Bad IP1",
            "description": "IPv4 Indicator",
            "created_by_ref": "identity--f431f809-377b-45e0-aa1c-6a4751cae5ff",
            "created": "2018-01-17T11:11:13.000Z",
            "modified": "2018-01-17T11:11:13.000Z",
            "valid_from": "2018-01-01T00:00:00.000Z",
            "labels": ["malicious-activity"],
            "pattern": "[ipv4-addr:value = '198.51.100.12']"
            "x interop test": "STIX/TAXII 2.0 Interoperability Part 1, §2.2.3.6, Multiple
Indicators within the same bundle",
2.2.3.7 Indicator FQDN
  "objects": [
            "type": "identity",
            "id": "identity--f431f809-377b-45e0-aa1c-6a4751cae5ff",
            "identity_class": "organization",
            "name": "ACME Corp, Inc.",
            "created": "2018-01-17T11:11:13.000Z",
            "modified": "2018-01-17T11:11:13.000Z"
       },
            "type": "indicator",
```

"id": "indicator--69a4eedb-05c5-463b-ba59-65257d652cf4",

```
"name": "Bad Domain",
            "description": "FQDN Indicator",
            "created_by_ref": "identity--f431f809-377b-45e0-aa1c-6a4751cae5ff",
            "created": "2018-01-17T11:11:13.000Z",
            "modified": "2018-01-17T11:11:13.000Z",
            "valid_from": "2018-01-01T00:00:00.000Z",
            "labels": ["malicious-activity"],
            "pattern": "[domain-name:value = 'www.5z8.info']"
            "x_interop_test": "STIX/TAXII 2.0 Interoperability Part 1, §2.2.3.7, Indicator
FQDN",
1
2.2.3.8 Indicator URL
  "objects": [
        {
            "type": "identity",
            "id": "identity--f431f809-377b-45e0-aa1c-6a4751cae5ff",
            "identity_class": "organization",
            "name": "ACME Corp, Inc.",
            "created": "2018-01-17T11:11:13.000Z",
            "modified": "2018-01-17T11:11:13.000Z"
       },
            "type": "indicator",
            "id": "indicator--21edc30b-11c9-406d-867a-42fb4bdeedda",
            "name": "Bad URL",
            "description": "URL Indicator",
            "created_by_ref": "identity--f431f809-377b-45e0-aa1c-6a4751cae5ff",
            "created": "2018-01-17T11:11:13.000Z",
            "modified": "2018-01-17T11:11:13.000Z",
            "valid_from": "2018-01-01T00:00:00.000Z",
            "labels": ["malicious-activity"],
            "pattern": "[url:value = 'https://www.5z8.info/foo']"
            "x interop test": "STIX/TAXII 2.0 Interoperability Part 1, §2.2.3.8, Indicator
URL",
2.2.3.9 Indicator URL or FQDN
  "objects": [
            "type": "identity",
            "id": "identity--f431f809-377b-45e0-aa1c-6a4751cae5ff",
            "identity class": "organization",
            "name": "ACME Corp, Inc.",
            "created": "2018-01-17T11:11:13.000Z",
            "modified": "2018-01-17T11:11:13.000Z"
            "type": "indicator",
            "id": "indicator--81090d66-3036-4ff9-8032-c5facb50b20f",
```

"name": "Bad URL or Domain",

"description": "URL or FQDN Indicator",

2.2.3.10 Indicator File hash with SHA256 or MD5 values

```
"objects": [
       {
            "type": "identity",
            "id": "identity--f431f809-377b-45e0-aa1c-6a4751cae5ff",
           "identity_class": "organization",
            "name": "ACME Corp, Inc.",
            "created": "2018-01-17T11:11:13.000Z",
            "modified": "2018-01-17T11:11:13.000Z"
      },
      {
            "type": "indicator",
           "id": "indicator--0cddd4c0-411a-47a7-8ccc-d0473d690a6f",
            "name": "Bad File1",
            "description": "File Hash Indicator",
            "created_by_ref": "identity--f431f809-377b-45e0-aa1c-6a4751cae5ff",
            "created": "2018-01-17T11:11:13.000Z",
            "modified": "2018-01-17T11:11:13.000Z"
            "valid_from": "2018-01-01T00:00:00.000Z",
            "labels": ["malicious-activity"],
            "pattern": "[file:hashes.'SHA-256' =
'bf07a7fbb825fc0aae7bf4a1177b2b31fcf8a3feeaf7092761e18c859ee52a9c' OR file:hashes.MD5 =
cead3f77f6cda6ec00f57d76c9a6879f']"
            "x_interop_test": "STIX/TAXII 2.0 Interoperability Part 1, §2.2.3.10,Indicator
File hash with SHA256 or MD5 values",
1
```

2.2.4 Required Respondent Support

The Respondent must be able to parse and display any Indicator that has been shared with IP Address information.

Table 3 - Respondent Object Bundling Details

Persona	Behavior
TIP	 TIP allows a user to receive a STIX bundle with an a. Identity and Indicator with the various required field pattern content

	 b. Identity of the Producer c. Indicator with various required fields information contained in it 2. Once received the TIP is able to display to the user the source of the Indicator based on the identity's attribute 'name' and the identity_class attribute 3. For each Indicator, the TIP is able to verify that the created_by_ref maps to an existing identity or one contained within the bundle received 4. For each Indicator object, the TIP is able to display that the indicator fields contained in the pattern represents an IOC.
TMS; TDS; TIS	 Respondent allows the reception of a STIX bundle with a(n) a. Bundle with an identity, and Indicator with content b. Identity of the Producer c. Indicator with the content information contained in it Once received the Respondent is able to verify the source of the Indicator based on the identity's attribute 'name' and the identity_class attribute and determines that is an allowed source of intelligence to act upon For each Indicator, the Respondent is able to verify that the created date represents an Indicator that has not been previously applied to its network monitoring function and may update its rules to match on that Indicator content For each Indicator object, the Respondent is able to capture network information (packets or counts or flows) that the FileHash; IP; FQDN; URL contained in the pattern matched against. Specifically, for the TMS persona, the TMS is able to block traffic based on the Indicator pattern matched within a packet sequence.
SIEM	 SIEM allows the reception of a STIX Bundle with a(n) Bundle with an Identity and Indicator with the content Identity of the Producer Indicator with the content information contained in it Once received the SIEM is able to verify the source of the indicator based on the Identity's attribute 'name' and the identity_class attribute, and determines that it is an allowed source of intelligence to act upon For each Indicator, the SIEM is able to verify that the created date represents an indicator that has not been previously applied to its event correlation and display functions, and updates its rules (if any) to match on that indicator content For each Indicator object, the SIEM is able to display and/or alert upon other relevant security information it has from other event log sources (firewalls, sensors). The SIEM is able to show the overlap of previously logged indicators and incoming indicator information including FileHash, IP, FQDN, and URL. The SIEM may generate sightings based on the indicators.

2.2.5 Respondent Test Case Data

This test case is primarily testing the production of an Indicator and a Respondent's ability to parse and represent and act on the Indicator data correctly. No other data is sent from the Respondent back to the Producer.

2.3 Sighting Sharing

Another important scenario that will provide for crowdsourcing in the context of a sharing community is the use of a Sighting STIX Relationship Object (SRO). This is a unique form of a relationship object that provides for the confirmation of a "sighting" of an Indicator SDO (as evidenced by specific Cyber Observable objects) by a third-party; that is, by an Identity separate from the original Producer of an Indicator SDO. The full power of the use of trust communities within the ISAC and/or ISAO context cannot be realized without the use of this SRO. Therefore, it is an important test case to demonstrate for STIX interoperability.

2.3.1 Description

A STIX 2.0 Sighting object is an SRO primarily used to capture documentation that some entity in the network has been seen by an intelligence source. The Producer persona, shown on Figure 4 as an "Analyst", has selected one or more sightings observed by the supporting SIEM tool. Consequently, the SIEM publishes a STIX Sighting Bundle and publishes it for various receiving personas.




Figure 4 - An analyst reports a sighting

2.3.2 Required Producer Persona Support

The Producer persona must be able to create a STIX Bundle with one or more Indicators as identified by the Indicator Sharing Producer Test Case Data. All personas defined in <u>Required Producer Persona</u>

Support are also defined for Sighting Producer personas.

2.3.3 Producer Test Case Data

Same as <u>Indicator Sharing Producer Test Case Data</u>.

2.3.4 Required Respondent Persona Support

The Respondent must be able to parse and display any Indicator that has been shared as well as create a Sighting associated with the Indicator.

Table 4 - Producer Object Bundling Details

Persona	Behavior
---------	----------

TIP; SIEM	 Respondent supports all Respondent required behavior for Indicator tests defined in Section 2.2.4.
	2. Respondent allows the user to create or select a Sighting object
	observed and associated with each Indicator pattern identified in the
	Producer's Bundle.
	3. Respondent in response allows user to send the Sighting information
	back to the Producer and supports creation of a bundle with
	 a. its own identity unique and different from the Producer
	b. a reference to each Indicator shared from the Producer
	c. a Sighting object
	d. an Observed Data object
	4. The Sighting object must have
	 a. created_by_ref must point to the identity of the Respondent;
	b. created and modified must match the timestamp to millisecond granularity of when the Sighting was created by the Respondent
	c. first_seen and last_seen must match when the observed data
	was first and last seen by the system reporting the observed
	data
	d. count must match the number of times that the Indicator was
	seen during the first and last seen values
	e. sighting_of_ref must match the Indicator sent by Producer
	5. The Observed Data object must have
	 a. created_by_ref must point to the identity of the Respondent;
	b. created and modified must match the timestamp to millisecond
	granularity of when the observed-data was created by the
	system producing the observed-data
	c. first_observed and last_observed must match when the
	observed data was first and last seen by the system reporting
	the Observed Data
	d. number_observed must match the number of times that the
	Indicator was seen during the start and stop values
	e. objects must match an Indicator pattern defined by the
	Producer.
TMS	In addition to the verification steps shown in the above row for TIP; SIEM, the TMS SHALL provide evidence that it blocked the traffic identified by the patterns in the Indicator.
TDS	In addition to the verification steps shown in the above row for TIP; SIEM the
	TDS SHALL show or provide statistics on how many packets or sessions matched
	the Indicator content.
TIS	In addition to the verification steps shown in the above row for TIP; SIEM the
113	TIS SHALL show or provide statistics on how many packets or sessions matched the Indicator content.

2.3.5 Respondent Test Case Data

The following subsections provide the test case data for the test.

2.3.5.1 Sighting + Indicator with IPv4 Address

```
"objects": [
       {
            "type": "identity",
            "id": "identity--f6e43aa5-76cc-45ca-9b06-be2d65f26bfb",
            "identity_class": "organization",
            "name": "ACME Corp Sighting, Inc.",
            "created": "2018-01-17T11:11:13.000Z",
            "modified": "2018-01-17T11:11:13.000Z"
       },
            "type": "sighting",
            "id": "sighting--ee20065d-2555-424f-ad9e-0f8428623c75",
            "created_by_ref": "identity--f6e43aa5-76cc-45ca-9b06-be2d65f26bfb",
            "created": "2018-01-17T11:11:13.000Z",
            "modified": "2018-01-17T11:11:13.000Z",
            "first_seen": "2017-12-21T19:00:00.000Z",
            "last seen": "2018-01-06T19:00:00.000Z",
            "count": 50,
            "sighting of ref": "indicator--12fd1bad-8306-4ed4-8c9b-7dfdd8ad5eb8",
            "observed_data_refs": ["observed-data--455d15c6-415a-4008-addf-8a4405ede887"],
            "where sighted refs": ["identity--f6e43aa5-76cc-45ca-9b06-be2d65f26bfb"]
            "x interop test": "STIX/TAXII 2.0 Interoperability Part 1, §2.3.5.1 Sighting +
Indicator with IPv4 Address",
        },
            "type": "observed-data",
            "id": "observed-data--455d15c6-415a-4008-addf-8a4405ede887",
            "created_by_ref": "identity--f6e43aa5-76cc-45ca-9b06-be2d65f26bfb",
            "created": "2018-01-17T11:11:13.000Z",
            "modified": "2018-01-17T11:11:13.000Z",
            "first_observed": "2017-12-21T19:00:00.000Z",
            "last observed": "2018-01-06T19:00:00.000Z",
            "number_observed": 50,
            "objects": {
                "0": {
                    "type": "ipv4-addr",
                    "value": "198.51.100.1"
            "x_interop_test": "STIX/TAXII 2.0 Interoperability Part 1, §2.3.5.1 Sighting +
Indicator with IPv4 Address",
1
```

2.3.5.2 Sighting + Indicator with IPv4 Address Matching CIDR

```
"id": "identity--f6e43aa5-76cc-45ca-9b06-be2d65f26bfb",
            "identity class": "organization",
            "name": "ACME Corp Sighting, Inc.",
            "created": "2018-01-17T11:11:13.000Z",
            "modified": "2018-01-17T11:11:13.000Z"
            "type": "sighting",
            "id": "sighting--da212f5f-3b58-4124-9faa-3f47536bac5c",
            "created_by_ref": "identity--f6e43aa5-76cc-45ca-9b06-be2d65f26bfb",
            "created": "2018-01-17T11:11:13.000Z",
            "modified": "2018-01-17T11:11:13.000Z",
            "first_seen": "2017-12-21T19:00:00.000Z",
            "last seen": "2018-01-06T19:00:00.000Z",
            "count": 50,
            "sighting of ref": "indicator--86449d6c-c47a-4320-bb94-2eb7340928e8",
            "observed_data_refs": ["observed-data--60c871de-5936-41f1-afbe-4ef829c3ee0a"],
            "where_sighted_refs": ["identity--f6e43aa5-76cc-45ca-9b06-be2d65f26bfb"]
            "x_interop_test": "STIX/TAXII 2.0 Interoperability Part 1, §2.3.5.2 Sighting +
Indicator with IPv4 Address Matching CIDR",
       },
       {
            "type": "observed-data",
            "id": "observed-data--60c871de-5936-41f1-afbe-4ef829c3ee0a",
            "x_interop_test": "STIX/TAXII 2.0 Interoperability Part 1, §2.3.5.2 Sighting +
Indicator with IPv4 Address Matching CIDR",
            "created_by_ref": "identity--f6e43aa5-76cc-45ca-9b06-be2d65f26bfb",
            "created": "2018-01-17T11:11:13.000Z",
            "modified": "2018-01-17T11:11:13.000Z",
            "first observed": "2017-12-21T19:00:00.000Z",
            "last observed": "2018-01-06T19:00:00.000Z",
            "number observed": 50,
            "objects": {
                "0": {
                    "type": "ipv4-addr",
                    "value": "198.51.100.12"
            "x interop test": "STIX/TAXII 2.0 Interoperability Part 1, §2.3.5.2 Sighting +
Indicator with IPv4 Address Matching CIDR",
1
```

2.3.5.3 Sighting + Indicator with IPv6 Address Matching CIDR

```
"type": "sighting",
            "id": "sighting--c3548e6f-4c45-40e0-a59e-d874e48b7f09",
            "created_by_ref": "identity--f6e43aa5-76cc-45ca-9b06-be2d65f26bfb",
            "created": "2018-01-17T11:11:13.000Z",
            "modified": "2018-01-17T11:11:13.000Z",
            "first seen": "2017-12-21T19:00:00.000Z",
            "last seen": "2018-01-06T19:00:00.000Z",
            "count": 50,
            "sighting_of_ref": "indicator--b5dcc585-bf19-4ace-aa56-1e004448ee2a",
            "observed_data_refs": ["observed-data--484a78ef-4a61-4c8d-b236-013fdafa4686"],
            "where_sighted_refs": ["identity--f6e43aa5-76cc-45ca-9b06-be2d65f26bfb"]
            "x interop test": "STIX/TAXII 2.0 Interoperability Part 1, §2.3.5.3 Sighting +
Indicator with IPv6 Address Matching CIDR",
        },
        {
            "type": "observed-data",
           "id": "observed-data--484a78ef-4a61-4c8d-b236-013fdafa4686",
            "created_by_ref": "identity--f6e43aa5-76cc-45ca-9b06-be2d65f26bfb",
            "created": "2018-01-17T11:11:13.000Z",
            "modified": "2018-01-17T11:11:13.000Z",
            "first_observed": "2017-12-21T19:00:00.000Z",
            "last observed": "2018-01-06T19:00:00.000Z",
            "number observed": 50,
            "objects": {
                "0": {
                    "type": "ipv6-addr",
                    "value": "2001:0db8:0000:0000:0000:0000:0000:00af"
           "x interop test": "STIX/TAXII 2.0 Interoperability Part 1, §2.3.5.3 Sighting +
Indicator with IPv6 Address Matching CIDR",
1
```

2.3.5.4 Sighting + Indicator with NO observed data

```
"objects": [
          "type": "identity",
          "id": "identity--f6e43aa5-76cc-45ca-9b06-be2d65f26bfb",
          "identity_class": "organization",
          "name": "ACME Corp Sighting, Inc."
          "created": "2018-01-17T11:11:13.000Z",
          "modified": "2018-01-17T11:11:13.000Z"
     },
          "type": "sighting",
          "id": "sighting--522bbde4-5960-413d-84df-62eee100fdb4",
          "created by ref": "identity--f6e43aa5-76cc-45ca-9b06-be2d65f26bfb",
          "created": "2018-01-17T11:11:13.000Z",
          "modified": "2018-01-17T11:11:13.000Z",
          "first_seen": "2017-12-21T19:00:00.000Z",
          "last seen": "2018-01-06T19:00:00.000Z",
          "count": 50,
          "sighting of ref": "indicator--1b0eb2d2-cce4-4c18-a58d-cf238ceea505",
```

2.3.5.5 Sighting + Indicator with URL

```
"objects": [
            "type": "identity",
            "id": "identity--f6e43aa5-76cc-45ca-9b06-be2d65f26bfb",
            "identity_class": "organization",
            "name": "ACME Corp Sighting, Inc."
            "created": "2018-01-17T11:11:13.000Z",
            "modified": "2018-01-17T11:11:13.000Z"
        },
            "type": "sighting",
            "id": "sighting--3d9ee944-18c7-4731-84e0-b2847db251cf",
            "created_by_ref": "identity--f6e43aa5-76cc-45ca-9b06-be2d65f26bfb",
            "created": "2018-01-17T11:11:13.000Z",
            "modified": "2018-01-17T11:11:13.000Z",
            "first_seen": "2017-12-21T19:00:00.000Z",
            "last seen": "2018-01-06T19:00:00.000Z",
            "count": 50,
            "sighting of ref": "indicator--21edc30b-11c9-406d-867a-42fb4bdeedda",
            "observed_data_refs": ["observed-data--c80069a4-2cb6-47ba-88ab-76da10c3e4bf"],
            "where sighted refs": ["identity--f6e43aa5-76cc-45ca-9b06-be2d65f26bfb"]
            "x interop test": "STIX/TAXII 2.0 Interoperability Part 1, §2.3.5.5 Sighting +
Indicator with URL",
        },
        {
            "type": "observed-data",
            "id": "observed-data--c80069a4-2cb6-47ba-88ab-76da10c3e4bf",
            "created_by_ref": "identity--f6e43aa5-76cc-45ca-9b06-be2d65f26bfb",
            "created": "2018-01-17T11:11:13.000Z",
            "modified": "2018-01-17T11:11:13.000Z",
            "first_observed": "2017-12-21T19:00:00.000Z",
            "last observed": "2018-01-06T19:00:00.000Z",
            "number observed": 50,
            "objects": {
                "0": {
                    "type": "url",
                    "value": "https://www.5z8.info/foo"
            "x interop test": "STIX/TAXII 2.0 Interoperability Part 1, §2.3.5.5 Sighting +
Indicator with URL",
1
```

2.3.5.6 Sighting + Indicator with File Hash

```
"objects": [
            "type": "identity",
            "id": "identity--f6e43aa5-76cc-45ca-9b06-be2d65f26bfb",
            "identity_class": "organization",
            "name": "ACME Corp Sighting, Inc.",
            "created": "2018-01-17T11:11:13.000Z",
            "modified": "2018-01-17T11:11:13.000Z"
       },
            "type": "sighting",
            "id": "sighting--f5041831-bc0a-4ccd-b1a8-72ac021e0603",
            "created_by_ref": "identity--f6e43aa5-76cc-45ca-9b06-be2d65f26bfb",
            "created": "2018-01-17T11:11:13.000Z",
            "modified": "2018-01-17T11:11:13.000Z"
            "first seen": "2017-12-21T19:00:00.000Z",
            "last seen": "2018-01-06T19:00:00.000Z",
            "count": 1,
            "sighting of ref": "indicator--0cddd4c0-411a-47a7-8ccc-d0473d690a6f",
            "observed_data_refs": ["observed-data--2a31ca1e-b030-4e0c-91c1-26fd28d588ab"],
            "where sighted refs": ["identity--f6e43aa5-76cc-45ca-9b06-be2d65f26bfb"]
            "x_interop_test": "STIX/TAXII 2.0 Interoperability Part 1, §2.3.5.6 Sighting +
Indicator with File Hash",
        },
            "type": "observed-data",
            "id": "observed-data--2a31ca1e-b030-4e0c-91c1-26fd28d588ab",
            "created_by_ref": "identity--f6e43aa5-76cc-45ca-9b06-be2d65f26bfb",
            "created": "2018-01-17T11:11:13.000Z",
            "modified": "2018-01-17T11:11:13.000Z",
            "first_observed": "2017-12-21T19:00:00.000Z",
            "last observed": "2018-01-06T19:00:00.000Z",
            "number_observed": 1,
            "objects": {
                "0": {
                    "type": "file",
                    "hashes": {
                        "MD5": "cead3f77f6cda6ec00f57d76c9a6879f"
                    "size": 25536,
                    "name": "foo.dll"
            }
            "x interop_test": "STIX/TAXII 2.0 Interoperability Part 1, §2.3.5.6 Sighting +
Indicator with File Hash",
- 1
```

2.4 Versioning

As additional information is discovered about an SDO, the Producer of that object may version the original object using the versioning approach outlined in Part 1 of the STIX 2.0 Specification. Other

recipients of the SDO will also be updated through their various personas as the original SDO is versioned. This feature of the STIX 2.0 Specification allows for SDOs to be updated as the context changes and the information becomes more complete, based on enrichments and further intelligence discovery.

2.4.1 Description

A STIX 2.0 Producer or Respondent must support versioning of objects to support interoperability within STIX.

2.4.2 Required Producer Persona Creation Support

The Producer persona must be able to create a STIX Bundle with one or more objects with the appropriate date representing when the object was created for sharing.

The Producer persona has identified an STIX object that they wish to share to Respondents.




Figure 5 - An analyst creates a new STIX object

NOTE: Not all personas defined in this spec create Indicators.

Table 5 - Producer Object Bundling Details

Persona	Behavior
All Indicator	Producer allows a user to select or specify STIX content to create and send

producer to a Respondent persona. personas 2. The following data must be verified in the STIX content produced by the persona: a. A bundle object must conform to mandatory attributes within the bundle object including 'type'; 'id'; 'spec_version' and 'objects' where i. id has a globally unique identifier ii. spec version is '2.0' iii. Within the **objects** array, at least one; 1. Identity for the organization of the Producer 2. Indicator with the IP Address identified in the pattern parameter b. The identity object must conform to mandatory attributes within the identity object spec including 'type'; 'name'; 'identity_class' and 'id' where i. **type** is identity ii. id has a globally unique identifier identity_class is specified by the organization of the iii. Producer iv. **name** is the name that the Producer wishes to share associated with the Indicator c. The Indicator object must conform to mandatory attributes of Indicator including 'type'; 'id'; 'created_by_ref'; 'created'; 'modified'; 'pattern" where created_by_ref must point to the Identity of the Producer; i. created and modified must match the timestamp to ii. millisecond granularity of when the user selected the IP address to be an IOC All Sighting 1. Producer allows a user to select or specify the STIX content to create and send to a Respondent persona. producer personas 2. The following data must be verified in the STIX produced by the persona: a. A Bundle object must conform to mandatory attributes within the object including 'type'; 'id'; 'spec_version' and 'objects' where id has a globally unique identifier i. ii. spec_version is '2.0' iii. Within the objects array, at least one; 1) Identity for the organization of the Producer 2) Sighting with the observed data for the indicator identified in the pattern parameter b) The Identity object must conform to mandatory attributes within the object spec including 'type'; 'name'; 'identity class' and 'id' where **type** is Identity ii) id has a globally unique identifier iii) **identity_class** is specified by the organization of the Producer name is the name that the Producer wishes to share associated with iv) the Sighting

- c) The Sighting object must conform to mandatory attributes of indicator including 'type'; 'id'; 'created_by_ref'; 'created'; 'modified'; 'pattern'' where
 - i) created_by_ref must point to the identity of the Producer;
 - ii) **created** and **modified** must match the timestamp to millisecond granularity of when the Respondent created the Sighting

2.4.3 Producer Test Case Data

The following subsections provide the test case data for the test.

2.4.3.1 Creation of an Indicator with Identity and Date

```
"objects": [
            "type": "identity",
            "id": "identity--f6e43aa5-76cc-45ca-9b06-be2d65f26bfb",
            "identity_class": "organization",
            "name": "ACME Corp Sighting, Inc.",
            "created": "2018-01-17T11:11:13.000Z",
            "modified": "2018-01-17T11:11:13.000Z"
        },
            "type": "indicator",
            "id": "indicator--6cd5cd4f-ff42-4d67-8402-02aad22f8b63",
            "name": "Bad IP1",
            "description": "IPv4 Indicator",
            "created_by_ref": "identity--f431f809-377b-45e0-aa1c-6a4751cae5ff",
            "created": "2018-01-17T11:11:13.000Z",
            "modified": "2018-01-17T11:11:13.000Z",
            "valid_from": "2018-01-01T00:00:00.000Z",
            "labels": ["malicious-activity"],
            "pattern": "[ipv4-addr:value = '198.51.100.1']"
            "x interop test": "STIX/TAXII 2.0 Interoperability Part 1, §2.4.3.1 Creation of an
Indicator with Identity and Date",
```

2.4.3.2 Creation of a Sighting with Identity and Date

```
"modified": "2018-01-17T11:11:13.000Z",
            "first seen": "2017-12-21T19:00:00.000Z",
            "last seen": "2018-01-06T19:00:00.000Z",
            "count": 50,
            "sighting of ref": "indicator--12fd1bad-8306-4ed4-8c9b-7dfdd8ad5eb8",
            "observed_data_refs": ["observed-data--8fe6d276-56b9-4c3d-b99d-4ca4421b409c"],
            "where_sighted_refs": ["identity--f6e43aa5-76cc-45ca-9b06-be2d65f26bfb"]
            "x_interop_test": "STIX/TAXII 2.0 Interoperability Part 1, §2.4.3.2 Creation of a
Sighting with Identity and Date",
       },
        {
            "type": "observed-data",
            "id": "observed-data--8fe6d276-56b9-4c3d-b99d-4ca4421b409c",
            "created_by_ref": "identity--f6e43aa5-76cc-45ca-9b06-be2d65f26bfb",
            "created": "2018-01-17T11:11:13.000Z",
            "modified": "2018-01-17T11:11:13.000Z",
            "first_observed": "2017-12-21T19:00:00.000Z",
            "last_observed": "2018-01-06T19:00:00.000Z",
            "number_observed": 50,
            "objects": {
                "0": {
                    "type": "ipv4-addr",
                    "value": "198.51.100.1"
                }
            "x_interop_test": "STIX/TAXII 2.0 Interoperability Part 1, §2.4.3.2 Creation of a
Observed Data with Identity and Date",
]
```

2.4.4 Required Respondent Creation Support

The Respondent must be able to parse and display the creation and modification date of the objects received.

Table 6 - Respondent Object Bundling Details

Persona	Behavior
All Indicator Respondent Persona	 Respondent allows a user to receive a STIX Bundle with a(n) a. bundle with an identity and indicator with IP content b. identity of the producer c. indicator with IP address information contained in it Once received the Respondent is able to display to the user the Producers of the indicator based on the identity's attribute 'name' and the identity_class attribute For each Indicator, the Respondent is able to verify that the created_by_ref maps to an existing identity received or one contained within the bundle received For each Indicator, the Respondent may show the creation and modified dates for them.

2.4.5 Respondent Test Case Creation Data

This test case is primarily testing the production of an Indicator; its related version information and a Respondent's ability to parse and represent the data correctly. No other data is sent from the Respondent back to the Producer.

2.4.6 Required Producer Persona Modification Support

The Producer persona must be able to create a STIX Bundle with one or more objects with the appropriate date representing when the object was updated for sharing.

The Producer persona has identified a STIX object that they wish to update and re-share to Respondents.




Figure 6 - An analyst updates a STIX indicator object

Table 7 - Producer Object Bundling Details

Persona	Behavior
All Indicator Producer Personas	 Producer allows a user to select a previously shared Indicator with IP Address associated with Actor A. The following data must be verified in the STIX produced by the persona: a. A bundle object must conform to mandatory attributes within the bundle object including 'type'; 'id'; 'spec_version' and 'objects' where i. id has a globally unique identifier ii. spec_version is '2.0'

- iii. Within the **objects** array, at least one;
 - 1. **identity** for the organization of the Producer
 - 2. **indicator** with the IP Address identified in the pattern parameter
- b. The identity object must conform to mandatory attributes within the identity object spec including 'type'; 'name'; 'identity_class' and 'id' where
 - i. **type** is identity
 - ii. id has a globally unique identifier
 - iii. **identity_class** is specified by the organization of the Producer
 - iv. **name** is the name that the Producer wishes to share associated with the indicator
- The Indicator object must conform to mandatory attributes of indicator including 'type'; 'id'; 'created_by_ref'; 'created'; 'modified'; 'pattern' where
 - i. created_by_ref must point to the identity of the original Producer
 - ii. created must match the original creation timestamp to millisecond granularity of when the user selected the IP address to be an IOC originally
 - iii. **modified** must match the new modified timestamp to millisecond granularity of when the user updated the Indicator to be re-shared
 - iv. **description** must be changed from the previously shared Indicator

All Sighting Producer Personas

- 1. Producer allows selection or specification of the STIX content to send to a Respondent persona.
- 2. The following data must be verified in the STIX produced by the persona:
 - A bundle object must conform to mandatory attributes within the bundle object including 'type'; 'id'; 'spec_version' and 'objects' where
 - i. **id** has a globally unique identifier **spec_version** is '2.0'
 - ii. Within the **objects** array, at least one;
 - 1. **identity** for the organization of the Producer
 - 2. **sighting** with the observed data for the Indicator identified in the pattern parameter
 - b. The Identity object must conform to mandatory attributes within the Identity object spec including 'type'; 'name'; 'identity_class' and 'id' where
 - i. **type** is identity
 - ii. **id** has a globally unique identifier
 - iii. **identity_class** is specified by the organization of the Producer
 - iv. **name** is the name that the Producer wishes to share

associated with the sighting

- The Sighting object must conform to mandatory attributes of sighting including 'type'; 'id'; 'created_by_ref'; 'created'; 'modified'; 'pattern' where
 - i. **created_by_ref** must point to the identity of the Producer;
 - ii. created must match the original creation timestamp to millisecond granularity of when the user selected the Observed Data object shared previously
 - iii. **modified** must match the new modified timestamp to millisecond granularity of when the Sighting was updated with new Observed Data
 - iv. **count** must be changed from the previously shared Sighting
 - v. **last_observed** timestamp must be updated for the new sighting information

2.4.7 Producer Test Case Modification Data

The following subsections provide the test case data for the test.

2.4.7.1 Modification of an Indicator with Identity and Date

```
"objects": [
            "type": "identity",
            "id": "identity--f6e43aa5-76cc-45ca-9b06-be2d65f26bfb",
            "identity_class": "organization",
            "name": "ACME Corp Sighting, Inc.",
            "created": "2018-01-17T11:11:13.000Z",
            "modified": "2018-01-17T11:11:13.000Z"
       },
            "type": "indicator",
            "id": "indicator--12fd1bad-8306-4ed4-8c9b-7dfdd8ad5eb8",
            "name": "Bad IP1",
            "description": "IPv4 Indicator",
            "created_by_ref": "identity--f431f809-377b-45e0-aa1c-6a4751cae5ff",
            "created": "2018-01-17T11:11:13.000Z",
            "modified": "2018-01-18T13:04:22.000Z",
            "valid_from": "2018-01-01T00:00:00.000Z",
            "labels": ["malicious-activity"],
            "pattern": "[ipv4-addr:value = '198.51.100.1' OR ipv4-addr:value =
'198.51.100.2']"
            "x_interop_test": "STIX/TAXII 2.0 Interoperability Part 1, §2.4.7.1 Modification
of an Indicator with Identity and Date",
1
```

2.4.7.2 Modification of a Sighting with Identity and Date

```
"objects": [
{
```

```
"type": "identity",
            "id": "identity--f6e43aa5-76cc-45ca-9b06-be2d65f26bfb",
            "identity_class": "organization",
            "name": "ACME Corp Sighting, Inc.",
            "created": "2018-01-17T11:11:13.000Z",
            "modified": "2018-01-17T11:11:13.000Z"
            "type": "sighting",
            "id": "sighting--ee20065d-2555-424f-ad9e-0f8428623c75",
            "created_by_ref": "identity--f6e43aa5-76cc-45ca-9b06-be2d65f26bfb",
            "created": "2018-01-17T11:11:13.000Z",
            "modified": "2018-01-18T13:04:22.000Z"
            "first_seen": "2017-12-21T19:00:00.000Z",
            "last seen": "2018-01-07T09:14:26.000Z",
            "count": 52,
            "sighting_of_ref": "indicator--12fd1bad-8306-4ed4-8c9b-7dfdd8ad5eb8",
            "observed_data_refs": ["observed-data--455d15c6-415a-4008-addf-8a4405ede887"],
            "where_sighted_refs": ["identity--f6e43aa5-76cc-45ca-9b06-be2d65f26bfb"]
            "x_interop_test": "STIX/TAXII 2.0 Interoperability Part 1, §2.4.7.2 Modification
of a Sighting with Identity and Date",
       },
            "type": "observed-data",
            "id": "observed-data--455d15c6-415a-4008-addf-8a4405ede887",
            "created by ref": "identity--f6e43aa5-76cc-45ca-9b06-be2d65f26bfb",
            "created": "2018-01-17T11:11:13.000Z",
            "modified": "2018-01-18T13:04:22.000Z",
            "first_observed": "2017-12-21T19:00:00.000Z",
            "last observed": "2018-01-07T09:14:26.000Z",
            "number observed": 52,
            "objects": {
                "0": {
                    "type": "ipv4-addr",
                    "value": "198.51.100.1"
            "x interop_test": "STIX/TAXII 2.0 Interoperability Part 1, §2.4.7.2 Modification
of a Observed Data with Identity and Date",
1
```

2.4.8 Required Respondent Modification Support

The Respondent must be able to parse and display the creation; modification dates as well as the changed field of the objects received.

Table 8 Producer Object Bundling Details

Persona	Behavior
All Indicator Respondent personas	 Respondent allows a user to receive a STIX Bundle with an a. Identity and Indicator with pattern content b. Identity of the producer

	 c. Indicator information contained in it 2. Once received the Respondent is able to display to the user the source of the indicator based on the identity's attribute 'name' and the identity_class attribute 3. For each Indicator, the Respondent is able to verify that the created_by_ref maps to an existing identity received or one contained within the bundle received 4. For each Indicator, the Respondent may show the creation and modified dates for them.
All Sighting Respondent personas	 Respondent allows a user to receive a STIX bundle with a(n) a. Identity and Sighting with pattern content b. Identity of the Producer c. Sighting information contained in it Once received the Respondent is able to display to the user the source of the Sighting based on the identity's attribute 'name' and the identity_class attribute For each Sighting of Observed Data, the Respondent is able to verify that the created_by_ref maps to an existing Identity received or one contained within the Bundle received For each Sighting, the Respondent may show the creation and modified dates for them.

2.4.9 Respondent Test Case Modification Data

This test case is primarily testing the production of an Indicator; its related version information and a Respondent's ability to parse and represent the data correctly. No other data is sent from the Respondent back to the Producer.

2.4.10 Required Producer Persona Revocation Support

The Producer persona must be able to create a STIX Bundle with one or more objects with the appropriate date representing when the object was revoked for sharing.

The producer persona has identified a STIX object that they wish to update as revoked and re-share to Respondents.




Figure 7 - An analyst revokes a STIX sighting object and its related observed data

Table 9 - Producer Object Bundling Details

Persona	Behavior
All Indicator Producer personas	 Producer allows a user to select a previously shared Indicator that is no longer valid and wishes to delete that Indicator. The following data must be verified in the STIX produced by the persona: a. A Bundle object must conform to mandatory attributes within the Bundle object including 'type'; 'id'; 'spec_version' and 'objects' where

associated with the Indicator

- c. The Indicator object must conform to mandatory attributes of Indicator including 'type'; 'id'; 'created_by_ref'; 'created'; 'modified'; 'pattern'' where
 - i. **created_by_ref** must point to the identity of the original Producer;
 - ii. **created** must match the original creation timestamp to millisecond granularity of when the user selected the IP address to be an IOC
 - iii. modified must match the last modified timestamp to millisecond granularity of when the user updated the indicator to be revoked.
 - iv. revoked must be set to true.

All Sighting Producer Personas

- 1. Producer allows a user to select a previously shared Sighting (and associated observed data) that is no longer valid and wishes to delete that sighting.
- 2. The following data must be verified in the STIX produced by the persona:
 - a. A Bundle object must conform to mandatory attributes within the bundle object including 'type'; 'id'; 'spec_version' and 'objects' where
 - i. id has a globally unique identifier
 - ii. spec_versionis '2.0'
 - iii. Within the **objects** array, at least one
 - 1. **identity** for the organization of the Producer
 - 2. sighting and associated observed data object
 - b. The Identity object must conform to mandatory attributes within the object specification including 'type'; 'name'; 'identity_class' and 'id' where
 - i. type is Identity
 - id has a globally unique identifier ii.
 - identity_class is specified by the organization of the iii. Producer
 - name is the name that the Producer wishes to share iv. associated with the Sighting and Observed Data
 - c. The Sighting object must conform to mandatory attributes of indicator including 'type'; 'id'; 'created_by_ref'; 'created'; 'modified'; 'revoked' where
 - i. created_by_ref must point to the Identity of the original Producer;
 - ii. **created** must match the original creation timestamp to millisecond granularity of when the user selected the Sighting to be shared
 - iii. **modified** must match the last modified timestamp to millisecond granularity of when the user updated the Sighting to be revoked when the revoked property was set to true.

- iv. **revoked** must be set to true.
- v. The previously shared optional Sighting attributes such as first_seen, last_seen, count ...etc may not be included in the object
- d. The observed_data object must conform to mandatory attributes of Indicator including 'type'; 'id'; 'created_by_ref'; 'created'; 'modified'; revoked where
 - i. created_by_ref must point to the Identity of the original Producer:
 - ii. **created** must match the original creation timestamp to millisecond granularity of when the user selected the observed_data to be shared
 - iii. **modified** must match the last modified timestamp to millisecond granularity of when the user updated the observed data to be revoked.
 - iv. **revoked** must be set to true.
 - v. The previously shared optional Observed Data attributes such as objects may not be included in the object

2.4.11 Producer Test Case Revocation Data

The following subsections provide the test case data for the test.

2.4.11.1 Deletion of an Indicator with Identity; Dates

```
"objects": [
            "type": "identity",
            "id": "identity--f6e43aa5-76cc-45ca-9b06-be2d65f26bfb",
            "identity_class": "organization",
            "name": "ACME Corp Sighting, Inc.",
            "created": "2018-01-17T11:11:13.000Z",
            "modified": "2018-01-17T11:11:13.000Z"
       },
            "type": "indicator",
            "id": "indicator--12fd1bad-8306-4ed4-8c9b-7dfdd8ad5eb8",
            "name": "Bad IP1",
            "description": "IPv4 Indicator",
            "created by ref": "identity--f431f809-377b-45e0-aa1c-6a4751cae5ff",
            "created": "2018-01-17T11:11:13.000Z",
            "modified": "2018-01-18T14:24:56.000Z",
            "valid_from": "2018-01-01T00:00:00.000Z",
            "revoked": true,
            "labels": ["malicious-activity"],
            "pattern": "[ipv4-addr:value = '198.51.100.1' OR ipv4-addr:value =
'198.51.100.2']"
            "x_interop_test": "STIX/TAXII 2.0 Interoperability Part 1, §2.4.11.1 Deletion of
an Indicator with Identity; Dates",
- 1
```

2.4.11.2 Deletion of a Sighting and Associated Observed Data

```
"objects": [
       {
            "type": "identity",
            "id": "identity--f6e43aa5-76cc-45ca-9b06-be2d65f26bfb",
            "identity_class": "organization",
            "name": "ACME Corp Sighting, Inc.",
            "created": "2018-01-17T11:11:13.000Z",
            "modified": "2018-01-17T11:11:13.000Z"
        },
            "type": "sighting",
            "id": "sighting--ee20065d-2555-424f-ad9e-0f8428623c75",
            "created_by_ref": "identity--f6e43aa5-76cc-45ca-9b06-be2d65f26bfb",
            "created": "2018-01-17T11:11:13.000Z",
            "modified": "2018-01-18T14:24:56.000Z",
            "revoked": true,
            "first seen": "2017-12-21T19:00:00.000Z",
            "last_seen": "2018-01-07T09:14:26.000Z",
            "count": 52,
            "sighting_of_ref": "indicator--12fd1bad-8306-4ed4-8c9b-7dfdd8ad5eb8",
            "observed_data_refs": ["observed-data--455d15c6-415a-4008-addf-8a4405ede887"],
            "where sighted refs": ["identity--f6e43aa5-76cc-45ca-9b06-be2d65f26bfb"]
            "x_interop_test": "STIX/TAXII 2.0 Interoperability Part 1, §2.4.11.2 Deletion of a
Sighting and Associated Observed Data",
        },
        {
            "type": "observed-data",
            "id": "observed-data--455d15c6-415a-4008-addf-8a4405ede887",
            "created_by_ref": "identity--f6e43aa5-76cc-45ca-9b06-be2d65f26bfb",
            "created": "2018-01-17T11:11:13.000Z",
            "modified": "2018-01-18T14:24:56.000Z",
            "revoked": true,
            "first_observed": "2017-12-21T19:00:00.000Z",
            "last observed": "2018-01-07T09:14:26.000Z",
            "number_observed": 52,
            "objects": {
                "0": {
                    "type": "ipv4-addr",
                    "value": "198.51.100.1"
            "x_interop_test": "STIX/TAXII 2.0 Interoperability Part 1, §2.4.11.2 Deletion of a
Sighting and Associated Observed Data",
1
```

2.4.12 Required Respondent Revocation Support

The Respondent must be able to parse and display the creation; modification dates and revoked field of the objects received.

Table 10 - Respondent Object Bundling Details

Persona	Behavior			
All Indicator Respondent Personas	 Respondent allows a user to receive a STIX Bundle with an a. Identity and Indicator with indicator content b. Identity of the Producer c. Indicator with pattern information contained in it Once received the Respondent is able to display to the user the source of the Indicator based on the identity's attribute 'name' and the identity_class attribute For each Indicator, the Respondent is able to verify that the created_by_ref maps to an existing Identity received or one contained within the Bundle received For each Indicator, the Respondent may show the creation and modified dates for them. 			
All Sighting Respondent Personas	 Respondent allows a user to receive a STIX bundle with a(n) a. Identity and sighting & observed_data content b. Identity of the Producer c. Sighting with associated observed_data object Once received the Respondent is able to display to the user the source of the sighting based on the Identity's attribute 'name' and the identity_class attribute For each sighting & observed_data the Respondent is able to verify that the created_by_ref maps to an existing Identity received or one contained within the Bundle received For each Sighting, the Respondent may show the creation and modified dates for them and that the object has been revoked. 			

2.4.13 Respondent Test Case Revocation Data

This test case is primarily testing the production of an Indicator or Sighting, its related version information, and a Respondent's ability to parse and represent the data correctly. No other data is sent from the Respondent back to the producer.

2.5 Data Markings

2.5.1 Description

A STIX 2.0 Producer or Respondent must support markings applied to objects and the related operations around them. The Data Markings test cases focus on how markings should be represented. How consumers mitigate markings and their related Indicator(s) is not prescribed in this specification. Data Markings can be produced at an object level and at an attribute level. Data Markings at the attribute level are known as granular markings.

This section describes basic tests for assigning Data Markings to shared data using the traffic light protocol (TLP). "TLP is a set of designations used to ensure that sensitive information is shared with the appropriate audience." It is defined by a Forum of Incident Response and Security Teams (FIRST) Special Interest Group (SIG).




Figure 8 - An analyst marks an indicator with a TLP designation

2.5.2 Required Producer Persona Support

For these test cases, STIX TLP data markings must be accompanied by at least one Indicator. The producer persona must be able to create a STIX bundle with one or more Indicators as identified by the Indicator Sharing Producer Test Case Data. All personas defined in Indicator Sharing Required Producer Persona Support are also defined for Data Markings producer personas.

Producers should allow users to create marking-definitions and apply object level markings to an SDO or SRO at all TLP levels.

Persona	Behavior
DFP; TIP	 Producer allows a user or an administrator to apply object level markings to a variety of Indicators that are being shared. Producer may provide TLP object level markings at any level. a. Producer verifies that objects to be marked do exist in the bundle.

Table 11 - Producer Object Bundling Details

- b. Producer must NOT mark Indicator objects with more than one TLP level markings.
- 3. The Producer creates the **marking-definition** object for the request:
 - a. For different objects, the user can apply different TLP levels including: **tlp** "green"; **tlp** "amber"; **tlp** "red"; **tlp** "white".
 - b. The **marking-definition** must conform to its mandatory UUID references including:
 - i. marking-definition--613f2e26-407d-48c7-9ecab8e91df99dc9 if tlp "white"
 - ii. marking-definition--34098fce-860f-48ae-8e50ebd3cc5e41da if tlp "green"
 - iii. marking-definition--f88d31f6-486f-44da-b31701333bde0b82 if tlp "amber"
 - iv. marking-definition--5e57c739-391a-4eb3-b6be7d15ca92d5ed if tlp "red"
- 4. The SDO **object_marking_refs** list of **marking-definition** is populated with markings created by Producer and the **id** that matches the intended TLP marking.

2.5.3 Producer Test Case Data

The following subsections provide the test case data for the test. In all cases the data markings referenced by the other objects in the content are using the TLP predefined constants.

2.5.3.1 TLP Green + Indicator with IPv4 Address

```
"objects": [
            "type": "identity",
            "id": "identity--f6e43aa5-76cc-45ca-9b06-be2d65f26bfb",
            "identity_class": "organization",
            "name": "ACME Corp Sighting, Inc.",
            "created": "2018-01-17T11:11:13.000Z",
            "modified": "2018-01-17T11:11:13.000Z"
      },
            "type": "indicator",
            "name": "Bad IP1",
            "id": "indicator--8e2e2d2b-17d4-4cbf-938f-98ee46b3cd3f",
            "description": "IPv4 Indicator",
            "created_by_ref": "identity--f431f809-377b-45e0-aa1c-6a4751cae5ff",
            "created": "2018-01-17T11:11:13.000Z",
            "modified": "2018-01-17T11:11:13.000Z",
            "valid_from": "2018-01-01T00:00:00.000Z",
            "labels": ["malicious-activity"],
            "object_marking_refs": ["marking-definition--34098fce-860f-48ae-8e50-
ebd3cc5e41da"],
            "pattern": "[ipv4-addr:value = '198.51.100.1']"
```

```
"x_interop_test": "STIX/TAXII 2.0 Interoperability Part 1, §2.5.3.1 TLP Green +
Indicator with IPv4 Address",
1
2.5.3.2 TLP Amber + Two Indicators with IPv4 Address CIDR
  "objects": [
       {
            "type": "identity",
            "id": "identity--f6e43aa5-76cc-45ca-9b06-be2d65f26bfb",
            "identity_class": "organization",
            "name": "ACME Corp Sighting, Inc.",
            "created": "2018-01-17T11:11:13.000Z",
            "modified": "2018-01-17T11:11:13.000Z"
       },
            "type": "indicator",
            "id": "indicator--2713b690-877e-4d25-a992-6e80efefa49f",
            "name": "Bad IP Subnets",
            "description": "IPv4 CIDR Indicator",
            "created_by_ref": "identity--f431f809-377b-45e0-aa1c-6a4751cae5ff",
            "created": "2018-01-17T11:11:13.000Z",
            "modified": "2018-01-17T11:11:13.000Z",
            "valid_from": "2018-01-01T00:00:00.000Z",
            "labels": ["malicious-activity"],
            "object_marking_refs": ["marking-definition--f88d31f6-486f-44da-b317-
01333bde0b82"],
            "pattern": "[ipv4-addr:value ISSUBSET '198.51.100.0/24' OR ipv4-addr:value
ISSUBSET '196.45.200.0/24']"
            "x interop test": "STIX/TAXII 2.0 Interoperability Part 1, §2.5.3.2 TLP Amber +
Two Indicators with IPv4 Address CIDR",
- 1
2.5.3.3 TLP White and TLP Red + Indicator with IPv6 Address
  "objects": [
       {
            "type": "identity",
            "id": "identity--f6e43aa5-76cc-45ca-9b06-be2d65f26bfb",
            "identity class": "organization",
            "name": "ACME Corp Sighting, Inc."
            "created": "2018-01-17T11:11:13.000Z",
            "modified": "2018-01-17T11:11:13.000Z"
            "object marking refs": ["marking-definition--613f2e26-407d-48c7-9eca-
b8e91df99dc9"]
       },
            "type": "indicator",
```

"name": "Bad IPv6-1",

"description": "IPv6 Indicator",

"created": "2018-01-17T11:11:13.000Z", "modified": "2018-01-17T11:11:13.000Z",

"created_by_ref": "identity--f431f809-377b-45e0-aa1c-6a4751cae5ff",

"id": "indicator--c6b3dbc6-f279-4193-90c2-2967a0a16485",

```
"valid_from": "2018-01-01T00:00:00.000Z",
            "labels": ["malicious-activity"],
            "pattern": "[ipv6-addr:value = '2001:0db8:85a3:0000:0000:8a2e:0370:7334']",
            "object marking refs": ["marking-definition--5e57c739-391a-4eb3-b6be-
7d15ca92d5ed"1
            "x interop test": "STIX/TAXII 2.0 Interoperability Part 1, §2.5.3.3 TLP White and
TLP Red + Indicator with IPv6 Address",
1
2.5.3.4 TLP Red + Sighting and Indicator
  "objects": [
       {
            "type": "identity",
            "id": "identity--f6e43aa5-76cc-45ca-9b06-be2d65f26bfb",
            "identity class": "organization",
            "name": "ACME Corp Sighting, Inc.",
            "created": "2018-01-17T11:11:13.000Z",
            "modified": "2018-01-17T11:11:13.000Z"
      },
            "type": "indicator",
            "id": "indicator--3b9cc57a-1026-4622-9ffb-56cdab6bd4aa",
            "name": "Bad IP CIDR",
            "description": "IPv4 CIDR Indicator",
            "created_by_ref": "identity--f6e43aa5-76cc-45ca-9b06-be2d65f26bfb",
            "created": "2018-01-17T11:11:13.000Z",
            "modified": "2018-01-17T11:11:13.000Z",
            "valid from": "2018-01-01T00:00:00.000Z",
            "labels": ["malicious-activity"],
            "object_marking_refs": ["marking-definition--5e57c739-391a-4eb3-b6be-
7d15ca92d5ed"],
            "pattern": "[ipv4-addr:value ISSUBSET '198.51.100.12/24']"
            "x interop test": "TIX/TAXII 2.0 Interoperability Part 1, §2.5.3.4 TLP Red +
Sighting and Indicator",
       },
            "type": "sighting",
            "id": "sighting--038992fa-a727-4f2d-9bdf-256a95c1ce8c",
            "x interop test": "STIX/TAXII 2.0 Interoperability Part 1, §2.5.3.4 TLP Red +
Sighting and Indicator",
            "created_by_ref": "identity--f6e43aa5-76cc-45ca-9b06-be2d65f26bfb",
            "created": "2018-01-17T11:11:13.000Z",
            "modified": "2018-01-17T11:11:13.000Z",
            "first seen": "2017-12-21T19:00:00.000Z",
            "last seen": "2018-01-06T19:00:00.000Z",
            "count": 50,
            "sighting of ref": "indicator--3b9cc57a-1026-4622-9ffb-56cdab6bd4aa",
            "observed_data_refs": ["observed-data--857d8389-9b7a-4ce8-a2ee-b0bf225dcfba"],
            "where_sighted_refs": ["identity--f6e43aa5-76cc-45ca-9b06-be2d65f26bfb"],
            "object marking refs": ["marking-definition--5e57c739-391a-4eb3-b6be-
7d15ca92d5ed"]
       },
        {
            "type": "observed-data",
```

```
"id": "observed-data--857d8389-9b7a-4ce8-a2ee-b0bf225dcfba",
            "created by ref": "identity--f6e43aa5-76cc-45ca-9b06-be2d65f26bfb",
            "created": "2018-01-17T11:11:13.000Z",
            "modified": "2018-01-17T11:11:13.000Z",
            "first observed": "2017-12-21T19:00:00.000Z",
            "last_observed": "2018-01-06T19:00:00.000Z",
            "number_observed": 1,
            "object_marking_refs": ["marking-definition--5e57c739-391a-4eb3-b6be-
7d15ca92d5ed"],
            "objects": {
                "0": {
                    "type": "ipv4-addr",
                    "value": "198.51.100.1"
            "x_interop_test": "STIX/TAXII 2.0 Interoperability Part 1, §2.5.3.4 TLP Red +
Sighting and Indicator",
]
```

2.5.4 Required Respondent Support

The Respondent must be able to parse and display any Indicator that has been shared with IP Address information and data markings, if present. All required Respondent support defined in 2.2.4 Required Respondent Support also applies to Data Markings.

Table 12 - Respondent Object Bundling Details

Persona	Behavior
TIP; SIEM	 Respondent receives the STIX bundle with a. A Bundle the various required field pattern content as follows i. An Identity of the producer ii. An Indicator with various required fields iii. An Indicator with data markings applied iv. The Indicator's object_marking_refs, must be associated with a correct marking definition v. If the Indicator identifies a marking-definition object that does not exist, then the Respondent should reject the Indicator 2. Once received the Respondent can display to the user the source of the Indicator based on the Identity's attribute 'name' and the identity_class attribute 3. For each Indicator object the Respondent is able to verify that the created_by_ref maps to an existing Identity received or one contained within the bundle received

4. For each set of objects, the Respondent must display or filter the objects based on the associated Data Markings applied to that object. This ensures that the user accessing the set of objects has appropriate marking authorization for TLP green, TLP amber, TLP red and TLP white depending on the test case performed.

2.6 Custom Objects and Properties

2.6.1 Description

If an organization produces or consumes custom STIX objects or properties, the following tests verify that the capability is done correctly.

2.6.2 Required Producer Persona Support

The Producer persona must be able to create a STIX Bundle with one or more objects with the appropriate date representing when the object was created for sharing.

NOTE: Not all personas defined in this specification create **Indicators**.

Table 13 - Producer Object Bundling Details

Persona	Behavior
All Producer personas that generate custom objects	 Producer allows a user to select or specify the STIX custom object content to send to a Respondent persona. The following data must be verified in the STIX produced by the persona: A Bundle object must conform to mandatory attributes within the bundle object including 'type'; 'id'; 'spec_version' and 'objects' where i. type is Bundle ii. id has a globally unique identifier iii. spec_versionis '2.0' iv. Within the objects array at least one Identity for the organization of the Producer at least one custom object where the custom object type name is prefixed with "x-" b. The Identity object must conform to mandatory attributes within the identity object spec including the following: i. type is identity iii. id has a globally unique identifier iii. identity_class is specified by the organization of the Producer iv. name is the name that the Producer wishes to share associated with the custom object c. The custom object must conform to mandatory attributes including 'type'; 'id'; 'created by ref'; 'created'; 'modified'; and one or more

	custom attributes where i. created_by_ref must point to the identity of the Producer; ii. created and modified must match the timestamp to millisecond granularity of when the user selected the custom object
All Producer personas that generate custom properties on SDOs	 Producer allows a user to select or specify the STIX SDO object content to send to a Respondent persona including the custom property associated with the SDO. The following data must be verified in the STIX produced by the persona: A Bundle object must conform to mandatory attributes within the bundle object including:

2.6.3 Producer Test Case Data

The following subsections provide the test case data for the test.

2.6.3.1 Custom Object Creation

2.6.3.2 Custom Property Creation

```
"objects": [
            "type": "identity",
            "id": "identity--f6e43aa5-76cc-45ca-9b06-be2d65f26bfb",
            "identity_class": "organization",
            "name": "ACME Corp Sighting, Inc.",
            "created": "2018-01-17T11:11:13.000Z",
            "modified": "2018-01-17T11:11:13.000Z"
            "type": "indicator",
            "id": "indicator--2ac04b47-a639-4769-b29a-e65c2956c418",
            "name": "Bad IP1",
            "description": "Custom Property",
            "created by ref": "identity--f431f809-377b-45e0-aa1c-6a4751cae5ff",
            "created": "2018-01-17T11:11:13.000Z",
            "modified": "2018-01-17T11:11:13.000Z",
            "valid from": "2018-01-01T00:00:00.000Z",
            "labels": ["malicious-activity"],
            "x acme custom property": 10,
            "pattern": "[ipv4-addr:value = '198.51.100.1']"
            "x_interop_test": "STIX/TAXII 2.0 Interoperability Part 1, §2.6.3.2 Custom
Property Creation",
```

2.6.4 Required Respondent Support

A Respondent receiving custom objects or properties must conform to the following tests.

Table 14 - Respondent Object Bundling Details

Darsons	Dokavian
Persona	Benavior

All Respondent 1. Respondent receives a STIX **Bundle** with Personas that may a. A **Bundle** with an **Identity** and **custom object** or **custom** receive custom properties on standard STIX object objects 2. Once received the Respondent is able to display to the user the source of the Indicator based on the Identity's attribute 'name' and the identity_class attribute 3. For each custom object, the Respondent must be able to determine that it is a custom object and not a SDO and can verify that the created_by_ref maps to an existing Identity received or one contained within the **bundle** received. 4. Respondent must be able to ingest all other SDOs in the **Bundle** 5. If the Respondent supports the custom object, then for each custom object, the Respondent may show the creation and modified dates for them. If the Respondent does not support the custom object, then the Respondent's console should be able to continue servicing the user without crashing, and support remaining SDOs in the Bundle. All Respondent 1. Respondent receives a STIX **Bundle** with Personas that may a. an Identity and receive custom b. SDO with custom properties properties 2. Once received the Respondent is able to display to the user the source of the SDO based on the identity's attribute 'name' and the identity_class attribute 3. For each SDO the Respondent must be able to determine that it is a SDO and able to ingest/parse all mandatory fields. 4. If the Respondent supports the custom property, then they may show or use the custom property included in the SDO. 5. If the Respondent does not support the custom property, then the Respondent may discard or show to the user that the SDO has been rejected. The Respondent's console should be able to continue servicing the user without crashing, and support remaining SDOs in the Bundle.

2.6.5 Respondent Test Case Data

This test case is primarily testing the production of custom objects, its related core property information, and a Respondent's ability to parse and ingest (not reject) all content that may be bundled with SDOs. No data is sent from the Respondent back to the Producer.

2.7 Course Of Action Sharing

2.7.1 Description

A Course of Action (COA) is a recommendation to respond to some form of threat. Typically, a COA would be created as a separate object that is then connected to other intelligence objects that, when detected, can be mitigated by the playbook sequencing called by the COA object.

However, the COA object in STIX 2.0 is a stub. It is included to support basic test cases (such as sharing prose courses of action) but, at this time, it does not support the ability to represent automated courses of action or contain properties to represent metadata about courses of action.

The COA SDO primarily focuses on a textual description of the mitigating action.




Figure 9 - Sharing Course Of Action

2.7.2 Required Producer Persona Support

The Producer must be able to populate the 'name' and 'description' with the textual information for the mitigating action to perform.

Table 15 - Producer Object Bundling Details

Personas	Behavior		
All Course of Action	 Producer allows a user to select or specify the STIX content to send to a Respondent persona. 		
producer personas	The following data must be verified in the STIX produced by the persona:		
	 a) A Bundle object must conform to mandatory attributes within the Bundle object including: i) id has a globally unique identifier ii) spec_version is '2.0' iii) Within the objects array 1) at least one identity for the organization of the Producer 2) at least one course of action with the required fields populated b) The Identity object must conform to mandatory attributes within the Identity object spec including: i) type is 'identity' 		

- ii) id has a globally unique identifier
- iii) identity_class is specified by the organization of the Producer
- iv) **name** is the name that the Producer wishes to share
- c) The **course-of-action** object must conform to its mandatory attributes including 'type', 'id', and the following where
 - i) **created_by_ref** must point to the identity of the Producer;
 - ii) **created** and **modified** must match the timestamp to millisecond granularity of when the user created the object
 - iii) name that assigns a title to the course-of-action
 - iv) description that provides more details and context about the course-of-action, potentially including its purpose and its key characteristics.

2.7.3 Producer Test Case Data

The following subsections provide the test case data for the test.

2.7.3.1 Create COA

```
"objects": [
            "type": "identity",
           "id": "identity--f6e43aa5-76cc-45ca-9b06-be2d65f26bfb",
           "identity_class": "organization",
           "name": "ACME Corp Sighting, Inc."
           "created": "2018-01-17T11:11:13.000Z",
           "modified": "2018-01-17T11:11:13.000Z"
           "type": "course-of-action",
           "id": "course-of-action--97250bf1-7ab6-4c79-b8c0-b59f6fc62e9d",
           "name": "Add TCP port 80 Filter Rule to the existing Block UDP 1434 Filter",
           "description": "Course Of Action",
           "created_by_ref": "identity--f431f809-377b-45e0-aa1c-6a4751cae5ff",
           "created": "2018-01-17T11:11:13.000Z",
           "modified": "2018-01-17T11:11:13.000Z"
           "x_interop_test": "STIX/TAXII 2.0 Interoperability Part 1, §2.7.3.1 Create COA",
1
```

2.7.3.2 Create COA with Relationship

```
"modified": "2018-01-17T11:11:13.000Z"
       },
            "type": "course-of-action",
            "id": "course-of-action--17ce1618-0aab-4366-a93a-9d290282995e",
            "name": "Add TCP port 80 Filter Rule to the existing Block UDP 1434 Filter",
            "description": "COA Relationship",
            "created_by_ref": "identity--f431f809-377b-45e0-aa1c-6a4751cae5ff",
            "created": "2018-01-17T11:11:13.000Z",
            "modified": "2018-01-17T11:11:13.000Z"
            "x_interop_test": "STIX/TAXII 2.0 Interoperability Part 1, §2.7.3.2 Create COA
with Relationship",
       },
            "type": "relationship",
            "id": "relationship--1d79e2b8-c4e2-4f64-a9b3-739de42bc1c6",
            "created_by_ref": "identity--f431f809-377b-45e0-aa1c-6a4751cae5ff",
            "created": "2018-01-17T11:11:13.000Z",
            "modified": "2018-01-17T11:11:13.000Z",
            "source_ref": "course-of-action--17ce1618-0aab-4366-a93a-9d290282995e",
            "target_ref": "indicator--bc7a2301-d711-465d-a8bf-97d50e1cb68f",
            "relationship type": "related-to"
            "x interop test": "STIX/TAXII 2.0 Interoperability Part 1, §2.7.3.2 Create COA
with Relationship",
        },
            "type": "indicator",
            "id": "indicator--bc7a2301-d711-465d-a8bf-97d50e1cb68f",
            "name": "Poison Ivy Malware",
            "description": "Hash Indicator",
            "created by ref": "identity--f431f809-377b-45e0-aa1c-6a4751cae5ff",
            "created": "2018-01-17T11:11:13.000Z",
            "modified": "2018-01-17T11:11:13.000Z",
            "valid_from": "2018-01-01T00:00:00.000Z",
            "labels": ["malicious-activity"],
            "pattern": "[file:hashes.MD5 = '3773a88f65a5e780c8dff9cdc3a056f3']"
            "x_interop_test": "STIX/TAXII 2.0 Interoperability Part 1, §2.7.3.2 Create COA
with Relationship",
1
```

2.7.4 Required Respondent Persona Support

The **Respondent** must be able to parse and display all COA Properties.

Table 16 - Respondent Object Bundling Details

Persona	Behavior		
All Course of Action Respondent personas	 Respondent allows a user to receive a STIX Bundle with a. A Bundle with an Identity and course-of-action with various content b. An identity of the Producer c. One or more course-of-action with required fields information 		

contained in it

- 2. Once received, the Respondent is able to display to the user the source of the **course-of-action** based on the **Identity's** attribute 'name' and the **identity_class** attribute
- 3. For each **course-of-action**, the Respondent must be able to verify that the **created_by_ref** maps to an existing **Identity** received or one contained within the **Bundle** received
- 4. For each **course-of-action** object the Respondent is able to display the information from the course-of-action fields to the user.

3 Persona Checklist

The following checklists summarize all tests that a persona (Producer or Respondent) must conform to within that persona. An organization must submit the results for their specific persona(s) to the OASIS CTI TC Interoperability SC to achieve confirmation of interoperability and to be listed on the OASIS website page showing the organization's compliance to STIX 2.0.

Results must be submitted to the STIX Interoperability sub-committee for verification.

Results may be submitted as separate logs; documents; screenshots; any other proof such that the reviewers can assess whether the organization has confirmed compliance to STIX 2.0 interoperability tests for their specific instance.

Instructions to organizations:

- 1) Fill in the section relevant to your instance
- 2) For each test, add a reference in the results column on what evidence documentation supports compliance results.
- 3) Submit both the filled in section and all supporting documentation.

After review and verification of the demonstration submittal, the OASIS CTI TC Interoperability SC will post confirmation. Our listing will include the following:

- 1. Name, address and contact information of the company performing the demonstration
- 2. Name of the conforming product
- 3. Summary of the references that substantiate interoperability conformance.

No independent testing will be performed directly by the Interoperability SC; rather the verification process will confirm that the documentation is complete and accurate as claimed by the submitting party.

3.1 Data Feed Provider (DFP)

For the purpose of this document a DFP is a software instance that acts as a Producer of STIX 2.0 content.

Any instance being qualified as a DFP must confirm test results for the following test cases.

Table 17 - Data Feed Provider (DFP) Test Verification List

test case	Test	Verification	Results
Indicator Sharing	2.2.3.1 Indicator IPv4 Address	Mandatory	<fill in=""></fill>
Indicator Sharing	2.2.3.2 Indicator IPv4 Address CIDR	Mandatory	<fill in=""></fill>

Indicator Sharing	2.2.3.3 Two Indicators with IPv4 Address CIDR	Mandatory	<fill in=""></fill>
Indicator Sharing	2.2.3.4 Indicator with IPv6 Address	Optional	<if fill="" in="" supported,=""></if>
Indicator Sharing	2.2.3.5 Indicator with IPv6 Address CIDR	Optional	<if fill="" in="" supported,=""></if>
Indicator Sharing	2.2.3.6 Multiple Indicators within the same bundle	Mandatory	<fill in=""></fill>
Indicator Sharing	2.2.3.7 Indicator FQDN	Mandatory	<fill in=""></fill>
Indicator Sharing	2.2.3.8 Indicator URL	Mandatory	<fill in=""></fill>
Indicator Sharing	2.2.3.9 Indicator URL or FQDN	Mandatory	<fill in=""></fill>
Indicator Sharing	2.2.3.10 Indicator File hash with SHA256 or MD5 values	Mandatory	<fill in=""></fill>
Sighting Sharing	2.3.3 Producer Test Case Data	Optional	<if fill="" in="" supported,=""></if>
Sighting Sharing	2.3.5.1 Sighting + Indicator with IPv4 Address	Optional	<if fill="" in="" supported,=""></if>
Sighting Sharing	2.3.5.2 Sighting + Indicator with IPv4 Address Matching CIDR	Optional	<if fill="" in="" supported,=""></if>
Sighting Sharing	2.3.5.3 Sighting + Indicator with IPv6 Address Matching CIDR	Optional	<if fill="" in="" supported,=""></if>
Sighting Sharing	2.3.5.4 Sighting + Indicator with NO observed data	Optional	<if fill="" in="" supported,=""></if>
Sighting Sharing	2.3.5.5 Sighting + Indicator with URL	Optional	<if fill="" in="" supported,=""></if>
Sighting Sharing	2.3.5.6 Sighting + Indicator with File Hash	Optional	<if fill="" in="" supported,=""></if>
Versioning	2.4.3.1 Creation of an Indicator with Identity and Date	Mandatory	<fill in=""></fill>
Versioning	2.4.3.2 Creation of a Sighting with Identity and Date	Mandatory	<fill in=""></fill>
Versioning	2.4.7.1 Modification of an Indicator with Identity and Date	Mandatory	<fill in=""></fill>

Versioning	2.4.7.2 Modification of a Sighting with Identity and Date	Mandatory	<fill in=""></fill>
Versioning	2.4.11.1 Deletion of an Indicator with Identity; Dates	Mandatory	<fill in=""></fill>
Versioning	2.4.11.2 Deletion of a Sighting and Associated Observed Data	Mandatory	<fill in=""></fill>
Data Markings	2.5.3.1 TLP Green + Indicator with IPv4 Address	Optional	<fill in=""></fill>
Data Markings	2.5.3.2 TLP Amber + Two Indicators with IPv4 Address CIDR	Optional	<fill in=""></fill>
Data Markings	2.5.3.3 TLP White and TLP Red + Indicator with IPv6 Address	Optional	<if fill="" in="" supported,=""></if>
Data Markings	2.5.3.4 TLP Red + Sighting and Indicator	Optional	<if fill="" in="" supported,=""></if>
Custom Object Creation	2.6.3.1 Custom Object Creation	Optional	<if fill="" in="" supported,=""></if>
Custom Property Creation	2.6.3.2 Custom Property Creation	Optional	<if fill="" in="" supported,=""></if>
Custom Ingestion	2.6.4 Required Respondent Support	n/a	n/a
Create COA	2.7.3.1 Create COA	Optional	<if fill="" in="" supported,=""></if>
Create COA Relationship	2.7.3.2 Create COA with Relationship	Optional	<if fill="" in="" supported,=""></if>

3.2 Threat Intelligence Platform (TIP)

For the purpose of this document a TIP is defined as a software instance that acts as a Producer and/or Respondent of STIX 2.0 content primarily used to aggregate, refine and share intelligence with other machines or security personnel operating other security infrastructure.

Any instance being qualified as a TIP must confirm test results for the following test cases.

Table 18 - Threat Intelligence Platform (TIP) Test Verification List

test case	Test	Verification	Results
-----------	------	--------------	---------

Indicator Sharing	2.2.3.1 Indicator IPv4 Address	Mandatory	<fill in=""></fill>
Indicator Sharing	2.2.3.2 Indicator IPv4 Address CIDR	Mandatory	<fill in=""></fill>
Indicator Sharing	2.2.3.3 Two Indicators with IPv4 Address CIDR	Mandatory	<fill in=""></fill>
Indicator Sharing	2.2.3.4 Indicator with IPv6 Address	Optional	<if fill="" in="" supported,=""></if>
Indicator Sharing	2.2.3.5 Indicator with IPv6 Address CIDR	Optional	<if fill="" in="" supported,=""></if>
Indicator Sharing	2.2.3.6 Multiple Indicators within the same bundle	Mandatory	<fill in=""></fill>
Indicator Sharing	2.2.3.7 Indicator FQDN	Mandatory	<fill in=""></fill>
Indicator Sharing	2.2.3.8 Indicator URL	Mandatory	<fill in=""></fill>
Indicator Sharing	2.2.3.9 Indicator URL or FQDN	Mandatory	<fill in=""></fill>
Indicator Sharing	2.2.3.10 Indicator File hash with SHA256 or MD5 values	Mandatory	<fill in=""></fill>
Sighting Sharing	2.3.3 Producer Test Case Data	Mandatory	<fill in=""></fill>
Sighting Sharing	2.3.5.1 Sighting + Indicator with IPv4 Address	Mandatory	<fill in=""></fill>
Sighting Sharing	2.3.5.2 Sighting + Indicator with IPv4 Address Matching CIDR	Mandatory	<fill in=""></fill>
Sighting Sharing	2.3.5.3 Sighting + Indicator with IPv6 Address Matching CIDR	Optional	<if fill="" in="" supported,=""></if>
Sighting Sharing	2.3.5.4 Sighting + Indicator with NO observed data	Mandatory	<fill in=""></fill>
Sighting Sharing	2.3.5.5 Sighting + Indicator with URL	Mandatory	<fill in=""></fill>
Sighting Sharing	2.3.5.6 Sighting + Indicator with File Hash	Mandatory	<fill in=""></fill>
Versioning	2.4.3.1 Creation of an Indicator with Identity and Date	Mandatory	<fill in=""></fill>

Versioning	2.4.3.2 Creation of a Sighting with Identity and Date	Mandatory	<fill in=""></fill>
Versioning	2.4.7.1 Modification of an Indicator with Identity and Date	Mandatory	<fill in=""></fill>
Versioning	2.4.7.2 Modification of a Sighting with Identity and Date	Mandatory	<fill in=""></fill>
Versioning	2.4.11.1 Deletion of an Indicator with Identity; Dates	Mandatory	<fill in=""></fill>
Versioning	2.4.11.2 Deletion of a Sighting and Associated Observed Data	Mandatory	<fill in=""></fill>
Data Markings	2.5.3.1 TLP Green + Indicator with IPv4 Address	Mandatory	<fill in=""></fill>
Data Markings	2.5.3.2 TLP Amber + Two Indicators with IPv4 Address CIDR	Mandatory	<fill in=""></fill>
Data Markings	2.5.3.3 TLP White and TLP Red + Indicator with IPv6 Address	Optional	<if fill="" in="" supported,=""></if>
Data Markings	2.5.3.4 TLP Red + Sighting and Indicator	Optional	<if fill="" in="" supported,=""></if>
Custom Object Creation	2.6.3.1 Custom Object Creation	Optional	<if fill="" in="" supported,=""></if>
Custom Property Creation	2.6.3.2 Custom Property Creation	Optional	<if fill="" in="" supported,=""></if>
Custom Ingestion	2.6.4 Required Respondent Support	Mandatory	<fill in=""></fill>
Create COA	2.7.3.1 Create COA	Optional	<if fill="" in="" supported,=""></if>
Create COA Relationship	2.7.3.2 Create COA with Relationship	Optional	<if fill="" in="" supported,=""></if>

3.3 Security Incident and Event Management (SIEM)

For the purpose of this document a SIEM is a software instance that acts as a Producer and/or Respondent of STIX 2.0 content. The primary Respondent role of a SIEM is report Indicators and other high-level information. The Producer SIEM primarily reports Indicators.

Any instance being qualified as a SIEM must confirm test results for the following test cases.

Table 19 - Security Incident and Event Management (SIEM) Test Verification List

test case	Test	Verification	Results
Indicator Sharing	2.2.3.1 Indicator IPv4 Address	Mandatory	<fill in=""></fill>
Indicator Sharing	2.2.3.2 Indicator IPv4 Address CIDR	Mandatory	<fill in=""></fill>
Indicator Sharing	2.2.3.3 Two Indicators with IPv4 Address CIDR	Mandatory	<fill in=""></fill>
Indicator Sharing	2.2.3.4 Indicator with IPv6 Address	Optional	<if fill="" in="" supported,=""></if>
Indicator Sharing	2.2.3.5 Indicator with IPv6 Address CIDR	Optional	<if fill="" in="" supported,=""></if>
Indicator Sharing	2.2.3.6 Multiple Indicators within the same bundle	Mandatory	<fill in=""></fill>
Indicator Sharing	2.2.3.7 Indicator FQDN	Mandatory	<fill in=""></fill>
Indicator Sharing	2.2.3.8 Indicator URL	Mandatory	<fill in=""></fill>
Indicator Sharing	2.2.3.9 Indicator URL or FQDN	Mandatory	<fill in=""></fill>
Indicator Sharing	2.2.3.10 Indicator File hash with SHA256 or MD5 values	Mandatory	<fill in=""></fill>
Sighting Sharing	2.3.3 Producer Test Case Data	Optional	<fill in=""></fill>
Sighting Sharing	2.3.5.1 Sighting + Indicator with IPv4 Address	Mandatory	<fill in=""></fill>
Sighting Sharing	2.3.5.2 Sighting + Indicator with IPv4 Address Matching CIDR	Mandatory	<fill in=""></fill>
Sighting Sharing	2.3.5.3 Sighting + Indicator with IPv6 Address Matching CIDR	Optional	<if fill="" in="" supported,=""></if>
Sighting Sharing	2.3.5.4 Sighting + Indicator with NO observed data	Mandatory	<fill in=""></fill>
Sighting Sharing	2.3.5.5 Sighting + Indicator with URL	Mandatory	<fill in=""></fill>
Sighting Sharing	2.3.5.6 Sighting + Indicator with File Hash	Mandatory	<fill in=""></fill>

Versioning	2.4.3.1 Creation of an Indicator with Identity and Date	Mandatory	<fill in=""></fill>
Versioning	2.4.3.2 Creation of a Sighting with Identity and Date	Mandatory	<fill in=""></fill>
Versioning	2.4.7.1 Modification of an Indicator with Identity and Date	Mandatory	<fill in=""></fill>
Versioning	2.4.7.2 Modification of a Sighting with Identity and Date	Mandatory	<fill in=""></fill>
Versioning	2.4.11.1 Deletion of an Indicator with Identity; Dates	Mandatory	<fill in=""></fill>
Versioning	2.4.11.2 Deletion of a Sighting and Associated Observed Data	Mandatory	<fill in=""></fill>
Data Markings	2.5.3.1 TLP Green + Indicator with IPv4 Address	Mandatory	<fill in=""></fill>
Data Markings	2.5.3.2 TLP Amber + Two Indicators with IPv4 Address CIDR	Mandatory	<fill in=""></fill>
Data Markings	2.5.3.3 TLP White and TLP Red + Indicator with IPv6 Address	Optional	<fill in=""></fill>
Data Markings	2.5.3.4 TLP Red + Sighting and Indicator	Optional	<fill in=""></fill>
Custom Object Creation	2.6.3.1 Custom Object Creation	Optional	<if fill="" in="" supported,=""></if>
Custom Property Creation	2.6.3.2 Custom Property Creation	Optional	<if fill="" in="" supported,=""></if>
Custom Ingestion	2.6.4 Required Respondent Support	Mandatory	<fill in=""></fill>
Create COA	2.7.3.1 Create COA	Optional	<if fill="" in="" supported,=""></if>
Create COA Relationship	2.7.3.2 Create COA with Relationship	Optional	<if fill="" in="" supported,=""></if>

3.4 Threat Mitigation System (TMS)

For the purpose of this document a TMS is a software instance that mitigates threats in a network. It may act as both a Producer and Respondent some test cases. The Respondent TMS primarily reports Indicators. The Producer TMS primarily reports Sightings.

Any instance being qualified as a TMS must confirm test results for the following test cases.

Table 20 - Threat Mitigation System (TMS) Test Verification List

test case	Test	Verification	Results
Indicator Sharing	2.2.3.1 Indicator IPv4 Address	Mandatory	<fill in=""></fill>
Indicator Sharing	2.2.3.2 Indicator IPv4 Address CIDR	Mandatory	<fill in=""></fill>
Indicator Sharing	2.2.3.3 Two Indicators with IPv4 Address CIDR	Mandatory	<fill in=""></fill>
Indicator Sharing	2.2.3.4 Indicator with IPv6 Address	Optional	<if fill="" in="" supported,=""></if>
Indicator Sharing	2.2.3.5 Indicator with IPv6 Address CIDR	Optional	<if fill="" in="" supported,=""></if>
Indicator Sharing	2.2.3.6 Multiple Indicators within the same bundle	Mandatory	<fill in=""></fill>
Indicator Sharing	2.2.3.7 Indicator FQDN	Mandatory	<fill in=""></fill>
Indicator Sharing	2.2.3.8 Indicator URL	Mandatory	<fill in=""></fill>
Indicator Sharing	2.2.3.9 Indicator URL or FQDN	Mandatory	<fill in=""></fill>
Indicator Sharing	2.2.3.10 Indicator File hash with SHA256 or MD5 values	Mandatory	<fill in=""></fill>
Sighting Sharing	2.3.3 Producer Test Case Data	Mandatory	<fill in=""></fill>
Sighting Sharing	2.3.5.1 Sighting + Indicator with IPv4 Address	Mandatory	<fill in=""></fill>
Sighting Sharing	2.3.5.2 Sighting + Indicator with IPv4 Address Matching CIDR	Mandatory	<fill in=""></fill>
Sighting Sharing	2.3.5.3 Sighting + Indicator with IPv6 Address Matching CIDR	Optional	<if fill="" in="" supported,=""></if>
Sighting Sharing	2.3.5.4 Sighting + Indicator with NO observed data	Mandatory	<fill in=""></fill>
Sighting Sharing	2.3.5.5 Sighting + Indicator with URL	Mandatory	<fill in=""></fill>

Sighting Sharing	2.3.5.6 Sighting + Indicator with File Hash	Mandatory	<fill in=""></fill>
Versioning	2.4.3.1 Creation of an Indicator with Identity and Date	Mandatory	<fill in=""></fill>
Versioning	2.4.3.2 Creation of a Sighting with Identity and Date	Mandatory	<fill in=""></fill>
Versioning	2.4.7.1 Modification of an Indicator with Identity and Date	Mandatory	<fill in=""></fill>
Versioning	2.4.7.2 Modification of a Sighting with Identity and Date	Mandatory	<fill in=""></fill>
Versioning	2.4.11.1 Deletion of an Indicator with Identity; Dates	Mandatory	<fill in=""></fill>
Versioning	2.4.11.2 Deletion of a Sighting and Associated Observed Data	Mandatory	<fill in=""></fill>
Data Markings	2.5.3.1 TLP Green + Indicator with IPv4 Address	Mandatory	<fill in=""></fill>
Data Markings	2.5.3.2 TLP Amber + Two Indicators with IPv4 Address CIDR	Mandatory	<fill in=""></fill>
Data Markings	2.5.3.3 TLP White and TLP Red + Indicator with IPv6 Address	Optional	<fill in=""></fill>
Data Markings	2.5.3.4 TLP Red + Sighting and Indicator	Optional	<fill in=""></fill>
Custom Object Creation	2.6.3.1 Custom Object Creation	Optional	<if fill="" in="" supported,=""></if>
Custom Property Creation	2.6.3.2 Custom Property Creation	Optional	<if fill="" in="" supported,=""></if>
Custom Ingestion	2.6.4 Required Respondent Support	Mandatory	<fill in=""></fill>
Create COA	2.7.3.1 Create COA	Optional	<if fill="" in="" supported,=""></if>
Create COA Relationship	2.7.3.2 Create COA with Relationship	Optional	<if fill="" in="" supported,=""></if>

3.5 Threat Detection System (TDS)

For the purpose of this document a TDS detects threats in a network without necessarily mitigating the threat. It may act as both a Producer and Respondent depending on the type of test case. The Respondent is primarily concerned with Indicators. The Producer role is primarily concerned with Sightings.

Any instance being qualified as a TDS must confirm test results for the following test cases.

Table 21 - Threat Detection System (TDS) Test Verification List

test case	Test	Verification	Results
Indicator Sharing	2.2.3.1 Indicator IPv4 Address	Mandatory	<fill in=""></fill>
Indicator Sharing	2.2.3.2 Indicator IPv4 Address CIDR	Mandatory	<fill in=""></fill>
Indicator Sharing	2.2.3.3 Two Indicators with IPv4 Address CIDR	Mandatory	<fill in=""></fill>
Indicator Sharing	2.2.3.4 Indicator with IPv6 Address	Optional	<if fill="" in="" supported,=""></if>
Indicator Sharing	2.2.3.5 Indicator with IPv6 Address CIDR	Optional	<if fill="" in="" supported,=""></if>
Indicator Sharing	2.2.3.6 Multiple Indicators within the same bundle	Mandatory	<fill in=""></fill>
Indicator Sharing	2.2.3.7 Indicator FQDN	Mandatory	<fill in=""></fill>
Indicator Sharing	2.2.3.8 Indicator URL	Mandatory	<fill in=""></fill>
Indicator Sharing	2.2.3.9 Indicator URL or FQDN	Mandatory	<fill in=""></fill>
Indicator Sharing	2.2.3.10 Indicator File hash with SHA256 or MD5 values	Mandatory	<fill in=""></fill>
Sighting Sharing	2.3.3 Producer Test Case Data	Mandatory	<fill in=""></fill>
Sighting Sharing	2.3.5.1 Sighting + Indicator with IPv4 Address	Mandatory	<fill in=""></fill>
Sighting Sharing	2.3.5.2 Sighting + Indicator with IPv4 Address Matching CIDR	Mandatory	<fill in=""></fill>
Sighting Sharing	2.3.5.3 Sighting + Indicator with IPv6 Address Matching CIDR	Optional	<if fill="" in="" supported,=""></if>

Sighting Sharing	2.3.5.4 Sighting + Indicator with NO observed data	Mandatory	<fill in=""></fill>
Sighting Sharing	2.3.5.5 Sighting + Indicator with URL	Mandatory	<fill in=""></fill>
Sighting Sharing	2.3.5.6 Sighting + Indicator with File Hash	Mandatory	<fill in=""></fill>
Versioning	2.4.3.1 Creation of an Indicator with Identity and Date	Mandatory	<fill in=""></fill>
Versioning	2.4.3.2 Creation of a Sighting with Identity and Date	Mandatory	<fill in=""></fill>
Versioning	2.4.7.1 Modification of an Indicator with Identity and Date	Mandatory	<fill in=""></fill>
Versioning	2.4.7.2 Modification of a Sighting with Identity and Date	Mandatory	<fill in=""></fill>
Versioning	2.4.11.1 Deletion of an Indicator with Identity; Dates	Mandatory	<fill in=""></fill>
Versioning	2.4.11.2 Deletion of a Sighting and Associated Observed Data	Mandatory	<fill in=""></fill>
Data Markings	2.5.3.1 TLP Green + Indicator with IPv4 Address	Mandatory	<fill in=""></fill>
Data Markings	2.5.3.2 TLP Amber + Two Indicators with IPv4 Address CIDR	Mandatory	<fill in=""></fill>
Data Markings	2.5.3.3 TLP White and TLP Red + Indicator with IPv6 Address	Optional	<fill in=""></fill>
Data Markings	2.5.3.4 TLP Red + Sighting and Indicator	Optional	<fill in=""></fill>
Custom Object Creation	2.6.3.1 Custom Object Creation	Optional	<if fill="" in="" supported,=""></if>
Custom Property Creation	2.6.3.2 Custom Property Creation	Optional	<if fill="" in="" supported,=""></if>
Custom Ingestion	2.6.4 Required Respondent Support	Mandatory	<fill in=""></fill>
Create COA	2.7.3.1 Create COA	Optional	<if fill="" in="" supported,=""></if>

Create COA	2.7.3.2 Create COA with Relationship	Optional	<if fill<="" supported,="" th=""></if>
Relationship			in>

3.6 Threat Intelligence Sink (TIS)

For the purpose of this document, a (TIS) is a software instance that consumes STIX 2.0 content in order to perform translations to domain specific formats. Those translations are consumable by enforcement and/or detection systems that do not natively support STIX 2.0. These TIS consumers may or may not have the capability of reporting sightings. A (TIS) that consumes STIX content will typically consume indicators.

Any software instance being qualified as a (TIS) must confirm test results for the following test cases.

Table 22 - Threat Intelligence Sink (TIS) Test Verification List

test case	Test	Verification	Results
Indicator Sharing	2.2.3.1 Indicator IPv4 Address	Mandatory	<fill in=""></fill>
Indicator Sharing	2.2.3.2 Indicator IPv4 Address CIDR	Mandatory	<fill in=""></fill>
Indicator Sharing	2.2.3.3 Two Indicators with IPv4 Address CIDR	Mandatory	<fill in=""></fill>
Indicator Sharing	2.2.3.4 Indicator with IPv6 Address	Optional	<if fill="" in="" supported,=""></if>
Indicator Sharing	2.2.3.5 Indicator with IPv6 Address CIDR	Optional	<if fill="" in="" supported,=""></if>
Indicator Sharing	2.2.3.6 Multiple Indicators within the same bundle	Mandatory	<fill in=""></fill>
Indicator Sharing	2.2.3.7 Indicator FQDN	Mandatory	<fill in=""></fill>
Indicator Sharing	2.2.3.8 Indicator URL	Mandatory	<fill in=""></fill>
Indicator Sharing	2.2.3.9 Indicator URL or FQDN	Mandatory	<fill in=""></fill>
Indicator Sharing	2.2.3.10 Indicator File hash with SHA256 or MD5 values	Mandatory	<fill in=""></fill>
Sighting Sharing	2.3.3 Producer Test Case Data	Mandatory	<fill in=""></fill>
Sighting Sharing	2.3.5.1 Sighting + Indicator with IPv4 Address	Mandatory	<fill in=""></fill>

-		_	
Sighting Sharing	2.3.5.2 Sighting + Indicator with IPv4 Address Matching CIDR	Mandatory	<fill in=""></fill>
Sighting Sharing	2.3.5.3 Sighting + Indicator with IPv6 Address Matching CIDR	Optional	<if fill="" in="" supported,=""></if>
Sighting Sharing	2.3.5.4 Sighting + Indicator with NO observed data	Mandatory	<fill in=""></fill>
Sighting Sharing	2.3.5.5 Sighting + Indicator with URL	Mandatory	<fill in=""></fill>
Sighting Sharing	2.3.5.6 Sighting + Indicator with File Hash	Mandatory	<fill in=""></fill>
Versioning	2.4.3.1 Creation of an Indicator with Identity and Date	Mandatory	<fill in=""></fill>
Versioning	2.4.3.2 Creation of a Sighting with Identity and Date	Mandatory	<fill in=""></fill>
Versioning	2.4.7.1 Modification of an Indicator with Identity and Date	Mandatory	<fill in=""></fill>
Versioning	2.4.7.2 Modification of a Sighting with Identity and Date	Mandatory	<fill in=""></fill>
Versioning	2.4.11.1 Deletion of an Indicator with Identity; Dates	Mandatory	<fill in=""></fill>
Versioning	2.4.11.2 Deletion of a Sighting and Associated Observed Data	Mandatory	<fill in=""></fill>
Data Markings	2.5.3.1 TLP Green + Indicator with IPv4 Address	Mandatory	<fill in=""></fill>
Data Markings	2.5.3.2 TLP Amber + Two Indicators with IPv4 Address CIDR	Mandatory	<fill in=""></fill>
Data Markings	2.5.3.3 TLP White and TLP Red + Indicator with IPv6 Address	Optional	<fill in=""></fill>
Data Markings	2.5.3.4 TLP Red + Sighting and Indicator	Optional	<fill in=""></fill>
Custom Object Creation	2.6.3.1 Custom Object Creation	Optional	<if fill="" in="" supported,=""></if>

Custom Property Creation	2.6.3.2 Custom Property Creation	Optional	<if fill="" in="" supported,=""></if>
Custom Ingestion	2.6.4 Required Respondent Support	Mandatory	<fill in=""></fill>
Create COA	2.7.3.1 Create COA	Optional	<if fill="" in="" supported,=""></if>
Create COA Relationship	2.7.3.2 Create COA with Relationship	Optional	<if fill="" in="" supported,=""></if>

Appendix A Acknowledgments

Interoperability Subcommittee Chairs:

Allan Thomson, LookingGlass, Jason Keirstead, IBM

Additional Editors

Jane Ginn, Cyber Threat Intelligence Network, Inc.

Special Thanks:

Substantial contributions to this specification from the following individuals are gratefully acknowledged:

Participants:

The following individuals were members of the OASIS CTI Technical Committee during the creation of this specification and their contributions are gratefully acknowledged:

Robert	Coderre	Accenture	
Kyle	Maxwell	Accenture	
David	Crawford	Aetna	
Marcos	Orallo	Airbus Group SAS	
Roman	Fiedler	AIT Austrian Institute of Technology	
Florian	Skopik	AIT Austrian Institute of Technology	
Ryan	Clough	Anomali	
Wei	Huang	Anomali	
Angela	Nichols	Anomali	
Hugh	Njemanze	Anomali	
Katie	Pelusi	Anomali	
Nicholas	Hayden	Anomali	
Dean	Thompson	Australia and New Zealand Banking Group (ANZ Bank)	
Alexander	Foley	Bank of America	
Radu	Marian	Bank of America	
Sounil	Yu	Bank of America	

Vicky	Laurens	Bank of Montreal	
Alexandre	Dulaunoy	CIRCL	
Andras	Iklody	CIRCL	
Christian	Studer	CIRCL	
RaphaÎl	Vinot	CIRCL	
Sarah	Kelley	CIS	
Syam	Appala	Cisco Systems	
Ted	Bedwell	Cisco Systems	
David	McGrew	Cisco Systems	
Mark-David	McLaughlin	Cisco Systems	
Pavan	Reddy	Cisco Systems	
Omar	Santos	Cisco Systems	
Sam	Taghavi Zargar	Cisco Systems	
Jyoti	Verma	Cisco Systems	
Jart	Armin	Cyber Threat Intelligence Network, Inc. (CTIN)	
Doug	DePeppe	Cyber Threat Intelligence Network, Inc. (CTIN)	
Ben	Ottoman	Cyber Threat Intelligence Network, Inc. (CTIN)	
David	Powell	Cyber Threat Intelligence Network, Inc. (CTIN)	
Andreas	Sfakianakis	Cyber Threat Intelligence Network, Inc. (CTIN)	
Jane	Ginn	Cyber Threat Intelligence Network, Inc. (CTIN)	
Andrew	Byrne	Dell	
Jeff	Odom	Dell	
Sreejith	Padmajadevi	Dell	
Ravi	Sharda	Dell	
Will	Urbanski	Dell	
Evette	Maynard-Noel	DHS Office of Cybersecurity and Communications (CS&C)	

Sean	Sobieraj	DHS Office of Cybersecurity and Communications (CS&C)	
Marlon	Taylor	DHS Office of Cybersecurity and Communications (CS&C)	
Preston	Werntz	DHS Office of Cybersecurity and Communications (CS&C)	
Wouter	Bolsterlee	EclecticIQ	
Adam	Bradbury	EclecticIQ	
Marko	Dragoljevic	EclecticIQ	
Oliver	Gheorghe	EclecticIQ	
Joep	Gommers	EclecticIQ	
Christopher	O'Brien	EclecticIQ	
Sergey	Polzunov	EclecticIQ	
Rutger	Prins	EclecticIQ	
Andrei	SÓrghi	EclecticIQ	
Raymon	van der Velde	EclecticIQ	
Tom	Vaughan	EclecticIQ	
Ben	Sooter	Electric Power Research Institute (EPRI)	
Chris	Ricard	Financial Services Information Sharing and Analysis Center (FS-ISAC)	
Phillip	Boles	FireEye, Inc.	
Prasad	Gaikwad	FireEye, Inc.	
Will	Green	FireEye, Inc.	
Rajeev	Jha	FireEye, Inc.	
Anuj	Kumar	FireEye, Inc.	
James	Meck	FireEye, Inc.	
Scott	Shreve	FireEye, Inc.	
Jon	Warren	FireEye, Inc.	
Remko	Weterings	FireEye, Inc.	

Sean	Barnum	FireEye, Inc.
Shyamal	Pandya	FireEye, Inc.
Paul	Patrick	FireEye, Inc.
Tim	Jones	ForeScout
Gavin	Chow	Fortinet Inc.
Steve	Fossen	Fortinet Inc.
Kenichi	Terashita	Fortinet Inc.
Daisuke	Murabayashi	Fujitsu Limited
Derek	Northrope	Fujitsu Limited
Ryusuke	Masuoka	Fujitsu Limited
Toshitaka	Satomi	Fujitsu Limited
Koji	Yamada	Fujitsu Limited
Kunihiko	Yoshimura	Fujitsu Limited
David	Lemire	G2
Jonathan	Algar	GDS
Adam	Cooper	GDS
Mike	McLellan	GDS
Tyrone	Nembhard	GDS
Chris	O'Brien	GDS
James	Penman	GDS
Howard	Staple	GDS
Chris	Taylor	GDS
Laurie	Thomson	GDS
Alastair	Treharne	GDS
Julian	White	GDS
Bethany	Yates	GDS

lain	Brown	GDS
Robert	van Engelen	Genivia
Eric	Burger	Georgetown University
Allison	Miller	Google Inc.
Mark	Risher	Google Inc.
Yoshihide	Kawada	Hitachi, Ltd.
Jun	Nakanishi	Hitachi, Ltd.
Akihito	Sawada	Hitachi, Ltd.
Yutaka	Takami	Hitachi, Ltd.
Kazuo	Noguchi	Hitachi, Ltd.
Masato	Terada	Hitachi, Ltd.
Adrian	Bishop	Huntsman Security
Eldan	Ben-Haim	IBM
Allen	Hadden	IBM
Sandra	Hernandez	IBM
Chenta	Lee	IBM
Devesh	Parekh	IBM
Laura	Rusu	IBM
Jason	Keirstead	IBM
John	Morris	IBM
Ron	Williams	IBM
Paul	Martini	iboss, Inc.
Vasileios	Mavroeidis	IFI
Jerome	Athias	Individual
Joerg	Eschweiler	Individual
Alex	Pinto	Individual

Stefan	Hagen	Individual	
Elysa	Jones	Individual	
Terry	MacDonald	Individual	
Tim	Casey	Intel Corporation	
Julie	Modlin	Johns Hopkins University Applied Physics Laboratory	
Mark	Moss	Johns Hopkins University Applied Physics Laboratory	
Mark	Munoz	Johns Hopkins University Applied Physics Laboratory	
Nathan	Reller	Johns Hopkins University Applied Physics Laboratory	
Pamela	Smith	Johns Hopkins University Applied Physics Laboratory	
Subodh	Kumar	JPMorgan Chase Bank, N.A.	
David	Laurance	JPMorgan Chase Bank, N.A.	
Russell	Culpepper	Kaiser Permanente	
Michael	Slavick	Kaiser Permanente	
Beth	Pumo	Kaiser Permanente	
Gus	Creedon	Logistics Management Institute	
Wesley	Brown	LookingGlass	
Himanshu	Kesar	LookingGlass	
lan	Truslove	LookingGlass	
Chris	Wood	LookingGlass	
Jamison	Day	LookingGlass	
Dennis	Hostetler	LookingGlass	
Allan	Thomson	LookingGlass	
Kent	Landfield	McAfee	
Richard	Struse	Mitre Corporation	
Desiree	Beck	Mitre Corporation	
Michael	Chisholm	Mitre Corporation	

Sam	Cornwell	Mitre Corporation	
Michael	Kouremetis	Mitre Corporation	
Nicole	Parrish	Mitre Corporation	
Larry	Rodrigues	Mitre Corporation	
Jon	Salwen	Mitre Corporation	
Charles	Schmidt	Mitre Corporation	
Alex	Tweed	Mitre Corporation	
Emmanuelle	Vargas-Gonzalez	Mitre Corporation	
Greg	Back	Mitre Corporation	
Jonathan	Baker	Mitre Corporation	
Ivan	Kirillov	Mitre Corporation	
Chris	Lenk	Mitre Corporation	
Richard	Piazza	Mitre Corporation	
John	Wunder	Mitre Corporation	
James	Cabral	MTG Management Consultants, LLC.	
Scott	Algeier	National Council of ISACs (NCI)	
Denise	Anderson	National Council of ISACs (NCI)	
Josh	Poster	National Council of ISACs (NCI)	
Mike	Boyle	National Security Agency	
Joe	Brule	National Security Agency	
Jessica	Fitzgerald-McKay	National Security Agency	
David	Kemp	National Security Agency	
Shaun	McCullough	National Security Agency	
Jason	Romano	National Security Agency	
Michael	Pepin	NC4	
Benjamin	Yates	NC4	

John	Anderson	NC4	
Michael	Butt	NC4	
Mark	Davidson	NC4	
Daniel	Dye	NC4	
Natalie	Suarez	NC4	
Sarah	Brown	NCI Agency	
Oscar	Serrano	NCI Agency	
Daichi	Hasumi	NEC Corporation	
Lauri	Korts-P‰rn	NEC Corporation	
Takahiro	Kakumaru	NEC Corporation	
Danny	Purcell	New Context Services, Inc.	
Trey	Darley	New Context Services, Inc.	
John-Mark	Gurney	New Context Services, Inc.	
Christian	Hunt	New Context Services, Inc.	
Daniel	Riedel	New Context Services, Inc.	
Andrew	Storms	New Context Services, Inc.	
Drew	Varner	NineFX, Inc.	
Stephen	Banghart	NIST	
David	Darnell	North American Energy Standards Board	
James	Crossland	Northrop Grumman	
Robert	Van Dyk	Northrop Grumman	
Cheolho	Lee	NSRI	
Cory	Casanave	Object Management Group	
Vishaal	Hariprasad	Palo Alto Networks	
Aharon	Chernin	Perch	
Dave	Eilken	Perch	

Sourabh	Satish	Phantom	
Philip	Royer	Phantom	
John	Tolbert	Queralt Inc.	
Jay	Heidecker	Seekintoo	
Joseph	Brand	Semper Fortis Solutions	
Duncan	Sparrell	sFractal Consulting LLC	
Thomas	Schreck	Siemens AG	
Rob	Roel	Southern California Edison	
Armen	Tashjian	Southern California Edison	
Dave	Cridland	Surevine Ltd.	
Chris	Larsen	Symantec Corp.	
Efrain	Ortiz	Symantec Corp.	
Mingliang	Pei	Symantec Corp.	
Kenneth	Schneider	Symantec Corp.	
Arnaud	Taddei	Symantec Corp.	
Brian	Witten	Symantec Corp.	
Bret	Jordan	Symantec Corp.	
Robert	Keith	Symantec Corp.	
Curtis	Kostrosky	Symantec Corp.	
Michael	Mauch	Symantec Corp.	
Aubrey	Merchant	Symantec Corp.	
Juha	Haaga	Synopsys	
Greg	Reaume	TELUS	
Alan	Steer	TELUS	
Crystal	Hayes	The Boeing Company	
Andrew	Gidwani	ThreatConnect, Inc.	

Cole	Iliff	ThreatConnect, Inc.	
Andrew	Pendergast	ThreatConnect, Inc.	
Jason	Spies	ThreatConnect, Inc.	
Ryan	Trost	ThreatQuotient, Inc.	
Nir	Yosha	ThreatQuotient, Inc.	
Patrick	Coughlin	TruSTAR Technology	
Chris	Roblee	TruSTAR Technology	
Mark	Angel	U.S. Bank	
Brian	Fay	U.S. Bank	
Joseph	Frazier	U.S. Bank	
Mark	Heidrick	U.S. Bank	
Richard	Shok	U.S. Bank	
Ehab	Al-Shaer	UNCC	
Bill	Chu	UNCC	
Eoghan	Casey	US Department of Defense (DoD)	
James	Bohling	US Department of Defense (DoD)	
Gary	Katz	US Department of Defense (DoD)	
Jeffrey	Mates	US Department of Defense (DoD)	
Evette	Maynard-Noel	US Department of Homeland Security	
Eric	Osterweil	VeriSign	
Lee	Chieffalo	Viasat	
Wilson	Figueroa	Viasat	
Andrew	May	Viasat	
Ales	Cernivec	XLAB	
Anthony	Rutkowski	Yanna Technologies LLC	

Appendix B. Revision History

Revision	Date	Editor	Changes Made
01	2018-04-13	Allan Thomson	Fixed - Missed created/modified dates from identity object examples - Hyperlinks broken in doc - Fixed all test data samples using Trey's test validated content - Added TIS persona to test list
Final Draft (Rejected at Ballot)	2018-05-04	Allan Thomson	Fixed - Date/Title for ballot
02	2018-06-20	Allan Thomson	- Added IPR Policy Section - Removed modified timestamps from marking definitions; fixed TLP references to resolve Issue https://github.com/oasis-open/cti-interop/issues/4 - Fixed text description for marking definition tests using TLP to resolve issue https://github.com/oasis-open/cti-interop/issues/3 - Added recommendation to Section 2.1 for x_interop_description use to resolve issue https://github.com/oasis-open/cti-interop/issues/2 - Made testing of Sighting producer for DFP optional to resolve issue https://github.com/oasis-open/cti-interop/issues/1 - Changed Use Case to Test Case in Section 2 title
03	07/31/18	Allan Thomson	Fixed

			 Added proposed introduction of a 'persona' text Editorial comments addressed Changed x_interop_description to x_interop_test Changed revocation figure to correctly reference property and logic Removed marking definitions being transmitted Changed marking tests to optioanl for DFP
FD-01	08/01/18	Allan Thomson	Publication for ballot.