



# Electronic Court Filing Version 4.0

## Committee Draft 01

21 September 2008

### Specification URIs:

#### This Version:

<http://docs.oasis-open.org/legalxml-courtfilling/specs/ecf/v4.0/ecf-v4.0-spec/ecf-v4.0-spec-cd01.doc>  
<http://docs.oasis-open.org/legalxml-courtfilling/specs/ecf/v4.0/ecf-v4.0-spec/ecf-v4.0-spec-cd01.html>  
<http://docs.oasis-open.org/legalxml-courtfilling/specs/ecf/v4.0/ecf-v4.0-spec/ecf-v4.0-spec-cd01.pdf>

#### Previous Version:

N/A

#### Latest Version:

<http://docs.oasis-open.org/legalxml-courtfilling/specs/ecf/v4.0/ecf-v4.0-spec/ecf-v4.0-spec.doc>  
<http://docs.oasis-open.org/legalxml-courtfilling/specs/ecf/v4.0/ecf-v4.0-spec/ecf-v4.0-spec.html>  
<http://docs.oasis-open.org/legalxml-courtfilling/specs/ecf/v4.0/ecf-v4.0-spec/ecf-v4.0-spec.pdf>

### Technical Committee:

OASIS LegalXML Electronic Court Filing TC

### Chair(s):

Ron Bowmaster, Utah Administrative Office of the Courts  
John Greacen, Individual Member

### Editor(s):

Adam Angione, Courthouse News Service  
Roger Winters, Administrative Office of the Courts of Washington and King County Department of Judicial Administration

### Contributor(s):

James Cabral, MTG Management Consultants  
Gary Graham, Arizona Supreme Court

### Related work:

This specification replaces or supersedes:

- [LegalXML Electronic Court Filing 3.0, 3.01 and 3.1](#)

This specification is related to:

- [National Information Exchange Model 2.0](#)

### Declared XML Namespace(s):

[urn:oasis:names:tc:legalxml-courtfilling:schema:xsd:AppInfo-4.0](#)  
[urn:oasis:names:tc:legalxml-courtfilling:schema:xsd:AppellateCase-4.0](#)  
[urn:oasis:names:tc:legalxml-courtfilling:schema:xsd:BankruptcyCase-4.0](#)  
[urn:oasis:names:tc:legalxml-courtfilling:schema:xsd:CaseListQueryMessage-4.0](#)  
[urn:oasis:names:tc:legalxml-courtfilling:schema:xsd:CaseListResponseMessage-4.0](#)  
[urn:oasis:names:tc:legalxml-courtfilling:schema:xsd:CaseQueryMessage-4.0](#)  
[urn:oasis:names:tc:legalxml-courtfilling:schema:xsd:CaseResponseMessage-4.0](#)  
[urn:oasis:names:tc:legalxml-courtfilling:schema:xsd:CitationCase-4.0](#)  
[urn:oasis:names:tc:legalxml-courtfilling:schema:xsd:CivilCase-4.0](#)

urn:oasis:names:tc:legalxml-court filing:schema:xsd:CommonTypes-4.0  
urn:oasis:names:tc:legalxml-court filing:schema:xsd:CoreFilingMessage-4.0  
urn:oasis:names:tc:legalxml-court filing:schema:xsd:CourtPolicyQueryMessage-4.0  
urn:oasis:names:tc:legalxml-court filing:schema:xsd:CourtPolicyResponseMessage-4.0  
urn:oasis:names:tc:legalxml-court filing:schema:xsd:CriminalCase-4.0  
urn:oasis:names:tc:legalxml-court filing:schema:xsd:DocumentQueryMessage-4.0  
urn:oasis:names:tc:legalxml-court filing:schema:xsd:DocumentResponseMessage-4.0  
urn:oasis:names:tc:legalxml-court filing:schema:xsd:DomesticCase-4.0  
urn:oasis:names:tc:legalxml-court filing:schema:xsd:FeesCalculationQueryMessage-4.0  
urn:oasis:names:tc:legalxml-court filing:schema:xsd:FeesCalculationResponseMessage-4.0  
urn:oasis:names:tc:legalxml-court filing:schema:xsd:FilingListQueryMessage-4.0  
urn:oasis:names:tc:legalxml-court filing:schema:xsd:FilingListResponseMessage-4.0  
urn:oasis:names:tc:legalxml-court filing:schema:xsd:FilingStatusQueryMessage-4.0  
urn:oasis:names:tc:legalxml-court filing:schema:xsd:FilingStatusResponseMessage-4.0  
urn:oasis:names:tc:legalxml-court filing:schema:xsd:JuvenileCase-4.0  
urn:oasis:names:tc:legalxml-court filing:schema:xsd:MessageReceiptMessage-4.0  
urn:oasis:names:tc:legalxml-court filing:schema:xsd:PaymentMessage-4.0  
urn:oasis:names:tc:legalxml-court filing:schema:xsd:PaymentReceiptMessage-4.0  
urn:oasis:names:tc:legalxml-court filing:schema:xsd:RecordDocketingCallbackMessage-4.0  
urn:oasis:names:tc:legalxml-court filing:schema:xsd:RecordDocketingMessage-4.0  
urn:oasis:names:tc:legalxml-court filing:schema:xsd:ReviewFilingCallbackMessage-4.0  
urn:oasis:names:tc:legalxml-court filing:schema:xsd:ServiceInformationQueryMessage-4.0  
urn:oasis:names:tc:legalxml-court filing:schema:xsd:ServiceInformationResponseMessage-4.0  
urn:oasis:names:tc:legalxml-court filing:schema:xsd:ServiceReceiptMessage-4.0

**Abstract:**

This document defines the LegalXML Electronic Court Filing 4.0 (ECF 4.0) specification, which consists of a set of non-proprietary XML and Web services specifications, along with clarifying explanations and amendments to those specifications, that have been added for the purpose of promoting interoperability among electronic court filing vendors and systems. ECF Version 4.0 is a major release and brings the specification into conformance with the National Information Exchange Model (NIEM) 2.0.

**Status:**

This document was last revised or approved by the LegalXML Electronic Court Filing TC on the above date. The level of approval is also listed above. Check the "Latest Version" or "Latest Approved Version" location noted above for possible later revisions of this document.

Technical Committee members should send comments on this specification to the Technical Committee's email list. Others should send comments to the Technical Committee by using the "Send A Comment" button on the Technical Committee's web page at <http://www.oasis-open.org/committees/legalxml-court filing/>.

For information on whether any patents have been disclosed that may be essential to implementing this specification, and any offers of patent licensing terms, please refer to the Intellectual Property Rights section of the Technical Committee web page (<http://www.oasis-open.org/committees/legalxml-court filing/ipr.php>).

The non-normative errata page for this specification is located at <http://www.oasis-open.org/committees/legalxml-court filing/>.

---

## Notices

Copyright © OASIS® 2008. All Rights Reserved.

All capitalized terms in the following text have the meanings assigned to them in the OASIS Intellectual Property Rights Policy (the "OASIS IPR Policy"). The full Policy may be found at the OASIS website.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to OASIS, except as needed for the purpose of developing any document or deliverable produced by an OASIS Technical Committee (in which case the rules applicable to copyrights, as set forth in the OASIS IPR Policy, must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

OASIS requests that any OASIS Party or any other party that believes it has patent claims that would necessarily be infringed by implementations of this OASIS Committee Specification or OASIS Standard, to notify OASIS TC Administrator and provide an indication of its willingness to grant patent licenses to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this specification.

OASIS invites any party to contact the OASIS TC Administrator if it is aware of a claim of ownership of any patent claims that would necessarily be infringed by implementations of this specification by a patent holder that is not willing to provide a license to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this specification. OASIS may include such claims on its website, but disclaims any obligation to do so.

OASIS takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this document or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on OASIS' procedures with respect to rights in any document or deliverable produced by an OASIS Technical Committee can be found on the OASIS website. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this OASIS Committee Specification or OASIS Standard, can be obtained from the OASIS TC Administrator. OASIS makes no representation that any information or list of intellectual property rights will at any time be complete, or that any claims in such list are, in fact, Essential Claims.

The names "OASIS", [insert specific trademarked names and abbreviations here] are trademarks of OASIS, the owner and developer of this specification, and should be used only to refer to the organization and its official outputs. OASIS welcomes reference to, and implementation and use of, specifications, while reserving the right to enforce its marks against misleading uses. Please see <http://www.oasis-open.org/who/trademark.php> for above guidance.

---

# Table of Contents

1	Introduction .....	7
1.1	Scope .....	7
1.2	Relationship to Prior Specifications.....	8
1.3	Relationship to other XML Specifications.....	8
1.3.1	National Information Exchange Model (NIEM) .....	9
1.3.2	OASIS Universal Business Language .....	9
1.3.3	W3C XML-Signature Syntax and Processing .....	9
1.3.4	OASIS Reference Model for Service Oriented Architecture .....	9
1.4	Terms and Definitions .....	10
1.5	Symbols and Abbreviations.....	11
1.6	Normative References.....	11
1.7	Non-Normative References.....	12
2	ECF 4.0 Architecture.....	13
2.1	Core vs. Profiles .....	13
2.2	Major Design Elements .....	13
2.3	Information Model.....	14
2.3.1	Messages.....	14
2.3.2	Attachment.....	15
2.3.3	Sample Message Streams.....	15
2.4	Court Policy .....	18
2.4.1	Human-Readable Court Policy .....	18
2.4.2	Machine-Readable Court Policy .....	18
2.4.3	Case-Type and Court Extensions.....	19
2.4.4	Court-Specific Code Lists .....	19
2.4.5	Court-Specific Constraint Schemas.....	20
3	ECF 4.0 Process Model .....	21
3.1	The Filing-Preparation-to-Docketing Process Model .....	21
3.2	Business Rules.....	23
3.2.1	GetPolicy.....	23
3.2.2	GetServiceInformation .....	23
3.2.3	GetFeesCalculation .....	23
3.2.4	ReviewFiling.....	23
3.2.5	ServeFiling .....	23
3.2.6	RecordFiling.....	24
3.2.7	NotifyDocketingComplete .....	24
3.2.8	NotifyFilingReviewComplete .....	24
3.2.9	GetFilingList .....	24
3.2.10	GetFilingStatus .....	24
3.2.11	GetCaseList .....	24
3.2.12	GetCase .....	25
3.2.13	GetDocument.....	25
3.3	Message Business Rules.....	25

3.3.1 Identifiers .....	25
3.3.2 Code Lists .....	26
3.3.3 Message-Specific Business Rules.....	27
3.4 Filing the Record on Appeal.....	28
4 ECF 4.0 Schemas.....	30
4.1 ECF 4.0 Case Type Schemas.....	30
4.2 ECF 4.0 Common Schemas .....	30
4.3 ECF 4.0 Constraint and Subset Schemas .....	31
4.4 ECF 4.0 Message Schemas .....	31
5 Service Interaction Profiles .....	33
5.1 Service Interaction Profile Requirements.....	33
5.2 Service Interaction Profile Approval and Revision Processes .....	34
5.3 Supported Service Interaction Profiles.....	34
6 Document Signature Profiles .....	36
6.1 Document Signature Profile Requirements.....	36
6.2 Document Signature Profile Approval and Revision Processes .....	36
6.3 Supported Document Signature Profiles.....	37
Appendix A. (Informative) Release Notes .....	38
A.1 Availability .....	38
A.2 Package Structure .....	38
A.3 Recursive Structures.....	38
A.4 Date and Time Formats .....	38
A.5 Known Errata .....	38
Appendix B. (Informative) ECF 4.0 Development Approach and Artifacts.....	40
B.1 Principles .....	40
B.2 Approach.....	40
B.3 ECF 4.0 Exchange Content Models .....	40
B.4 Spreadsheet Models.....	42
Appendix C. (Informative) MDE Operations .....	43
C.1 Filing Assembly MDE.....	43
C.1.1 Provided Operations.....	43
C.1.2 Consumed Operations .....	43
C.2 Filing Review MDE .....	44
C.2.1 Provided Operations.....	44
C.2.2 Consumed Operations .....	44
C.3 Court Record MDE .....	45
C.3.1 Provided Operations.....	45
C.3.2 Consumed Operations .....	45
C.4 Legal Service MDE .....	45
C.4.1 Provided Operations .....	46
C.4.2 Consumed Operations .....	46
Appendix D. (Informative) Example Instances .....	47
Appendix E. (Informative) Ongoing Work Items .....	49
Appendix F. (Informative) Acknowledgments.....	50

Appendix G. (Informative) Revision History ..... 52

---

# 1 Introduction

This document is a specification developed by the OASIS LegalXML Electronic Court Filing Technical Committee. It defines a technical architecture and a set of components, operations and message structures for an electronic court filing system, and sets forth rules governing its implementation.

## 1.1 Scope

This specification describes the technical architecture and the functional features needed to accomplish a successful electronic court filing system, and defines both the normative (required) and non-normative (optional) business processes it supports. The non-functional requirements associated with electronic filing transactions, as well as the actions and services needed to accomplish the transactions, such as network and security infrastructures, are defined in related specifications, namely:

- Service interaction profile specifications that define communications infrastructures, within which electronic filing transactions can take place
- Document signature profile specifications that define mechanisms for stating or ensuring that a person signed a particular document

This specification supports the following automated information exchanges:

- Transmission of documents in electronic form from law firms and from other persons and organizations to a court for entry (“official filing”) into the court’s official case records
- Recording of documents in electronic form from members of the court and court administrators into the court’s official case records
- Transmission of data needed to complete (or demonstrate the previous completion of) financial transactions involving filing fees or the payment of any other court fees, fines and financial obligations
- Transmission of the metadata needed to initiate a new case record in a court’s automated case management system (CMS) when the document being transmitted is one that commences a new case in that court
- Transmission of the metadata needed to create an entry that records (indexes) a filed document in a court’s electronic listing of cases and their contents (variously called a “docket” or “register of actions”)
- Transmission of the metadata needed to update the information recorded about a case that is maintained in a court’s CMS
- Messages returned to the sender that confirm a court’s receipt of the sender’s filing message
- Messages notifying the sender of events such as the entry of the document(s) submitted by the sender into the court record (or an error message stating that the document[s] could not be accepted for filing and stating the reason[s] why)
- Queries to the court seeking information about data and documents held within the court’s official electronic records and the return of information in response to those queries
- Queries from filers for the court rules and requirements for electronic filing
- Queries by filers seeking from the court record system the names and addresses of parties in a case who must be served and whether by traditional or electronic means
- Transmission of copies of documents submitted for filing to the other parties in a case who are registered to receive service electronically

In addition to filing of court case documents, this specification supports “secondary service” – the delivery of copies of filed documents to persons who have already been made parties to a case. This specification does NOT support “primary service,” which entails the service of summonses, subpoenas, warrants and other documents that

44 establish court jurisdiction over persons, making them parties to a case. Therefore, this specification does NOT  
45 support the following automated information exchanges:

- 46 • A query by a filer seeking from the court record system the names and addresses of parties in a new case who  
47 must be served to establish court jurisdiction over them in the new case
- 48 • Transmission of copies of or links to documents submitted for filing to any party in a new case or any newly  
49 added parties in an existing case

50

51 This specification defines a set of core structures that are common to most types of court filings and defines specific  
52 structures that apply to filing documents in the following types of court cases:

- 53 • Appellate
- 54 • Bankruptcy
- 55 • Civil (including general civil, mental health, probate and small claims)
- 56 • Criminal (both felony and misdemeanor)
- 57 • Domestic relations (including divorce, separation, child custody and child support, domestic violence and  
58 parentage, i.e., maternity or paternity)
- 59 • Juvenile (both delinquency and dependency)
- 60 • Violations (including traffic, ordinances and parking)

61

62 Although ECF 4.0 does not define data structure elements specific to other case types (e.g., administrative  
63 tribunals), the basic structure will support other types of court filings and is extensible through court-specific and  
64 case-type-specific extensions.

## 65 1.2 Relationship to Prior Specifications

66 Electronic Court Filing 4.0 supersedes the LegalXML Electronic Court Filing 3.0, 3.01 and 3.1 specifications  
67 developed by the predecessor organizations to the OASIS Electronic Court Filing Technical Committee. Those  
68 specifications were prepared for and approved by the COSCA/NACM Joint Technology Committee as proposed  
69 standards.

70 Relative to the previous specifications, this specification provides a number of enhancements including:

- 71 • Leveraging of the National Information Exchange Model (**[NIEM]**), a national standard for information sharing
- 72 • Leveraging of the updates to the OASIS Universal Business Language (**[UBL]**), for describing payments
- 73 • The inclusion of the data elements needed for appellate cases

74

75 This specification does not assume that prior specifications will be deprecated. However, ECF 4.0 is not backward-  
76 compatible and applications using the prior specifications will not interoperate successfully with applications using  
77 these specifications. This fact is indicated by the assignment of a new major version number to this specification.

## 78 1.3 Relationship to other XML Specifications

79 The ECF specification incorporates other existing, non-proprietary XML specifications wherever possible. In  
80 particular, the specification has dependencies on the **[NIEM]**, the **[UBL]** data library and the World Wide Web  
81 Consortium (W3C) XML Digital Signatures specification. The terminology used in this specification to describe the  
82 components of the ECF technical architecture conforms to the OASIS Reference Model for Service Oriented  
83 Architecture.

84 It is recommended that implementations cache external schemas locally to improve performance and reliability.  
85 (The alternative would be to rely on the external schemas as they are, in someone else's control, and assume they  
86 will not be changed or become hard to access due to Internet or network problems.) The copies of external



87 schemas that are cached in this way should be updated and refreshed often to ensure changes will be quickly  
88 learned and addressed.

### 89 **1.3.1 National Information Exchange Model (NIEM)**

90 **[NIEM]** conformance, as defined by the NIEM Implementation Guidelines (**[NIEM Guide]**), is a core objective of this  
91 specification. The **[NIEM]** is an XML standard designed specifically for justice information exchanges, providing law  
92 enforcement, public safety agencies, prosecutors, public defenders and the judicial branch with a tool to effectively  
93 share data and information in a timely manner. The **[NIEM]** provides a library of reusable components that can be  
94 combined to automate justice information exchanges. The **[NIEM]** removes the burden from agencies to  
95 independently create exchange standards. Because of its extensibility, there is more flexibility to deal with unique  
96 agency requirements and changes. Through the use of a common vocabulary that is understood system to system,  
97 **[NIEM]** enables access from multiple sources and reuse in multiple applications. The use of **[NIEM]** element names  
98 does not require any change in local legal terminology. XML tag names are invisible to the user of an application  
99 employing them.

100 The **[NIEM]** is most useful for describing common objects such as persons and locations, and criminal justice-  
101 specific processes such as arrest, booking, jail and prosecution. The **[NIEM]** is not as well developed for describing  
102 non-criminal information exchanges and processes. ECF 4.0 uses the **[NIEM]** version 3.0.3 where the structures  
103 and definitions correspond to the requirements of ECF 4.0. The development process, including the **[NIEM]**  
104 modeling process, is described in Appendix B.

### 105 **1.3.2 OASIS Universal Business Language**

106 **[UBL]** is an OASIS Standard that provides a single ubiquitous language for business communication, and takes into  
107 account the requirements common to all enterprises. **[UBL]** provides a shared library of reusable components,  
108 essential to interoperability that can be combined to create electronic business schemas. Without a common set of  
109 base components, each document format would risk redefining addresses, locations and other basic information in  
110 incompatible ways.<sup>1</sup>

111 ECF 4.0 employs **[UBL]** to describe filing payments and payment receipts.

### 112 **1.3.3 W3C XML-Signature Syntax and Processing**

113 The W3C XML Signature Syntax and Processing (**[XMLSIG]**) specification describes a mechanism for signing  
114 electronic documents. This mechanism allows recipients of electronic documents to identify the sender and be  
115 assured of the validity of the electronically transmitted data. **[XMLSIG]** defines standard means for specifying  
116 information content that is to be digitally signed.<sup>2</sup>

117 ECF 4.0 employs the **[XMLSIG]** specification to describe digital signatures applied to the entire ECF 4.0 message  
118 transmission in order to provide authentication, encryption and message integrity. **[XMLSIG]** are also used in the  
119 ECF 4.0 XML Document Signature Profile.

### 120 **1.3.4 OASIS Reference Model for Service Oriented Architecture**

121 The **[SOA-RM]** is a framework for understanding significant entities, and the relationships between those entities,  
122 within a service-oriented architecture. ECF 4.0 describes such an architecture and includes terminology that  
123 conforms to the **[SOA-RM]**.

---

<sup>1</sup> <http://www.oasis-open.org/committees/download.php/1023/UBL%3A%20The%20Next%20Step%20for%20Global%20E-Commerce>

<sup>2</sup> <http://xml.coverpages.org/xmlSig.html>

## 124 1.4 Terms and Definitions

125 The keywords “MUST”, “MUST NOT”, “REQUIRED”, “SHALL”, “SHALL NOT”, “SHOULD”, “SHOULD NOT”,  
126 “RECOMMENDED”, “MAY” and “OPTIONAL” in this document are to be interpreted as described in [RFC2119].

127  
128 This section defines key terms used in this specification.

### 129 **Attachment**

130 See definition in Section 0.

### 131 **Callback message**

132 A message transmission returned by some operations some time after the operation was invoked (asyn-  
133 chronously).  
134

### 135 **Document**

136 An electronic equivalent of a document that would otherwise be filed on paper in a traditional, non-  
137 electronic fashion.

### 138 **Document hash**

139 A condensed representation of a document intended to protect document integrity, calculated according to  
140 the FIPS 180-2 SHA 256 algorithm.

### 141 **Docketing**

142 The process invoked when a court receives a pleading, order or notice, with no errors in transmission or in  
143 presentation of required content, and records it as a part of the official record.

### 144 **Filer**

145 An attorney or a *pro se* (self-represented) litigant acting as an individual who assembles and submits one or  
146 more filings (combinations of data and documents).

### 147 **Filing**

148 An electronic document (with any associated data, attachments and the like) that has been assembled for  
149 the purpose of being filed into a specified court case.

### 150 **Hub Service MDE**

151 A centralized Service MDE capable of receiving a single set of service notifications for all parties registered  
152 for electronic service in a case and transmitting the service notifications to the Service MDEs registered to  
153 each party in the case.

### 154 **Major Design Element (MDE)**

155 A logical grouping of operations representing a significant business process supported by ECF 4.0. Each  
156 MDE operation receives one or more messages, returning a synchronous response message (a reaction to  
157 a message received) and, optionally, returning an asynchronous (later) response message to the originat-  
158 ing message sender.

### 159 **Message**

160 See definition in Section 2.3.1.

### 161 **Message Transmission**

162 The sending of one or more messages and associated attachments to an MDE. Each transmission must  
163 invoke or respond to an operation on the receiving MDE, as defined in the ECF 4.0 specification.

### 164 **Operation (or MDE Operation)**

165 A function provided by an MDE upon receipt of one or more messages. The function provided by the oper-  
166 ation represents a significant step in the court filing business process. A sender invokes an operation on an  
167 MDE by transmitting a request with an operation identifier and a set of messages.

168 **Operation signature**  
169 A definition of the input message and synchronous response message associated with an operation. Each  
170 message is given a name and a type by the operation. The type is defined by a single one of the message  
171 structures defined in the ECF 4.0 specification.

172 **Synchronous response**  
173 A message transmission returned immediately (synchronously) as the result of an operation. Every opera-  
174 tion has a synchronous response.

## 175 **1.5 Symbols and Abbreviations**

176 This section defines key symbols and abbreviations used in this specification.

177

### 178 **ECF 4.0**

179 Electronic Court Filing 4.0

### 180 **IEPD**

181 Information Exchange Package Documentation

### 182 **MDE**

183 Major Design Element

### 184 **NIEM**

185 National Information Exchange Model

### 186 **OASIS**

187 Organization for the Advancement of Structured Information Standards

### 188 **XML**

189 eXtensible Markup Language

### 190 **W3C**

191 World Wide Web Consortium

### 192 **WS-I**

193 Web Services Interoperability Organization

194

## 195 **1.6 Normative References**

- 196 **[FIPS 180-2]** *Secure Hash Standard*, [http://csrc.nist.gov/publications/fips/fips180-2/fips180-](http://csrc.nist.gov/publications/fips/fips180-2/fips180-2withchangenotice.pdf)  
197 [2withchangenotice.pdf](http://csrc.nist.gov/publications/fips/fips180-2/fips180-2withchangenotice.pdf), National Institute for Standards and Technology, August 2002.
- 198 **[NIEM]** *National Information Exchange Model 2.0*, <http://niem.gov>, US DOJ and DHS, 2007.
- 199 **[NIEM Guide]** *NIEM Implementation Guidelines*, <http://www.niem.gov/implementationguide.php>, US DOJ  
200 and DHS, 2007.
- 201 **[NIEM Techniques]** *Techniques for Building and Extending NIEM*,  
202 <http://www.niem.gov/topicIndex.php?topic=techPDF>, Georgia Tech Research Institute, Au-  
203 gust 2007.
- 204 **[Namespaces]** T. Bray, *Namespaces in XML*, <http://www.w3.org/TR/1999/REC-xml-names-19990114>,  
205 January 14, 1999.
- 206 **[RFC2046]** N. Freed, *Multipurpose Internet Mail Extensions (MIME) Part Two: Media Types*,  
207 <http://www.ietf.org/rfc/rfc2046.txt>, IETF RFC 2046, November 1996.

208	<b>[RFC2119]</b>	S. Bradner, <i>Key words for use in RFCs to Indicate Requirement Levels</i> , <a href="http://www.ietf.org/rfc/rfc2119.txt">http://www.ietf.org/rfc/rfc2119.txt</a> , IETF RFC 2119, March 1997.
209		
210	<b>[RFC4122]</b>	Leach, et al., <i>A Universally Unique IDentifier (UUID) URN Namespace</i> , <a href="http://www.ietf.org/rfc/rfc4122.txt">http://www.ietf.org/rfc/rfc4122.txt</a> , IETF RFC 4112, July 2005.
211		
212	<b>[Schema Part 1]</b>	H. S. Thompson, D. Beech. M. Maloney, N. Mendelsohn, <i>XML Schema Part 1: Structures Second Edition</i> , <a href="http://www.w3.org/TR/2004/REC-xmlschema-1-20041028/">http://www.w3.org/TR/2004/REC-xmlschema-1-20041028/</a> , W3C Recommendation, October 28, 2004.
213		
214		
215	<b>[Schema Part 2]</b>	P. Biron, A. Malhotra, <i>XML Schema Part 2: Datatypes Second Edition</i> , <a href="http://www.w3.org/TR/2004/REC-xmlschema-2-20041028/">http://www.w3.org/TR/2004/REC-xmlschema-2-20041028/</a> , W3C Recommendation, October 28, 2004
216		
217		
218	<b>[UBL]</b>	J. Bozak, T. McGrath, G. K. Holman (editors), <i>Universal Business Language 2.0</i> , OASIS Standard, December 12, 2006.
219		
220	<b>[XML 1.0]</b>	T. Bray, <i>Extensible Markup Language (XML) 1.0 (Third Edition)</i> , <a href="http://www.w3.org/TR/REC-xml/REC-XML-20040204">http://www.w3.org/TR/REC-xml/REC-XML-20040204</a> , W3C Recommendation, February 4, 2004.
221		
222		
223	<b>[XMLENC]</b>	D. Eastlake, J. Reagle, <i>XML Encryption Syntax and Processing</i> , <a href="http://www.w3.org/TR/2002/REC-xmlenc-core-20021210/">http://www.w3.org/TR/2002/REC-xmlenc-core-20021210/</a> , W3C Recommendation, December 2002.
224		
225		
226	<b>[XMLSIG]</b>	D. Eastlake, J. Reagle, D. Solo, <i>XML-Signature Syntax and Processing</i> , <a href="http://www.w3.org/TR/2002/REC-xmlsig-core-20020212/">http://www.w3.org/TR/2002/REC-xmlsig-core-20020212/</a> , W3C Recommendation, February 2002.
227		
228		

## 229 1.7 Non-Normative References

230	<b>[Court Document]</b>	<i>OASIS LegalXML Court Document Subcommittee, Charter</i> , <a href="http://www.oasis-open.org/committees/download.php/19120/DocumentSC-Charter-Rev6-1.txt">http://www.oasis-open.org/committees/download.php/19120/DocumentSC-Charter-Rev6-1.txt</a> July 2006.
231		
232	<b>[NIEM MNRD]</b>	W. Roberts, S Liebeskind, M. Kindl <i>National Information Exchange Model Naming and Design Rules Draft 1.2</i> , <a href="http://www.niem.gov/topicIndex.php?topic=file-NDR-lineNum">http://www.niem.gov/topicIndex.php?topic=file-NDR-lineNum</a> , August 7, 2007.
233		
234		
235	<b>[Juvenile XML]</b>	S. Rondendell, et. al., <i>Juvenile Justice XML Report</i> , <a href="http://www.ijis.org/db/share/public/Library/Publications/juvenile%5fjustice%5fxml%5ffinal%5freport%5f20050630.pdf">http://www.ijis.org/db/share/public/Library/Publications/juvenile%5fjustice%5fxml%5ffinal%5freport%5f20050630.pdf</a> , IJIS Institute, July 2005.
236		
237		
238	<b>[NIEM]</b>	<i>NIEM Concept of Operations</i> , <a href="http://www.niem.gov">http://www.niem.gov</a> , DOJ/DHS, October 7, 2005.
239	<b>[NCSC Guide]</b>	<i>State Court Guide to Statistical Reporting</i> , <a href="http://www.ncsconline.org/D_Research/csp/2003_Files/CompleteGuide11_02_04.pdf">http://www.ncsconline.org/D_Research/csp/2003_Files/CompleteGuide11_02_04.pdf</a> , National Center for State Courts, November 2004.
240		
241		
242	<b>[Rap Sheet]</b>	<i>Interstate Criminal History Transmission Specification XML Version 3.00</i> , <a href="http://www.search.org/files/pdf/CH_transmission_spec.pdf">http://www.search.org/files/pdf/CH_transmission_spec.pdf</a> , Joint Task Force on Rap Sheet Standardization, February 2005.
243		
244		
245	<b>[SOA-RM]</b>	MacKenzie, et al., <i>Reference Model for Service Oriented Architecture 1.0</i> , <a href="http://www.oasis-open.org/committees/tc_home.php?wg_abbrev=soa-rm">http://www.oasis-open.org/committees/tc_home.php?wg_abbrev=soa-rm</a> , Public Review Draft 1.0, February 10, 2006.
246		
247		
248	<b>[Traffic IEPD]</b>	<i>Traffic Citation IEPD</i> , <a href="http://www.ncsconline.org/d_tech/gjxdm/iepd/citation/Traffic_Citation_08_08_2005.zip">http://www.ncsconline.org/d_tech/gjxdm/iepd/citation/Traffic_Citation_08_08_2005.zip</a> , National Center for State Courts, August 8, 2005.
249		
250		

---

## 2 ECF 4.0 Architecture

The ECF 4.0 architecture consists of four Major Design Elements (MDEs), which support operations and messages. An MDE is a logical grouping of operations, such as the operations involved in creating a filing or the operations involved in receiving and recording a filing that is, incorporating the constituent documents into a court document management system. A message is the data exchanged between MDEs in the form of an XML document that may include one or more additional binary attachments. These messages contain the information to be filed with the court. This section describes the ECF 4.0 architecture including the MDEs, the operations and the messages.

### 2.1 Core vs. Profiles

The ECF 4.0 architecture can be divided into three principal elements:

- **Core Specification** – This core specification defines the MDEs and the operations and messages that are exchanged between MDEs.
- **Service Interaction Profiles** – Service interaction profiles are specifications that describe communication infrastructures that deliver messages between MDEs.
- **Document Signature Profiles** – Document signature profiles are specifications that describe mechanisms for signing electronic documents.

In order to be compliant, an implementation of the ECF specification **MUST** implement the core specification and at least one service interaction profile and one document signature profile.

The MDEs and messages that make up the core specification are discussed in Sections 2.2 and 2.3 below, respectively. Service interaction profiles are discussed in Section 5 below. Document signature profiles are discussed in Section 6 below.

### 2.2 Major Design Elements

ECF 4.0 defines four MDEs. They are:

- **Filing Assembly MDE** – enables a filer to create a filing message for submission to a court, and for service on other parties in the case, returning a response from the court to the filer.
- **Filing Review MDE** – enables a court to receive and review a filing message and prepare the contents for recording in its case management and document management systems, sending a response concerning the filing to the Filing Assembly MDE. The Filing Review MDE also enables filers to obtain court-specific policies regarding electronic filing and to check on the status of a filing.
- **Court Record MDE** – enables a court to record electronic documents and docket entries in its case management and document management systems and returns the results to the Filing Review MDE. The Court Record MDE also enables filers to obtain service information for all parties in a case, to obtain information about cases maintained in the court’s docket, register of actions and calendars, and to access documents maintained in the court’s electronic records.
- **Legal Service MDE** – enables a party to receive service electronically FROM other parties in the case. Note that service TO other parties in the case is performed by the Filing Assembly MDE.

The MDEs defined in the ECF 4.0 specification are meant only to define the “interface” to each operation; the specification is not intended to define how operations must be implemented. This strategy allows MDE implementations to interoperate while leaving room for vendors and courts to have differing implementations (e.g., an implementation that supports a particular CMS).

An ECF 4.0-compliant implementation may implement one or more of the MDEs defined in the specification but a complete ECF 4.0 system **MUST** include at least one each of the Filing Assembly, Filing Review and Court Record MDEs. For instance, a court may decide to provide certain MDEs and allow private providers to furnish the remaining MDEs. When multiple MDEs are implemented by a single court, vendor or application, the application

295 MUST maintain the ECF 4.0 specified operations between each MDE so that other applications will be able to  
296 interoperate with it.

297 Each of the operations supported by an MDE accepts one or more messages as input and returns an immediate,  
298 synchronous response message to the calling MDE. For some operations, the MDE will also return an asynchron-  
299 ous (callback) message at a later time that reports the result of a business process implemented within the MDE. In  
300 order to be compliant with ECF 4.0, an MDE must support all messages required for that MDE. However, in an  
301 ECF 4.0 system that does not support electronic service, the operations associated with the Legal Service MDE are  
302 not required.

303 An MDE defines an information model and behavior model of a service as described in the [SOA-RM]. One must  
304 remember that “service” in the service oriented architecture sense is not the same as the business function of  
305 “service of filing” used throughout in this document.

## 306 2.3 Information Model

307 The ECF information model describes the messages that may be exchanged between MDEs. All ECF 4.0  
308 operations use the same core message stream structure, which is implemented in the service interaction profiles.  
309 Each ECF core message stream is a stream of bytes that contains at least one message and may also contain  
310 attachments.

### 311 2.3.1 Messages

312 A message is an XML document that is a well-formed XML data structure with a single root element that is  
313 transmitted between MDEs and is valid as defined by one of the defined message structure schemas in the ECF 4.0  
314 specification. A message may be related to one or more attachments. A message contains the following  
315 information:

- 316 • Message information about the filing and court case, such as identifiers for the sender and receiver, the sending  
317 and receiving MDEs, and the submission date and time, typically consisting of three parts:
  - 318 – A core message which includes basic information common to all courts and case types and Information  
319 about each of the documents associated with the message
  - 320 – Case-type-specific extensions that includes information appropriate only for a particular type of filing
  - 321 – Court-specific extensions that includes information appropriate only for cases in a particular court
- 322 • Information about each of the documents associated with the message. A document in this sense is the  
323 electronic representation of what would be recognized as a “document” if it were a single, whole, physical paper  
324 object. This includes both a lead document, one that will be placed on the court’s register of actions (docketed,  
325 indexed) and any supporting document(s), which are present to supplement the lead document in some way.  
326 The message includes the document’s metadata, for example, its title, type, identifier, parent document identifi-  
327 er and document sequence number. Each document structure may reference one or more attachments,  
328 including attachment identifiers and sequence numbers. When included in attachments, a logical document  
329 MAY be split into several physical parts if necessary to satisfy a court requirement regarding maximum docu-  
330 ment size. The actual binary encoded electronic document MAY be either included in one or more attachments  
331 to the message or embedded in the message using the following structure:

```
332     <FilingLeadDocument> (or <FilingConnectedDocument> )  
333         <ecf:DocumentRendition>  
334             <DocumentRenditionMetadata>  
335                 <DocumentAttachment>  
336                     <BinaryBase64Object>2345klj345h...<BinaryBase64Object>  
337                 </DocumentAttachment>  
338             </DocumentRenditionMetadata>  
339         </ecf:DocumentRendition>  
340     </FilingLeadDocument> (or </FilingConnectedDocument> )
```



341

342 Elements defined by this specification, whether in core message, case type-specific extensions or court-specific  
343 extensions, are intended to be useful to an automated case management system for the purposes of partially or  
344 fully automating case workflow after filing (e.g., filing review, noticing, docketing, judicial assignment, calendaring,  
345 standardized forms receipt and generation, fee processing) or ascertaining the adequacy or appropriateness of the  
346 filing (e.g., fee or fine calculation, jurisdiction). Elements defined by this specification are not intended to fully  
347 populate the automated case management system with all data contained within filed documents. That is, these  
348 elements should be useful as “filing metadata” about the case, the filing transaction, parties or documents. These  
349 elements may also be “filing data”, or the contents of the filings. For instance, information found on a filing cover  
350 sheet can generally be considered filing metadata, even if the information is also repeated in the document(s) being  
351 filed.

352

353 The scope of the ECF core messages and extensions is limited by the following criteria:

- 354 • Elements in the ECF core messages should be applicable to most courts and case types
- 355 • Elements in the ECF case-type-specific extensions should only be applicable to one of the six case types  
356 defined in National Center for State Courts (NCSC) statistical standards
- 357 • Elements in a locally-defined court-specific extensions should only be applicable to a particular court or court  
358 system but not to courts in general

359 All “filing data” elements should be described in the filed documents, whose structure is outside the scope of the  
360 ECF specification.

## 361 **2.3.2 Attachment**

362 An attachment is a series of bytes in the message stream transmitted between MDEs that constitutes, in whole or in  
363 part, an electronic document whose conventional equivalent would be a document on paper. The contents are  
364 preceded by one or more “headers” that uniquely identify the attachment (using a content identifier) and specify the  
365 format or type of the attachment. Note that the contents of an attachment can be binary octets (the “raw” binary  
366 data of the document), binary data encoded in text (e.g., via base-64 or some other algorithm), XML text or plain  
367 text.

368 Attachments appear in the message stream after the messages. The order of attachments within the message  
369 stream is not important and cannot be treated as significant. In particular, this means that the series of bytes  
370 representing the content of a lead document need not appear before the attachments representing the content of  
371 documents supporting that lead document.

## 372 **2.3.3 Sample Message Streams**


373 The following conceptual diagrams illustrate the containment structures involved in the message stream.

374

375

376  
377  
378  
379  
380

Figure 1 illustrates a message stream involving two lead documents, the first of which has two supporting documents. The second lead document has no supporting documents. Each document is associated with a single attachment.



381  
382  
383

**Figure 1. Simple Message Stream**



384

385


386

387

388

389

Figure 2 illustrates a message stream involving two lead documents, the first of which has a single supporting document. The second lead document has no supporting documents. The supporting document associated with the first lead document is split into two pieces, each treated as an attachment, presumably due to limits set by the court on size. Each lead document is associated with a single attachment, and the one supporting document is associated with two attachments.



390

391

392

**Figure 2. Message Stream with a Document in Multiple Attachments**

## 393 2.4 Court Policy

394 A court's customary practices may influence many aspects of its ECF 4.0 implementation, and those local practices  
395 and variations are expressed through the "court policy" component of e-filing, which includes:

- 396 • **Human-readable court policy** – a textual document publishing the court's rules and requirements for  
397 electronic filing.
- 398 • **Machine-readable court policy** – an ECF 4.0 message that describes the features of the ECF 4.0 implemen-  
399 tation supported by this specification, the court's code lists and any other information a Filing Assembly MDE  
400 would need to know in order to successfully submit an electronic filing into that court.

401 The court **MUST** have only one active, authoritative version of its policies at a given time; both the human-readable  
402 and the machine-readable statements of those policies **MUST** have the same release dates for the court.

403 The court's human-readable and machine-readable court policies **MUST** each have a version numbering method  
404 associated with it. The court's versioning process **SHOULD** comply with the following rules: 1) Versions are  
405 denoted using a standard triplet of integers: MAJOR.MINOR.PATCH; 2) Different MAJOR versions are to be  
406 considered incompatible, large-scale upgrades of the Policy; 3) Different MINOR versions are to be considered to  
407 retain source and binary compatibility with earlier minor versions, and changes in the PATCH level are perfectly  
408 compatible, forward and backward. It is important to note that a policy that has not reached version 1.0.0 is not  
409 subject to the guidelines described in this document. Before a 1.0 release is achieved (i.e., any version numbered  
410 0.x.y), court policy can be changed freely without regard to the restrictions on compatibility between versions.

411 Court policy is not directly equivalent to "service policy" in the **[SOA-RM]**. However, thinking about court policy from  
412 a policy assertion, policy owner and policy enforcement framework as described in the **[SOA-RM]** is helpful. Note  
413 that "court policy" refers to a set of constituent rules and requirements, while the **[SOA-RM]** looks at each individual  
414 item as a "service policy." In all cases the policy owner is the court where the document is to be filed. Also note  
415 that none of the elements of court policy rise to the level of a "service contract" as defined by the **[SOA-RM]**.

### 416 2.4.1 Human-Readable Court Policy

417 To be compliant with the ECF 4.0 specification, each court **MUST** publish a human-readable court policy that **MUST**  
418 include each of the following:

- 419 1. The unique court identifier
- 420 2. The location of the machine-readable court policy
- 421 3. A definition of what constitutes a "lead document" in the court
- 422 4. A description of how filer identifiers are to be maintained during electronic communications regarding the case
- 423 5. A description of how the court processes (dockets) filings
- 424 6. A description of any instances in which the court will mandate an element that the ECF 4.0 schema makes  
425 optional
- 426 7. A description of any restrictions to data property values other than code list restrictions. (This restriction may be  
427 removed in later versions of the ECF specification)
- 428 8. Any other rules required for electronic filing in the court

### 429 2.4.2 Machine-Readable Court Policy

430 Machine-readable Court Policy includes structures for identifying run-time and development-time policy information.

431 Run-time information includes information that will be updated from time to time, such as code lists (e.g., acceptable  
432 document types, codes for various criminal charges and civil causes of action) and the court's public key for digital  
433 signatures and encryption.

434 Development-time information includes court rules governing electronic filing that are needed at the time an  
435 application is developed but which are not likely to change. These include:

- 436 1. The service interaction profile(s) that the court supports

- 437 2. The MDEs, query operations and case types supported by the court's ECF 4.0 system
- 438 3. Whether a court will accept the filing of a URL in lieu of the electronic document itself
- 439 4. Whether the court accepts documents requiring payment of a filing fee
- 440 5. Whether the court accepts electronic filing of sealed documents
- 441 6. Whether the court accepts multiple (batch) filings
- 442 7. The court-specific extensions to the ECF 4.0 specification, including the required elements (see below)
- 443 8. The maximum sizes allowed for a single attachment and a complete message stream

### 444 **2.4.3 Case-Type and Court Extensions**

445 Case-type and court-specific extensions to the ECF core messages are implemented through the methods  
446 described in [NIEM Techniques]. The primary extension technique is the use of element substitution in which a  
447 more specific element defined in a case-type or court-specific message is used in place of a generic element in a  
448 core message. Similarly, an implementation may substitute a court-specific code list for a generic code list defined  
449 in this specification.

450

### 451 **2.4.4 Court-Specific Code Lists**

452 Code lists are used to constrain the allowable values for certain information in an ECF 4.0 message. The court  
453 SHOULD publish Genericcode 1.0 code lists for each of the following code lists and reference each of these code  
454 lists in its court policy:

455

- 456 • ECF Code Lists
  - 457 • **Civil Case Type**
    - 458 • `<FiduciaryTypeCode>*`
    - 459 • `<JurisdictionalGroundsCode>`
    - 460 • `<ReliefTypeCode>`
  - 461 • **Domestic Case Type**
    - 462 • `<NoContactCode>*`
    - 463 • `<RequestToVacateCode>`
  - 464 • **Common Types**
    - 465 • `<AliasAlternateNameTypeCode>*`
    - 466 • `<CaseAssociationTypeCode>*`
    - 467 • `<CaseOfficialRoleCode>*`
    - 468 • `<CaseParticipantRoleCode>*`
    - 469 • `<CauseOfActionCode>`
    - 470 • `<CourtEventTypeCode>`
    - 471 • `<EntityAssociationTypeCode>`
    - 472 • `<ErrorCode>*`
  - 473 • **Juvenile Case Type**
    - 474 • `<DelinquentActApplicabilityCode>`
    - 475 • `<DelinquentActDegreeCode>`
    - 476 • `<DelinquentActSeverityCode>`

- 477           • <DelinquentActSpecialAllegationCode>
- 478           • <DependencyAllegationCode>
- 479           • <GuardianAssociationTypeCode>\*
- 480           • <PlacementTypeCode>
- 481   • NIEM Code Lists
- 482       • **JXDM**
- 483           • <ChargeEnhancingFactorText>
- 484           • <CourtLocationCode>
- 485           • <RegisterActionDescriptionText>
- 486           • <StatuteCodeIdentification>
- 487           • <StatuteCodeSectionIdentification>
- 488           • <StatuteOffenseIdentification>
- 489           • <StatusOffenseCodeIdentification>
- 490       • **NIEM Core**
- 491           • <BinaryDescriptionText>\*
- 492           • <CaseCategoryText>
- 493           • <DriverLicenseCommercialClassCode>
- 494           • <FamilyKinshipCode>\*

496 A non-normative Genericcode code list with default values is provided for each of the code lists above with asterisks  
 497 (\*).

499 If a court does not define allowable values for any of the above code lists in court policy, then any value MUST be  
 500 considered acceptable for that code.

## 502 **2.4.5 Court-Specific Constraint Schemas**

503 The cardinality of elements in the NIEM subset imported by the ECF is applied through the use of constraint  
 504 schemas that define the minimum and maximum occurrence of elements in the NIEM subset. Courts MAY enforce  
 505 court-specific rules and code lists by creating court-specific constraint schemas. This process creates a duplicate  
 506 set of the ECF schemas and allows the customization of the cardinality of elements as needed. If court-specific  
 507 constraint schemas are used, instance documents MUST validate against both the ECF schemas and the court  
 508 constraint schemas.

---

## 510 3 ECF 4.0 Process Model

511 This section details the interactions of the ECF 4.0 MDEs and the role of each MDE in the electronic filing and  
512 electronic service processes. This section also enumerates the operations provided by each MDE and points to the  
513 operations, provided by other MDEs, that each MDE consumes.

### 514 3.1 The Filing-Preparation-to-Docketing Process Model

515 This model describes the sequence of operations in a basic filing cycle from Filing Preparation to Docketing. This  
516 model involves three parties: a Filer (represented by the Filing Assembly MDE), a Court (represented by the Filing  
517 Review and Court Record MDEs) and a Service Recipient (represented by the Legal Service MDE). The operations  
518 defined by ECF 4.0 to support the processes in this cycle are listed below. The operations in bold are required and  
519 MUST occur in every successful filing as long as sending and receiving MDEs are implemented. The other  
520 operations are optional and MAY occur within a given filing:

- 521 • GetPolicy
- 522 • GetServiceInformation
- 523 • GetFeesCalculation
- 524 • **ReviewFiling**
- 525 • ServeFiling
- 526 • **RecordFiling**
- 527 • **NotifyDocketingComplete**
- 528 • **NotifyFilingReviewComplete**

529 At any point during or after the ReviewFiling operation, a party MAY access information through the following  
530 operations:

- 531 • GetFilingList
- 532 • GetFilingStatus


533 At any point after the NotifyFilingReviewComplete operation, a party MAY access information through the following  
534 operations:

- 535 • GetCaseList
- 536 • GetCase
- 537 • GetDocument

538 These operations are depicted in the sequence diagram below. The solid lines indicate invoked operations and the  
539 dashed lines indicate the synchronous responses to those operations.

540

Figure 4. Filing Preparation to Docketing Process Model



## 543 **3.2 Business Rules**

544 This section describes the business rules of the generic filing-preparation-to-docketing process that govern the ECF  
545 4.0 operations.

546 ECF 4.0 includes an `<ecf:ErrorCode>` element for returning errors in response to a query request. Successful  
547 queries MUST return an `<ecf:ErrorCode>` of "0". Failed queries MUST NOT return an `<ecf:ErrorCode>` of  
548 "0" and SHOULD return an appropriate `<ecf:ErrorCode>` value as defined in court policy.

### 549 **3.2.1 GetPolicy**

550 The Filing Assembly MDE MAY obtain a court's machine-readable court policy at any time by invoking the  
551 GetPolicy operation on the Filing Review MDE with the identifier for the court. The Filing Review MDE returns the  
552 machine-readable court policy in a synchronous response. The content of the machine-readable court policy is  
553 described in Section 2.4.2. This step may be omitted if the Filing Assembly MDE already has the current court  
554 policy.

### 555 **3.2.2 GetServiceInformation**

556 The Filing Assembly MDE MAY obtain the Court's service information for all parties in an existing case at any time  
557 by invoking the GetServiceInformation operation with the appropriate case number on the Court Record MDE. The  
558 service list returned by the GetServiceInformation operation assists the filer in maintaining the filer's service list and  
559 is not a substitute for the filer's service list. To provide this information, the Court Record MDE MUST have access  
560 to the court's registry with all updated information about case participants. There MUST be only one such registry  
561 per court, though multiple courts MAY share the same registry. The Court Record MDE responds synchronously to  
562 the Filing Assembly MDE with a service list reflecting the most current contact information available to the court,  
563 which is necessary to complete secondary service, whether electronically or by other means.

564 If the court provides a Hub Service MDE, the electronic service information returned from this query MUST include  
565 the court's Service MDE ID for all case participants who have one.

566 A party to a case is always the official target of service. In practice, the system will actually deliver to pro se litigants  
567 and to attorneys as intermediaries.

568 The duty to complete secondary service is upon the filer, and not the court, except when the court is the filer.

569 The GetServiceInformation operation returns a service list current as of the transaction. No assumption can be  
570 made that the data returned by the operation will remain current for use at any future point in time.

### 571 **3.2.3 GetFeesCalculation**

572 The Filing Assembly MDE MAY query for the fees associated with a filing by invoking the MDE's GetFeesCalcula-  
573 tion operation, with a filing as a parameter, on the Filing Review MDE. The Filing Review MDE responds  
574 synchronously with the fee calculation and, optionally, a list of the included charges. This step may be omitted if  
575 there are no fees associated with filings in the court or the calculated fees are already known.

### 576 **3.2.4 ReviewFiling**

577 The Filing Assembly MDE MUST submit the filing to the court by invoking the ReviewFiling operation on the Filing  
578 Review MDE. The ReviewFiling operation includes messages for the core filing, the case type-specific information,  
579 the court-specific information and the filing payment. The Filing Review MDE responds synchronously with a  
580 receipt message that includes the filing identifier issued by the court.

### 581 **3.2.5 ServeFiling**

582 At approximately the same time the Filing Assembly MDE submits the filing to the court, the Filing Assembly MDE  
583 MAY serve the entire filing, including core filing, case type-specific and court-specific information, to other parties in  
584 the case by invoking the ServeFiling operation on the ServiceMDE associated with the service recipient. This  
585 operation MUST NOT be used to serve parties in a new case or to persons or organizations that have not yet been

586 made party to the case. The Legal Service MDE responds synchronously with an acknowledgement that the  
587 message will be delivered to the service recipient or with an error.

588 If the court hosts a hub Service MDE, the Filing Assembly MDE MAY send a message to the hub Service MDE's  
589 ServeFiling operation. The hub Service MDE MUST then broadcast the message to each of the individual Legal  
590 Service MDE's ServeFiling operations and respond synchronously with a single ServiceResponseMessage to the  
591 Filing Assembly MDE, conveying the results of each individual service transaction.

592 If a court chooses to support electronic service, then each Filing Assembly MDE MUST support service operations  
593 for the clients for which it provides Filing Assembly functionality.

### 594 **3.2.6 RecordFiling**

595 If the clerk reviews and accepts the filing, the Filing Review MDE MUST invoke the RecordFiling operation on the  
596 Court Record MDE. The RecordFiling operation includes information from the ReviewFiling operation with any  
597 modifications or comments by the clerk. The Court Record MDE responds synchronously with an acknowledge-  
598 ment of the request.

### 599 **3.2.7 NotifyDocketingComplete**

600 The Court Record MDE MUST invoke the NotifyDocketingComplete operation on the Filing Review MDE as a  
601 callback message to the RecordFiling operation to indicate whether the filing was accepted or rejected by the court  
602 record system. If the Court Record MDE rejected the filing, an explanation MUST be provided. If the Court Record  
603 MDE accepts the filing, the docketing information (e.g. date and time the document was entered into the court  
604 record, judge assigned, document identifiers and next court event scheduled) MUST be provided. The Filing  
605 Review MDE responds synchronously with an acknowledgement of the callback message.

### 606 **3.2.8 NotifyFilingReviewComplete**

607 If the clerk rejects the filings or the Filing Review MDE receives the Notify Docketing Complete message, the Filing  
608 Review MDE MUST invoke the NotifyFilingReviewComplete operation on the Filing Assembly MDE as a callback  
609 message to the ReviewFiling operation to indicate whether the filing was accepted and docketed by the clerk and  
610 court record system. The operation MAY return the filed documents or links to the documents, but MUST include  
611 the **[FIPS 180-2]** SHA 256 document hash, a condensed representation of a document intended to protect  
612 document integrity.

613 If the filing included a payment, and the filing was accepted by the clerk and court record system, a receipt for the  
614 payment MUST be included in the operation. The Filing Assembly MDE responds synchronously with an  
615 acknowledgement of the callback message.

### 616 **3.2.9 GetFilingList**

617 The Filing Assembly MDE MAY invoke the GetFilingList query operation on the Filing Review MDE to return a list of  
618 filings matching several criteria including the filer identifier, the case number and the filed date within a certain time  
619 range. The Filing Review MDE responds synchronously with a list of matching filings and the status of each filing.

### 620 **3.2.10 GetFilingStatus**

621 The Filing Assembly MDE MAY invoke the GetFilingStatus query operation with the filing Identifier on the Filing  
622 Review MDE to return the status of the selected filing. The Filing Review MDE responds synchronously with the  
623 matching filing and the status of the filing.

### 624 **3.2.11 GetCaseList**

625 The Filing Assembly MDE MAY invoke the GetCaseList query operation on the Court Record MDE to return a list of  
626 cases matching several criteria including case number, case participant, or the filed date over a specific time range.  
627 The Court Record MDE responds synchronously with a list of matching cases.



## 628 **3.2.12 GetCase**

629 The Filing Assembly MDE MAY invoke the GetCase query operation with a case number on the Court Record MDE  
630 to return information about the case including the case participants, court docket and calendar events. The Filing  
631 Assembly MDE may also limit the amount of case detail returned from the Court Record MDE by using a set of  
632 filters. The Court Record MDE responds synchronously with the selected case information.

## 633 **3.2.13 GetDocument**

634 The Filing Assembly MDE MAY invoke the GetDocument query operation, including the case number and  
635 document number, on the Court Record MDE to retrieve a particular document from a case. The Court Record  
636 MDE will respond synchronously with the requested document or instructions on how to access it.

## 637 **3.3 Message Business Rules**

638 Each operation includes one or more messages as parameters. The following business rules apply to the content  
639 of ECF 4.0 messages:

### 640 **3.3.1 Identifiers**

641 Identifiers are used to uniquely label people, organizations and things in the ECF 4.0 process. The following  
642 conventions will be used to produce identifiers.

#### 643 **3.3.1.1 Attachment Identifiers**

644 Attachment identifiers MUST be unique within a message transmission. A convention for assigning identifiers to  
645 each message and attachment in a message transmission has to be defined in each service interaction profile.

#### 646 **3.3.1.2 Case Identifiers**

647 Case identifiers (case numbers) are assigned by the court record system and MUST be unique within a court.

#### 648 **3.3.1.3 Court Identifiers**

649 Court identifiers are locally assigned by the court administrator for a region (typically a state, provincial or federal  
650 court administrator) and MUST be universally unique to a court but not necessarily to a particular court house,  
651 branch or subunit of a court. Court identifiers MUST conform to following convention:

652 <Internet domain of the court administrator>:<unique identifier within the court system>.

653 Examples of conformant court identifiers include:

- 654 • courts.wa.gov:superior.king
- 655 • nmcourts.com:albd.civil
- 656 • uscourts.gov:100
- 657 • courts.gov.bc.ca:appeal

658 These are strictly examples and do not necessarily indicate actual courts.

#### 659 **3.3.1.4 Document Identifiers**

660 Document identifiers are assigned by the court record system and MUST be unique within a court.

#### 661 **3.3.1.5 Filing Identifiers**

662 Filing identifiers MUST be unique within a court and will be generated by the court in response to a ReviewFiling  
663 operation.

### 664 3.3.1.6 MDE Identifiers

665 The address of an MDE MUST be unique within a given communications infrastructure. The convention for defining  
666 MDE identifiers will be defined in each service interaction profile.

### 667 3.3.1.7 Filer and Party Identifiers

668 Identifiers for filers and parties to a case, both persons and organizations, MUST be unique within a case and will  
669 be generated by the court in response to a ReviewFiling operation. The following is a non-normative example of an  
670 identifier for filer number 100:

```
671  
672 <nc:PersonOtherIdentification>  
673     <nc:IdentificationID>100<nc:IdentificationID>  
674     <nc:IdentificationCategoryText>ECFFilerID</nc:IdentificationCategoryText>  
675 </nc:PersonOtherIdentification>  
676
```

677 In addition to `<nc:PersonOtherIdentification>`, other elements that may contain a filer identifier include  
678 `<nc:OrganizationOtherIdentification>`, `<ecf:FilingPartyID>` and `<ecf:FilingAttorneyID>`.

679 Attorneys MAY reference the parties they represent with party identifiers. Self-represented litigants MAY be  
680 represented using both attorney and party elements for the same individual, with a reference from the attorney  
681 element to the party element. The attorney elements for a self-represented litigant SHOULD NOT include a bar  
682 number.

### 683 3.3.2 Code Lists

684 Code Lists are used to constrain the allowable values for certain information in a message. The following normative  
685 code lists are normative for all ECF 4.0 implementations. Court-specific code lists are listed in Section 2.4.4.

- 686
- 687 • ECF Code Lists
  - 688 • [Bankruptcy Case Type](#)
    - 689 • `<DebtorTypeCode>*`
    - 690 • `<EstimatedAssetsValueLevelCode>*`
    - 691 • `<EstimatedDebtsValueLevelCode>*`
    - 692 • `<NatureOfDebtCode>*`
    - 693 • `<NumberOfCreditorsValueLevelCode>*`
  - 694 • [Common Types](#)
    - 695 • `<FilingStatusCode>*`
  - 696 • [Court Policy Response Message](#)
    - 697 • `<MajorDesignElementNameCode>`
    - 698 • `<OperationNameCode>`
  - 699 • [Service Receipt Message](#)
    - 700 • `<ServiceStatusCode>*`
- 701 • NIEM Code Lists
  - 702 • [ANSI NIST](#)
    - 703 • `<FingerPositionCode>`

- 704 • **JXDM**
- 705 • <ChargeNCICCode>
- 706 • <DrivingIncidentHazMatCode>
- 707 • <DrivingJurisdictionAuthorityNCICLSTACode>
- 708 • <IdentificationJurisdictionNCICLISCode>
- 709 • <WarrantExtraditionLimitationCode>
- 710 • **NIEM Core**
- 711 • <DocumentLangageCode>
- 712 • <DriverLicenseCommercialClassCode>
- 713 • <DrivingRestrictionCode>
- 714 • <LanguageCode>
- 715 • <LengthUnitCode>
- 716 • <LocationCountryFIPS10-4Code>
- 717 • <LocationCountyCode>
- 718 • <LocationStateUSPostalServiceCode>
- 719 • <PersonCitizenshipFIPS10-4Code>
- 720 • <PersonEthnicityCode>
- 721 • <PersonEyeColorCode>
- 722 • <PersonHairColorCode>
- 723 • <PersonRaceCode>
- 724 • <PersonSexCode>
- 725 • <PersonUnionCategoryCode>
- 726 • <PhysicalFeatureCategoryCode>
- 727 • <VehicleColorPrimaryCode>
- 728 • <VehicleMakeCode>
- 729 • <VehicleModelCode>
- 730 • <VehicleStyleCode>
- 731 • <WeightUnitCode>

733 Code lists defined using Genericode 1.0 are indicated with asterisks (\*). The remaining code lists are defined in  
734 XSD schema definitions.  
735

### 736 **3.3.3 Message-Specific Business Rules**

737 The following business rules apply to specific messages:

#### 738 **3.3.3.1 CoreFilingMessage**

739 A CoreFilingMessage MUST express the name or names of the party or parties on whose behalf a document is  
740 filed, and the party whose document is the subject of a responsive document being submitted for filing. If a case

741 refers to a single element using the legal term “In Re,” the filer SHOULD use the NIEM  
742 <j:CaseRespondentParty>, not the <j:CaseInitiatingParty> element.

743 A CoreFilingMessage MAY NOT include documents for transactions such as the payment of a criminal fine. If a  
744 CoreFilingMessage includes documents, the message MUST include only one level of connected and supporting  
745 documents. If a CoreFilingMessage includes multiple renditions of the same document, the  
746 <nc:BinaryDescriptionText> element SHOULD be used to determine how to process multiple renditions of  
747 the same document. The <ecf:DocumentMetadata> and <ecf:DocumentRenditionMetadata> structures  
748 MAY be extended to support more sophisticated workflow processes.

### 749 3.3.3.2 FilingPaymentMessage

750 ECF 4.0 supports multiple particular payment processes. Information about a payment is included in the  
751 FilingPaymentMessage including the method of payment of the applicable fees, e.g., electronic funds transfer,  
752 credit or debit card, charge to an escrow account held in the court or promise to pay in the future. The payment  
753 may include a maximum amount for the payment if some latitude is needed to accomplish the filing.

### 754 3.3.3.3 RecordDocketingMessage

755 The court record system SHOULD retain all complete message transmissions, including any message envelopes  
756 and headers defined by the service interaction profile, for evidentiary purposes.

## 757 3.4 Filing the Record on Appeal

758 This section describes the process for filing and subsequently amending the Record on Appeal (ROA) using ECF  
759 4.0.

- 760
- 761 • All ROA transactions, either the original filing or subsequent amendments, MUST contain, as the lead  
762 document, an Index of Record document that itemizes the content of the record on appeal.<sup>3</sup>
- 763
- 764 • The documents that comprise the ROA transaction will be identified as supporting documents.
- 765
- 766 • The supporting documents that comprise the ROA transaction MAY also have additional attached docu-  
767 ments.
- 768
- 769 • All ROA documents being submitted, including the Index of Record document and each document within  
770 the record, MUST have at least one court-defined document type that indicates the type of transaction to be  
771 performed on the document, and whether the document is being added to or stricken from the record.
- 772
- 773 • The Index of Record document and each document within the ROA transaction MAY also have an addition-  
774 al document type or types, which characterize the document for the Court Record MDE.
- 775
- 776 • When a document within the ROA transaction is being stricken from the court record, the document MUST  
777 be identified by the unique document identifier, which was provided by the Court Record MDE when the  
778 document was initially filed (See section 3.3.1.4).
- 779

---

<sup>3</sup> There are no set requirements for the structure or content of the Index of Record document

- 780
- 781
- 782
- 783
- 784
- 785
- 786
- 787
- 788
- 789
- 790
- 791
- 792
- 793
- 794
- 795
- 796
- 797
- 798
- 799
- 800
- 801
- 802
- 803
- 804
- 805
- A hierarchical structure of case lineage elements **MUST** be used to express the target case's predecessor cases at prior courts. Each predecessor case **MAY** also have its own predecessor case, as necessary to express the full lineage of an appellate case.<sup>4</sup>
  - When the ROA transaction is electronically transferred from one court to another, the target case number in the destination court and the case lineage, which includes the predecessor case number in the sending court, **MUST** be provided.
  - If the ROA transaction is a case initiating filing in the destination court, then the FilingCase object **MUST** be present and the CaseTrackingID **MUST** be absent.
  - Each predecessor case identified in the target case's case lineage may have at most a single associated case type-specific extension and a single court-specific extension. The case type and the case type-specific extensions for each predecessor case **MUST** be consistent throughout the case lineage.
  - When a ROA amendment transaction is sent, the Index of Record document **MUST** reflect the status of the record assuming that the transaction will be accepted. If however the transaction is rejected, there will be ramifications for other pending amendment transactions for the same ROA in the same target case.<sup>5</sup>
  - While an ROA transaction is awaiting acceptance or rejection in the destination court, and when the target case consists of multiple records, courts are cautioned against, but not prohibited from, sending additional amendment transactions intended for the same record for the same target case.
  - Individual documents within the ROA transaction **MUST** not be individually accepted or rejected. All documents within the ROA transaction **MUST** have the same acceptance or rejection disposition.

---

<sup>4</sup> Explanation (non-normative): There is not always a one to one correspondence between a lower court case (i.e. a trial court case) and the target appellate case. A single trial court case could have multiple descendent cases, and a single appellate case can have multiple predecessors. In the situation where an appellate case has multiple predecessor cases, each predecessor case will send a record on appeal to the target court for the appellate case. Each individual record will have an independent index of record. The warning above against sending multiple ROA transactions while a prior transaction is still pending must be regarded in light of the record to which the transaction is intended (or if you prefer, the predecessor case from which it originates). For example, let's say an appellate case has two predecessor cases, case A and case B. If an ROA transaction for the record from case A is pending (awaiting acceptance or rejection), this will not have any potential adverse impact on an ROA transaction from case B. Similarly, if a single lower court case were on appeal in two different appellate cases (say case Y and case Z), then while an ROA transaction targeted to case Y is pending, there is no potential adverse impact to case Z receiving an ROA transaction (assuming of course that case Z does not also have a pending ROA transaction from the same predecessor case).

<sup>5</sup> While an ROA transaction is awaiting acceptance or rejection in the destination court, courts are cautioned against, but not prohibited from, sending additional amendment transactions for the same record in the same target case, regardless of whether the case contains one or many records.

806

## 4 ECF 4.0 Schemas

807 The Court Filing XSD schemas are implementations of the ECF 4.0 exchange content models (see Appendix B.3  
808 below). They are the only normative representations of ECF 4.0 messages.

809 All of the ECF 4.0 XSD schemas are contained in the `xsd/` subdirectory of the ECF 4.0 release package (see  
810 Appendix A for more information regarding the structure of the release package). The `xsd/` directory is further  
811 subdivided into the `xsd/casetype/`, `xsd/common/`, `xsd/constraint/`, `xsd/message/`, and  
812 `xsd/Subset/` subdirectories.

813

### 4.1 ECF 4.0 Case Type Schemas

815 The XSD schemas that define extensions specific to certain ECF 4.0 case types are included in the  
816 `xsd/casetype/` directory, as listed below:

817

#### AppellateCase

819 [xsd/casetype/ECF-4.0-AppellateCase.xsd](#)

#### BankruptcyCase

821 [xsd/casetype/ECF-4.0-BankruptcyCase.xsd](#)

#### CitationCase

823 [xsd/casetype/ECF-4.0-CitationCase.xsd](#)

#### CivilCase

825 [xsd/casetype/ECF-4.0-CivilCase.xsd](#)

#### CriminalCase

827 [xsd/casetype/ECF-4.0-CriminalCase.xsd](#)

#### DomesticCase

829 [xsd/casetype/ECF-4.0-DomesticCase.xsd](#)

#### JuvenileCase

831 [xsd/casetype/ECF-4.0-JuvenileCase.xsd](#)

832

### 4.2 ECF 4.0 Common Schemas

834 The XSD schemas that define the generic elements and types that are common to multiple ECF 4.0 messages  
835 and/or case types are located in the `xsd/common/` folder, as listed below:

836

#### AppInfo

838 [xsd/common/ECF-4.0-AppInfo.xsd](#)

#### CommonTypes

840 [xsd/common/ECF-4.0-CommonTypes.xsd](#)

#### DigitalSignature

842 [xsd/common/xmldsig-core-schema.xsd](#)

#### GenericCode

844 [xsd/common/genericcode.xsd](#)

845

### 846 **4.3 ECF 4.0 Constraint and Subset Schemas**

847 The XSD schemas that define the subset of all NIEM elements and types that are used in ECF 4.0 messages  
848 and/or case type extensions are located in the `xsd/Subset/niem/` folder. As a general data model, NIEM does  
849 not define any constraints regarding the minimum and maximum occurrence of elements contained within types.  
850 Therefore, in conformance with NIEM, ECF-specific constraints are not included in the schemas within the  
851 `xsd/Subset/niem` folder. The XSD schemas in the `xsd/constraint/niem/` folder represent the NIEM subset  
852 schemas with the ECF-specific constraints applied and are the schemas by which the ECF message and case type  
853 schemas incorporate NIEM elements and types.

### 854 **4.4 ECF 4.0 Message Schemas**

855 The XSD schemas defining the messages that support the ECF 4.0 processes are located in the `xsd/messages/`  
856 folder, as listed below:

857

#### 858 **CaseListQueryMessage**

859 [xsd/message/ECF-4.0-CaseListQueryMessage.xsd](#)

#### 860 **CaseListResponseMessage**

861 [xsd/message/ECF-4.0-CaseListResponseMessage.xsd](#)

#### 862 **CaseQueryMessage**

863 [xsd/message/ECF-4.0-CaseQueryMessage.xsd](#)

#### 864 **CaseResponseMessage**

865 [xsd/message/ECF-4.0-CaseResponseMessage.xsd](#)

#### 866 **CoreFilingMessage**

867 [xsd/message/ECF-4.0-CoreFilingMessage.xsd](#)

#### 868 **CourtPolicyQueryMessage**

869 [xsd/message/ECF-4.0-CourtPolicyQueryMessage.xsd](#)

#### 870 **CourtPolicyResponseMessage**

871 [xsd/message/ECF-4.0-CourtPolicyResponseMessage.xsd](#)

#### 872 **DocumentQueryMessage**

873 [xsd/message/ECF-4.0-DocumentQueryMessage.xsd](#)

#### 874 **DocumentResponseMessage**

875 [xsd/message/ECF-4.0-DocumentResponseMessage.xsd](#)

#### 876 **FeesCalculationQueryMessage**

877 [xsd/message/ECF-4.0-FeesCalculationQueryMessage.xsd](#)

#### 878 **FeesCalculationResponseMessage**

879 [xsd/message/ECF-4.0-FeesCalculationResponseMessage.xsd](#)

#### 880 **FilingListQueryMessage**

881 [xsd/message/ECF-4.0-FilingListQueryMessage.xsd](#)

#### 882 **FilingListResponseMessage**

883 [xsd/message/ECF-4.0-FilingListResponseMessage.xsd](#)

#### 884 **FilingStatusQueryMessage**

885 [xsd/message/ECF-4.0-FilingStatusQueryMessage.xsd](#)

886 **FilingStatusResponseMessage**  
887     [xsd/message/ECF-4.0-FilingStatusResponseMessage.xsd](#)  
888 **MessageReceiptMessage**  
889     [xsd/message/ECF-4.0-MessageReceiptMessage.xsd](#)  
890 **PaymentMessage**  
891     [xsd/message/ECF-4.0-PaymentMessage.xsd](#)  
892 **PaymentReceiptMessage**  
893     [xsd/message/ECF-4.0-PaymentReceiptMessage.xsd](#)  
894 **RecordDocketingCallbackMessage**  
895     [xsd/message/ECF-4.0-RecordDocketingCallbackMessage.xsd](#)  
896 **RecordDocketingMessage**  
897     [xsd/message/ECF-4.0-RecordDocketingMessage.xsd](#)  
898 **ReviewFilingCallbackMessage**  
899     [xsd/message/ECF-4.0-ReviewFilingCallbackMessage.xsd](#)  
900 **ServiceInformationQueryMessage**  
901     [xsd/message/ECF-4.0-ServiceInformationQueryMessage.xsd](#)  
902 **ServiceInformationResponseMessage**  
903     [xsd/message/ECF-4.0-ServiceInformationResponseMessage.xsd](#)  
904 **ServiceReceiptMessage**  
905     [xsd/message/ECF-4.0-ServiceReceiptMessage.xsd](#)  
906



907

## 5 Service Interaction Profiles

908

An ECF 4.0 service interaction profile defines a transmission system that supports the functional requirements of electronic filing, along with the MDE operations and message structures, and implements certain non-functional requirements. A service interaction profile does not govern the content of messages – message content is described in Sections 2 and 3 of this specification. A service interaction profile will define how a message gets from the sending MDE to the receiving MDE in a given messaging framework.

909

910

911

912

913

### 5.1 Service Interaction Profile Requirements

914

Each service interaction profile will define standard conventions and configuration details to support interoperability between and among ECF 4.0 implementations that support the same service interaction profile. However, compliance with these requirements will not necessarily guarantee interoperability.

915

916

917

To be compliant with the ECF 4.0 specification, a service interaction profile **MUST** satisfy the following non-functional requirements:

918

919

1. **Transport protocol** – A service interaction profile **MUST** define how messages are physically transported from a sending MDE to a receiving MDE. In so doing, a profile may identify factors that restrict the range of environments in which the profile is applicable.

920

921

922

2. **MDE addressing** – A service interaction profile **MUST** include a convention for uniquely addressing each MDE.

923

924

925

4. **Request and operation invocation** – A service interaction profile **MUST** describe a mechanism for a sending MDE to invoke an operation on the receiving MDE.

926

927

5. **Synchronous mode response** – A service interaction profile **MUST** support synchronous operations in which the response to an operation is always returned immediately, typically within a matter of seconds, to the invoking MDE.

928

929

930

6. **Asynchronous mode response** – A service interaction profile **MUST** support asynchronous operations in which the response to an operation may not necessarily be returned immediately to the invoking MDE. Instead, the response may be returned at some later time through a callback from the MDE that received the operations to the invoking MDE. The callback **MUST** include a reference to the invoking message transmission.

931

932

933

934

7. **Message/attachment delimiters** – A service interaction profile **MUST** define how the receiving MDE distinguishes messages from attachments within a message transmission.

935

936

8. **Message identifiers** – A service interaction profile **MUST** provide a means for a sending MDE to assign a unique identifier to each message (including any attachments) within a message transmission.

937

938

In addition, there are some non-functional features that a service interaction profile **SHOULD** provide, including:

939

1. **Message non-repudiation** – A service interaction profile **SHOULD** provide a mechanism so that the receiving MDE is provided with evidence that demonstrates:

940

941

- a. the identity of the sending MDE

942

- b. the content of the message(s) transmitted

943

- c. the date and time of the message transmission

944

2. **Message integrity** – A service interaction profile **SHOULD** provide a mechanism so that the receiving MDE is able to determine whether the message(s) transmitted (including any attachments) was (were) modified during the message transmission.

945

946

947

3. **Message confidentiality** – A service interaction profile **SHOULD** provide a mechanism, such as encryption, that can be used with a sending MDE to ensure that the message(s) in a transmission (including any attachments) can be processed only by the receiving MDE.

948

949

- 950 4. **Message authentication** – A service interaction profile SHOULD provide a mechanism, such that a sending  
951 MDE is required to include, to display credentials that demonstrate its identity to the receiving MDE in each  
952 message transmission.
- 953 5. **Message transmission reliability** – A service interaction profile SHOULD provide a mechanism, such that a  
954 sending MDE is required to include, to guarantee that a message transmission will be delivered to the receiving  
955 MDE within a specified period of time, or else the sending MDE will receive notification at the end of that period  
956 of time that the message transmission was not deliverable to the receiving MDE.
- 957 6. **Message splitting and assembly** – A service interaction profile SHOULD provide a mechanism by which a  
958 large message and attachments MAY be split into multiple pieces that are transmitted separately by the  
959 sending MDE and reassembled into the complete message by the receiving MDE. In the HTTP 1.1 protocol,  
960 this is called “chunking.”
- 961 7. **Transmission auditing** – A service interaction profile SHOULD provide a mechanism for the MDE to receive  
962 message transmissions in their entirety (both messaging and “payload” content) for auditing purposes.

## 963 5.2 Service Interaction Profile Approval and Revision Processes

964 The ECF Technical Committee (TC) will recommend certain service interaction profiles for use in implementations  
965 of the ECF 4.0 specification. The TC will consider a service interaction profile for recommendation for use in ECF  
966 4.0 implementations provided the profile meets the following requirements:

- 967 1. The service interaction profile MUST be described in a document in the format of an OASIS specification.
- 968 2. The service interaction profile specification MUST identify a unique URI to identify the service interaction profile  
969 and version.
- 970 3. The service interaction profile specification MUST describe the binding of MDE operations to the service  
971 interaction profile that satisfies the functional requirements described in Section 3 (“ECF 4.0 Process Model”)  
972 and Section 4 (“ECF 4.0 Schema”) of this specification.
- 973 4. The service interaction profile specification MUST demonstrate that the service interaction profile satisfies the  
974 non-functional service interaction profile requirements described in Section 5.1 (“Service Interaction Profile  
975 Requirements”) of this specification.
- 976 5. The service interaction profile specification MUST include samples that demonstrate how the messaging  
977 information and “payload” content are combined into message transmissions. These samples MUST include  
978 samples that demonstrate both synchronous and asynchronous mode operations.
- 979 6. At least one voting member of the ECF TC MUST agree to sponsor the service interaction profile and submit  
980 the service interaction profile specification to the TC for review as a candidate for approval as an ECF 4.0  
981 compliant service interaction profile.

982 Certifying that a candidate service interaction profile meets certain service interaction profile requirements will  
983 necessarily involve some subjectivity since service interaction profile requirements cannot be expressed  
984 algebraically, in the manner of XML Schemas. Therefore, it will be up to the TC to assess whether the proposed  
985 profile’s description is adequate in meeting the requirements of ECF 4.0 before approving the service interaction  
986 profile specification as a “Committee Draft” through the OASIS standards approval process.

987 From time to time, it may be necessary to revise or update a service interaction profile to bring it into compliance  
988 with changes in network and messaging protocols, or to support additional non-functional requirements. Any  
989 revision(s) to previously approved service interaction profiles will be considered a new service interaction profile and  
990 MUST meet the requirements of a new service interaction profile, including sponsorship by a voting member of the  
991 ECF TC and review and approval by the ECF TC. There will be no guarantees that future versions of a service  
992 interaction profile will be backwardly compatible with the current version.

## 993 5.3 Supported Service Interaction Profiles

994 The following ECF 4.0 service interaction profile specifications are for use in conjunction with implementations of  
995 the ECF 4.0 specification:

- 996 • **Web Services Service Interaction Profile 2.0 Specification** – This specification defines a transmission  
997 system using the specifications described in the Web Services Interoperability (WS-I) Basic Profile 1.1, W3C  
998 SOAP 1.1 Binding for MTGOM 1.0, WS-I Basic Security Profile 1.0 and OASIS WS-Reliable Messaging 1.1.
- 999 • **Web Services Service Interaction Profile 2.1 Specification** – This specification defines a transmission  
1000 system using the specifications described in the Web Services Interoperability (WS-I) Basic Profile 1.1, W3C  
1001 SOAP 1.1 Binding for MTGOM 1.0 and WS-I Basic Security Profile 1.1 and OASIS WS-Reliable Messaging 1.1.
- 1002 • **Portable Media Service Interaction Profile 1.01 Specification** – This specification defines a transmission  
1003 system in which the sending MDE stores message transmissions on portable media (e.g., a compact disc),  
1004 which is then physically transported to the receiving MDE where it is connected for retrieval of the message  
1005 transmissions. This specification may be needed in the absence of an active network between the sending and  
1006 receiving MDEs.

1007 Additional service interaction profiles, or revisions to these service interaction profiles, may be approved by the ECF  
1008 TC for use in conjunction with implementations of the ECF 4.0 specification according to the process described in  
1009 Section 5.2 (“Service Interaction Profile Approval and Revision Processes”) above.

---

## 6 Document Signature Profiles

An ECF 4.0 document signature profile defines a mechanism for asserting that a person signed a single electronic or imaged document, which is an attachment to a message transmission. The signing of an entire message transmission is described in a service interaction profile and is not supported by a document signature profile.

### 6.1 Document Signature Profile Requirements

Each document signature profile will define standard conventions and configuration details to support interoperability in the creation and verification of document signatures between and among ECF 4.0 implementations that support the same document signature profile. However, compliance with these requirements will not necessarily guarantee interoperability.

Except for the Null Document Signature Profile, to be compliant with the ECF 4.0 specification, a document signature profile MUST satisfy the following non-functional requirements:

1. **Signer name assertion** – A document signature profile MUST make an assertion regarding the name of the person who signed a document.
2. **Signed date assertion** – A document signature profile MUST make an assertion regarding the date the person signed a document.
3. **Multiple signatures** – A document signature profile MUST allow multiple signatures to be associated with the same document.

A signature profile SHOULD provide the following non-functional features:

1. **Signer and date non-repudiation** – A document signature profile SHOULD provide a mechanism so that the receiving MDE is provided with verifiable evidence that demonstrates:
  - a. the unique identity of the person who signed the document
  - b. the date the person signed a document
2. **Document integrity** – A document signature profile SHOULD provide a mechanism so that the receiving MDE is able to determine if the document was modified since the person signed the document.
3. **Document signature auditing** – A document signature profile SHOULD provide a mechanism for the MDE to receive both the document and signatures for auditing purposes.

### 6.2 Document Signature Profile Approval and Revision Processes

The ECF Technical Committee will recommend certain document signature profiles for use in implementations of the ECF 4.0 specification. The TC will consider a document signature profile for recommendation for use in ECF 4.0 implementations provided the profile meets the following requirements:

1. The document signature profile MUST be described in a document in the format of an OASIS specification.
2. The document signature profile specification MUST identify a unique URI to identify the document signature profile and version.
3. If the document signature is not embedded in the document, the document signature profile specification MUST include an XML structure for describing precisely how the document signature is represented.
4. The document signature profile specification MUST demonstrate that the document signature profile satisfies the non-functional requirements described in Section 6.1 (“Document Signature Profile Requirements”) of this specification.
5. The document signature profile specification MUST include samples that demonstrate how the document signature information and “payload” content are combined into message transmissions.
6. At least one voting member of the ECF TC MUST agree to sponsor the document signature profile and submit the document signature profile specification to the TC for review as a candidate for approval as an ECF 4.0 document signature profile.

1053 Certifying that a candidate document signature profile meets certain document signature profile requirements will  
1054 necessarily involve some subjectivity, since document signature profile requirements cannot be expressed  
1055 algebraically, in the manner of XML Schemas. Therefore, it will be up to the TC to assess whether the proposed  
1056 profile's description is adequate to the requirements before approving the profile specification as a Committee Draft  
1057 through the OASIS standards approval process.

1058 From time to time, it may be necessary to revise or update a document signature profile to bring it into compliance  
1059 with changes in authentication and encryption protocols, or to support additional non-functional requirements. Any  
1060 revision(s) to previously approved document signature profiles will be considered a new document signature profile  
1061 and MUST meet the requirements of a new document signature profile, including sponsorship by a voting member  
1062 of the ECF TC and review and approval by the ECF TC. There will be no guarantees that future versions of  
1063 document signature profiles will be backwardly compatible with the current version.

## 1064 6.3 Supported Document Signature Profiles

1065 The following ECF 4.0 document signature profile specifications are candidate Committee Drafts for use in  
1066 conjunction with implementations of the ECF 4.0 specification:

- 1067 • **Null Document Signature Profile 1.0 Specification** – This specification defines a default mechanism to  
1068 describe documents that do not have any associated signatures.
- 1069 • **XML Document Signature Profile 1.0 Specification** – This specification defines a mechanism for associating  
1070 a W3C XML Signature with a document.
- 1071 • **Application-Specific Document Signature Profile 1.0 Specification** – This specification defines a  
1072 mechanism for embedding an application-specific binary signature with a document. This profile supports the  
1073 native capabilities in document formats such as Microsoft Word and the Adobe Portable Document Format  
1074 (PDF) for describing and embedding signatures.
- 1075 • **Proxy Document Signature Profile 1.0 Specification** – This specification defines a mechanism for indicating  
1076 documents that are digitally signed by a court filing infrastructure component on behalf of an authenticated  
1077 signer.
- 1078 • **Symmetric Key Document Signature Profile 1.0 Specification** – This specification defines a mechanism for  
1079 indicating documents that are digitally signed by a trusted entity on behalf of the signer using a symmetric key  
1080 known only to the trusted entity.

1081 Additional document signature profiles, or revisions to these document signatures profiles, may be approved by the  
1082 ECF TC for use in conjunction with implementation of the ECF 4.0 specification according to the process described  
1083 in Section 6.2 ("Document Signature Profile Approval and Revision Processes") above.

---

## 1084 Appendix A. (Informative) Release Notes

### 1085 A.1 Availability

1086 Online and downloadable versions of this release are available from the locations specified at the top of this  
1087 document.

### 1088 A.2 Package Structure

1089 The ECF 4.0 specification is published as a ZIP archive named `ecf-v4.0.zip`. Unzipping this archive creates a  
1090 directory named `ecf-4.0/` containing this specification document and a number of subdirectories. The files in  
1091 these subdirectories, linked to the specification document, contain the various normative and informational pieces of  
1092 the 1.0 release. A description of each subdirectory is given below.

1093 `gc/`

1094 Genericcode 1.0 code lists

1095 `model/`

1096 ECF 4.0 UML exchange content model diagrams and spreadsheet models; see Appendix B.3 and B4

1097 `xml/`

1098 Example instances; see Appendix D

1099 `xsd/`

1100 XSD schemas; see Section 4

### 1101 A.3 Recursive Structures

1102 Certain components in the **[NIEM]** version 2.0 schemas allow recursive nesting. For example, a `nc:Case` may be  
1103 related to another `nc:Case`, etc. These are legitimate business data structures. Most real-world applications will  
1104 limit the depth of recursion in such structures, but XSD schemas are incapable of expressing this constraint.  
1105 Implementers should be aware of this and may wish to set limits on the depth of recursive structures in their  
1106 applications.

### 1107 A.4 Date and Time Formats

1108 The date and time elements contained in the messages defined by the ECF 4.0 XSD schemas should be formatted  
1109 according to the documentation in the **[NIEM]** version 2.0. The **[NIEM]** documentation indicates the following:

- 1110 • Calendar date values should be expressed as “CCYY-MM-DD”, with an optional time zone qualifier designated  
1111 by appending `-hh:00`, where `hh` represent the number of hours the local time zone is behind Coordinated  
1112 Universal Time (UTC).
- 1113 • Time values should be expressed as “hh:mm:ss.sss”, with an optional time zone qualifier designated by  
1114 appending `-hh:00`, where `hh` represent the number of hours the local time zone is behind Coordinated Universal  
1115 Time (UTC).
- 1116 • Date and time values should be expressed as “CCYY-MM-DDThh:mm:ss.sss” with an optional time zone  
1117 designated by appending `-hh:00`, where `hh` represent the number of hours the local time zone is behind Coordi-  
1118 nated Universal Time (UTC).qualifier.

1119 These formats are documented in, but not enforced by, the XSD schema at  
1120 `xsd/constraint/niem/proxy/xsd/2.0/xsd.xsd`.

### 1121 A.5 Known Errata

1122 Known errors in the ECF 4.0 specification will be identified in an errata document available at:





---

## Appendix B. (Informative) ECF 4.0 Development Approach and Artifacts

This appendix describes the approach used to develop ECF 4.0 and the modeling artifacts.

### B.1 Principles

The key principles that guided the design of the ECF 4.0 message structures were:

- **Interoperability** – The ECF 4.0 message structures should provide a means for exchanging court filings among all types of court information systems.
- **Completeness** – The ECF Filing 4.0 message structures format should provide for all the elements of an electronic filing system.
- **Simple implementation** – The design should foster rapid implementation.
- **Simple XML and portable structure** – The core messages in an ECF 4.0 exchange will be formatted as XML documents.
- **Familiarity** – The data elements and code values should be meaningful to the legal community and non-expert recipients alike.
- **Interdisciplinary and international utility** – The design should be usable by a broad range of court-related applications and should be applicable internationally.

### B.2 Approach

The ECF 4.0 message schemas were developed as a **[NIEM]** Information Exchange Package Definition (IEPD). A **[NIEM IEPD]** is a collection of artifacts that describe the structure and content of a set of data that is transmitted for a specific business purpose. It does not specify other interface layers (such as Web services).

The NIEM Naming and Design Rules (MNDR) **[NIEM NDR]** describe best practices for the development of NIEM-conformant Information Exchange Packages and documentation. The Design Rules set forth:

- A methodology for the construction of **[NIEM]**-conformant exchange documents
- Naming and design rules for the artifacts called for by the methodology
- Guidelines for the customization of **[NIEM]** schema structures

### B.3 ECF 4.0 Exchange Content Models

The ECF 4.0 exchange content models describe the information components used in all of the messages defined by ECF 4.0.

The exchange content models are the result of a detailed analysis of the data requirements to support the ECF 4.0 Process Model (see Section 3). During the modeling process, common items of data were identified by a process of normalization to identify aggregates based on functional dependency. Where appropriate, these were generalized so that they could be re-used to support the various messages.

The exchange content models are used for the following purposes:


- They facilitate the identification of the reusable components, i.e., the data structures that are common across the ECF 4.0 messages.
- They aid in understanding the information requirements of the total scenario.
- They are the source from which the object classes are derived and documented in the ECF 4.0 schemas (see Section 4).



1162  
1163  
1164  
1165  
1166

To facilitate comprehension, the ECF 4.0 is composed of several exchange content model diagrams. Each diagram represents a logical grouping of components and displays both the attributes and object classes belonging to the components in this grouping. The scope of each diagram is arbitrary and does not hold any significance beyond these diagrams.

For example, the ECF 4.0 Review Filing Model diagram is shown below:



1167  
1168  
1169

The complete set of exchange content models for all the ECF 4.0 components is listed below:

1170  
1171  
1172 **Appellate Filing Model**

<model/uml/html/AppellateFiling.png>

1173  
1174 **Bankruptcy Filing Model**

<model/uml/html/BankruptcyFiling.png>

1175  
1176 **Base Message Model**

<model/uml/html/BaseMessage.png>

1177  
1178 **Civil Filing Model**

<model/uml/html/CivilFiling.png>

1179  
1180 **Citation Filing Model**

<model/uml/html/Violation Filing.png>

1181  
1182 **Criminal Filing Model**

<model/uml/html/CriminalFiling.png>

1183  
1184 **Domestic Filing Model**

- 1185 [model/uml/html/DomesticFiling.png](#)
- 1186 **Extended Person Information Model**
- 1187 [model/uml/html/ExtendedPersonInformation.png](#)
- 1188 **Get Calculated Fees Query Model**
- 1189 [model/uml/html/GetFeesCalculationQuery.png](#)
- 1190 **Get Case List Query Model**
- 1191 [model/uml/html/GetCaseListQuery.png](#)
- 1192 **Get Document Query Model**
- 1193 [model/uml/html/GetDocumentQuery.png](#)
- 1194 **Get Filing List Query Model**
- 1195 [model/uml/html/GetFilingListQuery.png](#)
- 1196 **Get Filing Status Query Model**
- 1197 [model/uml/html/GetFilingStatusQuery.png](#)
- 1198 **Get Service Information Query Model**
- 1199 [model/uml/html/GetServiceInformationQuery.png](#)
- 1200 **Major Design Elements Model**
- 1201 [model/uml/html/MajorDesignElements.png](#)
- 1202 **Juvenile Filing Model**
- 1203 [model/uml/html/JuvenileFiling.png](#)
- 1204 **Record Docketing Model**
- 1205 [model/uml/html/RecordDocketing.png](#)
- 1206 **Review Filing Model**
- 1207 [model/uml/html/ReviewFiling.png](#)

1208  
1209 No specific directions are defined for the associations in these models; they can be navigated in either direction.  
1210 The specific navigation path for each association is defined when documents are assembled.

## 1211 **B.4 Spreadsheet Models**

1212 ECF 4.0 uses spreadsheet models to describe the mapping of objects and attributes to **[NIEM]** and ECF 4.0  
1213 elements. The spreadsheet models use rows to define components. Components are either simple data types or  
1214 associations. Columns define the metadata associated with each component type.

1215 The ECF 4.0 spreadsheet model is located at [mod/ECF-4.0-NIEM-mapping.xls](#).

1216

## Appendix C. (Informative) MDE Operations

This appendix details the operations that are provided by each Major Design Element (MDE) and the operations, provided by other MDEs that each MDE “consumes.” Implementation of an MDE requires both that the MDE provide certain functionality and that the MDE use particular operations provided by other MDEs.

### C.1 Filing Assembly MDE

The Filing Assembly MDE supports the preparation and submission of filed documents to a court for review, and can receive the results of that process. The Filing Assembly MDE also conveys filings to the Legal Service MDE for service on other case participants. The Filing Assembly MDE calls operations in other MDEs and provides a single operation for notifying the submitter that the filing has been reviewed by a court. A Filing Assembly MDE may be provided by a court or by a third party.

#### C.1.1 Provided Operations

The Filing Assembly MDE provides the following operations to other MDEs:

Operation	Called By	Output	Parameters
NotifyFilingReview-Complete	Filing Review MDE	xsd/message/ECF-4.0-MessageReceiptMessage.xsd : MessageReceiptMessage	xsd/message/ECF-4.0-ReviewFilingCallbackMessage.xsd : ReviewFilingCallbackMessage xsd/message/ECF-4.0-PaymentMessage.xsd : PaymentMessage

#### C.1.2 Consumed Operations

The Filing Assembly MDE calls the following operations in other MDEs:

Operation	Provided By	Return Type
GetPolicy	Filing Review MDE	xsd/message/ECF-4.0-CourtPolicyQueryMessage.xsd : CourtPolicyReponseMessage
ReviewFiling	Filing Review MDE	xsd/message/ECF-4.0-MessageReceiptMessage.xsd : MessageReceiptMessage
GetFeesCalculation	Filing Review MDE	xsd/message/ECF-4.0-FeesCalculationResponseMessage.xsd : FeesCalculationResponseMessage
GetFilingStatus	Filing Review MDE	xsd/message/ECF-4.0-FilingStatusResponseMessage.xsd : FilingStatusResponseMessage
GetFilingList	Filing Review MDE	xsd/message/ECF-4.0-FilingListResponseMessage.xsd : FilingListResponseMessage
GetCase	Court Record MDE	xsd/message/ECF-4.0-CaseResponseMessage.xsd : CaseResponseMessage
GetCaseList	Court Record MDE	xsd/message/ECF-4.0-CaseListResponseMessage.xsd : CaseListResponseMessage
GetServiceInformation	Court Record MDE	xsd/message/ECF-4.0-ServiceInformationResponseMessage.xsd : ServiceInformationResponseMessage
GetDocument	Court Record MDE	xsd/message/ECF-4.0-DocumentResponseMessage.xsd : DocumentResponseMessage

ServeFiling	Legal Service MDE	xsd/message/ECF-4.0-ServiceReceiptMessage.xsd : ServiceReceiptMessage
-------------	-------------------	--

## C.2 Filing Review MDE

The Filing Review MDE receives, presents and manages the filings. The Filing Review MDE receives filings in a standard format and presents those filings to a Clerk for review, where they may be accepted or rejected. The Filing Review MDE transmits data and documents to the Filing Assembly MDE to inform the filer that the filing has been accepted or rejected. The Filing Review MDE transmits data and documents for accepted filings to the Court Record MDE for docketing and recording. While there will generally be one Filing Review MDE per court, there is no physical barrier to having more than one, particularly if a court wants to support different Filing Review MDEs for particular case types.

### C.2.1 Provided Operations

The Filing Review MDE provides the following operations to other MDEs:

Operation	Called By	Output	Parameters
ReviewFiling	Filing Assembly MDE	xsd/message/ECF-4.0-MessageReceiptMessage.xsd : MessageReceiptMessage	xsd/message/ECF-4.0-CoreFilingMessage.xsd : CoreFilingMessage xsd/message/ECF-4.0-PaymentMessage.xsd : PaymentMessage
NotifyDocketing-Complete	Court Docketing MDE	xsd/message/ECF-4.0-MessageReceiptMessage.xsd : MessageReceiptMessage	xsd/message/ECF-4.0-RecordDocketingCallbackMessage.xsd : RecordDocketingCallbackMessage
GetFeesCalculation	Filing Assembly MDE	xsd/message/ECF-4.0-FeesCalculationResponseMessage.xsd : FeesCalculationResponseMessage	xsd/message/ECF-4.0-FeesCalculationQueryMessage.xsd : FeesCalculationQueryMessage
GetFilingList	Filing Assembly MDE	xsd/message/ECF-4.0-FilingListResponseMessage.xsd : FilingListResponseMessage	xsd/message/ECF-4.0-FilingListQueryMessage.xsd : FilingListQueryMessage
GetFilingStatus	Filing Assembly MDE	xsd/message/ECF-4.0-FilingStatusResponseMessage.xsd : FilingStatusResponseMessage	xsd/message/ECF-4.0-FilingStatusQueryMessage.xsd : FilingStatusQueryMessage
GetPolicy	Filing Assembly MDE	xsd/message/ECF-4.0-CourtPolicyQueryMessage.xsd : CourtPolicyResponseMessage	xsd/message/ECF-4.0-CourtPolicyQueryMessage.xsd : CourtPolicyQueryMessage

### C.2.2 Consumed Operations

The Filing Review MDE calls the following operations in other MDEs:

Operation	Provided By	Output
RecordFiling	Court Record MDE	xsd/message/ECF-4.0-MessageReceiptMessage.xsd : MessageReceiptMessage
NotifyFilingReviewComplete	Filing Assembly MDE	xsd/message/ECF-4.0-MessageReceiptMessage.xsd : MessageReceiptMessage

1243

## C.3 Court Record MDE

1244

The Court Record MDE receives the filed documents from the Filing Review MDE and enters them into the official case record of the court. The Court Record MDE notifies the Filing Review MDE that the filing has been filed.

1245

1246

### C.3.1 Provided Operations

1247

The Court Record MDE provides the following operations to other MDEs:

Operation	Called By	Output	Parameters
RecordFiling	Filing Review MDE	xsd/message/ECF-4.0-MessageReceiptMessage.xsd : MessageReceiptMessage	xsd/message/ECF-4.0-RecordDocketingMessage.xsd : RecordDocketingMessage
			xsd/message/ECF-4.04.0-CoreFilingMessage.xsd : CoreFilingMessage
			xsd/message/ECF-4.0-CaseTypeSpecificMessage.xsd : CaseTypeSpecificMessage
			xsd/message/ECF-4.0-CaseTypeSpecificMessage.xsd : CourtSpecificMessage
GetCase	Filing Assembly MDE	xsd/message/ECF-4.0-CaseResponseMessage.xsd : CaseResponseMessage	xsd/message/ECF-4.0-CaseQueryMessage.xsd : CaseQueryMessage
GetCaseList	Filing Assembly MDE	xsd/message/ECF-4.0-CaseListResponseMessage.xsd : CaseListResponseMessage	xsd/message/ECF-4.0-CaseListQueryMessage.xsd : CaseListQueryMessage
GetServiceInformation	Filing Assembly MDE	xsd/message/ECF-4.0-ServiceInformationResponseMessage.xsd : ServiceInformationResponseMessage	xsd/message/ECF-4.0-ServiceInformationQueryMessage.xsd : ServiceInformationQueryMessage
GetDocument	Filing Assembly MDE	xsd/message/ECF-4.0-DocumentResponseMessage.xsd : DocumentResponseMessage	xsd/message/ECF-4.0-DocumentQueryMessage.xsd : DocumentQueryMessage

1248

### C.3.2 Consumed Operations

1249

The Court Record MDE calls the following operations in other MDEs:

Operation	Provided By	Output
NotifyDocketingComplete	Filing Review MDE	xsd/message/ECF-4.0-MessageReceiptMessage.xsd : MessageReceiptMessage

1250

## C.4 Legal Service MDE

1251

The Legal Service MDE enables a filer or a court to electronically transmit copies of, or links to, electronically filed documents to other parties who are participating in the case and who are entitled to be promptly served with the electronically filed documents. The Filing Assembly MDE transmits data and documents to the Legal Service MDE to inform the case participant that an electronic filing has been submitted to the court clerk. The Legal Service MDE transmits a callback message to the Filing Assembly MDE requesting a notification to confirm receipt of the served document.

1252

1253

1254

1255

1256

1257

### C.4.1 Provided Operations

1258

The Legal Service MDE provides the following operations to other MDEs:

Operation	Called By	Output	Parameters
ServeFiling	Filing Assembly MDE	xsd/message/ECF-4.0-ServiceReceiptMessage.xsd : ServiceReceiptMessage	xsd/message/ECF-4.0-CoreFilingMessage.xsd : CoreFilingMessage

1259

### C.4.2 Consumed Operations

1260

The Legal Service MDE does not call operations in other MDEs.

1261

1262

---

## Appendix D. (Informative) Example Instances

Example instances of each ECF 4.0 message are provided in the xml/ subdirectory, as listed below:

### **FeesCalculationQueryMessage**

[xml/ECF-4.0-FeesCalculationQueryMessage.xml](#)

### **FeesCalculationResponseMessage**

[xml/ECF-4.0-FeesCalculationResponseMessage.xml](#)

### **CaseListQueryMessage**

[xml/ECF-4.0-CaseListQueryMessage.xml](#)

### **CaseListResponseMessage**

[xml/ECF-4.0-CaseListResponseMessage.xml](#)

### **CaseQueryMessage**

[xml/ECF-4.0-CaseQueryMessage.xml](#)

### **CaseResponseMessage**

[xml/ECF-4.0-CaseResponseMessage.xml](#)

### **CoreFilingMessage (Appellate case type)**

[xml/ECF-4.0-CoreFilingMessage-Appellate.xml](#)

### **CoreFilingMessage (Criminal case type)**

[xml/ECF-4.0-CoreFilingMessage-Criminal.xml](#)

### **CourtPolicyQueryMessage**

[xml/ECF-4.0-CourtPolicyQueryMessage.xml](#)

### **CourtPolicyResponseMessage**

[xml/ECF-4.0-CourtPolicyResponseMessage.xml](#)

### **DocumentQueryMessage**

[xml/ECF-4.0-DocumentQueryMessage.xml](#)

### **DocumentResponseMessage**

[xml/ECF-4.0-DocumentResponseMessage.xml](#)

### **FilingListQueryMessage**

[xml/ECF-4.0-FilingListQueryMessage.xml](#)

### **FilingListResponseMessage**

[xml/ECF-4.0-FilingListResponseMessage.xml](#)

### **FilingPaymentMessage**

[xml/ECF-4.0-PaymentMessage.xml](#)

### **FilingStatusQueryMessage**

[xml/ECF-4.0-FilingStatusQueryMessage.xml](#)

### **FilingStatusResponseMessage**

[xml/ECF-4.0-FilingStatusResponseMessage.xml](#)

### **MessageReceiptMessage**

[xml/ECF-4.0-MessageReceiptMessage.xml](#)

- 1302 **PaymentReceiptMessage**
- 1303     [xml/ECF-4.0-PaymentReceiptMessage.xml](#)
- 1304 **RecordDocketingCallbackMessage**
- 1305     [xml/ECF-4.0-RecordDocketingCallbackMessage.xml](#)
- 1306 **RecordDocketingMessage**
- 1307     [xml/ECF-4.0-RecordDocketingMessage.xml](#)
- 1308 **ReviewFilingCallbackMessage**
- 1309     [xml/ECF-4.0-ReviewFilingCallbackMessage.xml](#)
- 1310 **ServiceInformationQueryMessage**
- 1311     [xml/ECF-4.0-ServiceInformationQueryMessage.xml](#)
- 1312 **ServiceInformationResponseMessage**
- 1313     [xml/ECF-4.0-ServiceInformationResponseMessage.xml](#)
- 1314 **ServiceReceiptMessage**
- 1315     [xml/ECF-4.0-ServiceReceiptMessage.xml](#)
- 1316



---

## 1317 Appendix E. (Informative) Ongoing Work Items

1318 The Electronic Court Filing TC plans to continue to revise and expand this specification through future versions.  
1319 Future versions of ECF will:

- 1320 • Address filings in administrative tribunals
- 1321 • Address primary service (the delivery of documents such as summonses, subpoenas and warrants that  
1322 establish a court's jurisdiction over a party)
- 1323 • Consider how the specifications for filing of documents intended for filing with a court relate to specifications for  
1324 filing other documents, e.g., property records, in the offices of elected clerks of courts
- 1325 • Incorporate feedback from ECF implementations
- 1326 • Support future releases of the **[NIEM]**
- 1327 • Support future **[Court Document]** specifications and integration optimizations
- 1328 • Support non-case related filings into a court clerk's office

---

## Appendix F. (Informative) Acknowledgments

The following court organizations provided lists of data elements required for initiating cases in their case management information systems:

- Administrative Office of United States Courts
  - Bankruptcy, Civil, Criminal
- Arizona Administrative Office of the Courts
  - Appellate
- Fourth Judicial District Court, Hennepin County, Minneapolis
  - Criminal
- King County Superior Court, Washington
  - Civil, Criminal
- Missouri Office of State Courts Administrator
  - Citation
- Thirteenth Judicial District, Orange County, Florida (through vendor)
  - Civil, Criminal, Domestic relations, Mental health, Juvenile delinquency/dependency, Probate, Citation
- Utah State Courts
  - Civil, Criminal

The following individuals were members or voting members of the committee during the development of this specification:

- Michael Alexandrou, Judicial Council of Georgia
- CJ Allen, Maricopa County Clerk of Court
- Adam Angione, Courthouse News Service, Inc.
- Donald Bergeron, Reed Elsevier
- Ron Bowmaster Utah Administrative Office of the Courts
- Suzanne Bunnin, Arizona Supreme Court
- James Cabral, MTG Management Consultants
- Rolly Chambers, American Bar Association
- Thomas Clarke, National Center for State Courts
- Linda Colwell, Arizona Supreme Court
- James Cusick, Wolters Kluwer
- Robert DeFilippis, Individual
- Christopher, Shane Durham, Reed Elsevier
- Eric Eastman, Doxpop, LLC
- Scott Edson, LA County Information Systems Advisory Body
- Ali Farahani, LA County Information Systems Advisory Body
- Robin Gibson, Secretary, Missouri OSCA
- Gary Graham, Arizona Supreme Court
- John Greacen, Individual
- Jim Harris, National Center for State Courts
- Brian Hickman, Wolters Kluwer

- 1371 • Hui Ji, Judicial Council of Georgia
- 1372 • Aaron Jones, Maricopa County
- 1373 • George Knecht, PCIntellect LLC
- 1374 • Mark Ladd, Property Records ind.
- 1375 • Laurence Leff, Individual
- 1376 • Morgan Medders, Judicial Council of Georgia
- 1377 • Rex McElrath, Judicial Council of Georgia
- 1378 • John Messing, Law-On-Line
- 1379 • Robert O'Brien, Ottawa Courts Administration
- 1380 • Gary Poindexter, Individual
- 1381 • Rachelle Resnick, Arizona Supreme Court
- 1382 • David Roth, Thomson Corporation
- 1383 • John Ruegg, LA County Information Systems Advisory Body
- 1384 • Christopher Smith, California Administrative Office of the Courts
- 1385 • Philip Urry, Arizona Supreme Court
- 1386 • Roger Winters, Washington Administrative Office of the Courts (King County)

1387

---

## Appendix G. (Informative) Revision History

Rev	Date	By Whom	What
Wd-1	2008-03-17	James Cabral	Initial version
Wd-2	2008-08-15	James Cabral	Revision including complete IEPD.
Wd-3	2008-08-25	James Cabral	Revisions based on August face to face meeting and initial testing.
Wd-4	2008-09-03	James Cabral	Revised guidance on filing record on appeal (Section 3.4)

1388