



Open Command and Control (OpenC2) Language Specification Version 2.0

Committee Specification Draft 01

16 November 2022

This stage:

<https://docs.oasis-open.org/openc2/oc2ls/v2.0/csd01/oc2ls-v2.0-csd01.md> (Authoritative)

<https://docs.oasis-open.org/openc2/oc2ls/v2.0/csd01/oc2ls-v2.0-csd01.html>

<https://docs.oasis-open.org/openc2/oc2ls/v2.0/csd01/oc2ls-v2.0-csd01.pdf>

Previous stage:

N/A

Latest stage:

<https://docs.oasis-open.org/openc2/oc2ls/v2.0/oc2ls-v2.0.md> (Authoritative)

<https://docs.oasis-open.org/openc2/oc2ls/v2.0/oc2ls-v2.0.html>

<https://docs.oasis-open.org/openc2/oc2ls/v2.0/oc2ls-v2.0.pdf>

Technical Committee:

[OASIS Open Command and Control \(OpenC2\) TC](#)

Chairs:

Duncan Sparrell (duncan@sfractal.com), [sFractal Consulting LLC](#)

Michael Rosa (mjrosa@nsa.gov), [National Security Agency](#)

Editors:

Duncan Sparrell (duncan@sfractal.com), [sFractal Consulting LLC](#)

Toby Considine (toby.considine@unc.edu), [University of North Carolina at Chapel Hill](#)

Related work:

This specification replaces or supersedes:

- *Open Command and Control (OpenC2) Language Specification Version 1.1*. Edited by Duncan Sparrell and Toby Considine. Latest stage: <https://docs.oasis-open.org/openc2/oc2ls/v1.1/oc2ls-v1.1.html>.
- *Open Command and Control (OpenC2) Language Specification Version 1.0*. Edited by Jason Romano and Duncan Sparrell. Latest version: <https://docs.oasis-open.org/openc2/oc2ls/v1.0/oc2ls-v1.0.html>.

Abstract:

Cyberattacks are increasingly sophisticated, less expensive to execute, dynamic and automated. The provision of cyber defense via statically configured products operating in isolation is untenable. Standardized interfaces, protocols and data models will facilitate the integration of the functional blocks within a system and between systems. Open Command and Control (OpenC2) is a concise and extensible language to enable machine-to-machine communications for purposes of command and control of cyber defense components, subsystems and/or systems in a manner that is agnostic of the underlying products, technologies, transport mechanisms or other aspects of the implementation. It should be understood that a language such as OpenC2 is necessary but insufficient to enable coordinated cyber responses that occur within cyber relevant time. Other aspects of coordinated cyber response such as sensing, analytics, and selecting appropriate courses of action are beyond the scope of OpenC2.

Status:

This document was last revised or approved by the OASIS Open Command and Control (OpenC2) TC on the above date. The level of approval is also listed above. Check the "Latest stage" location noted above for possible later revisions of this document. Any other numbered Versions and other technical work produced by the Technical Committee (TC) are listed at https://www.oasis-open.org/committees/tc_home.php?wg_abbrev=openc2#technical.

TC members should send comments on this specification to the TC's email list. Others should send comments to the TC's public comment list, after subscribing to it by following the instructions at the "[Send A Comment](#)" button on the TC's web page at <https://www.oasis-open.org/committees/openc2/>.

This specification is provided under the [Non-Assertion](#) Mode of the OASIS IPR Policy, the mode chosen when the Technical Committee was established. For information on whether any patents have been disclosed that may be essential to implementing this specification, and any offers of patent licensing terms, please refer to the Intellectual Property Rights section of the TC's web page (<https://www.oasis-open.org/committees/openc2/ipr.php>).

Note that any machine-readable content ([Computer Language Definitions](#)) declared Normative for this Work Product is provided in separate plain text files. In the event of a discrepancy between any such plain text file and display content in the Work Product's prose narrative document(s), the content in the separate plain text file prevails.

Key words:

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "NOT RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in BCP 14 [[RFC2119](#)] and [[RFC8174](#)] when, and only when, they appear in all capitals, as shown here.

Citation format:

When referencing this specification the following citation format should be used:

[OpenC2-Lang-v2.0]

Open Command and Control (OpenC2) Language Specification Version 2.0. Edited by Toby Considine and Duncan Sparrell. 16 November 2022. OASIS Committee Specification Draft 01. <https://docs.oasis-open.org/openc2/oc2ls/v2.0/csd01/oc2ls-v2.0-csd01.html>. Latest stage: <https://docs.oasis-open.org/openc2/oc2ls/v2.0/oc2ls-v2.0.html>.

Notices

Copyright © OASIS Open 2022. All Rights Reserved.

Distributed under the terms of the OASIS [IPR Policy](#).

The name "OASIS" is a trademark of [OASIS](#), the owner and developer of this specification, and should be used only to refer to the organization and its official outputs.

For complete copyright information please see the full Notices section in Appendix G below.

Table of Contents

[1 Introduction](#)

[1.1 Changes From Earlier Versions](#)

[1.2 Glossary](#)

[1.2.1 Definitions of Terms](#)

[1.2.2 Acronyms and abbreviations](#)

[1.2.3 Document Conventions](#)

[1.2.3.1 Naming Conventions](#)

[1.2.3.2 Font Colors and Style](#)

[1.4 Purpose and Scope](#)

[2 OpenC2 Language Description](#)

[2.1 OpenC2 Command](#)

[2.2 OpenC2 Response](#)

[3 OpenC2 Language Definition](#)

[3.1 Base Components and Structures](#)

[3.1.1 Data Types](#)

[3.1.2 Semantic Value Constraints](#)

[3.1.3 Multiplicity](#)

[3.1.4 Extensions](#)

[3.1.5 Serialization](#)

[3.1.5.1 ID and Name Serialization](#)

[3.2 Message](#)

[3.3 Content](#)

[3.3.1 OpenC2 Command](#)

[3.3.1.1 Action](#)

[3.3.1.2 Target](#)

[3.3.1.3 Profile](#)

[3.3.1.4 Command Arguments](#)

[3.3.2 OpenC2 Response](#)

[3.3.2.1 Response Status Code](#)

[3.3.2.2 Response Results](#)

[3.3.3 OpenC2 Event](#)

[3.3.4 Message Signatures](#)

[3.4 Type Definitions](#)

[3.4.1 Target Types](#)

[3.4.1.1 Artifact](#)

[3.4.1.2 Device](#)

[3.4.1.3 Domain Name](#)

[3.4.1.4 Email Address](#)

[3.4.1.5 Features](#)

[3.4.1.6 File](#)

[3.4.1.7 Internationalized Domain Name](#)

[3.4.1.8 Internationalized Email Address](#)

[3.4.1.9 IPv4 Address Range](#)

[3.4.1.10 IPv4 Connection](#)

[3.4.1.11 IPv6 Address Range](#)

[3.4.1.12 IPv6 Connection](#)

[3.4.1.13 IRI](#)

[3.4.1.14 MAC Address](#)

[3.4.1.15 Process](#)

[3.4.1.16 URI](#)

[3.4.2 Data Types](#)

[3.4.2.1 Action-Targets](#)

[3.4.2.2 Command-ID](#)

[3.4.2.3 Date-Time](#)

[3.4.2.4 Duration](#)

[3.4.2.F Feature](#)

[3.4.2.6 Hashes](#)

[3.4.2.7 Hostname](#)

[3.4.2.8 Internationalized Hostname](#)

[3.4.2.9 IPv4 Address](#)

[3.4.2.10 IPv6 Address](#)

[3.4.2.11 L4 Protocol](#)

[3.4.2.12 Message-Type](#)

[3.4.2.13 Namespace Identifier](#)

[3.4.2.14 Payload](#)

[3.4.2.15 Port](#)

[3.4.2.16 Response-Type](#)

[3.4.2.17 Targets](#)

[3.4.2.18 Version](#)

[4 Mandatory Commands/Responses](#)

[4.1 Implementation of 'query features' Command](#)

[4.2 Examples of 'query features' Commands and Responses](#)

[4.2.1 Example 1](#)

[4.2.2 Example 2](#)

[5 Conformance](#)

[5.1 Conformance Clause 1: Command](#)

[5.2 Conformance Clause 2: Response](#)

[5.3 Conformance Clause 3: Producer](#)

[5.4 Conformance Clause 4: Consumer](#)

[Appendix A. References](#)

[A.1 Normative References](#)

[A.2 Informative References](#)

[Appendix B. Safety, Security and Privacy Considerations](#)

[Appendix C. Examples](#)

[C.1 Example 1: Device Quarantine](#)

[C.2 Example 2: Block Connection](#)

[C.3 Example 3: Message Signature Processing](#)

[Appendix D. Schema Development With JADN](#)

[Appendix E. Revision History](#)

[Appendix F. Acknowledgments](#)

[Appendix G. Notices](#)

1 Introduction

The content in this section is non-normative, except where it is marked normative.

OpenC2 is a suite of specifications that enables command and control of cyber defense systems and components. OpenC2 typically uses a request-response paradigm where a *Command* is encoded by a *Producer* (managing application) and transferred to a *Consumer* (managed device or virtualized function) using a secure transfer protocol, and the Consumer can respond with status and any requested information. An overview of the concepts that underlie OpenC2 and the structure of the suite of specifications can be found in the OpenC2 Architecture Specification (*reference pending spec publication*).

The goal of OpenC2 is to provide a language for interoperating between functional elements of cyber defense systems. This language, used in conjunction with OpenC2 Actuator Profiles and OpenC2 Transfer Specifications, allows for vendor-agnostic cybertime response to attacks.

This **OpenC2 Language Specification** provides the semantics for the essential elements of the language, the structure for Commands and Responses, and the schema that defines the proper syntax for the language elements that represents the Command or Response. It also describes the mechanisms for extending the capabilities of the language.

OpenC2 allows the application producing the commands to discover the set of capabilities supported by the managed devices. These capabilities permit the managing application to adjust its behavior to take advantage of the features exposed by the managed device. The capability definitions can be easily extended in a noncentralized manner, allowing standard and non-standard capabilities to be defined with semantic and syntactic rigor.

1.1 Changes From Earlier Versions

To Be Supplied.

1.2 Glossary

1.2.1 Definitions of Terms

This section is normative.

- **Action:** The task or activity to be performed (e.g., 'deny').
- **Actuator:** The Consumer that executes a Command.
- **Actuator Profile:** The document that defines a category of operations performed by an Actuator (e.g., 'Stateless Packet Filtering').
- **Argument:** A property of a Command that provides additional information on how to perform the Command, such as date/time, periodicity, duration, etc.

- **Command:** A Message defined by an Action-Target pair that is sent from a Producer and received by a Consumer.
- **Consumer:** A managed device / application that receives Commands. Note that a single device / application can have both Consumer and Producer capabilities.
- **Message:** A content- and transport-independent set of elements conveyed between Consumers and Producers.
- **Producer:** A manager application that sends Commands.
- **Response:** A Message from a Consumer to a Producer acknowledging a Command or returning the requested resources or status to a previously received Command.
- **Specifier:** A property or field that identifies a Target to some level of precision.
- **Target:** The object of the Action, i.e., the Action is performed on the Target (e.g., IP Address).

1.2.2 Acronyms and abbreviations

Acronym	Description
API	Application Programming Interface
ASCII	American Standard Code for Information Interchange
BCP	Best Current Practice
CBOR	Concise Binary Object Representation
CIDR	Classless Inter-Domain Routing
CoAP	Constrained Application Protocol
DOI	Digital Object Identifier
EUI	Extended Unique Identifier
HTTP	Hyper Text Transfer Protocol
HTTPS	Hyper Text Transfer Protocol Secure
IACD	Integrated Adaptive Cyber Defense
IANA	Internet Assigned Numbers Authority
ICMP	Internet Control Message Protocol

Acronym	Description
ID	Identifier
IP	Internet Protocol
IPR	Intellectual Property Rights
JSON	JavaScript Object Notation
MAC	Media Access Control
MD5	Message Digest
MQTT	Message Queuing Telemetry Transfer
OASIS	Organization for the Advancement of Structured Information Standards
OODA	Observe-Orient-Decide-Act
OpenC2	Open Command and Control
OpenDXL	Open Data eXchange Layer
PDF	Portable Document Format
RFC	Request for Comment
SCTP	Stream Control Transmission Protocol
SHA	Security Hash Algorithm
SLPF	StateLess Packet Filtering
STD	Standard
TC	Technical Committee
TCP	Transmission Control Protocol
UDP	User Datagram Control Protocol
UML	Unified Modeling Language
URI	Uniform Resource Identifier
UTC	Coordinated Universal Time

Acronym	Description
UUID	Universally Unique IDentifier
XML	eXtensibel Markup Language

1.2.3 Document Conventions

1.2.3.1 Naming Conventions

- All property names and literals are in lowercase, except when referencing canonical names defined in another standard (e.g., literal values from an IANA registry).
- All type names begin with an uppercase character.
- Property names and type names are between 1 and 32 characters long.
- Words in property names are separated with an underscore (`_`), while words in type names are separated with a hyphen (`-`).
- "Underscore" refers to Unicode "low line", U+005F; "hyphen" refers to Unicode "hyphen-minus", U+002D.

1.2.3.2 Font Colors and Style

The following color, font and font style conventions are used in this document:

- A fixed width font is used for all type names, property names, and literals.
- Property names are in bold style – **'created_at'**.
- All examples in this document are expressed in JSON. They are in fixed width font, with straight quotes, black text and a light shaded background, and 4-space indentation. JSON examples in this document are representations of JSON Objects. They should not be interpreted as string literals. The ordering of object keys is insignificant. Whitespace before or after JSON structural characters in the examples are insignificant [\[RFC8259\]](#).
- Parts of the example may be omitted for conciseness and clarity. These omitted parts are denoted with ellipses (...).

Example:

```
{
  "action": "deny",
  "target": {
    "file": {
      "hashes": {
        "sha256":
```

```
"22fe72a34f006ea67d26bb7004e2b6941b5c3953d43ae7ec24d41b1a928a6973"  
  }  
  }  
  }  
}
```

1.4 Purpose and Scope

This OpenC2 Language Specification defines the set of components to assemble a complete command and control Message and provides a framework so that the language can be extended. To achieve this purpose, the scope of this specification includes:

1. the set of Actions and options that may be used in Commands;
2. the set of Targets and Target Specifiers;
3. a syntax that defines the structure of Commands and Responses;
4. a JSON serialization of Commands and Responses;
5. the procedures for extending the language.

The OpenC2 language assumes that the event has been detected, a decision to act has been made, the act is warranted, and the initiator and recipient of the Commands are authenticated and authorized. The OpenC2 language was designed to be agnostic of the other aspects of cyber defense implementations that realize these assumptions. The following items are beyond the scope of this specification:

1. Language elements applicable to some Actuator functions, which may be defined in individual Actuator profiles.
2. Alternate serializations of Commands and Responses.
3. The enumeration of the protocols required for transport, information assurance, sensing, analytics and other external dependencies.

2 OpenC2 Language Description

The content in this section is non-normative.

The OpenC2 language has two distinct content types: Command and Response. The Command is sent from a Producer to a Consumer and describes an Action to be performed by the Consumer on a Target. The Response is sent from a Consumer, usually back to the Producer, and is a means to provide information (such as acknowledgment, status, etc.) as a result of a Command.

2.1 OpenC2 Command

A command has four main components, two required and two optional. The required components are the Action and the Target. The optional components are command Arguments and the Profile identifier. A command can also contain an optional Command identifier, if necessary. [Section 3.3.1](#) defines the syntax of an OpenC2 Command.

The following list summarizes the main four components of a command.

- **Action** (required): The task or activity to be performed.
- **Target** (required): The object of the action. The Action is performed on the Target. Properties of the Target, called Target Specifiers, further identify the Target to some level of precision, such as a specific Target, a list of Targets, or a class of Targets.
- **Arguments** (optional): Provide additional information on how the command is to be performed, such as date/time, periodicity, duration, etc.
- **Profile** (optional): Specifies the Actuator Profile that defines the function to be performed by the command.

The Action and Target components are required and are populated by one of the Actions in [Section 3.3.1.1](#) and the Targets in [Section 3.3.1.2](#). A particular Target may be further refined by the Target type definitions in [Section 3.4.1](#). Procedures to extend the Targets are described in [Section 3.1.4](#).

Command Arguments, if present, influence the command by providing information such as timing, periodicity, duration, or other details on what is to be executed. They can also be used to convey the need for acknowledgment or additional status information about the execution of a command. The valid Arguments defined in this specification are in [Section 3.3.1.4](#). Procedures to extend Arguments are described in [Section 3.1.4](#).

The Profile field, if present, specifies the profile that defines the function to be performed. A Consumer executes the command if it supports the specified profile, otherwise the command is ignored. The Profile field may be omitted and typically will not be included in implementations where the functions of the recipients are unambiguous or when a high-level effects-based command is desired and tactical decisions on how the effect is achieved is left

to the recipient. If Profile is omitted and the recipient supports multiple profiles, the command will be executed in the context of each profile that supports the command's combination of action and target.

2.2 OpenC2 Response

The Response is a Message sent from the recipient of a Command. Response messages provide acknowledgment, status, results from a query, or other information. At a minimum, a Response will contain a status code to indicate the result of performing the Command. Additional status text and response fields optionally provide more detailed information that is specific to or requested by the Command. [Section 3.3.2](#) defines the syntax of an OpenC2 Response.

3 OpenC2 Language Definition

The content in this section is normative.

3.1 Base Components and Structures

3.1.1 Data Types

OpenC2 data types are defined using an abstract notation that is independent of both their representation within applications ("**API**" values) and their format for transmission between applications ("**serialized**" values). The data types used in OpenC2 Messages are:

Type	Description
Primitive Types	
Any	Anything, used to designate fields with an unspecified value.
Binary	A sequence of octets. Length is the number of octets.
Boolean	An element with one of two values: <code>true</code> and <code>false</code> .
Integer	A whole number.
Number	A real number.
Null	Nothing, used to designate fields with no value.
String	A sequence of characters, each of which has a Unicode codepoint. Length is the number of characters.
Structures	
Array	An ordered list of unnamed fields with positionally-defined semantics. Each field has a position, label, and type.
<code>ArrayOf(vtype)</code>	An ordered list of fields with the same semantics. Each field has a position and type <code>vtype</code> .
Choice	One field selected from a set of named fields. The API value has a name and a type.
Choice.ID	One field selected from a set of fields. The API value has an id and a type.

Type	Description
Enumerated	A set of named integral constants. The API value is a name.
Enumerated.ID	A set of unnamed integral constants. The API value is an id.
Map	An unordered map from a set of specified keys to values with semantics bound to each key. Each field has an id, name and type.
Map.ID	An unordered set of fields. The API value of each field has an id, label, and type.
MapOf(<i>ktype</i> , <i>vtype</i>)	An unordered set of keys to values with the same semantics. Each key has key type <i>ktype</i> and is mapped to value type <i>vtype</i> .
Record	An ordered map from a list of keys with positions to values with positionally-defined semantics. Each key has a position and name, and is mapped to a type. Represents a row in a spreadsheet or database table.

- **API** values do not affect interoperability, and although they must exhibit the characteristics specified above, their representation within applications is unspecified. A Python application might represent the Map type as a dict variable, a javascript application might represent it as an object literal or an ES6 Map type, and a C# application might represent it as a Dictionary or a Hashtable.
- **Serialized** values are critical to interoperability, and this document defines a set of **serialization rules** that unambiguously define how each of the above types are serialized using a human-friendly JSON format. Other serialization rules, such as for XML, machine-optimized JSON, and CBOR formats, exist but are out of scope for this document. Both the format-specific serialization rules in [Section 3.1.5](#) and the format-agnostic type definitions in [Section 3.4](#) are Normative.

Types defined with an ".ID" suffix (Choice.ID, Enumerated.ID, Map.ID) are equivalent to the non-suffixed types except:

1. Field definitions and API values are identified only by ID. The non-normative description may include a suggested name.
2. Serialized values of Enumerated types and keys of Choice/Map types are IDs regardless of serialization format.

OpenC2 type definitions are presented in table format. All table columns except Description are Normative. The Description column is always Non-normative.

For types without individual field definitions (Primitive types and ArrayOf), the type definition includes the name of the type being defined and the definition of that type. This table defines a type called *Email-Addr* that is a *String* that has a semantic value constraint of *email*:

Type Name	Type Definition	Description
Email-Addr	String (email)	Email address

For Structure types, the definition includes the name of the type being defined, the built-in type on which it is based, and options applicable to the type as a whole. This is followed by a table defining each of the fields in the structure. This table defines a type called *Args* that is a *Map* containing at least one field. Each of the fields has an integer Tag/ID, a Name, and a Type. Each field in this definition is optional (Multiplicity = 0..1), but per the type definition at least one must be present.

Type: **Args** (Map{1..*})

ID	Name	Type	#	Description
1	start_time	Date-Time	0..1	The specific date/time to initiate the action
2	stop_time	Date-Time	0..1	The specific date/time to terminate the action
3	duration	Duration	0..1	The length of time for an action to be in effect

The field columns present in a structure definition depends on the base type:

Base Type	Field Definition Columns
Enumerated.ID	ID, Description
Enumerated	ID, Name, Description
Array, Choice.ID, Map.ID	ID, Type, Multiplicity (#), Description
Choice, Map, Record	ID, Name, Type, Multiplicity (#), Description

The ID column of Array and Record types contains the ordinal position of the field, numbered sequentially starting at 1. The ID column of Choice, Enumerated, and Map types contains tags with arbitrary integer values. IDs and Names are unique within each type definition.

3.1.2 Semantic Value Constraints

Structural validation alone may be insufficient to validate that an instance meets all the requirements of an application. Semantic validation keywords specify value constraints for which an authoritative definition exists.

Keyword	Applies to Type	Constraint
---------	-----------------	------------

Keyword	Applies to Type	Constraint
email	String	Value must be an email address as defined in [RFC5322] , Section 3.4.1
eui	Binary	Value must be an EUI-48 or EUI-64 as defined in [EUI]
hostname	String	Value must be a hostname as defined in [RFC1034] , Section 3.1
idn-email	String	Value must be an internationalized email address as defined in [RFC6531]
idn-hostname	String	Value must be an internationalized hostname as defined in [RFC5890] , Section 2.3.2.3
iri	String	Value must be an Internationalized Resource Identifier (IRI) as defined in [RFC3987]
uri	String	Value must be a Uniform Resource Identifier (URI) as defined in [RFC3986]

Usage Requirements:

- Properties identified as conforming to `eui` should be interpreted according to the values documented in the [\[IEEE Registration Authority registry\]](#).

3.1.3 Multiplicity

Property tables for types based on Array, Choice, Map and Record include a multiplicity column (#) that specifies the minimum and maximum cardinality (number of elements) of a field. As used in the Unified Modeling Language ([\[UML\]](#)), typical examples of multiplicity are:

Multiplicity	Description	Keywords
1	Exactly one instance	Required
0..1	No instances or one instance	Optional
1..*	At least one instance	Required, Repeatable
0..*	Zero or more instances	Optional, Repeatable
m..n	At least m but no more than n instances	Required, Repeatable

When a repeatable field type is converted to a separate `ArrayOf()` Type, multiplicity is converted to the array size, enclosed in curly brackets, e.g.,:

Type Name	Type Definition	Description
Features	<code>ArrayOf(Feature) {0..10}</code>	An array of zero to ten names used to query an actuator for its supported capabilities.

A multiplicity of 0..1 denotes a single optional value of the specified type. A multiplicity of 0..n denotes a field that is either omitted or is an array containing one or more values of the specified type.

An array containing zero or more values of a specified type cannot be created implicitly using multiplicity, it must be defined explicitly as a named `ArrayOf` type. The named type can then be used as the type of a required field (multiplicity 1). Results are unspecified if an optional field (multiplicity 0..1) is a named `ArrayOf` type with a minimum length of zero.

3.1.4 Extensions

One of the main design goals of OpenC2 was extensibility. Actuator Profiles define the language extensions that are meaningful and possibly unique to the Actuator.

Each Profile has a unique name used to identify the profile document and a short reference called a namespace identifier (NSID). The NSID is a prefix used to separate types defined in one profile document from types defined in other profiles or this specification.

Example: the OASIS standard Stateless Packet Filtering profile has:

- **Namespace:** <http://docs.oasis-open.org/openc2/oc2slpf/v1.0/oc2slpf-v1.0.md>
- **NSID:** slpf
- **Language-defined type:** IPv4-Net
- **Profile-defined type:** slpf:Rule-ID

Example: the fictional, non-standard Superwidget Profile has:

- **Namespace:** <http://www.acme.com/openc2/superwidget-v1.0.html>
- **NSID:** acmesw
- **Language-defined type:** Device
- **Profile-defined type:** acmesw:Device

The list of Actions in [Section 3.3.1.1](#) SHALL NOT be extended.

Targets, defined in [Section 3.3.1.2](#), MAY be extended. Extended Target type names MUST be prefixed with a namespace identifier followed by a colon (":"). Extended target properties appear beneath (nested within) a profile property name.

Example: The Stateless Packet Filtering Profile supports both common and profile-specific targets:

Targets used in Consumers that support the SLPF actuator profile:

**** Type: Target (Choice) ****

ID	Name	Type	Description
13	ipv4_net	IPv4-Net	Targets defined in the LS
1024	slpf	slpf:AP-Target	Targets defined in the SLPF AP

Targets defined in the SLPF actuator profile:

**** Type: slpf:AP-Target (Choice) ****

ID	Name	Type	Description
1	rule_number	slpf:Rule-ID	

In this example Command, the extended Target `rule_number` of type `slpf:Rule-ID` appears within the SLPF profile property name `slpf`:

```
{
  "action": "delete",
  "target": {
    "slpf": {
      "rule_number": 1234
    }
  }
}
```

Command Arguments, defined in [Section 3.3.1.4](#), MAY also be extended using profile-defined types appearing within the profile property name.

**** Type: Args (Map) ****

ID	Name	Type	Description
1	start_time	Date-Time	Args defined in the LS

ID	Name	Type	Description
1024	slpf	slpf:AP-Args	Args defined in the SLPF AP

Args defined in the SLPF actuator profile:

** Type: slpf:AP-Args (Map) **

ID	Name	Type	Description
3	direction	slpf:Direction	

Example: In this example Command, the extended Argument, `direction` of type `slpf:Direction` contained in type `slpf:AP-Args`, appears in the Stateless Packet Filtering property name `slpf`:

```
{
  "action": "deny",
  "target": {
    "ipv6_net": {...}
  },
  "args": {
    "slpf": {
      "direction": "ingress"
    }
  }
}
```

The Profile property of a Command, defined in [Section 3.3.1.3](#), specifies the property name of the Actuator Profile that defines the function to be performed.

Example: In this example Command, the profile name `slpf` indicates that the `deny_ipv4_connection` command is to be performed as defined by the Stateless Packet Filtering Profile.

```
{
  "action": "deny",
  "target": {
    "ipv4_connection": {...}
  },
  "profile": "slpf"
}
```

Response results, defined in Section TBD, MAY be extended using the namespace identifier as the results name, called an extended results namespace. Extended results MUST be

defined within the extended results namespace.

Example: In this example Response, the Response results property, `rule_number`, is defined within the Stateless Packet Filtering Profile namespace, `slpf`.

```
{
  "status": 200,
  "results": {
    "slpf": {
      "rule_number": 1234
    }
  }
}
```

3.1.5 Serialization

OpenC2 is agnostic of any particular serialization; however, implementations **MUST** support JSON serialization in accordance with [\[RFC7493\]](#) and additional requirements specified in the following table.

JSON Serialization Requirements:

OpenC2 Data Type	JSON Serialization Requirement
Binary	JSON string containing Base64url encoding of the binary value as defined in [RFC4648] , Section 5.
Binary /x	JSON string containing Base16 (hex) encoding of a binary value as defined in [RFC4648] , Section 8. Note that the Base16 alphabet does not include lower-case letters.
IPv4-Addr	JSON string containing the "dotted-quad" representation of an IPv4 address as specified in [RFC2673] , Section 3.2.
IPv6-Addr	JSON string containing the text representation of an IPv6 address as specified in [RFC5952] , Section 4.
MAC-Addr	JSON string containing the text representation of a MAC Address in colon hexadecimal format as defined in [EUI] .
Boolean	JSON true or false
Integer	JSON number
Number	JSON number

OpenC2 Data Type	JSON Serialization Requirement
Null	JSON null
String	JSON string
Array	JSON array
Array /ipv4-net	JSON string containing the text representation of an IPv4 address range as specified in [RFC4632] , Section 3.1.
Array /ipv6-net	JSON string containing the text representation of an IPv6 address range as specified in [RFC4291] , Section 2.3.
ArrayOf	JSON array
Choice	JSON object with one member. Member key is the field name.
Choice.ID	JSON object with one member. Member key is the integer field id converted to string.
Enumerated	JSON string
Enumerated.ID	JSON integer
Map	JSON object . Member keys are field names.
Map.ID	JSON object . Member keys are integer field ids converted to strings.
MapOf	JSON object . Member keys are as defined in the specified key type.
Record	JSON object . Member keys are field names.

3.1.5.1 ID and Name Serialization

Instances of Enumerated types and keys for Choice and Map types are serialized as ID values except when using serialization formats intended for human consumption, where Name strings are used instead. Defining a type using ".ID" appended to the base type (e.g., Enumerated.ID, Map.ID) indicates that:

1. Type definitions and application values use only the ID. There is no corresponding name except as an optional part of the description.
2. Instances of Enumerated values and Choice/Map keys are serialized as IDs regardless of serialization format.

3.2 Message

This language specification and one or more Actuator Profiles define the content of Commands and Responses, while transfer specifications define the on-the-wire format of a Message over specific secure transport protocols. Transfer specifications are agnostic with regard to content, and content is agnostic with regard to transfer protocol. This decoupling is accomplished by defining a standard message interface used to transfer any type of content over any transfer protocol.

A message is a content- and transport-independent set of elements conveyed between Producers and Consumers. To ensure interoperability all transfer specifications must unambiguously define how the Message elements in [Table 3-1](#) are represented within the secure transport protocol. This does not imply that all Message elements must be used in all Messages. Content, content_type, and msg_type are required in all Messages. Other Message elements are not required by this specification but may be required by other specifications. The internal representation of a Message does not affect interoperability and is therefore beyond the scope of OpenC2.

Table 3-1. Common Message Elements

Name	Type	Description
content		Message body as specified by content_type and msg_type.
content_type	String	Media Type that identifies the format of the content, including major version. Incompatible content formats must have different content_types. Content_type application/openc2 identifies content defined by OpenC2 language specification versions 1.x, i.e., all versions that are compatible with version 1.1.
msg_type	Message-Type	The type of OpenC2 Message.
status	Status-Code	Populated with a numeric status code in Responses.
request_id	String	A unique identifier created by the Producer and copied by Consumer into all Responses, in order to support reference to a particular Command, transaction, or event chain.
created	Date-Time	Creation date/time of the content.
from	String	Authenticated identifier of the creator of or authority for execution of a message.
to	ArrayOf(String)	Authenticated identifier(s) of the authorized recipient(s) of a message.

As an alternative to using protocol-specific mechanisms to convey message elements, transfer specifications MAY collect all message elements into a single Message structure used as a protocol payload. The media type "application/openc2" is reserved with IANA to designate content in OpenC2 Message format. The Message structure and its media type are intended to remain stable across future versions of this specification.

Type: Message (Record)

ID	Name	Type	#	Description
1	headers	Headers	0..1	
2	body	Body	1	
3	signature	String	0..1	

Headers contains optional common message elements. Additional constraints on common header values may be defined. Additional headers may be defined. The "signature" field is used to contain an option digital signature to provide source authentication and integrity protections of the OpenC2 message.

Type: Headers (Map{1..*})

ID	Name	Type	#	Description
1	request_id	String	0..1	
2	created	Is:Date-Time	0..1	
3	from	String	0..1	
4	to	String	0..*	

Body indicates the Message content format and is intended to support new types of OpenC2 Content such as command lists or bundle objects, but OpenC2 may also assign Body types for non-OpenC2 content such as STIX or CACAO objects.

Type: Body (Choice)

ID	Name	Type	#	Description
1	openc2	OpenC2-Content	1	

Type: OpenC2-Content (Choice)

ID	Name	Type	#	Description
1	request	OpenC2-Command	1	
2	response	OpenC2-Response	1	
3	notification	OpenC2-Event	1	

Example JSON-serialized Message payload (without signature):

```
{
  "headers": {
    "request_id": "95ad511c-3339-4111-9c47-9156c47d37d3",
    "created": 1595268027000,
    "from": "Producer1@example.com",
    "to": ["consumer1@example.com", "consumer2@example.com",
"consumer3@example.com"]
  },
  "body": {
    "openc2": {
      "request": {
        "action": "deny",
        "target": {
          "uri": "http://www.example.com" }}}}
}
```

Usage Requirements:

- A Producer **MUST** include a `request_id` in the Message header of a Command if it requests a Response.
- The `request_id` of a Message **SHOULD** be a Version 4 UUID as specified in [\[RFC4122\]](#), Section 4.4.
- A Consumer **MUST** copy the `request_id` from the Message header of a Command into each Response to that Command.

3.3 Content

The purpose of this specification is to define the Action and Target portions of a Command and the common portions of a Response. The properties of the Command are defined in [Section 3.3.1](#) and the properties of the Response are defined in [Section 3.3.2](#).

In addition to the Action and Target, a Command has an optional Profile field. The semantics associated with Command and Response content are defined in the specified Actuator Profile.

3.3.1 OpenC2 Command

The Command defines an Action to be performed on a Target.

Type: OpenC2-Command (Record)

ID	Name	Type	#	Description
1	action	Action	1	The task or activity to be performed (i.e., the 'verb').
2	target	Target	1	The object of the Action. The Action is performed on the Target.
3	args	Args	0..1	Additional information that applies to the Command.
4	profile	Profile	0..1	The actuator profile defining the function to be performed by the Command.
5	command_id	Command-ID	0..1	An identifier of this Command.

Usage Requirements:

- A Consumer receiving a Command with `command_id` absent and `request_id` present in the header of the Message MUST use the value of `request_id` as the `command_id`.
- If present, the `args` property MUST contain at least one element defined in [Section 3.3.1.4](#).

3.3.1.1 Action

Type: Action (Enumerated)

ID	Name	Description
1	scan	Systematic examination of some aspect of the entity or its environment.
2	locate	Find an object physically, logically, functionally, or by organization.
3	query	Initiate a request for information.
6	deny	Prevent a certain event or action from completion, such as preventing a flow from reaching a destination or preventing access.

ID	Name	Description
7	contain	Isolate a file, process, or entity so that it cannot modify or access assets or processes.
8	allow	Permit access to or execution of a Target.
9	start	Initiate a process, application, system, or activity.
10	stop	Halt a system or end an activity.
11	restart	Stop then start a system or an activity.
14	cancel	Invalidate a previously issued Action.
15	set	Change a value, configuration, or state of a managed entity.
16	update	Instruct a component to retrieve, install, process, and operate in accordance with a software update, reconfiguration, or other update.
18	redirect	Change the flow of traffic to a destination other than its original destination.
19	create	Add a new entity of a known type (e.g., data, files, directories).
20	delete	Remove an entity (e.g., data, files, flows).
22	detonate	Execute and observe the behavior of a Target (e.g., file, hyperlink) in an isolated environment.
23	restore	Return a system to a previously known state.
28	copy	Duplicate an object, file, data flow, or artifact.
30	investigate	Task the recipient to aggregate and report information as it pertains to a security event or incident.
32	remediate	Task the recipient to eliminate a vulnerability or attack point.

Usage Requirements:

- Each Command MUST contain exactly one Action defined in [Section 3.3.1.1](#).

3.3.1.2 Target

Type: Target (Choice)

ID	Name	Type	#	Description
1	artifact	Artifact	1	An array of bytes representing a file-like object or a link to that object.
2	command	Command-ID	1	A reference to a previously issued Command.
3	device	Device	1	The properties of a hardware device.
7	domain_name	Domain-Name	1	A network domain name.
8	email_addr	Email-Addr	1	A single email address.
9	features	Features	1	A set of items used with the query Action to determine an Actuator's capabilities.
10	file	File	1	Properties of a file.
11	idn_domain_name	IDN-Domain-Name	1	An internationalized domain name.
12	idn_email_addr	IDN-Email-Addr	1	A single internationalized email address.
13	ipv4_net	IPv4-Net	1	An IPv4 address range including CIDR prefix length.
14	ipv6_net	IPv6-Net	1	An IPv6 address range including prefix length.
15	ipv4_connection	IPv4-Connection	1	A 5-tuple of source and destination IPv4 address ranges, source and destination ports, and protocol.
16	ipv6_connection	IPv6-Connection	1	A 5-tuple of source and destination IPv6 address ranges, source and destination ports, and protocol.
20	iri	IRI	1	An internationalized resource identifier (IRI).
17	mac_addr	MAC-Addr	1	A Media Access Control (MAC) address - EUI-48 or EUI-64 as defined in [EUI] .

ID	Name	Type	#	Description
18	process	Process	1	Common properties of an instance of a computer program as executed on an operating system.
19	uri	URI	1	A uniform resource identifier (URI).

Usage Requirements:

- The `target` field in a Command MUST contain exactly one type of Target (e.g., `ipv4_net`).

3.3.1.3 Profile

OpenC2 maintains an [administrative document](#) listing current, planned, and extension actuator profile information.

Type: Profile (Enumerated)

ID	Name	Description
1024	slpf	Stateless Packet Filtering
1025	sfpf	Stateful Packet Filtering
1026	sbom	Software Bill of Materials
1027	er	Endpoint Response
1028	hop	Honey_pot Control
1029	av	Anti-Virus
1030	ids	Intrusion Detection System
1031	log	Logging Control
1032	swup	Software Update
1034	pf	Packet Filtering
1035	pac	Security Posture Attribute Collection

3.3.1.4 Command Arguments

Type: Args (Map{1..*})

ID	Name	Type	#	Description
1	start_time	Date-Time	0..1	The specific date/time to initiate the Command
2	stop_time	Date-Time	0..1	The specific date/time to terminate the Command
3	duration	Duration	0..1	The length of time for a Command to be in effect
4	response_requested	Response-Type	0..1	The type of Response required for the Command: none, ack, status, complete.
5	comment	String	0..1	A human-readable note to annotate or provide information regarding the action.

Usage Requirements:

- `start_time`, `stop_time`, `duration`:
 - If none are specified, then `start_time` is now, `stop_time` is never, and `duration` is infinity.
 - Only two of the three are allowed on any given Command and the third is derived from the equation $stop_time = start_time + duration$.
 - If only `start_time` is specified then `stop_time` is never and `duration` is infinity.
 - If only `stop_time` is specified then `start_time` is now and `duration` is derived.
 - If only `duration` is specified then `start_time` is now and `stop_time` is derived.
- `response_requested`:
 - If `response_requested` is specified as `none` and the Consumer successfully executes the Command then the Consumer SHOULD NOT send a Response.
 - If `response_requested` is specified as `none` and the Consumer encounters an error then the Consumer SHOULD send a Response with a `status` consistent with the error detected.
 - If `response_requested` is specified as `ack` then the Consumer SHOULD send a Response acknowledging receipt of the Command: `{"status": 102}`.

- If `response_requested` is specified as `status` then the Consumer SHOULD send a Response containing the current status of Command execution.
- If `response_requested` is specified as `complete` then the Consumer SHOULD send a Response containing the status or results upon completion of Command execution.
- If `response_requested` is not explicitly specified then the Consumer SHOULD respond as if `complete` was specified.

3.3.2 OpenC2 Response

OpenC2-Response defines the structure of a response to OpenC2-Command.

Type: OpenC2-Response (Record)

ID	Name	Type	#	Description
1	status	Status-Code	1	An integer status code.
2	status_text	String	0..1	A free-form human-readable description of the Response status.
3	results	Results	0..1	Map of key:value pairs that contain additional results based on the invoking Command.

Example:

```
{
  "status": 200,
  "results": {
    "versions": ["1.1"]
  }
}
```

Usage Requirements:

- All Responses MUST contain a status.

3.3.2.1 Response Status Code

Type: Status-Code (Enumerated.ID)

ID	Description
----	-------------

ID	Description
102	Processing - an interim Response used to inform the Producer that the Consumer has accepted the Command but has not yet completed it.
200	OK - the Command has succeeded.
400	Bad Request - the Consumer cannot process the Command due to something that is perceived to be a Producer error (e.g., malformed Command syntax).
401	Unauthorized - the Command Message lacks valid authentication credentials for the target resource or authorization has been refused for the submitted credentials.
403	Forbidden - the Consumer understood the Command but refuses to authorize it.
404	Not Found - the Consumer has not found anything matching the Command.
500	Internal Error - the Consumer encountered an unexpected condition that prevented it from performing the Command.
501	Not Implemented - the Consumer does not support the functionality required to perform the Command.
503	Service Unavailable - the Consumer is currently unable to perform the Command due to a temporary overloading or maintenance of the Consumer.

3.3.2.2 Response Results

Type: Results (Map{1..*})

ID	Name	Type	#	Description
1	versions	Version unique	0..*	List of OpenC2 language versions supported by this Consumer
2	profiles	Nsid	0..*	List of profiles supported by this Consumer
3	pairs	Action-Targets	0..1	List of targets applicable to each supported Action
4	rate_limit	Number{0..*}	0..1	Maximum number of requests per minute supported by design or policy

3.3.3 OpenC2 Event

OpenC2-Event defines the content of a one-way notification. This structure defines no common event fields, but is the point at which profile-defined event content may be added.

Type: OpenC2-Event (Map{1..*})

ID	Name	Type	#	Description
----	------	------	---	-------------

3.3.4 Message Signatures

Command and control mechanisms need to provide appropriate security controls protecting message content (especially authentication of command origin and protection of command integrity) so that Consumers receiving commands can proceed to execute them with confidence and Producers can have confidence that the feedback in response messages is meaningful. Digital signatures can provide both of those security properties. OpenC2 messages can be protected with digital signatures using standard mechanisms. The following RFCs specify mechanisms for digital signature protection of JSON-encoded content:

- RFC 7515: JSON Web Signature (JWS) [RFC7515]
- RFC 8785: JSON Canonicalization Scheme (JCS) [RFC8785]
- RFC 7493: The I-JSON Format [RFC7493]

OpenC2 messages SHOULD be digitally signed, unless message integrity and source authentication are provided by other mechanisms.

OpenC2 messages serialized in JSON MUST conform to the requirements of RFC 7493 to support canonicalization.

Digitally-signed OpenC2 messages serialized in JSON MUST be signed using JSON Web Signature in accordance with RFC 7515.

Digitally-signed OpenC2 messages serialized in JSON MUST use the JWS Compact Serialization method described in RFC 7515, Section 3.1.

Digitally-signed OpenC2 messages MUST use the “Detached Content” format described in Appendix F of RFC 7515, and MUST NOT include the Base64url-encoded JWS content (i.e., the encoding of the OpenC2 message content) in the transmitted message.

The JWS signature for a digitally-signed OpenC2 message SHALL be placed in the optional “signature” field of the Message structure defined in Section 3.2.

An example of creating and validating an OpenC2 message signature is contained in [Annex A, Example 4](#).

The method for message recipients to identify and validate the appropriate public key to validate a message signature is beyond the scope of this specification. Alternative, appropriate signature mechanisms may need to be specified for serializations other than JSON.

3.4 Type Definitions

3.4.1 Target Types

3.4.1.1 Artifact

Type: **Artifact (Record{1..*})**

ID	Name	Type	#	Description
1	media_type	String	0..1	Media type description formatted as specified in [RFC6838]
2	payload	Payload	0..1	Choice of literal content or URL
3	hashes	Hashes	0..1	Hashes of the payload content

Usage Requirement:

- An "Artifact" Target MUST contain at least one property.
- `media_type` "Artifact" property values should be interpreted according to the values documented in the [IANA Media Types registry](#).

3.4.1.2 Device

Type: **Device (Map{1..*})**

ID	Name	Type	#	Description
1	hostname	Hostname	0..1	A hostname that can be used to connect to this device over a network
2	idn_hostname	IDN-Hostname	0..1	An internationalized hostname that can be used to connect to this device over a network
3	device_id	String	0..1	An identifier that refers to this device within an inventory or management system

Usage Requirement:

- A "Device" Target MUST contain at least one property.

3.4.1.3 Domain Name

Type Name	Type Definition	Description
Domain-Name	String /hostname	[RFC1034] , Section 3.5

3.4.1.4 Email Address

Type Name	Type Definition	Description
Email-Addr	String /email	Email address, [RFC5322] , Section 3.4.1

3.4.1.5 Features

Type Name	Type Definition	#	Description
Features	Feature unique	0..10	An array of zero to ten names used to query a Consumer for its supported capabilities.

Usage Requirements:

- A Producer **MUST NOT** send a list containing more than one instance of any Feature.
- A Consumer receiving a list containing more than one instance of any Feature **SHOULD** behave as if the duplicate(s) were not present.
- A Producer **MAY** send a 'query' Command containing an empty list of features. A Producer could do this to determine if a Consumer is responding to Commands (a heartbeat command) or to generate idle traffic to keep a connection to a Consumer from being closed due to inactivity (a keep-alive command). An active Consumer could return an empty response to this command, minimizing the amount of traffic used to perform heartbeat / keep-alive functions.

3.4.1.6 File

Type: File (Map{1..*})

ID	Name	Type	#	Description
1	name	String	0..1	The name of the file as defined in the file system
2	path	String	0..1	The absolute path to the location of the file in the file system
3	hashes	Hashes	0..1	One or more cryptographic hash codes of the file contents

Usage Requirement:

- A "File" Target **MUST** contain at least one property.

3.4.1.7 Internationalized Domain Name

Type Name	Type Definition	Description
-----------	-----------------	-------------

Type Name	Type Definition	Description
IDN-Domain-Name	String /idn-hostname	Internationalized Domain Name, [RFC5890] , Section 2.3.2.3.

3.4.1.8 Internationalized Email Address

Type Name	Type Definition	Description
IDN-Email-Addr	String /idn-email	Internationalized email address, [RFC6531]

3.4.1.9 IPv4 Address Range

An IPv4 address range is a CIDR block per "Classless Inter-domain Routing (CIDR): The Internet Address Assignment and Aggregation Plan" [\[RFC4632\]](#) and consists of two values, an IPv4 address and a prefix.

For example, "192.168.17.0/24" is range of IP addresses with a prefix of 24 (i.e. 192.168.17.0 - 192.168.17.255).

JSON serialization of an IPv4 address range SHALL use the 'dotted/slash' textual representation of [\[RFC4632\]](#).

CBOR serialization of an IPv4 address range SHALL use a binary representation of the IP address and the prefix, each in their own field.

Type: IPv4-Net (Array /ipv4-net)

ID	Type	#	Description
1	IPv4-Addr	1	IPv4 address as defined in [RFC0791]
2	Integer	0..1	CIDR prefix-length. If omitted, refers to a single host address.

3.4.1.10 IPv4 Connection

Type: IPv4-Connection (Record{1..*})

ID	Name	Type	#	Description
1	src_addr	IPv4-Net	0..1	IPv4 source address range
2	src_port	Port	0..1	Source service per [RFC6335]
3	dst_addr	IPv4-Net	0..1	IPv4 destination address range

ID	Name	Type	#	Description
4	dst_port	Port	0..1	Destination service per [RFC6335]
5	protocol	L4-Protocol	0..1	Layer 4 protocol (e.g., TCP) - see Section 3.4.2.10

Usage Requirement:

- An "IPv4-Connection" MUST contain at least one property.

3.4.1.11 IPv6 Address Range**Type: IPv6-Net (Array /ipv6-net)**

ID	Type	#	Description
1	IPv6-Addr	1	IPv6 address as defined in [RFC8200]
2	Integer	0..1	prefix-length. If omitted, refers to a single host address.

3.4.1.12 IPv6 Connection**Type: IPv6-Connection (Record{1..*})**

ID	Name	Type	#	Description
1	src_addr	IPv6-Net	0..1	IPv6 source address range
2	src_port	Port	0..1	Source service per [RFC6335]
3	dst_addr	IPv6-Net	0..1	IPv6 destination address range
4	dst_port	Port	0..1	Destination service per [RFC6335]
5	protocol	L4-Protocol	0..1	Layer 4 protocol (e.g., TCP) - Section 3.4.2.10

Usage Requirement:

- An "IPv6-Connection" Target MUST contain at least one property.

3.4.1.13 IRI

Type Name	Type Definition	Description
IRI	String /iri	Internationalized Resource Identifier, [RFC3987] .

3.4.1.14 MAC Address

Type Name	Type Definition	Description
MAC-Addr	Binary /eui	Media Access Control / Extended Unique Identifier address - EUI-48 or EUI-64 as defined in [EUI] .

3.4.1.15 Process

Type: Process (Map{1..*})

ID	Name	Type	#	Description
1	pid	Integer{0..*}	0..1	Process ID of the process
2	name	String	0..1	Name of the process
3	cwd	String	0..1	Current working directory of the process
4	executable	File	0..1	Executable that was executed to start the process
5	parent	Process	0..1	Process that spawned this one
6	command_line	String	0..1	The full command line invocation used to start this process, including all arguments

Usage Requirement:

- A "Process" Target MUST contain at least one property.

3.4.1.16 URI

Type Name	Type Definition	Description
URI	String (uri)	Uniform Resource Identifier, [RFC3986] .

3.4.2 Data Types

3.4.2.1 Action-Targets

Type Name	Type Definition	Description
Action-Targets	MapOf(Action, Targets){1..*}	Map of each action supported by this actuator function to the list of targets applicable to that action.

3.4.2.2 Command-ID

Type Name	Type Definition	Description
Command-ID	String (%^\S{0,36}\$%)	Command Identifier

3.4.2.3 Date-Time

Type Name	Type Definition	Description
Date-Time	Integer{0..*}	Date and Time

Usage Requirements:

- Value is the number of milliseconds since 00:00:00 UTC, 1 January 1970

3.4.2.4 Duration

Type Name	Type Definition	Description
Duration	Integer{0..*}	A length of time

Usage Requirements:

- Value is a number of milliseconds

3.4.2.F Feature

Specifies the results to be returned from a query features Command.

Type: Feature (Enumerated)

ID	Name	Description
1	versions	List of OpenC2 Language versions supported by this Consumer
2	profiles	List of Actuator profiles supported by this Consumer
3	pairs	List of supported Actions and applicable Targets
4	rate_limit	Maximum number of Commands per minute supported by design or policy

3.4.2.6 Hashes

Type: Hashes (Map{1..*})

ID	Name	Type	#	Description
1	md5	Binary /x	0..1	MD5 hash as defined in [RFC1321]
2	sha1	Binary /x	0..1	SHA1 hash as defined in [RFC6234]
3	sha256	Binary /x	0..1	SHA256 hash as defined in [RFC6234]

Usage Requirement:

- A "Hashes" data type MUST contain at least one key.

3.4.2.7 Hostname

Type Name	Type Definition	Description
Hostname	String /hostname	Internet host name as specified in [RFC1123]

3.4.2.8 Internationalized Hostname

Type Name	Type Definition	Description
IDN-Hostname	String /idn-hostname	Internationalized Internet host name as specified in [RFC5890] , Section 2.3.2.3.

3.4.2.9 IPv4 Address

Type Name	Type Definition	Description
IPv4-Addr	Binary /ipv4-addr	32 bit IPv4 address as defined in [RFC0791]

3.4.2.10 IPv6 Address

Type Name	Type Definition	Description
IPv6-Addr	Binary /ipv6-addr	128 bit IPv6 address as defined in [RFC8200]

3.4.2.11 L4 Protocol

Value of the IPv4 "protocol" or IPv6 "next header" field in an IP packet. Recognized values for these fields are registered with IANA, according to the process defined in [\[RFC5237\]](#). The table below identifies a non-exhaustive set of commonly used values.

Type: L4-Protocol (Enumerated)

ID	Name	Description
1	icmp	Internet Control Message Protocol - [RFC0792]
6	tcp	Transmission Control Protocol - [RFC9293]
17	udp	User Datagram Protocol - [RFC0768]
28	ipv6_icmp	ICMP for IPv6 - [RFC8200]
132	sctp	Stream Control Transmission Protocol - [RFC4960]

Usage Requirement:

- The IPv4 Protocol field and IPv6 Next Header field are 8-bit values, therefore L4-Protocol is an enumeration from 0..255.
- Values of L4-Protocol should be interpreted as documented in [\[IANA_Protocols\]](#).

3.4.2.12 Message-Type

Identifies the type of Message.

Type: Message-Type (Enumerated)

ID	Name	Description
1	command	The Message content is an OpenC2 Command
2	response	The Message content is an OpenC2 Response

3.4.2.13 Namespace Identifier

Type Name	Type Definition	Description
Nsid	String{1..16}	A short identifier that refers to a namespace.

3.4.2.14 Payload**Type: Payload (Choice)**

ID	Name	Type	#	Description
1	bin	Binary	1	Specifies the data contained in the artifact
2	url	URI	1	MUST be a valid URL that resolves to the un-encoded content

3.4.2.15 Port

Type Name	Type Definition	Description
Port	Integer{0..65535}	Transport Protocol Port Number, [RFC6335]

3.4.2.16 Response-Type

Type: Response-Type (Enumerated)

ID	Name	Description
0	none	No response
1	ack	Respond when Command received
2	status	Respond with progress toward Command completion
3	complete	Respond when all aspects of Command completed

3.4.2.17 Targets

Type Name	Type Definition	Description
Targets	ArrayOf(Enum(Target)){1..*} unique	List of Target fields

3.4.2.18 Version

Used to report the version(s) of OpenC2 supported by Consumers.

Type Name	Type Definition	Description
Version	String	OpenC2 version in "Major.Minor" format

Usage Requirement:

- A Version string **MUST** contain the major and minor version numbers, represented as integers separated by a period (e.g., "1.1").

4 Mandatory Commands/Responses

The content in this section is normative, except where it is marked non-normative.

A Command consists of an Action/Target pair and associated Specifiers and Arguments. This section enumerates the allowed Commands, identifies which are required or optional to implement, and presents the associated responses.

4.1 Implementation of 'query features' Command

The 'query features' Command is REQUIRED for all Producers and Consumers implementing OpenC2. This section defines the REQUIRED and OPTIONAL aspects of the 'query features' Command and associated response for Producers and Consumers.

The 'query features' Command is REQUIRED for all Producers. The 'query features' Command MAY include one or more Features as defined in [Section 3.4.2.4](#). The 'query features' Command MAY include the "response_requested": "complete" Argument. The 'query features' Command MUST NOT include any other Argument.

The 'query features' Command is REQUIRED for all Consumers. Consumers that receive and parse the 'query features':

- With any Argument other than "response_requested": "complete"
 - MUST NOT respond with OK/200.
 - SHOULD respond with Bad Request/400.
 - MAY respond with the 500 status code.
- With no Target Specifiers MUST respond with response code 200.
- With the "versions" Target Specifier MUST respond with status 200 and populate the versions field with a list of the OpenC2 Language Versions supported by the consumer.
- With the "profiles" Target Specifier MUST respond with status 200 and populate the profiles field with a list of profiles supported by the consumer.
- With the "pairs" Target Specifier MUST respond with status 200 and populate the pairs field with a list of action target pairs that define valid commands supported by the consumer.
- With the "rate_limit" Target Specifier populated:
 - SHOULD respond with status 200 and populate the rate_limit field with the maximum number of Commands per minute that the Consumer may support.
 - MAY respond with status 200 and with the rate_limit field unpopulated.

4.2 Examples of 'query features' Commands and Responses

This section is non-normative.

This sub-section provides examples of 'query features' Commands and Responses. The examples provided in this section are for illustrative purposes only and are not to be interpreted as operational examples for actual systems.

4.2.1 Example 1

There are no features specified in the 'query features' Command. A simple "OK" Response Message is returned.

Command:

```
{
  "action": "query",
  "target": {
    "features": []
  }
}
```

Response:

```
{
  "status": 200
}
```

4.2.2 Example 2

There are several features requested in the 'query features' Command. All requested features can be returned in a single Response Message.

Command:

```
{
  "action": "query",
  "target": {
    "features": ["versions", "profiles", "rate_limit"]
  }
}
```

Response:

```
{
  "status": 200,
```

Standards Track Work Product

```
"results": {  
  "versions": ["1.1"],  
  "profiles": ["slpf", "x-lock"],  
  "rate_limit": 30  
}  
}
```

5 Conformance

This content in this section is normative.

5.1 Conformance Clause 1: Command

A conformant Command

- 5.1-1 MUST be structured in accordance with [Section 3.3.1](#).
- 5.1-2 MUST include exactly one `action` property defined in accordance with [Section 3.3.1.1](#).
- 5.1-3 MUST include exactly one `target` property defined in accordance with [Section 3.3.1.2](#) or exactly one imported `target` property defined in accordance with [Section 3.1.4](#).
- 5.1-4 MUST include zero or one `profile` property defined in accordance with [Section 3.3.1.3](#).
- 5.1-5 MUST include zero or one `args` property defined in accordance with [Section 3.3.1.4](#) or zero or one imported `args` property defined in accordance with [Section 3.1.4](#).

5.2 Conformance Clause 2: Response

A conformant Response

- 5.2-1 MUST be structured in accordance with [Section 3.3.2](#).
- 5.2-2 MUST include exactly one `status` property defined in accordance with [Section 3.3.2.1](#).

5.3 Conformance Clause 3: Producer

A conformant Producer

- 5.3-1 MUST issue Commands and process Responses in accordance with [Section 4](#).
- 5.3-2 MUST implement JSON serialization of generated Commands in accordance with [\[RFC7493\]](#).
- 5.3-3 MUST implement JSON serialization of received Responses in accordance with [\[RFC7493\]](#).

5.4 Conformance Clause 4: Consumer

A conformant Consumer

- 5.4-1 MUST process Commands and issue Responses in accordance with [Section 4](#).
- 5.4-2 MUST implement JSON serialization of generated Responses in accordance with [\[RFC7493\]](#).
- 5.4-3 MUST implement JSON serialization of received Commands in accordance with [\[RFC7493\]](#).

Appendix A. References

This appendix contains the normative and informative references that are used in this document. Normative references are specific (identified by date of publication and/or edition number or version number) and Informative references are either specific or non-specific.

While any hyperlinks included in this appendix were valid at the time of publication, OASIS cannot guarantee their long-term validity.

A.1 Normative References

The following documents are referenced in such a way that some or all of their content constitutes requirements of this document.

[JADN-v1.0]

JSON Abstract Data Notation Version 1.0. Edited by David Kemp. 17 August 2021. OASIS Committee Specification 01. <https://docs.oasis-open.org/openc2/jadn/v1.0/cs01/jadn-v1.0-cs01.html>. Latest stage: <https://docs.oasis-open.org/openc2/jadn/v1.0/jadn-v1.0.html>.

[OpenC2-HTTPS-v1.0]

Specification for Transfer of OpenC2 Messages via HTTPS Version 1.0. Edited by David Lemire. Latest version: <http://docs.oasis-open.org/openc2/open-impl-https/v1.0/open-impl-https-v1.0.html>

[OpenC2-SLPF-v1.0]

Open Command and Control (OpenC2) Profile for Stateless Packet Filtering Version 1.0. Edited by Joe Brule, Duncan Sparrell, and Alex Everett. Latest version: <http://docs.oasis-open.org/openc2/oc2slpf/v1.0/oc2slpf-v1.0.html>

[RFC0768]

Postel, J., "User Datagram Protocol", STD 6, RFC 768, DOI 10.17487/RFC0768, August 1980, <https://www.rfc-editor.org/info/rfc768>.

[RFC0791]

Postel, J., "Internet Protocol", STD 5, RFC 791, DOI 10.17487/RFC0791, September 1981, <https://www.rfc-editor.org/info/rfc791>.

[RFC0792]

Postel, J., "Internet Control Message Protocol", STD 5, RFC 792, DOI 10.17487/RFC0792, September 1981, <https://www.rfc-editor.org/info/rfc792>.

[RFC1034]

Mockapetris, P., "Domain names - concepts and facilities", STD 13, RFC 1034, DOI 10.17487/RFC1034, November 1987, <https://www.rfc-editor.org/info/rfc1034>.

[RFC1123]

Braden, R., Ed., "Requirements for Internet Hosts - Application and Support", STD 3, RFC 1123, DOI 10.17487/RFC1123, October 1989, <https://www.rfc-editor.org/info/rfc1123>.

[RFC1321]

Rivest, R., "The MD5 Message-Digest Algorithm", RFC 1321, DOI 10.17487/RFC1321, April 1992, <https://www.rfc-editor.org/info/rfc1321>.

[RFC2119]

Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, DOI 10.17487/RFC2119, March 1997, <https://www.rfc-editor.org/info/rfc2119>.

[RFC2673]

Crawford, M., "*Binary Labels in the Domain Name System*", RFC 2673, August 1999, <https://tools.ietf.org/html/rfc2673>

[RFC3444]

Pras, A., Schoenwaelder, J., "On the Difference between Information Models and Data Models", RFC 3444, January 2003, <https://tools.ietf.org/html/rfc3444>.

[RFC3986]

Berners-Lee, T., Fielding, R., and L. Masinter, "Uniform Resource Identifier (URI): Generic Syntax", STD 66, RFC 3986, DOI 10.17487/RFC3986, January 2005, <https://www.rfc-editor.org/info/rfc3986>.

[RFC3987]

Duerst, M. and M. Suignard, "Internationalized Resource Identifiers (IRIs)", RFC 3987, DOI 10.17487/RFC3987, January 2005, <https://www.rfc-editor.org/info/rfc3987>.

[RFC4122]

Leach, P., Mealling, M., and R. Salz, "A Universally Unique Identifier (UUID) URN Namespace", RFC 4122, DOI 10.17487/RFC4122, July 2005, <https://www.rfc-editor.org/info/rfc4122>.

[RFC4291]

Hinden, R. and S. Deering, "IP Version 6 Addressing Architecture", RFC 4291, DOI 10.17487/RFC4291, February 2006, <https://www.rfc-editor.org/info/rfc4291>.

[RFC4632]

Fuller, V. and T. Li, "Classless Inter-domain Routing (CIDR): The Internet Address Assignment and Aggregation Plan", BCP 122, RFC 4632, DOI 10.17487/RFC4632, August 2006, <https://www.rfc-editor.org/info/rfc4632>.

[RFC4648]

Josefsson, S., "The Base16, Base32, and Base64 Data Encodings", RFC 4648, DOI 10.17487/RFC4648, October 2006, <https://www.rfc-editor.org/info/rfc4648>.

[RFC4960]

Stewart, R., Ed., "Stream Control Transmission Protocol", RFC 4960, DOI 10.17487/RFC4960, September 2007, <https://www.rfc-editor.org/info/rfc4960>.

[RFC5237]

Arkko, J. and S. Bradner, "IANA Allocation Guidelines for the Protocol Field", BCP 37, RFC 5237, DOI 10.17487/RFC5237, February 2008, <https://www.rfc-editor.org/info/rfc5237>.

[RFC5322]

Resnick, P., Ed., "Internet Message Format", RFC 5322, DOI 10.17487/RFC5322, October 2008, <https://www.rfc-editor.org/info/rfc5322>.

[RFC5890]

Klensin, J., "Internationalized Domain Names for Applications (IDNA): Definitions and Document Framework", RFC 5890, DOI 10.17487/RFC5890, August 2010, <https://www.rfc-editor.org/info/rfc5890>.

[RFC5952]

Kawamura, S. and M. Kawashima, "A Recommendation for IPv6 Address Text Representation", RFC 5952, DOI 10.17487/RFC5952, August 2010, <https://www.rfc-editor.org/info/rfc5952>.

[RFC6234]

Eastlake 3rd, D. and T. Hansen, "US Secure Hash Algorithms (SHA and SHA-based HMAC and HKDF)", RFC 6234, DOI 10.17487/RFC6234, May 2011, <https://www.rfc-editor.org/info/rfc6234>.

[RFC6335]

Cotton, M., Eggert, L., Touch, J., Westerlund, M., and S. Cheshire, "Internet Assigned Numbers Authority (IANA) Procedures for the Management of the Service Name and Transport Protocol Port Number Registry", BCP 165, RFC 6335, DOI 10.17487/RFC6335, August 2011, <https://www.rfc-editor.org/info/rfc6335>.

[RFC6531]

Yao, J. and W. Mao, "SMTP Extension for Internationalized Email", RFC 6531, DOI 10.17487/RFC6531, February 2012, <https://www.rfc-editor.org/info/rfc6531>.

[RFC6838]

Freed, N., Klensin, J., and T. Hansen, "Media Type Specifications and Registration Procedures", BCP 13, RFC 6838, DOI 10.17487/RFC6838, January 2013, <https://www.rfc-editor.org/info/rfc6838>.

[RFC7493]

Bray, T., Ed., "The I-JSON Message Format", RFC 7493, DOI 10.17487/RFC7493, March 2015, <https://www.rfc-editor.org/info/rfc7493>.

[RFC7515]

Jones, M., Bradley, J., and N. Sakimura, "JSON Web Signature (JWS)", RFC 7515, DOI 10.17487/RFC7515, May 2015, <https://www.rfc-editor.org/info/rfc7515>.

[RFC8174]

Leiba, B., "Ambiguity of Uppercase vs Lowercase in RFC 2119 Key Words", BCP 14, RFC 8174, DOI 10.17487/RFC8174, May 2017, <https://www.rfc-editor.org/info/rfc8174>.

[RFC8200]

Deering, S. and R. Hinden, "Internet Protocol, Version 6 (IPv6) Specification", STD 86, RFC 8200, DOI 10.17487/RFC8200, July 2017, <https://www.rfc-editor.org/info/rfc8200>.

[RFC8259]

Bray, T., Ed., "The JavaScript Object Notation (JSON) Data Interchange Format", STD 90, RFC 8259, DOI 10.17487/RFC8259, December 2017, <https://www.rfc-editor.org/info/rfc8259>.

[RFC8785]

Rundgren, A., Jordan, B., and S. Erdtman, "JSON Canonicalization Scheme (JCS)", RFC 8785, DOI 10.17487/RFC8785, June 2020, <https://www.rfc-editor.org/info/rfc8785>.

[RFC9293]

Eddy, W., "Transmission Control Protocol (TCP)", RFC 9293, DOI: 10.17487/RFC9293, August 2022, <https://www.rfc-editor.org/info/rfc8785>.

[EUI]

"IEEE Registration Authority Guidelines for use of EUI, OUI, and CID", IEEE, August 2017, <https://standards.ieee.org/content/dam/ieee-standards/standards/web/documents/tutorials/eui.pdf>

[IEEE_RA]

"IEEE Registration Authority: Assignments", IEEE, August 2022,
<https://regauth.standards.ieee.org/standards-ra-web/pub/view.html#registries>

[IANA_Protocols]

"Internet Assigned Numbers Authority Protocol Numbers", IANA, August 2022,
<https://www.iana.org/assignments/protocol-numbers>

[IANA_Media]

"Internet Assigned Numbers Authority Media Types", IANA, August 2022,
<https://www.iana.org/assignments/media-types>

A.2 Informative References

[RFC3552]

Rescorla, E. and B. Korver, "Guidelines for Writing RFC Text on Security Considerations", BCP 72, RFC 3552, DOI 10.17487/RFC3552, July 2003, <https://www.rfc-editor.org/info/rfc3552>.

[RFC8610]

Birkholz, H., Vigano, C. and Bormann, C., "Concise Data Definition Language (CDDL): A Notational Convention to Express Concise Binary Object Representation (CBOR) and JSON Data Structures", RFC 8610, DOI 10.17487/RFC8610, June 2019, <https://www.rfc-editor.org/info/rfc8610>

[IACD]

"What is IACD", **IACD**, Integrated Adaptive Cyber Defense, 3/17/2018,
<https://www.iacdautomate.org/>

[JSON-Schema]

"JSON Schema, a vocabulary that allows you to annotate and validate JSON documents.", retrieved 9/26/2022, <https://json-schema.org/>

[UML]

"Unified Modeling Language", Version 2.5.1, December 2017,
<https://www.omg.org/spec/UML/2.5.1/About-UML/>

Appendix B. Safety, Security and Privacy Considerations

(Note: OASIS strongly recommends that Technical Committees consider issues that might affect safety, security, privacy, and/or data protection in implementations of their specification and document them for implementers and adopters. For some purposes, you may find it required, e.g. if you apply for IANA registration.

While it may not be immediately obvious how your specification might make systems vulnerable to attack, most specifications, because they involve communications between systems, message formats, or system settings, open potential channels for exploit. For example, IETF [\[RFC3552\]](#) lists “eavesdropping, replay, message insertion, deletion, modification, and man-in-the-middle” as well as potential denial of service attacks as threats that must be considered and, if appropriate, addressed in IETF RFCs.

In addition to considering and describing foreseeable risks, this section should include guidance on how implementers and adopters can protect against these risks.

We encourage editors and TC members concerned with this subject to read *Guidelines for Writing RFC Text on Security Considerations*, IETF [\[RFC3552\]](#), for more information.

Remove this note before submitting for publication.) **{TO DO}**

Appendix C. Examples

The content in this section is non-normative.

C.1 Example 1: Device Quarantine

This Command would be used to quarantine a device on the network.

```
{
  "action": "contain",
  "target": {
    "device": {
      "device_id": "9BCE8431AC106FAA3861C7E771D20E53"
    }
  }
}
```

C.2 Example 2: Block Connection

This Command blocks a particular connection within the domain. The standard Actuator Profile `slpf` defines the extended Command Argument `drop_process`. The Response is a simple acknowledgment that was requested in the Command arguments.

Command:

```
{
  "action": "deny",
  "target": {
    "ipv4_connection": {
      "protocol": "tcp",
      "src_addr": "1.2.3.4",
      "src_port": 10996,
      "dst_addr": "198.2.3.4",
      "dst_port": 80
    }
  },
  "args": {
    "start_time": 1534775460000,
    "duration": 500,
    "response_requested": "ack",
    "slpf": {
      "drop_process": "none"
    }
  },
  "profile": "slpf"
}
```

```
}

```

Response:

```
{
  "status": 102
}
```

Editor's Note: Replace with an example that does not use "properties".

C.3 Example 3: Message Signature Processing

This example illustrates the creation and validation of a JSON message signature, as specified in [3.3.4 Message Signatures](#). The example in this section was prepared using the on-line JWS tool at <https://mobilepki.org/jws-ct/create>, using the ES256 algorithm. Base64url-encoded data and canonicalized JSON in the example are shown with line wrapping for presentation only.

C.3.1 OpenC2 Message Signature

The user embeds the signature field into the end of the payload that carries all the data required to validate authenticity and integrity of the payload. This should be done as a last step before transfer and only for the purposes of transferring the signature along with the payload. Once the payload is received the receiver should strip off the signature field from the payload, validate the signature, validate the content, and then process the contents. The process in which a particular payload will be signed will be determined by the serialization utilized.

In JSON we can accomplish this by utilizing well know [RFC8785] JSON Web Signatures (JWS) and [RFC7515] JSON Canonicalizing Scheme (JCS). Although [RFC7515] supports a variety of configurations, for this example we will use the ES256 algorithm and assume that the receiver has a mechanism to discover the correct public key. The following is a generic approach, many libraries in multiple programming languages exist that can alter/simplify this process.

C.3.2 OpenC2 Signing Operation (JSON)

1. Generate the OpenC2 JSON object as described in the OpenC2 Language Specification.

```
{
  "headers": {
    "request_id": "95ad511c-3339-4111-9c47-9156c47d37d3",
    "created": 1595268027000,
    "from": "Producer1@example.com",
    "to": ["consumer1@example.com", "consumer2@example.com",
    "consumer3@example.com"]
  }
}
```



```

"body": {
  "openc2": {
    "request": {
      "action": "deny",
      "target": {
        "uri": "http://www.example.com"
      }
    }
  }
  "signature":
  "eyJhbGciOiJSUzI1NiIsImtpZCI6I1Byb2R1Y2VyMUBleGFtcGxlLmNvbSJ9..PsJmWi726O_HTK-
  Svp_fI1Z8FdIH6jeWslM9F5Qrv1gFqv7EwREGOUU4rd53hHS59Yr0Zapk4Ryv9XFmPxH0bw"
}

```

5. Serialize the signed OpenC2 JSON object and send to recipient(s).

C.3.3 OpenC2 Signing Validation (JSON)

1. Parse the received OpenC2 JSON object and separate out the signature. This should yield:

A. Original OpenC2 JSON object.

```

{
  "headers": {
    "request_id": "95ad511c-3339-4111-9c47-9156c47d37d3",
    "created": 1595268027000,
    "from": "Producer1@example.com",
    "to": ["consumer1@example.com", "consumer2@example.com",
"consumer3@example.com"]
  },
  "body": {
    "openc2": {
      "request": {
        "action": "deny",
        "target": {
          "uri": "http://www.example.com"
        }
      }
    }
  }
}

```

B. Original Detached JWS.

```
eyJhbGciOiJSUzI1NiIsImtpZCI6I1Byb2R1Y2VyMUBleGFtcGxlLm
```

```
NvbSJ9..PsJmWi7260_HTK-Svp_fIlZ8FdIH6jeWslM9F5Qrv1gFqv
7EwREGOUU4rd53hHS59Yr0Zapk4Ryv9XFmPxHObw
```

2. Canonicalize JSON Data using the process described in RFC8785.

```
{"body":{"openc2":{"request":{"action":"deny","target":
{"uri":"http://www.example.com"}}}},
"headers":
{"created":1595268027000,"from":"Producer1@example.com","request_id":"95ad511c-
3339-4111-9c47-9156c47d37d3",
"to":
["consumer1@example.com","consumer2@example.com","consumer3@example.com"]}}
```

3. Create a JWS using the process described in RFC7515.

A. Base64 encode our canonicalize JSON object from step 2 to create the JWS payload

```
eyJib2R5IjpwIm9wZW5jMiI6eyJyZXF1ZlZlYXN0IjpwImFjdGlvbiI6Im
RlbnkiLCJ0YXJnZXQiOnsidXJpIjoiaHR0cDovL3d3dy5leGFtcGxl
LmNvbSJ9fX19LCJoaXJkaXZlIjpwImNyZWZ0ZWQiOjE1OTUyNjgwMj
cWMDAsImZyb20iOiJQcm9kdWlnZjFAZlZhbXBsZS5jb20iLCJyZXF1
ZlZlYXN0X2lkIjoiOTVhZDUXMmMtMmZlOS00MTExLTI1NDctOTE1NmM0N2
QzN2QzIiwidG8iOiIy9uc3VtZXIy9uc3VtZXIzQG4YW1wbGUuY29tIiwieY29u
c3VtZXIzQG4YW1wbGUuY29tIiwieY29uc3VtZXIzQG4YW1wbGUuY2
9tIi119fQ
```

B. Overwrite the detached JWS empty string between the first and second period characters with the JWS payload to create a standard, non-detached, JWS.

```
eyJhbGciOiJSUzI1NiIsImtpZCI6IjpwIm9wZW5jMiI6eyJyZXF1ZlZlYXN0IjpwImFjdGlvbiI6ImRlbnkiLCJ0YXJnZXQiOnsidXJpIjoiaHR0cDovL3d3dy5leGFtcGxlLmNvbSJ9fX19LCJoaXJkaXZlIjpwImNyZWZ0ZWQiOjE1OTUyNjgwMjcwMDAsImZyb20iOiJQcm9kdWlnZjFAZlZhbXBsZS5jb20iLCJyZXF1ZlZlYXN0X2lkIjoiOTVhZDUXMmMtMmZlOS00MTExLTI1NDctOTE1NmM0N2QzN2QzIiwidG8iOiIy9uc3VtZXIy9uc3VtZXIzQG4YW1wbGUuY29tIiwieY29uc3VtZXIzQG4YW1wbGUuY29tIiwieY29uc3VtZXIzQG4YW1wbGUuY29tIi119fQ.PsJmWi7260_HTK-Svp_fIlZ8FdIH6jeWslM9F5Qrv1gFqv7EwREGOUU4rd53hHS59Yr0Zapk4Ryv9XFmPxHObw
```

4. Follow the JWS validation process described in RFC7515.

A. Save the JWS signing Input (which is the initial substring of the JWS up until but not including the second period character)

```
eyJhbGciOiJSUzI1NiIsImtpZCI6IjpwIm9wZW5jMiI6eyJyZXF1ZlZlYXN0IjpwImFjdGlvbiI6ImRlbnkiLCJ0YXJnZXQiOnsidXJpIjoiaHR0cDovL3d3dy5le
```

Standards Track Work Product

```
GFtcGxlLmNvbSJ9fX19LCJoZWFkZXJzIjp7ImNyZWZF0ZWQiOjeE1OTU  
yNjgwMjcwMDAsImZyb20iOiJQcm9kdWNlcjFAZXhhbXBsZS5jb20iL  
CJyZXF1ZXN0X2lkIjoiotVhZDUxMWMtMzMzOS00MTEuXzIjNDctOTE  
1NmM0N2QzN2QzIiwidG8iOlSiY29uc3VtZXIyY29uc3VtZXIzQGV4YW1  
wbGUuY29tI119fQ
```

B. Save the JWS signature (Which is the string following but not including the second period character)

```
PsJmWi7260_HTK-Svp_fI1Z8FdIH6jeWslM9F5Qrv1gFqv7EwREGOU  
U4rd53hHS59Yr0Zapk4Ryv9XFmPxHObw
```

C. Pass the public key, the JWS signature, and the JWS signing input to an ES256 signature verifier. Expect a Boolean response.

```
-----BEGIN PUBLIC KEY-----  
MFkwEwYHKoZIzj0CAQYIKoZIzj0DAQcDQgAE6BKxpty8cI+exDzCkh+goU6dXq3MbcY0cd1LaAxi  
NrWYJty9TObjiPcu3Zvke/JCWhD3W1/YPZX6DN5TFzPr2A==  
-----END PUBLIC KEY-----
```

Appendix D. Schema Development With JADN

The content in this section is non-normative.

This appendix provides a brief overview of the *JSON Abstract Data Notation (JADN)* [[JADN-v1.0](#)] information modeling (IM) language and its application to rigorously specifying the OpenC2 language. Unless explicitly labeled otherwise, section references in this appendix are to sections of the [JADN](#) specification, rather than this Language Specification.

D.1 JADN Overview

The abstract of the OASIS Committee Specification for JADN describes it as follows:

```
JSON Abstract Data Notation (JADN) is a UML-based information modeling language that defines data structure independently of data format.
```

As the specification explains (section 1): [RFC 3444](#), "Information Models and Data Models", notes that the main purpose of an **information model** is to model objects at a conceptual level, independent of specific implementations or protocols used to transport the data. JADN provides a tool for developing information models, which can be used to define and generate physical data models, validate information instances, and enable lossless translation across data formats.

A JADN specification consists of:

- type definitions that comprise the information model, and
- serialization rules that define how information instances are represented as data.

The model is documented using a compact and expressive interface definition language, property tables, or entity relationship diagrams, easing integration with existing design processes and architecture tools.

JADN defines a set of base types that includes five "primitives" (e.g., boolean, string), and seven complex types (e.g., array, map, record). JADN type definitions have a fixed structure designed to be easily describable, easily processed, stable, and extensible. Every definition in a JADN document is described in terms of five elements (JADN specification section 3.1):

1. **TypeName**: a string containing the name of the type being defined
2. **BaseType**: a choice from the JADN predefined types (Table 3-1) of the type being defined
3. **TypeOptions**: an array of zero or more TypeOption (Section 3.2.1) applicable to BaseType
4. **TypeDescription**: a string containing a non-normative comment
5. **Fields**: an array of Item or Field definitions

From this starting point JADN enables creation of a rich information model readily expressed in any of several representations. Section 3.2 describes an extensive set of options (e.g., semantic validation, size and value constraints, multiplicity constraints) that provide the means to define a wide variety of information types in a representation-independent manner.

As an information modeling language, JADN supports only two kinds of relationships: "contain" and "reference". A JADN information model is a set of type definitions, where each definition may be basic or structured. Each field in a structured type may be associated with another model-defined type, and the set of associations between types forms a directed graph. Each association is either a container or a reference, and the direction of each edge is toward the contained or referenced type.

The native format of JADN is JSON, but JADN content can be represented in others ways that are more useful for documentation. The [JADN Specification](#) identifies three formats (Section 5) in addition to the native format:

- JADN Interface Definition Language (JIDL)
- Table Style
- Entity Relationship Diagrams

Automated tooling makes it straightforward to translate among all four of these formats. Table style presentation is often used in specifications (e.g., as property tables such as are found in the body of this specification). Entity relationship diagrams are helpful for visualization of an information model. The JIDL format, a simple text structure, is easy to edit, making it a good format for the initial creation of a JADN model.

D.2 Deriving Other Schemas and Serializations

Once the information model is developed, its use in applications requires serialization and deserialization of the information in some specific format to permit transmission or storage of the data corresponding to the model. Serialization is the process for converting application information, regardless of its internal representation, into a form that can be transmitted (i.e., into a "document"). JADN information models can be translated into a number of schema formats, such as [JSON schema](#) or CDDL [\[RFC8610\]](#), or can be used directly as a format-independent schema language. As with translation among JADN representations, the use of automated tools to create schemas ensures the schemas are an accurate, repeatable representation of the JADN information model.

Converting an information model to a data model means applying serialization rules for each base type that produce physical data in the desired format. The JADN specification defines serialization rules for four different representations of an information mode (Section 4):

Serialization Type	Description
--------------------	-------------

Serialization Type	Description
Verbose JSON	Human-readable JSON format using name-value encoding for tabular data
Compact JSON	Human-readable JSON format using positional encoding for tabular data
Concise JSON	Represents JADN data types in a format optimized for minimum size
CBOR	Concise Binary Object Representation format of JADN types

In addition, the specification identifies the constraints that must be satisfied to define how a JADN IM is represented in other serializations (Section 4). Because each serialization represents the same information model, translation between serialization formats is simplified.

D.3 JADN Example: OpenC2 Subset

This section provide a brief example of a JADN information model, using data types from OpenC2.

D.3.1 Basic and Complex Data Types

This example illustrates the use of basic and complex types to describe a network connection. A 5-tuple is a common means of representing a TCP or UDP session, recording the source and destination IP addresses and ports, and identifying the Layer 4 protocol in use. The corresponding OpenC2 target type is called an `IPv4-Connection` (see section [3.4.1.10](#) of this specification). A group of basic (i.e., binary, integer) and complex (i.e., record, array, enumeration) types and their use in the definition of an IPv4 Connection information model are represented in JIDL as follows:

```
// An IPv4 address is a binary value representing a 32-bit integer

IPv4-Addr = Binary /ipv4-addr // 32 bit IPv4 address as
defined in [[RFC0791]] (#rfc0791)

// the IPv4-Connection type is a record

IPv4-Connection = Record{1..*} // 5-tuple that specifies a
tcp/ip connection
  1 src_addr IPv4-Net optional // IPv4 source address range
  2 src_port Port optional // Source service per
```

Standards Track Work Product

```
[RFC6335]
  3 dst_addr          IPv4-Net optional          // IPv4 destination address
range
  4 dst_port          Port optional             // Destination service per
[RFC6335]
  5 protocol          L4-Protocol optional      // Layer 4 protocol (e.g.,
TCP) - see [Section 3.4.2.10] (#34210-l4-protocol)

// the IPv4-Net type is an array used to represent a CIDR block

IPv4-Net = Array /ipv4-net                      // IPv4 address and prefix
length
  1 IPv4-Addr         // ipv4_addr:: IPv4 address
as defined in [RFC0791]
  2 Integer optional // prefix_length:: CIDR
prefix-length. If omitted, refers to a single host address.

// L4-Protocol is an 8-bit value therefore L4-Protocol is an enumeration from
0..255.
// The interpretation of this value is handled through an external registry
// See the usage requirements in Section 3.4.2.11, which also contains the
following
// commonly-used example values for the field.

L4-Protocol = Enumerated                       // Value of the protocol
(IPv4) or next header (IPv6) field in an IP packet. Any IANA value, [[RFC5237]]
(#rfc5237)
  1 icmp              // Internet Control Message
Protocol - [RFC0792]
  6 tcp               // Transmission Control
Protocol - [RFC0793]
  17 udp              // User Datagram Protocol -
[RFC0768]
  132 sctp            // Stream Control
Transmission Protocol - [RFC4960]

// Port is a 16-bit integer

Port = Integer{0..65535}                       // Transport Protocol Port
Number, [RFC6335]
```

The equivalent property table representations can be found in the respective section of this specification for each type (ordered as above):

- [3.4.2.9](#): IPv4-Addr
- [3.4.1.10](#): IPv4-Connection
- [3.4.1.9](#): IPv4-Net
- [3.4.2.11](#): L4-Protocol
- [3.4.2.15](#): Port

The example above also makes use of a pair of JADN semantic validation keywords: "ipv4-addr" and "ipv4-net". These keywords specify validation requirements for the data types where they are used (see section 3.2.1.5 of the [JADN](#) specification). For example, "ipv4-addr" is used to force the representation of a binary address in the commonly used "dotted quad" format.

D.3.2 JADN Representation

This section shows the JADN representation of the types defined using JIDL in the preceding section.

```
[ "IPv4-Addr", "Binary", ["/ipv4-addr"], "32 bit IPv4 address as defined in
[RFC0791]" ],

[ "IPv4-Connection", "Record", [{"1"}], "5-tuple that specifies a tcp/ip
connection", [
  [1, "src_addr", "IPv4-Net", [{"0"}], "IPv4 source address range"],
  [2, "src_port", "Port", [{"0"}], "Source service per [RFC6335],
  [3, "dst_addr", "IPv4-Net", [{"0"}], "IPv4 destination address range"],
  [4, "dst_port", "Port", [{"0"}], "Destination service per [RFC6335],
  [5, "protocol", "L4-Protocol", [{"0"}], "Layer 4 protocol (e.g., TCP) - see
Section 3.4.2.10" ]
]],

[ "IPv4-Net", "Array", ["/ipv4-net"], "IPv4 address and prefix length", [
  [1, "ipv4_addr", "IPv4-Addr", [], "IPv4 address as defined in [RFC0791],
  [2, "prefix_length", "Integer", [{"0"}], "CIDR prefix-length. If omitted,
refers to a single host address." ]
]],

[ "L4-Protocol", "Enumerated", [], "Value of the protocol (IPv4) or next header
(IPv6) field in an IP packet. Any IANA value, [[RFC5237]](#rfc5237)", [
  [1, "icmp", "Internet Control Message Protocol - [RFC0792],
  [6, "tcp", "Transmission Control Protocol - [RFC0793],
  [17, "udp", "User Datagram Protocol - [RFC0768],
  [132, "sctp", "Stream Control Transmission Protocol - [RFC4960]" ]
]],

[ "Port", "Integer", [{"0", "}65535"}], "Transport Protocol Port Number,
[RFC6335]" ]
```

D.3.3 Translation To JSON Schema

TBD: JADN translation to JSON schema

D.4 Additional Information

JADN supports organizing features to facilitate the creation and management of JADN schemas. In particular:

- Schemas can be broken up into a collection of **packages**. A package is a collection of type definitions along with information about the package, such as the namespace the package defines, its version, and other administrative and technical information.
- The use of **namespaces** enables one packages to reference type definitions from other packages.

TBD: Reference to, description of OpenC2 JADN schema external artifact

Appendix E. Revision History

Revision	Date	Editor	Changes Made
v1.1-wd01	10/31/2017	Sparrell, Considine	Initial working draft
Issue #388, item 1, #390	08/xx/2022	Lemire	Add guidance in 3.1.2, 3.4.1.1, 3.4.2.10 regarding types that depend on external registries, and add associated references; update RFC reference for TCP
Issue #388, item 4	08/xx/2022	Lemire	Add usage requirement for <code>Version</code> format in 3.4.2.17
Issue #386, #387	08/xx/2022	Lemire	Adjust <code>response_requested</code> handling (3.3.1.4) to consider Consumer error situations
Issues #389, #392	8/24/2022	Lemire	Remove <code>Properties</code> target type, per 8/10/2022 working meeting discussion
Issue #369	7/27/2022	Lemire	* Add "comment" as command argument
Issue #393	8/2/2022	Lemire	* Change <code>ArrayOf()</code> to multiplicity where possible
Issue #396	8/xx/2022	Lemire	* Fixed malformed table in 3.4.2.1 * Reordered data types alphabetically
Administrative	9/07/2022	Lemire	Changes for version update, v1.1 to v2.0
Issue #361	9/xx/2022	Lemire	Add explanatory JADN appendix
Create WD01	11/11/2022	Lemire	Create first WD package for v2.0

Appendix F. Acknowledgments

The content in this section is non-normative.

The following individuals have participated in the creation of this specification and are gratefully acknowledged:

OpenC2 TC Members:

First Name	Last Name	Company
Philippe	Alcoy	Arbor Networks
Darren	Anstee	Arbor Networks
Michelle	Barry	AT&T
Brian	Berliner	Symantec Corp.
Adam	Bradbury	EclecticIQ
Joe	Brule	National Security Agency
Michael	Butt	NC4
Toby	Considine	University of North Carolina at Chapel Hill
Trey	Darley	New Context Services Inc.
David	Darnell	North American Energy Standards Board
Sudeep	Das	McAfee
Andrea	De Bernardi	Moviri SPA
Blake	Essing	AT&T
Alex	Everett	University of North Carolina at Chapel Hill
Joyce	Fai	National Security Agency
Travis	Farral	Anomali
David	Girard	Trend Micro
Andy	Gray	ForeScout

Standards Track Work Product

First Name	Last Name	Company
John-Mark	Gurney	New Context Services Inc.
Stefan	Hagen	Individual
David	Hamilton	AT&T
Nick	Humphrey	Huntsman Security
Christian	Hunt	New Context Services Inc.
April	Jackson	G2
Sridhar	Jayanthi	Individual
Bret	Jordan	Symantec Corp.
Jason	Keirstead	IBM
David	Kemp	National Security Agency
David	Lemire	G2
Jason	Liu	Northrop Grumman
Radu	Marian	Bank of America
Danny	Martinez	G2
Lisa	Mathews	National Security Agency
James	Meck	FireEye Inc.
Efrain	Ortiz	Symantec Corp.
Paul	Patrick	FireEye Inc.
Michael	Pepin	NC4
Nirmal	Rajarathnam	ForeScout
Chris	Ricard	Financial Services Information Sharing and Analysis Center (FS-ISAC)
Daniel	Riedel	New Context Services Inc.

Standards Track Work Product

First Name	Last Name	Company
Jason	Romano	National Security Agency
Philip	Royer	Splunk Inc.
Thomas	Schreck	Siemens AG
Duane	Skeen	Northrop Grumman
Duncan	Sparrell	sFractal Consulting LLC
Michael	Stair	AT&T
Andrew	Storms	New Context Services Inc.
Gerald	Stueve	Fornetix
Rodney	Sullivan	NCI Agency
Allan	Thomson	LookingGlass
Bill	Trost	AT&T
Raymon	van der Velde	EclecticIQ
Jyoti	Verma	Cisco Systems
David	Waltermire	NIST
Jason	Webb	LookingGlass
Sean	Welsh	AT&T
Charles	White	Fornetix
Sounil	Yu	Bank of America
Vasileios	Mavroeidis	University of Oslo

Appendix G. Notices

Copyright © OASIS Open 2022. All Rights Reserved.

All capitalized terms in the following text have the meanings assigned to them in the OASIS Intellectual Property Rights Policy (the "OASIS IPR Policy"). The full [Policy](#) may be found at the OASIS website.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to OASIS, except as needed for the purpose of developing any document or deliverable produced by an OASIS Technical Committee (in which case the rules applicable to copyrights, as set forth in the OASIS IPR Policy, must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

As stated in the OASIS IPR Policy, the following three paragraphs in brackets apply to OASIS Standards Final Deliverable documents (Committee Specification, Candidate OASIS Standard, OASIS Standard, or Approved Errata).

[OASIS requests that any OASIS Party or any other party that believes it has patent claims that would necessarily be infringed by implementations of this OASIS Standards Final Deliverable, to notify OASIS TC Administrator and provide an indication of its willingness to grant patent licenses to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this deliverable.]

[OASIS invites any party to contact the OASIS TC Administrator if it is aware of a claim of ownership of any patent claims that would necessarily be infringed by implementations of this OASIS Standards Final Deliverable by a patent holder that is not willing to provide a license to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this OASIS Standards Final Deliverable. OASIS may include such claims on its website, but disclaims any obligation to do so.]

[OASIS takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this OASIS Standards Final Deliverable or the extent to which any license under

such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on OASIS' procedures with respect to rights in any document or deliverable produced by an OASIS Technical Committee can be found on the OASIS website. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this OASIS Standards Final Deliverable, can be obtained from the OASIS TC Administrator. OASIS makes no representation that any information or list of intellectual property rights will at any time be complete, or that any claims in such list are, in fact, Essential Claims.]

The name "OASIS" is a trademark of [OASIS](#), the owner and developer of this specification, and should be used only to refer to the organization and its official outputs. OASIS welcomes reference to, and implementation and use of, specifications, while reserving the right to enforce its marks against misleading uses. Please see <https://www.oasis-open.org/policies-guidelines/trademark/> for above guidance.