



# 1 Web Services Reliable Messaging (WS- 2 ReliableMessaging) Version 1.1 Errata

## 3 Approved Errata

4 **07 January 2008**

### 5 Specification URIs:

#### 6 This Version:

7 <http://docs.oasis-open.org/ws-rx/wsrn/200702/wsrn-1.1-errata-cs-01.pdf>  
8 <http://docs.oasis-open.org/ws-rx/wsrn/200702/wsrn-1.1-errata-cs-01.html>  
9 <http://docs.oasis-open.org/ws-rx/wsrn/200702/wsrn-1.1-errata-cs-01.doc>

#### 10 Previous Version:

11 <http://docs.oasis-open.org/ws-rx/wsrn/200702/wsrn-1.1-errata-cd-01.pdf>  
12 <http://docs.oasis-open.org/ws-rx/wsrn/200702/wsrn-1.1-errata-cd-01.html>  
13 <http://docs.oasis-open.org/ws-rx/wsrn/200702/wsrn-1.1-errata-cd-01.doc>

#### 14 Latest Version:

15 <http://docs.oasis-open.org/ws-rx/wsrn/200702/wsrn-1.1-errata-cs-01.pdf>  
16 <http://docs.oasis-open.org/ws-rx/wsrn/200702/wsrn-1.1-errata-cs-01.html>  
17 <http://docs.oasis-open.org/ws-rx/wsrn/200702/wsrn-1.1-errata-cs-01.doc>

#### 18 Technical Committee:

19 OASIS Web Services Reliable Exchange (WS-RX) TC

#### 20 Chairs:

21 Paul Fremantle <[paul@wso2.com](mailto:paul@wso2.com)>  
22 Sanjay Patil <[sanjay.patil@sap.com](mailto:sanjay.patil@sap.com)>

#### 23 Editors:

24 Doug Davis, IBM <[dug@us.ibm.com](mailto:dug@us.ibm.com)>  
25 Anish Karmarkar, Oracle <[Anish.Karmarkar@oracle.com](mailto:Anish.Karmarkar@oracle.com)>  
26 Gilbert Pilz, BEA <[gpilz@bea.com](mailto:gpilz@bea.com)>  
27 Steve Winkler, SAP <[steve.winkler@sap.com](mailto:steve.winkler@sap.com)>  
28 Ümit Yalçınalp, SAP <[umit.yalcinalp@sap.com](mailto:umit.yalcinalp@sap.com)>

#### 29 Related Work:

30 This specification errata is related to WS-ReliableMessaging v1.1.

#### 31 Abstract:

32 This document lists errata for the OASIS Web Services Reliable Messaging Version 1.1 OASIS  
33 Standard [WS-RM] produced by the WS-RX Technical Committee. The standard was approved  
34 by the OASIS membership on 14 June 2007.

#### 35 Status:

36 This document was last revised or approved by the WS-RX Technical Committee on the above  
37 date. The level of approval is also listed above. Check the "Latest Version" or "Latest Approved  
38 Version" location noted above for possible later revisions of this document.

39 Technical Committee members should send comments on this specification to the Technical  
40 Committee's email list. Others should send comments to the Technical Committee by using the

41 "Send A Comment" button on the Technical Committee's web page at <http://www.oasis->  
42 [open.org/committees/ws-rx/](http://www.oasis-open.org/committees/ws-rx/).  
43 For information on whether any patents have been disclosed that may be essential to  
44 implementing this specification, and any offers of patent licensing terms, please refer to the  
45 Intellectual Property Rights section of the Technical Committee web page (<http://www.oasis->  
46 [open.org/committees/ws-rx/ipr.php](http://www.oasis-open.org/committees/ws-rx/ipr.php)).  
47 The non-normative errata page for this specification is located at <http://www.oasis->  
48 [open.org/committees/ws-rx/](http://www.oasis-open.org/committees/ws-rx/).

---

## 49 Notices

50 Copyright © OASIS® 1993–2007. All Rights Reserved. OASIS trademark, IPR and other policies apply.

51 All capitalized terms in the following text have the meanings assigned to them in the OASIS Intellectual  
52 Property Rights Policy (the "OASIS IPR Policy"). The full Policy may be found at the OASIS website.

53 This document and translations of it may be copied and furnished to others, and derivative works that  
54 comment on or otherwise explain it or assist in its implementation may be prepared, copied, published,  
55 and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice  
56 and this section are included on all such copies and derivative works. However, this document itself may  
57 not be modified in any way, including by removing the copyright notice or references to OASIS, except as  
58 needed for the purpose of developing any document or deliverable produced by an OASIS Technical  
59 Committee (in which case the rules applicable to copyrights, as set forth in the OASIS IPR Policy, must be  
60 followed) or as required to translate it into languages other than English.

61 The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors  
62 or assigns.

63 This document and the information contained herein is provided on an "AS IS" basis and OASIS  
64 DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY  
65 WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY  
66 OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A  
67 PARTICULAR PURPOSE.

68 OASIS requests that any OASIS Party or any other party that believes it has patent claims that would  
69 necessarily be infringed by implementations of this OASIS Committee Specification or OASIS Standard, to  
70 notify OASIS TC Administrator and provide an indication of its willingness to grant patent licenses to such  
71 patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced  
72 this specification.

73 OASIS invites any party to contact the OASIS TC Administrator if it is aware of a claim of ownership of any  
74 patent claims that would necessarily be infringed by implementations of this specification by a patent  
75 holder that is not willing to provide a license to such patent claims in a manner consistent with the IPR  
76 Mode of the OASIS Technical Committee that produced this specification. OASIS may include such claims  
77 on its website, but disclaims any obligation to do so.

78 OASIS takes no position regarding the validity or scope of any intellectual property or other rights that  
79 might be claimed to pertain to the implementation or use of the technology described in this document or  
80 the extent to which any license under such rights might or might not be available; neither does it represent  
81 that it has made any effort to identify any such rights. Information on OASIS' procedures with respect to  
82 rights in any document or deliverable produced by an OASIS Technical Committee can be found on the  
83 OASIS website. Copies of claims of rights made available for publication and any assurances of licenses  
84 to be made available, or the result of an attempt made to obtain a general license or permission for the  
85 use of such proprietary rights by implementers or users of this OASIS Committee Specification or OASIS  
86 Standard, can be obtained from the OASIS TC Administrator. OASIS makes no representation that any  
87 information or list of intellectual property rights will at any time be complete, or that any claims in such list  
88 are, in fact, Essential Claims.

89 The name "OASIS", WS-ReliableMessaging, WSRM and WS-RX are trademarks of [OASIS](#), the owner  
90 and developer of this specification, and should be used only to refer to the organization and its official  
91 outputs. OASIS welcomes reference to, and implementation and use of, specifications, while reserving the  
92 right to enforce its marks against misleading uses. Please see [http://www.oasis-  
open.org/who/trademark.php](http://www.oasis-<br/>93 open.org/who/trademark.php) for above guidance.

---

## 94 Table of Contents

95	1	List of Changes .....	5
96	1.1	Section 1.3 Non-Normative References, line 253-255: .....	5
97	1.2	Section 1.3 Non-Normative References, line 260-262: .....	5
98	1.3	Section 1.4 Namespace, line 291:.....	5
99	1.4	Use of the word "Sequence": .....	5
100	1.5	References to WS-RM and WS-Addressing XML items:.....	5
101	1.6	Use of the word "Offer": .....	6
102	1.7	Use of the word "Identifier":.....	6
103	1.8	Appendix B. WSDL, line 1804: .....	6
104	1.9	Appendix B. WSDL, Line 1797:.....	6
105	1.10	Appendix D. State Tables, line 2141: .....	7
106	1.11	Appendix B. WSDL, line 2141: .....	7
107	2	References .....	8
108		Appendix A. Acknowledgments.....	9
109			

---

## 110 **1 List of Changes**

### 111 **1.1 Section 1.3 Non-Normative References, line 253-255:**

112 Replace:

113 W3C Candidate Recommendation, "[Web Services Policy 1.5 - Framework](http://www.w3.org/TR/2007/CR-ws-policy-20070228)," February 2007.  
114 <http://www.w3.org/TR/2007/CR-ws-policy-20070228>

115 With:

116 W3C Recommendation, "[Web Services Policy 1.5 - Framework](http://www.w3.org/TR/2007/REC-ws-policy-20070904)," September 2007.  
117 <http://www.w3.org/TR/2007/REC-ws-policy-20070904>

### 118 **1.2 Section 1.3 Non-Normative References, line 260-262:**

119 Replace:

120 W3C Candidate Recommendation, "[Web Services Policy 1.5 - Attachment](http://www.w3.org/TR/2007/CR-ws-policy-attach-20070228)," February 2007.  
121 <http://www.w3.org/TR/2007/CR-ws-policy-attach-20070228>

122 With:

123 W3C Recommendation, "[Web Services Policy 1.5 - Attachment](http://www.w3.org/TR/2007/REC-ws-policy-attach-20070904)," September 2007.  
124 <http://www.w3.org/TR/2007/REC-ws-policy-attach-20070904>

### 125 **1.3 Section 1.4 Namespace, line 291:**

126 Replace:

wsam	<a href="http://www.w3.org/2007/02/addressing/metadata">http://www.w3.org/2007/02/addressing/metadata</a>
------	---

127 With:

wsam	<a href="http://www.w3.org/2007/05/addressing/metadata">http://www.w3.org/2007/05/addressing/metadata</a>
------	---

### 128 **1.4 Use of the word "Sequence":**

129 There are several places in the specification where the word "sequence" was used when referring to a  
130 WS-RM Sequence. These are replaced with the capitalized "S" version of the word. For example:

131 Replace:

132 sequence

133 With:

134 Sequence

### 135 **1.5 References to WS-RM and WS-Addressing XML items:**

136 In the text of the WS-RM specification, there are several places where the use of the WS-RM and WS-  
137 Addressing XML items are referenced. Some of these references incorrectly used the wrong font. They  
138 are changed to use Courier New 10pt. For example:

139 Replace:

140 AcksTo

141 With:

142 AcksTo

### 143 **1.6 Use of the word "Offer":**

144 There are several places in the specification where the word "Offer" was used when referring to a WS-RM  
145 Sequence that was created using the WS-RM Offer feature. These are replaced with the non-capitalized  
146 "o" version of the word as they did not refer to the WS-RM Offer element. For example:

147 Replace:

148 Offered

149 With:

150 offered

### 151 **1.7 Use of the word "Identifier":**

152 There are several places in the specification where the word "identifier" was used when referring to the  
153 WS-RM Identifier element. These are replaced with the capitalized "I" version of the word. For example:

154 Replace:

155 identifier

156 With:

157 Identifier

### 158 **1.8 Appendix B. WSDL, line 1804:**

159 Replace:

160 xmlns:wsam="http://www.w3.org/2007/02/addressing/metadata"

161 With:

162 xmlns:wsam="http://www.w3.org/2007/05/addressing/metadata"

### 163 **1.9 Appendix B. WSDL, Line 1797:**

164 Due to the change in the WSDL (see section 1.8, above), a new WSDL file was created.

165 Replace:

166 http://docs.oasis-open.org/ws-rx/wsrn/200702/wsrn-1.1-wsdl-200702.wsdl

167 With:

168 http://docs.oasis-open.org/ws-rx/wsrn/200702/wsrn-1.1-wsdl-200702e1.wsdl

169 **1.10 Appendix D. State Tables, line 2141:**

170 In the RM Source Sequence State Transition Table, on the " Message Number Rollover Fault [msg]"  
171 event, replace:

172 [Rollover]

173 With:

174 [Same]

175 **1.11 Appendix B. WSDL, line 2141:**

176 In the RM Source Sequence State Transition Table, on the " Expires exceeded [int]" event, replace:

177 {3.7}

178 With:

179 {3.4}

180

---

181 **2 References**

- 182 **[WS-RM]** OASIS WS-RX Technical OASIS Standard, "Web Services Reliable Messaging (  
183 [WS-RM](http://docs.oasis-open.org/ws-rx/wsrn/v1.1/wsrn.pdf))," June 2007  
184 <http://docs.oasis-open.org/ws-rx/wsrn/v1.1/wsrn.pdf>



---

## 185 Appendix A. Acknowledgments

186 This document is based on initial contribution to OASIS WS-RX Technical Committee by the following  
187 authors:

188	Ruslan Bilorusets, BEA	200	Amelia Lewis, TIBCO Software
189	Don Box, Microsoft	201	Rodney Limprecht, Microsoft
190	Luis Felipe Cabrera, Microsoft	202	Steve Lucco, Microsoft
191	Doug Davis, IBM	203	Don Mullen, TIBCO Software
192	Donald Ferguson, IBM	204	Anthony Nadalin, IBM
193	Christopher Ferris, IBM	205	Mark Nottingham, BEA
194	Tom Freund, IBM	206	David Orchard, BEA
195	Mary Ann Hondo, IBM	207	Jamie Roots, IBM
196	John Ibbotson, IBM	208	Shivajee Samdarshi, TIBCO Software
197	Lei Jin, BEA	209	John Shewchuk, Microsoft
198	Chris Kaler, Microsoft	210	Tony Storey, IBM
199	David Langworthy-Editor, Microsoft		

211 The following individuals have provided invaluable input into the initial contribution:

212	Keith Ballinger, Microsoft	226	David Ingham, Microsoft
213	Stefan Batres, Microsoft	227	Gopal Kakivaya, Microsoft
214	Rebecca Bergersen, Iona	228	Johannes Klein, Microsoft
215	Allen Brown, Microsoft	229	Frank Leymann, IBM
216	Michael Conner, IBM	230	Martin Nally, IBM
217	George Copeland, Microsoft	231	Peter Niblett, IBM
218	Francisco Curbera, IBM	232	Jeffrey Schlimmer, Microsoft
219	Paul Fremantle, IBM	233	James Snell, IBM
220	Steve Graham, IBM	234	Keith Stobie, Microsoft
221	Pat Helland, Microsoft	235	Satish Thatte, Microsoft
222	Rick Hill, Microsoft	236	Stephen Todd, IBM
223	Scott Hinkelman, IBM	237	Sanjiva Weerawarana, IBM
224	Tim Holloway, IBM	238	Roger Wolter, Microsoft
225	Efim Hudis, Microsoft		

239 The following individuals were members of the committee during the development of this specification:

240	Abbie Barbir, Nortel	259	Robert Freund, Hitachi
241	Charlton Barreto, Adobe	260	Peter Furniss, Erebore
242	Stefan Batres, Microsoft	261	Marc Goodner, Microsoft
243	Hamid Ben Malek, Fujitsu	262	Alastair Green, Choreology
244	Andreas Bjarlestam, Ericsson	263	Mike Grogan, Sun
245	Toufic Boubez, Layer 7	264	Ondrej Hrebicek, Microsoft
246	Doug Bunting, Sun	265	Kazunori Iwasa, Fujitsu
247	Lloyd Burch, Novell	266	Chamikara Jayalath, WSO2
248	Steve Carter, Novell	267	Lei Jin, BEA
249	Martin Chapman, Oracle	268	Ian Jones, BTplc
250	Dave Chappell, Sonic	269	Anish Karmarkar, Oracle
251	Paul Cotton, Microsoft	270	Paul Knight, Nortel
252	Glen Daniels, Sonic	271	Dan Leshchiner, Tibco
253	Doug Davis, IBM	272	Mark Little, JBoss
254	Blake Dournaee, Intel	273	Lily Liu, webMethods
255	Jacques Durand, Fujitsu	274	Matt Lovett, IBM
256	Colleen Evans, Microsoft	275	Ashok Malhotra, Oracle
257	Christopher Ferris, IBM	276	Jonathan Marsh, Microsoft
258	Paul Fremantle, WSO2	277	Daniel Millwood, IBM

278	Jeff Mischkinsky, Oracle	289	Stefan Rossmannith, SAP
279	Nilo Mitra, Ericsson	290	Tom Rutt, Fujitsu
280	Peter Niblett, IBM	291	Rich Salz, IBM
281	Duane Nickull, Adobe	292	Shivajee Samdarshi, Tibco
282	Eisaku Nishiyama, Hitachi	293	Vladimir Videlov, SAP
283	Dave Orchard, BEA	294	Claus von Riegen, SAP
284	Chouthri Palanisamy, NEC	295	Pete Wenzel, Sun
285	Sanjay Patil, SAP	296	Steve Winkler, SAP
286	Gilbert Pilz, BEA	297	Ümit Yalçinalp, SAP
287	Martin Raepple, SAP	298	Nobuyuki Yamamoto, Hitachi
288	Eric Rajkovic, Oracle		
299			