



Web Services Service Group 1.2 (WS-ServiceGroup)

Committee Draft 01, 18 May 2005

Document identifier:

wsrf-ws_service_group-1.2-spec-cd-01

Location:

http://docs.oasis-open.org/wsrf/wsrf-ws_service_group-1.2-spec-cd-01.pdf

Editors:

Tom Maguire, IBM <tmaguire@us.ibm.com>

David Snelling, Fujitsu <David.Snelling@UK.Fujitsu.com>

Abstract:

A ServiceGroup is a heterogeneous by-reference collection of Web services. ServiceGroups can be used to form a wide variety of collections of services or WS-Resources [**WS-Resource**], including registries of services and associated WS-Resources.

Members of a ServiceGroup are represented using components called *entries*. A ServiceGroup entry is a WS-Resource. The Web service associated with a ServiceGroup entry can be composed from a variety of Web services standards including WS-ResourceLifetime [**WS-ResourceLifetime**] which defines standard patterns by which resources can be destroyed, WS-BaseNotification [**WS-BaseNotification**] which defines how third parties may subscribe to be informed of changes to the ServiceGroup and WS-ResourceProperties [**WS-ResourceProperties**] which defines how the properties of a ServiceGroup and its entries are made accessible through a Web service interface.

Status:

This document is published by this TC as a "committee draft". It is possible that it may change during this process, but should nonetheless provide a stable reference for discussion and early adopters' implementations.

Committee members should send comments on this specification to the wsrf@lists.oasis-open.org list. Others may submit comments to the TC via the web form found on the TC's web page at <http://www.oasis-open.org/committees/wsrf>. Click the button for "Send A Comment" at the top of the page. Submitted comments (for this work as well as other works of that TC) are publicly archived and can be viewed at <http://lists.oasis-open.org/archives/wsrf-comment/>.

For information on whether any patents have been disclosed that may be essential to implementing this specification, and any offers of patent licensing terms, please refer to the

36
37
38

Intellectual Property Rights section of the WSRF TC web page (<http://www.oasis-open.org/committees/wsr/>).

Table of Contents

| | | | |
|----|-------|---|----|
| 40 | 1 | Introduction..... | 5 |
| 41 | 1.1 | Goals and Requirements..... | 5 |
| 42 | 1.1.1 | Requirements..... | 5 |
| 43 | 1.1.2 | Non-Goals..... | 5 |
| 44 | 1.2 | Notational Conventions..... | 6 |
| 45 | 1.3 | Namespaces..... | 6 |
| 46 | 1.4 | Fault Definitions..... | 7 |
| 47 | 2 | Example..... | 8 |
| 48 | 3 | Terminology and Concepts..... | 10 |
| 49 | 4 | Grouping Services..... | 11 |
| 50 | 5 | ServiceGroup..... | 12 |
| 51 | 5.1 | ServiceGroup ResourceProperties..... | 12 |
| 52 | 5.1.1 | MembershipContentRule Resource Property..... | 12 |
| 53 | 5.1.2 | Entry Resource Property..... | 13 |
| 54 | 5.2 | ServiceGroup: Operations..... | 15 |
| 55 | 6 | ServiceGroupEntry..... | 16 |
| 56 | 6.1 | ServiceGroupEntry: Resource Property Declarations..... | 16 |
| 57 | 6.1.1 | ServiceGroupEPR..... | 16 |
| 58 | 6.1.2 | MemberEPR..... | 16 |
| 59 | 6.1.3 | Content..... | 17 |
| 60 | 6.2 | ServiceGroupEntry: Message Exchanges..... | 17 |
| 61 | 7 | ServiceGroupRegistration..... | 18 |
| 62 | 7.1 | ServiceGroupRegistration: Resource Property Declarations..... | 18 |
| 63 | 7.2 | Add..... | 18 |
| 64 | 7.2.1 | Example SOAP Encoding of the Add Message Exchange..... | 20 |
| 65 | 8 | Notification of ServiceGroup Modification..... | 22 |
| 66 | 8.1 | EntryAdditionNotification Message..... | 23 |
| 67 | 8.2 | EntryRemovalNotification Message..... | 23 |
| 68 | 9 | Security Model..... | 25 |
| 69 | 9.1 | Securing the message exchanges..... | 25 |
| 70 | 9.2 | Securing the resource properties..... | 25 |
| 71 | 9.2.1 | A Note on MembershipContentRules..... | 25 |
| 72 | | Appendix A. Acknowledgments..... | 26 |
| 73 | 10 | References..... | 27 |
| 74 | 10.1 | Normative..... | 27 |
| 75 | 10.2 | Non-Normative..... | 27 |
| 76 | | Appendix B. XML Schema..... | 28 |

77 Appendix C. WSDL 1.1..... 34
78 Appendix D. Revision History 39
79 Appendix E. Notices 42
80

81 1 Introduction

82 In this document, we consider a distributed computing environment consisting of Web services and
83 resources. A pattern defining the relationship between Web services and resources is detailed in
84 “Web Services Resource” **[WS-Resource]**. The term WS-Resource is used to describe the
85 relationship between a Web service and a resource.

86 This WS-ServiceGroup specification defines a means by which Web services and WS-Resources
87 can be aggregated or grouped together for a domain specific purpose. In order for requestors to
88 form meaningful queries against the contents of the ServiceGroup, membership in the group must
89 be constrained in some fashion. The constraints for membership are expressed by intension using
90 a classification mechanism. Further, the members of each intension must share a common set of
91 information over which queries can be expressed.

92 In this specification, the ServiceGroup membership rules, membership constraints and
93 classifications are expressed using the resource property model **[WS-ResourceProperties]**.
94 Groups are defined as a collection of members that meet the constraints of the group. The
95 ServiceGroupRegistration interface extends the basic ServiceGroup capabilities with message
96 exchanges for managing the membership of a ServiceGroup.

97 The ServiceGroup and ServiceGroupRegistration interfaces defined in this document are
98 commonly expected to be composed with other application domain specific interfaces, which define
99 more specialized interaction with the service group and/or with the services that are members of
100 the service group. For example, specialized interfaces may offer means of querying the contents of
101 the ServiceGroup, and for performing collective operations across members of the ServiceGroup.

102 WS-ServiceGroup is inspired by a portion of the Global Grid Forum’s “Open Grid Services
103 Infrastructure (OGSI) Version 1.0” specification **[OGSI 1.0]**.

104 1.1 Goals and Requirements

105 The goal of WS-ServiceGroup is to standardize the terminology, concepts, message exchanges,
106 WSDL and XML needed to express the aggregations of Web services and resources as defined by
107 the WS-Resource access pattern **[WS-Resource]**.

108 1.1.1 Requirements

109 This specification intends to satisfy the following requirements:

- 110 • Define the standard resource properties by which a requestor can query and retrieve contents
111 of a service group.
- 112 • Define the standard resource properties by which a requestor can query and retrieve details of
113 an entry in the service group.
- 114 • Define standard message exchanges and resource properties by which a requestor can add
115 new entries for a member in a service group.

116 1.1.2 Non-Goals

117 The following topics are outside the scope of this specification:

- 118 • It is not an objective of this specification to define the message exchanges representing the
119 function of a member.

1.2 Notational Conventions

The keywords "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in [RFC 2119].

When describing abstract data models, this specification uses the notational convention used by the [XML-Infoset]. Specifically, abstract property names always appear in square brackets (e.g., [some property]).

This specification uses a notational convention, referred to as "Pseudo-schemas" in a fashion similar to the WSDL 2.0 Part 1 specification [WSDL 2.0]. A Pseudo-schema uses a BNF-style convention to describe attributes and elements:

- '?' denotes optionality (i.e. zero or one occurrences),
- '*' denotes zero or more occurrences,
- '+' one or more occurrences,
- '[' and ']' are used to form groups,
- '|' represents choice.
- Attributes are conventionally assigned a value which corresponds to their type, as defined in the normative schema.

```
<!-- sample pseudo-schema -->
<element
  required_attribute_of_type_QName="xs:QName"
  optional_attribute_of_type_string="xs:string"? >
  <required_element />
  <optional_element />?
  <one_or_more_of_these_elements />+
  [ <choice_1 /> | <choice_2 /> ]*
</element>
```

Where there is disagreement between the separate xml schema and wsdl files describing the messages defined by this specification and the normative descriptive text (excluding any pseudo-schema) in this document, the normative descriptive text will take precedence over the separate files. The separate files take precedence over any pseudo-schema and over any schema and wsdl included in the appendices.

1.3 Namespaces

The following namespaces are used in this document:

| Prefix | Namespace |
|----------|---|
| s11 | http://schemas.xmlsoap.org/soap/envelope |
| xsd | http://www.w3.org/2001/XMLSchema |
| wsa | http://www.w3.org/2005/03/addressing |
| wsrf-bf | http://docs.oasis-open.org/wsr/bf-1 |
| wsrf-rp | http://docs.oasis-open.org/wsr/rp-1 |
| wsrf-rpw | http://docs.oasis-open.org/wsr/rpw-1 |

| | |
|----------|---|
| wsrf-rl | http://docs.oasis-open.org/wsrf/rl-1 |
| wsrf-rw | http://docs.oasis-open.org/wsrf/rw-1 |
| wsnt | http://docs.oasis-open.org/wsrf/2004/06/wsn-WS-BaseNotification-1.2-draft-01.xsd |
| wsrf-sg | http://docs.oasis-open.org/wsrf/sg-1 |
| wsrf-sgw | http://docs.oasis-open.org/wsrf/sgw-1 |
| wstop | http://docs.oasis-open.org/wsn/2004/06/wsn-WS-Topics-1.2-draft-01.xsd |

153 **1.4 Fault Definitions**

154 All faults generated by a WS-Resource SHOULD be compliant with the WS-BaseFaults [**WS-**
 155 **BaseFaults**] specification.

156 All faults defined by this specification MUST use the following wsa:Action URI:

157 `http://docs.oasis-open.org/wsrf/fault`

158 2 Example

159 As an example of using a service group, let's consider a group containing services that one has
160 accessed recently. In effect, this is a Web services equivalent of a Web browser's "history" feature.
161 The services that have been accessed can implement any interface. They could be simple Web
162 services or Web services that are part of a WS-Resource, so they can have resource properties or
163 not.

164 The only constraint the group has on its members is that the membership information of the
165 members contains the date of last interaction with the service and whether the outcome of this
166 interaction was successful or not. This constraint is exposed by the following membership rule:

```
167 ...  
168 <wsrf-sg:MembershipContentRule  
169   ContentElements="ns1:DateOfLastInvoke ns1:Outcome" />  
170 ...
```

171 In the schema for the namespace referenced by prefix ns1, ns1:DateOfLastInvoke has been
172 defined as an xsd:dateTime representing when the member service was last invoked and
173 ns1:Outcome has been defined as either "success" or "failure" and is used to represent the
174 outcome of the last invocation.

175 Let us now modify the example to one where the services invoked can include one of two different
176 types: a catalog service or a purchase service. In addition, if the service invoked was a purchase
177 service, we want the amount of the purchase to be specified as a content element in the
178 membership. The set of rules to describe the constraints of this group now is:

```
179 ...  
180 <wsrf-sg:MembershipContentRule  
181   ContentElements="ns1:DateOfLastInvoke ns1:Outcome" />  
182  
183 <wsrf-sg:MembershipContentRule  
184   MemberInterfaces="ns2:CatalogPortType "  
185   ContentElements=" " />  
186  
187 <wsrf-sg:MembershipContentRule  
188   MemberInterfaces="ns3:PurchasePortType "  
189   ContentElements="ns3:PurchaseAmount " />  
190 ...
```

191 As a result, the WS-Resource that represents the membership of a service of type
192 ns3:PurchasePortType in the service group is guaranteed to include the elements described by the
193 following pseudo-schema:

```
194 ...  
195 <wsrf-sg:Content>  
196   <ns1:DateOfLastInvoke>xsd:dateTime</ns1:DateOfLastInvoke>  
197   <ns1:Outcome>xsd:string</ns1:Outcome>  
198   <ns3:PurchaseAmount>xsd:nonNegativeInteger</ns3:PurchaseAmount>  
199 </wsrf-sg:Content>  
200 ...
```

201 The WS-Resource that represents the membership of a service of type ns2:CatalogPortType is not
202 required to contain the property ns3:PurchaseAmount.

203 Once this service group has been established, requestors can retrieve the composition of the
204 group, subscribe for notifications on modification of the group composition (if supported) and
205 retrieve content elements of the memberships by using the mechanisms described in this
206 specification.

207 **3 Terminology and Concepts**

208 The following definitions outline the terminology and usage in this specification. This section gives
209 only brief description of these terms

210 **Member:**

- 211 ○ A Web service that belongs to a ServiceGroup. Note, this Web service may be a
212 component of a WS-Resource as defined in “Web Services Resources” [**WS-Resource**].

213 **ServiceGroup:**

- 214 ○ A Web service that is a collection of other Web services or WS-Resources and the
215 information that pertains to them. The purpose of the group is application domain specific.
216 The means by which the membership in the ServiceGroup is formed may be through
217 ServiceGroupRegistration, or through other means not defined by this specification.

218 **ServiceGroupEntry:**

- 219 ○ An atomic entry in a ServiceGroup which associates a member to a ServiceGroup. A
220 ServiceGroupEntry also contains content information by which the member’s participation
221 in the ServiceGroup is advertised.


222 **ServiceGroupRegistration:**

- 223 ○ A ServiceGroup that provides the means to allow users of the service to explicitly insert
224 new members.

225 **4 Grouping Services**

226 A ServiceGroup maintains information about a collection of Web services. Each of the Web
227 services represented in the collection may be a component of a WS-Resource. These Web
228 services may be members of a ServiceGroup for a specific reason, such as being part of a
229 federated service, or they may have no specific relationship, such as the Web services contained in
230 an index or registry operated for Web service discovery purposes.

231 Three sets of message exchanges provide the interface to service groups ServiceGroup,
232 ServiceGroupEntry and ServiceGroupRegistration. The member interface is not a part of the WS-
233 ServiceGroup specification but is included for completeness. The depiction below details the
234 interfaces relevant to ServiceGroups.



235

5 ServiceGroup

237 A ServiceGroup is a WS-Resource, following the WS-Resource access pattern **[WS-Resource]**,
238 which represents a collection of other Web services. The individual services represented within the
239 ServiceGroup are the ServiceGroup's members, or its membership. The model for membership of a
240 ServiceGroup is an *entry* WS-Resource. An entry WS-Resource represents an association with a
241 given member in the ServiceGroup. Additionally a ServiceGroup has the following characteristics:

- 242 ○ When a ServiceGroup WS-Resource is destroyed, all of the ServiceGroupEntry WS-
243 Resources, modeling the membership of the ServiceGroup, are also RECOMMENDED to
244 be destroyed. Note however, that the actual member Web services or WS-Resources are
245 not affected.
- 246 ○ Once a ServiceGroup is destroyed, a requestor MUST make no assumptions about either
247 the existence of the entry WS-Resources that represent the ServiceGroup membership or
248 the validity of the contents of those WS-Resources.
- 249 ○ A member MAY belong to several ServiceGroups.
- 250 ○ A member MAY belong to the same ServiceGroup more than once.
- 251 ○ The member of a ServiceGroup MAY implement message exchanges from various
252 interfaces.
- 253 ○ If a member WS-Resource is destroyed, the ServiceGroup MAY destroy the corresponding
254 entry WS-Resource that represents the membership of that WS-Resource in the
255 ServiceGroup.
- 256 ○ The grouping and membership aspects of a ServiceGroup are only manifest in the linkage
257 between a ServiceGroup and a ServiceGroupEntry. Accordingly, a ServiceGroupEntry in
258 isolation has no semantic meaning.

259 5.1 ServiceGroup ResourceProperties

260 In addition to the message exchanges described in this specification, a ServiceGroup MUST also
261 support the required message exchanges defined in the WS-ResourceProperties specification and
262 MAY support the optional message exchanges defined in the WS-ResourceProperties
263 specification. The resource property document defined by the ServiceGroup MUST include the
264 following resource property elements.

265 5.1.1 MembershipContentRule Resource Property

266 The resource property document contains a potentially empty set of MembershipContentRule
267 elements that specify the intensional constraints on *membership* of the *service group*. That is,
268 membership can be restricted to members that implement particular interfaces and/or it can require
269 the presence of particular child elements in the `wsrf-sg:Content` resource property of the
270 ServiceGroupEntry representing the membership in the group.

271 The ServiceGroup resource property document MAY contain zero MembershipContentRule child
272 elements. When no MembershipContentRule elements are specified, the members of the
273 ServiceGroup are unconstrained. When the ServiceGroup is unconstrained any member MAY be
274 present in the ServiceGroup.

275 When at least one MembershipContentRule element specification exists, the members of the
276 ServiceGroup are constrained. When the ServiceGroup is constrained, the ServiceGroup MUST
277 NOT include a member that does not conform to at least one MembershipContentRule element. If
278 more than one rule applies to a given member all rules that apply MUST be satisfied. Membership

279 conformance to an individual MembershipContentRule is described below in the
280 MembershipContentRule component constraints.

281 The general form of a MembershipContentRule resource property element is:

```
282 <wsrf-sg:MembershipContentRule  
283     MemberInterfaces="list of QName"?  
284     ContentElements="list of QName"  
285 />
```

286 (see [Appendix I: MembershipContentRule element definition](#) & [Appendix II: ServiceGroup resource
287 property](#))

288 This resource property element is further constrained as follows:

289 /wsrf-sg:MembershipContentRule

290 The MembershipContentRule constrains the ServiceGroup membership to those members
291 that implement the interfaces described below in /wsrf-
292 sg:membershipContentRule/@MemberInterfaces if present. A MembershipContentRule is
293 further satisfied according to the rules defined below in wsrf-
294 sg:membershipContentRule/@ContentElements.

295 /wsrf-sg:membershipContentRule/@MemberInterfaces

296 This optional attribute, when present, specifies the members to which this
297 MembershipContentRule applies according to the interface (WSDL 1.1 portType) of the
298 member Web service.

299 A MembershipContentRule applies to a member if, for each QName in the value of
300 @MemberInterfaces, there is a corresponding interface (WSDL 1.1 portType) of the
301 member Web service whose name matches that QName. Two QNames are equivalent
302 when they have the same [local part](#) and they have [prefixes](#) which have been bound to
303 [namespace names](#) that are [identical \[XML-Names\]](#). If this attribute is not present, all
304 members MUST satisfy the enclosing MembershipContentRule's @ContentElements
305 constraint.

306 /wsrf-sg:membershipContentRule/@ContentElements

307 This attribute specifies the content restrictions according to the list of QNames, each of
308 which refer to a XML Schema global element declaration. This list defines the constraints
309 on the wsrf-sg:Content resource property of the ServiceGroupEntry that MUST be satisfied
310 for membership. The list MAY be an empty list. When an empty list is specified there are
311 no content constraints on the resource properties of the ServiceGroupEntries that match
312 the enclosing MembershipContentRule.

313 A member satisfies a MembershipContentRule if, for each QName in the value of
314 @ContentElements, there is at least one child element of the wsrf-sg:Content of the
315 ServiceGroupEntry's resource properties document whose name matches that QName.
316 Two QNames are equivalent when they have the same [local part](#) and they have [prefixes](#)
317 which have been bound to [namespace names](#) that are [identical \[XML-Names\]](#).

318 Note: It is possible to construct a MembershipContentRule without a MemberInterface and with an
319 empty list for the ContentElements. Such a MembershipContentRule would have no effect on the
320 membership as per the normative semantics described for this component.

321 **5.1.2 Entry Resource Property**

322 An Entry resource property is a projection of the aggregation of the resource property documents of
323 the ServiceGroup's entry resources. An Entry resource property has the following form:

| | |
|-----|---------------------------------|
| 324 | <wsrf-sg:Entry> |
| 325 | <wsrf-sg:ServiceGroupEntryEPR> |
| 326 | wsa:EndpointReferenceType |
| 327 | </wsrf-sg:ServiceGroupEntryEPR> |
| 328 | <wsrf-sg:MemberServiceEPR> |
| 329 | wsa:EndpointReferenceType |
| 330 | </wsrf-sg:MemberServiceEPR> |
| 331 | <wsrf-sg:Content> |
| 332 | <wsrf-sg:RPDoc> |
| 333 | {any} |
| 334 | </wsrf-sg:RPDoc> ? |
| 335 | {any} * |
| 336 | </wsrf-sg:Content> ? |
| 337 | </wsrf-sg:Entry> |

338 (see [Appendix I: Entry type and element definition](#) & [Appendix II: ServiceGroup resource property](#))

339 This resource property element is further constrained as follows

340 /wsrf-sg:Entry

341 The entry provides the logical structure of the constituent members of the ServiceGroup.
342 There is one entry element for each entry in the ServiceGroup. In the event of an entry's
343 removal or destruction from a ServiceGroup, the corresponding element in the
344 ServiceGroup's resource property **MUST** also be removed. The removal of the element
345 from the ServiceGroup's resource property **SHOULD** occur temporally near the removal or
346 destruction of the entry.

347 /wsrf-sg:Entry/ServiceGroupEntryEPR

348 Endpoint reference as defined in **[WS-Addressing]** to the ServiceGroupEntry WS-
349 Resource with which the entry is associated. This WS-Resource is the representation of
350 the membership of the member in the group. Existence of this WS-Resource is the
351 definitive test that the member is indeed part of the group. If the WS-Resource referenced
352 by ServiceGroupEntryEPR is not available, the consumer **MUST NOT** assume that the
353 Web service referenced by the @MemberServiceEPR is a member of the service group.

354 /wsrf-sg:Entry/MemberServiceEPR

355 Endpoint reference as defined in **[WS-Addressing]** to the member to which the entry
356 refers.

357 /wsrf-sg:Entry/Content

358 The optional Content element contains the resource property values that conform to the
359 wsrf-sg:MembershipContentRule/@ContentElements of the ServiceGroup. In the absence
360 of concurrency controls a requestor **MUST NOT** assume that this element will be identical
361 to the element that the WS-Resource, referenced by @ServiceGroupEntryEPR, contains in
362 its wsrf-sg:Content resource property. In the case that wsrf-sg:Entry/Content is not
363 identical to the wsrf-sg:Content resource property of the WS-Resource referenced by the
364 @ServiceGroupEntryEPR then the wsrf-sg:Content is assumed to be authoritative. (For
365 further discussion reference "ACID Properties of Operations on WS-Resources" **[WS-
366 ResourceProperties]**)

367 /wsrf-sg:Entry/Content/RPDoc

368 This optional element, if present, **MUST** be conformant to the schema associated with the
369 wsrf-rp:ResourceProperties extensibility attribute from the portType associated with the

370 @MemberServiceEPR. The contents of this element SHOULD be identical to the contents
371 returned by the GetResourcePropertyDocument message exchange with the WS-
372 Resource, referenced by @MemberServiceEPR.

373 **5.2 ServiceGroup: Operations**

374 The ServiceGroup interface defines no message exchanges. A ServiceGroup SHOULD implement
375 one of the message exchange sets defined in WS-ResourceLifetime if it needs to support either
376 immediate resource destruction or scheduled resource destruction.

377 6 ServiceGroupEntry

378 The representation of a member Web service within the ServiceGroup is a WS-Resource. The
379 Web service component of this WS-Resource implements the ServiceGroupEntry interface. The
380 ServiceGroupEntry interface describes the requirements on the Web service through which
381 management of the entry occurs.

382 A member MAY appear in a ServiceGroup multiple times. A separate ServiceGroupEntry WS-
383 Resource represents each appearance of that member in a ServiceGroup. A ServiceGroupEntry
384 WS-Resource MUST belong to exactly one service group.

385 A ServiceGroupEntry interface MAY provide additional management functions for a
386 ServiceGroupEntry WS-Resource. In particular, it MAY provide independent lifetime management
387 functions for individual ServiceGroupEntry WS-Resources (if it implements message exchanges
388 defined in WS-ResourceLifetime). In the case where the ServiceGroupEntry Web service
389 implements one of the message exchange sets defined in WS-ResourceLifetime, a
390 ServiceGroupEntry WS-Resource MAY be removed from a ServiceGroup by managing the lifetime
391 of the ServiceGroupEntry WS-Resource. Additional message exchanges MAY be defined to
392 provide more advanced ServiceGroupEntry capabilities.

393 6.1 ServiceGroupEntry: Resource Property Declarations

394 In addition to the message exchanges described in this specification, a ServiceGroupEntry MUST
395 also support the required message exchanges defined in the WS-ResourceProperties specification
396 and MAY support the optional message exchanges defined in the WS-ResourceProperties
397 specification.

398 6.1.1 ServiceGroupEPR

399 The general form of a ServiceGroupEPR resource property element is:

```
400 <wsrf-sg:ServiceGroupEPR>  
401   wsa:EndpointReferenceType  
402 </wsrf-sg:ServiceGroupEPR>
```

403 (see [Appendix I: ServiceGroupEPR element definition](#) & [Appendix II: ServiceGroupEntry resource
404 property](#))

405 This resource property element is further constrained as follows:

406 /wsrf-sg:ServiceGroupEPR

407 Contains an endpoint reference [**WS-Addressing**] to the ServiceGroup of which this entry
408 represents membership. This endpoint reference MUST refer to the same Web service or
409 WS-Resource throughout the lifetime of the ServiceGroupEntry.

410 6.1.2 MemberEPR

411 The general form of a MemberEPR resource property element is:

```
412 <wsrf-sg:MemberEPR>  
413   wsa:EndpointReferenceType  
414 </wsrf-sg:MemberEPR>
```

415 (see [Appendix I: MemberEPR element definition](#) & [Appendix II: ServiceGroupEntry resource
416 property](#))

417 This resource property element is further constrained as follows:

418 /wsrf-sg:MemberEPR

419 Contains an endpoint reference [WS-Addressing] to the member to which this entry
420 pertains. This endpoint reference MUST refer to the same Web service or WS-Resource
421 throughout the lifetime of the ServiceGroupEntry.

422 6.1.3 Content

423 The general form of the Content resource property element is:

```
424 <wsrf-sg:Content>  
425   <wsrf-sg:RPDoc>  
426     {any}  
427   </wsrf-sg:RPDoc> ?  
428   {any} *  
429 </wsrf-sg:Content>
```

430 (see [Appendix I: Content element definition](#) & [Appendix II: ServiceGroupEntry resource property](#))

431 This resource property element is further constrained as follows:

432 /wsrf-sg:Content

433 This XML element contains information pertinent to the group membership represented by
434 the ServiceGroupEntry. The Content elements conform to the XSD element declarations
435 listed (by QName) in the membershipContentRule resource property of the ServiceGroup
436 containing this ServiceGroupEntry.

437 /wsrf-sg:Content/RPDoc

438 This optional element, if present, MUST be conformant to the schema associated with the
439 wsrf-rp:ResourceProperties extensibility attribute from the portType associated with the
440 @MemberEPR. The contents of this element SHOULD be identical to the contents
441 returned by the GetResourcePropertyDocument message exchange with the WS-
442 Resource, referenced by @MemberEPR.

443 6.2 ServiceGroupEntry: Message Exchanges

444 The ServiceGroupEntry interface defines no operations. The service implementing the
445 ServiceGroupEntry interface SHOULD implement the message exchanges and resource properties
446 from one of the interfaces described in WS-ResourceLifetime if it supports immediate destruction
447 and scheduled destruction of ServiceGroupEntry resources. In addition, the service implementing
448 the ServiceGroupEntry interface SHOULD implement the message exchanges and resource
449 properties for the NotificationProducer interface [WS-BaseNotification]. The service implementing
450 the ServiceGroupEntry SHOULD also support resource property value change notification as
451 defined in [WS-ResourceProperties]. In particular, it SHOULD include wsrf-sg:Content as a value
452 of its Topics resource property.

453 7 ServiceGroupRegistration

454 The ServiceGroupRegistration interface is an extension of the ServiceGroup interface.
455 ServiceGroupRegistration defines the message exchanges that allow a requestor to add entries to
456 a ServiceGroup WS-Resource explicitly. Third party controlled aggregations of services are made
457 possible by the ServiceGroupRegistration extension of ServiceGroup.

458 7.1 ServiceGroupRegistration: Resource Property Declarations

459 The ServiceGroupRegistration interface defines no resource properties. The resource properties
460 defined by the interfaces in WS-ResourceLifetime SHOULD be included in the ResourceProperty
461 document of a ServiceGroupRegistration. The resource properties defined in the ServiceGroup
462 interface MUST be included in the resource property document of a ServiceGroupRegistration.

463 7.2 Add

464 When a requestor wishes to add a new entry to a ServiceGroup WS-Resource, the requestor must
465 issue a request message of the following form:

```
466 <wsrf-sg:Add>  
467   <wsrf-sg:MemberEPR>  
468     wsa:EndpointReferenceType  
469   </wsrf-sg:MemberEPR>  
470   <wsrf-sg:Content>  
471     {any}  
472   </wsrf-sg:Content>  
473   <wsrf-sg:InitialTerminationTime>  
474     [xsd:dateTime | xsd:duration]  
475   </wsrf-sg:InitialTerminationTime?>  
476 </wsrf-sg:Add>
```

477 The components of the Add message are further described as follows:

478 /wsrf-sg:Add/MemberEPR

479 This component contains the endpoint reference of the member Web service to include in
480 the ServiceGroup. It MUST satisfy the semantics as specified by the ServiceGroup
481 resource property /wsrf-sg:MembershipContentRules.

482 /wsrf-sg:Add/Content

483 This component contains information to associate with the MemberEPR in the
484 ServiceGroup. This component represents input for the ServiceGroupEntry content
485 element. This input MAY be augmented or modified with other information that the
486 ServiceGroup may derive. This allows the ServiceGroup to tailor or modify the content.

487 /wsrf-sg:Add/InitialTerminationTime

488 An optional element, indicating the requestor's suggestion for the initial setting of the
489 termination time resource property [WS-ResourceLifetime] of the ServiceGroupEntry WS-
490 Resource.

491 There are two forms of this element, absolute time and duration. If the type of this element
492 is xsd:dateTime, the value of the element is to be interpreted as an "absolute time". If the
493 type of this element is xsd:duration, the value of the element is to be interpreted as a
494 "relative time" or "duration". Regardless of the form, time is relative to the time source used
495 by the ServiceGroup.

496 The duration form is used to “compute” the “absolute time” form in the following fashion.
497 The value of this element in “absolute time” form is computed by adding the xsd:duration
498 value to the current time value of the ServiceGroup.

499 The “absolute time” form (whether computed from a duration, or contained within the
500 request message) is used to initialize the value of the TerminationTime resource property
501 of the Subscription resource.

502 If the ServiceGroup is unable or unwilling to set the TerminationTime resource property of
503 the ServiceGroupEntry resource to the given value of the “absolute time” form or a value
504 greater, then the Add request MUST fault. If the value is not “in the future” relative to the
505 current time as known by the ServiceGroup, the Add request MUST fault. The use of the
506 xsi:nil attribute with value “true” indicates there is no scheduled termination time requested
507 for the ServiceGroupEntry. If the element does not include the time zone designation, the
508 value of the element MUST be interpreted as universal time (UTC) time.

509 If this element is not included, the initial value of the TerminationTime resource property is
510 dependent on the implementation of the ServiceGroup.

511 If a ServiceGroupRegistration accepts the Add request it MUST update the
512 TerminationTime resource property of the resulting ServiceGroupEntry WS-Resource to the
513 value specified in the message or to a value “in the future” relative to the requested time.

514 The wsrf:Action MUST contain the URI <http://docs.oasis-open.org/wsrf/sgw-1/ServiceGroupRegistration/AddRequest>.

516 If the ServiceGroupRegistration accepts the request to add a member, it MUST respond with an
517 AddResponse message of the following form:

```
518 <wsrf-sg:AddResponse>  
519   <wsrf-sg:ServiceGroupEntryReference>  
520     wsrf:endpointReferenceType  
521   </wsrf-sg:ServiceGroupEntryReference>  
522   <wsrf-sg:TerminationTime xsi:nil="xsd:boolean"?>  
523     xsd:dateTime  
524   </wsrf-sg:TerminationTime>  
525   <wsrf-sg:CurrentTime>  
526     xsd:dateTime  
527   </wsrf-sg:CurrentTime>  
528 </wsrf-sg:AddResponse>
```

529 Further constraints on the AddResponse message are as follows:

530 /wsrf-sg:AddResponse/wsrf-sg:ServiceGroupEntryReference

531 An EndpointReference as described in [WS-Addressing]. This endpoint reference refers
532 to the ServiceGroupEntry WS-Resource created by the ServiceGroup to represent the
533 association of the member within the ServiceGroup. The Web service associated with the
534 ServiceGroupEntry returned by the AddResponse MUST implement the message
535 exchanges and resource properties specified by the ScheduledResourceTermination
536 interface and the ImmediateResourceTermination interface [WS-ResourceLifetime].

537 /wsrf-sg:AddResponse/wsrf-sg:TerminationTime

538 This value MAY be “in the future” relative to the xsd:dateTime requested by the service
539 requestor in the wsrf-sg:AddRequest/wsrf-sg:InitialTerminationTime.

540 This value reflects the new date and time at which the ServiceGroupEntry WS-Resource is
541 scheduled to be destroyed. If the value is xsi:nil, it implies that the resource will not be
542 destroyed for an indefinite period of time.

543 This value MUST also be reflected through the value of the TerminationTime resource
544 property.

545 /wsrf-sg:AddResponse/wsrf-sg:CurrentTime

546 This value MUST be the time, as it is known by the ServiceGroup, at which the WS-
547 Resource processed this AddRequest message.

548

549 The wsa:Action MUST contain the URI <http://docs.oasis-open.org/wsrf/sgw-1/ServiceGroupRegistration/AddResponse>.

551 Instead of the AddResponse message, the Web service MUST send a fault. This specification
552 defines the following faults associated with failure to process the Add message.

553 ContentCreationFailedFault:

554 The operation was unable to create a valid Content element (as defined by the
555 membershipContentRule resource property) from the provided Content and MemberEPR
556 components of the Add request message.

557 UnsupportedMemberInterfaceFault:

558 The member service referred to by the MemberEPR argument is not conformant with the
559 MembershipContentRule.

560 AddRefusedFault:

561 The ServiceGroupRegistration refused to create a new entry for the member service based
562 the semantics of the ServiceGroupRegistration (or subtype).

563 ResourceUnknownFault:

564 The ServiceGroupRegistration WS-Resource, which is the target of the Add message, is
565 unknown. The enumeration of this fault and the conditions under which it may occur
566 appear in the **[WS-Resource]** specification.

567

568 **7.2.1 Example SOAP Encoding of the Add Message Exchange**

569 The following is a non-normative example of an Add request message using SOAP 1.1 **[SOAP 1.1]**.

570 Note: The presence of ReferenceParameters in the following example represents the special case
571 when the member is a WS-Resource with a WS-Addressing embodiment **[WS-Resource]**

```
572 <s11:Envelope xmlns...>  
573   <s11:Header>  
574     <wsa:Action>  
575       http://docs.oasis-open.org/wsrf/sgw-  
576 1/ServiceGroupRegistration/AddRequest  
577     </wsa:Action>  
578   </s11:Header>  
579   <s11:Body>  
580     <wsrf-sg:Add>  
581       <wsrf-sg:MemberEPR>  
582         <wsa:Address>  
583           http://www.producer.org/ProducerEndpoint  
584         </wsa:Address>
```

```

585     <wsa:ReferenceParameters>
586         <npex:ResourceDisambiguator>
587             uuid:84decd55-7d3f-65ad-ac44-675d9fce5d22
588         </npex:ResourceDisambiguator>
589     </wsa:ReferenceParameters>
590 </wsrf-sg:MemberEPR>
591 </wsrf-sg:Content>
592     <wstop:Topic>wsrf-
593 rp:ResourcePropertiesValueChanges</wstop:Topic>
594 <wsrf-sg:Content>
595     <wsrf-sg:InitialTerminationTime>
596         2003-12-25T00:00:00.00000Z
597     </wsrf-sg:InitialTerminationTime>
598 </wsrf-sg:Add>
599 </s11:Body>
600 </s11:Envelope>

```

601 The following is a non-normative example of an Add response message using SOAP 1.1 [SOAP
602 1.1]:

```

603 <s11:Envelope xmlns... >
604     <s11:Header>
605         <wsa:Action>
606             http://docs.oasis-open.org/wsrf/sgw-
607 1/ServiceGroupRegistration/AddResponse
608         </wsa:Action>
609     </s11:Header>
610     <s11:Body>
611         <wsrf-sg:AddResponse>
612             <wsrf-sg:ServiceGroupEntryReference>
613                 <wsa:Address>
614                     http://www.producer.org/ServiceGroupEndpoint
615                 </wsa:Address>
616                 <wsa:ReferenceParameters>
617                     <npex:ResourceDisambiguator>
618                         uuid:95fefeb3-f37d-5dfe-44fe-675d9fce12df
619                     </npex:ResourceDisambiguator>
620                 </wsa:ReferenceParameters>
621             </wsrf-sg:ServiceGroupEntryReference>
622             <wsrf-sg:TerminationTime>
623                 2003-12-31T12:00:00Z
624             </wsrf-sg:TerminationTime>
625             <wsrf-sg:CurrentTime>
626                 2003-12-20T11:00:00Z
627             </wsrf-sg:CurrentTime>
628         </wsrf-sg:AddResponse>
629     </s11:Body>
630 </s11:Envelope>

```

631

8 Notification of ServiceGroup Modification

632 If the Web service component of the ServiceGroup WS-Resource also implements the
 633 NotificationProducer interface defined by the WS-BaseNotification specification [**WS-
 634 BaseNotification**], then it MUST provide a topic [**WS-Topics**] to allow requestors to subscribe for
 635 notification of the modification of the ServiceGroup. The form of the TopicSpace [**WS-Topics**] is:

```

636 <wstop:TopicSpace name="ServiceGroupTopicSpace"
637     targetNamespace="http://docs.oasis-open.org/wsrf/sg-1"
638     xmlns:wsrf-rp="http://docs.oasis-open.org/wsrf/rp-1"
639     xmlns:wstop=
640         "http://docs.oasis-open.org/wsn/2004/06/wsn-WS-Topics-1.2-
641     draft-01.xsd" >
642     <wstop:Topic name="ServiceGroupModification" >
643         <wstop:MessagePattern>
644             <wsrf-rp:QueryExpression
645                 dialect="http://www.w3.org/TR/1999/REC-xpath-19991116"
646             >
647                 boolean((/*/*EntryAdditionNotification
648                     \[namespace-uri()='http://docs.oasis-
649     open.org/wsrf/sg-1']) |
650                     (/*/*EntryRemovalNotification
651                     \[namespace-uri()='http://docs.oasis-
652     open.org/wsrf/sg-1']))
653                 boolean(/*/EntryAdditionNotification |
654                     /*/ EntryRemovalNotification)
655             </wsrf-rp:QueryExpression>
656         </wstop:MessagePattern>
657     </wstop:Topic>
658 </wstop:TopicSpace>
  
```

659

660 This TopicSpace defines the TopicSpace associated with the WS-ServiceGroup XML namespace
 661 (<http://docs.oasis-open.org/wsrf/sg-1>). The TopicSpace is further constrained as follows:

662 /wstop:TopicSpace/@name

663 The name of the TopicSpace associated with the WS-ServiceGroup XML namespace
 664 MUST be "ServiceGroupTopicSpace".

665 /wstop:Topic

666 This topic is associated with notification messages when a ServiceGroupEntries are added
 667 or removed from a ServiceGroup. A Web service that supports the message exchanges
 668 associated with the NotificationProducer role as specified in WS-BaseNotification and that
 669 wishes to support subscriptions and notifications related to ServiceGroup modifications
 670 SHOULD include this topic in its list of supported topics. When a ServiceGroup detects that
 671 the contents of the group have been modified, it SHOULD create a notification message
 672 artifact recording the situation and, if the message artifact is generated, it MUST associate
 673 this notification message with this topic. Note: there are many circumstances in which a
 674 modification of a ServiceGroup does not result in the generation of a notification message.

675 /wstop:Topic/@name

676 The name of the Topic representing ServiceGroup modifications MUST be named
 677 "ServiceGroupModification". The namespace property of this topic MUST be the WS-
 678 ServiceGroup XML namespace (<http://docs.oasis-open.org/wsrf/sg-1>).
 679 /wstop:Topic/wstop:MessagePattern
 680 This topic is associated with messages that MUST contain an wsrf-
 681 sg:EntryAdditionNotification element or an wsrf-sg:EntryRemovalNotification element.
 682 These elements and their corresponding complexTypes are described later in this section.

683 8.1 EntryAdditionNotification Message

684 The wsrf-sg:EntryAdditionNotification element is a form of notification message associated with the
 685 wsrf-sg:ServiceGroupModification topic. This element is defined as follows:

```
686 <wsrf-sg:EntryAdditionNotification>
687   <wsrf-sg:ServiceGroupEntryEPR>
688     wsa:EndpointReferenceType
689   </wsrf-sg:ServiceGroupEntryEPR>
690   <wsrf-sg:MemberServiceEPR>
691     wsa:EndpointReference
692   </wsrf-sg:MemberServiceEPR>
693   <wsrf-sg:Content>
694     <wsrf-sg:RPDoc>
695       {any} *
696     </wsrf-sg:RPDoc> ?
697     {any} *
698   </wsrf-sg:Content> ?
699 </wsrf-sg:EntryAdditionNotification>
```

700 The form of the EntryAdditionNotification is further constrained as follows:

701 /wsrf-sg:EntryAdditionNotification

702 One EntryAdditionNotification element is created for each ServiceGroupEntry addition
 703 situation detected by the service associated with ServiceGroup resource. This artifact
 704 records the addition of an entry to the ServiceGroup.

705 /wsrf-sg:EntryAdditionNotification/ServiceGroupEntryEPR

706 This element MUST contain the EndpointReference of the ServiceGroupEntry that was
 707 added to the ServiceGroup.

708 /wsrf-sg:EntryAdditionNotification/MemberServiceEPR

709 This element MUST contain the EndpointReference of the member service that the WS-
 710 Resource referenced by @ServiceGroupEntryEPR contains in its MemberEPR resource
 711 property.

712 /wsrf-sg:EntryAdditionNotification/Content

713 If this optional element is present, it MUST contain a copy of the Contents resource
 714 property element of the ServiceGroupEntry referenced by @ServiceGroupEntryEPR.

715 8.2 EntryRemovalNotification Message

716 The wsrf-sg:EntryRemovalNotification element is a form of notification message associated with the
 717 wsrf-sg:ServiceGroupModification topic. This element is defined as follows:

```
718 <wsrf-sg:EntryRemovalNotification>
719   <wsrf-sg:ServiceGroupEntryEPR>
```

| | |
|-----|---|
| 720 | wsa:EndpointReferenceType |
| 721 | </wsrf-sg:ServiceGroupEntryEPR> |
| 722 | <wsrf-sg:MemberServiceEPR> |
| 723 | wsa:EndpointReferenceType |
| 724 | </wsrf-sg:MemberServiceEPR> |
| 725 | <wsrf-sg:Content> |
| 726 | <wsrf-sg:RPDoc> |
| 727 | {any} * |
| 728 | </wsrf-sg:RPDoc> ? |
| 729 | {any} * |
| 730 | </wsrf-sg:Content> ? |
| 731 | <wsrf-sg:Reason>xsd:string</wsrf-sg:Reason> ? |
| 732 | </wsrf-sg:EntryRemovalNotification> |

733 The form of the EntryRemovalNotification is further constrained as follows:

734 /wsrf-sg:EntryRemovalNotification

735 One EntryRemovalNotification element is created for each ServiceGroupEntry removal
736 situation detected by the service associated with ServiceGroup resource. This artifact
737 records the removal of an entry to the ServiceGroup.

738 /wsrf-sg:EntryRemovalNotification/ServiceGroupEntryEPR

739 This element MUST contain the EndpointReference of the ServiceGroupEntry that was
740 removed to the ServiceGroup. Note: The EndpointReference for the ServiceGroupEntry will
741 not be a valid reference since the removal mechanism from a ServiceGroup is removal of
742 the ServiceGroupEntry.

743 /wsrf-sg:EntryRemovalNotification/MemberServiceEPR

744 This element MUST contain the EndpointReference of the member service that the WS-
745 Resource referenced by @serviceGroupEntryEPR contains in its MemberEPR resource
746 property.

747 /wsrf-sg:EntryRemovalNotification/Content

748 If this optional element is present, it MUST contain a copy, from some point prior to the
749 removal, of the Contents resource property element of the ServiceGroupEntry referenced
750 by @ServiceGroupEntryEPR.

751 /wsrf-sg:EntryRemovalNotification/Reason

752 If this optional element is present it will contain human readable text regarding the reason
753 for the removal for the ServiceGroup.

754 **9 Security Model**

755 In the context of this specification, there are two categories of security aspects that need to be
756 considered: (a) securing the message exchanges and (b) securing the resource properties.

757 **9.1 Securing the message exchanges**

758 When messages exchanges occur between a requestor and a Web service in order to access or
759 act on one or more resource properties, it is RECOMMENDED that the communication between
760 services be secured using the mechanisms described in WS-Security.

761 **9.2 Securing the resource properties**

762 Given WS-ServiceGroup defines a mechanism to expose properties about its member WS-
763 Resources through its “Content” resource property on ServiceGroupEntry, security considerations
764 specified in WS-ResourceProperties are applicable to ServiceGroupEntry. Therefore, security
765 policies should be established that ensure that only authorized requestors can access the value of
766 a resource property of a member WS-Resource. It should also be noted that the authorization
767 policies on the properties of a WS-Resource accessible through a ServiceGroup should be
768 consistent with the authorization policies that are applicable when those properties are accessed
769 directly from the resource itself. Similarly, the security policies about message exchanges (e.g.,
770 requiring the resource property value to be encrypted when sent in a response) should be
771 equivalent in order to provide the same protection irrespective of the access point.

772 **9.2.1 A Note on MembershipContentRules**

773 The MembershipContentRules resource property along with Entry resource property provide a
774 mechanism to allow for requestors to query about the members of a service group based on their
775 interface or a resource property that is contained in member Ws-Resource’s resource properties
776 document, as well as the value of a resource property itself. There may need to be privacy
777 considerations with respect to exposing those values. Therefore, authorization policies as well as
778 message protection policies should be consistent between these values retrieved through
779 ServiceGroup, and those values retrieved through the WS-Resource itself. It is not a good practice
780 to form membership rules based on properties whose values are to remain confidential.

781 **Appendix A. Acknowledgments**

782 Special thanks to the Global Grid Forum's Open Grid Services Infrastructure working group, which
783 defined the OGSi v1.0 [**OGSI 1.0**] specification which was a large inspiration for the ideas
784 expressed in this specification.

785 The following individuals were members of the committee during the development of this
786 specification:

787 Mario Antonioletti (EPCC, The University of Edinburgh), Akhil Arora (Sun Microsystems), Tim Banks
788 (IBM), Jeff Bohren (OpenNetwork), Fred Carter (AmberPoint), Martin Chapman (Oracle), Glen
789 Daniels (Sonic Software), David De Roure (University of Southampton), Thomas Freund (IBM),
790 John Fuller (Individual), Stephen Graham (IBM), Anish Karmarkar (Oracle), Hideharu Kato
791 (Hitachi), David Levine (IBM), Paul Lipton (Computer Associates), Mark Little (Arjuna Technologies
792 Limited), Lily Liu (WebMethods, Inc.), Tom Maguire (IBM), Susan Malaika (IBM), David Martin
793 (IBM), Samuel Meder (ArgonneNational Laboratory), Jeff Mischinsky (Oracle), Roger Menday
794 (Forschungszentrum Jlich GmbH), Bryan Murray (Hewlett-Packard), Mark Peel (Novell), Alain
795 Regnier (Ricoh Company, Ltd.), Ian Robinson (IBM), Tom Rutt (Fujitsu), Matsunori Satomi
796 (Hitachi), Igor Sedukhin (Computer Associates), Hitoshi Sekine (Ricoh Company, Ltd.), Frank
797 Siebenlist (ArgonneNational Laboratory), Alex Sim (Lawrence Berkeley National Laboratory), David
798 Snelling (Fujitsu), Latha Srinivasan (Hewlett-Packard), Jem Treadwell (Hewlett-Packard), Steve
799 Tuecke (ArgonneNational Laboratory), William Vambenepe (Hewlett-Packard), Katy Warr (IBM),
800 Alan Weissberger (NEC Corporation), Pete Wenzel (SeeBeyond Technology Corporation), Kirk
801 Wilson (Computer Associates) and Umit Yalcinalp (SAP).

802 In addition, the following people made contributions to this specification:

803 Nick Butler (IBM), Karl Czajkowski (Globus / USC/ISI), Donald F Ferguson (IBM), Ian Foster
804 (Globus / Argonne), Diane Jordan (IBM), Andreas Meier (IBM), Nataraj Nagaratnam (IBM), Martin
805 Nally (IBM), John Rofrano (IBM), Ellen Stokes (IBM), Tony Storey (IBM), Jay Unger (IBM), Sanjiva
806 Weerawarana (IBM), Dave Booz (IBM), Jim Knutson (IBM), Heather Kreger (IBM), Frank Leymann
807 (IBM).

808

809 10References

810 10.1 Normative

- 811
- 812 [RFC 2119] S. Bradner, *Key words for use in RFCs to Indicate Requirement*
813 *Levels*, <http://www.ietf.org/rfc/rfc2119.txt>, IETF RFC 2119, March
814 1997.
- 815 [URI] T. Berners-Lee, R. Fielding, L. Masinter, "Uniform Resource
816 Identifiers (URI): Generic Syntax," RFC 2396, MIT/LCS, U.C.
817 Irvine, Xerox Corporation, August 1998.
- 818 [WS-Addressing] <http://www.w3.org/TR/ws-addr-core>
- 819 [WS-BaseFaults] http://docs.oasis-open.org/wsrf/wsrf-ws_base_faults-1.2-spec-cd-01.pdf
- 820
- 821 [WS-BaseNotification] <http://docs.oasis-open.org/wsn/2004/06/wsn-WS-BaseNotification-1.2-draft-03.pdf>
- 822
- 823 [WS-Basic Profile 1.1] <http://www.ws-i.org/Profiles/BasicProfile-1.1.html>
- 824 [WS-Resource] http://docs.oasis-open.org/wsrf/wsrf-ws_resource-1.2-spec-cd-01.pdf
- 825
- 826 [WS-ResourceLifetime] http://docs.oasis-open.org/wsrf/wsrf-ws_resource_lifetime-1.2-spec-cd-01.pdf
- 827
- 828 [WS-ResourceProperties] http://docs.oasis-open.org/wsrf/wsrf-ws_resource_properties-1.2-spec-cd-01.pdf
- 829
- 830 [WS-Topics] <http://docs.oasis-open.org/wsn/2004/06/wsn-WS-Topics-1.2-draft-01.pdf>
- 831
- 832 [XML-Infoset] <http://www.w3.org/TR/xml-infoset/>
- 833 [XML-Names] <http://www.w3.org/TR/REC-xml-names/>
- 834 [XPath] <http://www.w3.org/TR/xpath>

835 10.2 Non-Normative

- 836 [OGSI 1.0] Open Grid Services Infrastructure (OGSI) V1.0
837 <http://forge.gridforum.org/projects/ggf-editor/document/draft-ogsi-service-1/en/1>
- 838
- 839 [SOAP 1.1] <http://www.w3.org/TR/2000/NOTE-SOAP-20000508>
- 840 [WS-Security] <http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-soap-message-security-1.0.pdf>
- 841
- 842
- 843 [WSDL 2.0] <http://www.w3.org/TR/wsdl12/>
- 844

845 Appendix B. XML Schema

846 The XML types and elements used in this specification are included here for convenience. The
847 authoritative version of this schema document is available at [http://docs.oasis-open.org/wsrf/sg-](http://docs.oasis-open.org/wsrf/sg-1.xsd)
848 [1.xsd](http://docs.oasis-open.org/wsrf/sg-1.xsd).

849 The XML types and elements used in this specification are defined in the following XML Schema

```
850 <?xml version="1.0" encoding="UTF-8"?>
851 <!--
852
853 OASIS takes no position regarding the validity or scope of any
854 intellectual property or other rights that might be claimed to
855 pertain to the implementation or use of the technology described
856 in this document or the extent to which any license under such
857 rights might or might not be available; neither does it represent
858 that it has made any effort to identify any such rights.
859 Information on OASIS's procedures with respect to rights in OASIS
860 specifications can be found at the OASIS website. Copies of claims
861 of rights made available for publication and any assurances of
862 licenses to be made available, or the result of an attempt made to
863 obtain a general license or permission for the use of such
864 proprietary rights by implementors or users of this specification,
865 can be obtained from the OASIS Executive Director.
866
867 OASIS invites any interested party to bring to its attention any
868 copyrights, patents or patent applications, or other proprietary
869 rights which may cover technology that may be required to
870 implement this specification. Please address the information to
871 the OASIS Executive Director.
872
873 Copyright (C) OASIS Open (2005). All Rights Reserved.
874
875 This document and translations of it may be copied and furnished
876 to others, and derivative works that comment on or otherwise
877 explain it or assist in its implementation may be prepared,
878 copied, published and distributed, in whole or in part, without
879 restriction of any kind, provided that the above copyright notice
880 and this paragraph are included on all such copies and derivative
881 works. However, this document itself may not be modified in any
882 way, such as by removing the copyright notice or references to
883 OASIS, except as needed for the purpose of developing OASIS
884 specifications, in which case the procedures for copyrights
885 defined in the OASIS Intellectual Property Rights document must be
886 followed, or as required to translate it into languages other than
887 English.
888
889 The limited permissions granted above are perpetual and will not
890 be revoked by OASIS or its successors or assigns.
```

891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939

```
This document and the information contained herein is provided on
an "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF
THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED
WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

-->
<xsd:schema
  xmlns="http://www.w3.org/2001/XMLSchema"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:wsrf-bf="http://docs.oasis-open.org/wsrf/bf-1"
  xmlns:wsrf-sg="http://docs.oasis-open.org/wsrf/sg-1"
  xmlns:wsa="http://www.w3.org/2005/03/addressing"
  elementFormDefault="qualified"
  attributeFormDefault="unqualified"
  targetNamespace="http://docs.oasis-open.org/wsrf/sg-1" >
<!-- ===== Imports =====
-->

  <xsd:import
    namespace="http://www.w3.org/2005/03/addressing"
    schemaLocation="http://www.w3.org/2005/03/addressing/" />
  <xsd:import
    namespace="http://docs.oasis-open.org/wsrf/bf-1"
    schemaLocation="http://docs.oasis-open.org/wsrf/bf-1" />

<!-- ===== Resource Property Related
===== -->
<!-- ===== Resource Properties for ServiceGroup
===== -->
  <xsd:simpleType name="AbsoluteOrRelativeTimeType">
    <xsd:union memberTypes="xsd:dateTime xsd:duration"/>
  </xsd:simpleType>

  <xsd:simpleType name="ContentElementsType">
    <xsd:list itemType="xsd:QName"/>
  </xsd:simpleType>

  <xsd:simpleType name="MemberInterfacesType">
    <xsd:list itemType="xsd:QName"/>
  </xsd:simpleType>

  <xsd:element name="MembershipContentRule">
    <xsd:complexType>
      <xsd:attribute name="MemberInterfaces"
        type="wsrf-sg:MemberInterfacesType"/>
      <xsd:attribute name="ContentElements"
```

```

940         type="wsrf-sg:ContentElementsType"
941         use="required" />
942     <xsd:anyAttribute namespace="##other"
943         processContents="lax" />
944 </xsd:complexType>
945 </xsd:element>
946
947 <xsd:complexType name="RPDocType">
948     <xsd:sequence>
949         <xsd:any namespace="##any" processContents="lax"
950             minOccurs="1" maxOccurs="1" />
951     </xsd:sequence>
952     <xsd:anyAttribute namespace="##other"
953         processContents="lax" />
954 </xsd:complexType>
955
956 <xsd:complexType name="ContentType">
957     <xsd:sequence>
958         <xsd:element name="RPDoc"
959             type="wsrf-sg:RPDocType"
960             minOccurs="0" maxOccurs="1" />
961         <xsd:any namespace="##any" processContents="lax"
962             minOccurs="0" maxOccurs="unbounded" />
963     </xsd:sequence>
964     <xsd:anyAttribute namespace="##other"
965         processContents="lax" />
966 </xsd:complexType>
967
968 <xsd:complexType name="EntryType">
969     <xsd:sequence>
970         <xsd:element name="ServiceGroupEntryEPR"
971             type="wsa:EndpointReferenceType"
972             minOccurs="1" maxOccurs="1"
973             nillable="true" />
974         <xsd:element name="MemberServiceEPR"
975             type="wsa:EndpointReferenceType"
976             minOccurs="1" maxOccurs="1" />
977         <xsd:element ref="wsrf-sg:Content"
978             minOccurs="0" maxOccurs="1" />
979     </xsd:sequence>
980     <xsd:anyAttribute namespace="##other" processContents="lax" />
981 </xsd:complexType>
982
983 <!-- ===== Resource Properties for ServiceGroupEntry
984 ===== -->
985
986     <xsd:element name="Entry"
987         type="wsrf-sg:EntryType" />
988

```

```

989 <xsd:element name="Content "
990         type="wsrf-sg:ContentType" />
991
992 <xsd:element name="MemberEPR"
993         type="wsa:EndpointReferenceType" />
994
995 <xsd:element name="ServiceGroupEPR"
996         type="wsa:EndpointReferenceType" />
997
998 <!-- ===== Resource Property Related
999 ===== -->
1000 <!-- ===== Resource Properties for ServiceGroup
1001 ===== -->
1002     <xsd:element name="ServiceGroupRP">
1003         <xsd:complexType>
1004             <xsd:sequence>
1005                 <xsd:element ref="wsrf-sg:MembershipContentRule"
1006                     minOccurs="0" maxOccurs="unbounded" />
1007                 <xsd:element ref="wsrf-sg:Entry"
1008                     minOccurs="0" maxOccurs="unbounded" />
1009             </xsd:sequence>
1010         </xsd:complexType>
1011     </xsd:element>
1012
1013 <!-- ===== Resource Properties for ServiceGroupEntry
1014 ===== -->
1015     <xsd:element name="ServiceGroupEntryRP">
1016         <xsd:complexType>
1017             <xsd:sequence>
1018                 <xsd:element ref="wsrf-sg:ServiceGroupEPR"
1019                     minOccurs="1" maxOccurs="1" />
1020                 <xsd:element ref="wsrf-sg:MemberEPR"
1021                     minOccurs="1" maxOccurs="1" />
1022                 <xsd:element ref="wsrf-sg:Content"
1023                     minOccurs="0" maxOccurs="1" />
1024             </xsd:sequence>
1025         </xsd:complexType>
1026     </xsd:element>
1027
1028 <!-- ===== Message Specific Types
1029 ===== -->
1030 <!-- ===== Message Types for ServiceGroupRegistration
1031 ===== -->
1032     <xsd:element name="Add">
1033         <xsd:complexType>
1034             <xsd:sequence>
1035                 <xsd:element name="MemberEPR"
1036                     type="wsa:EndpointReferenceType" />
1037                 <xsd:element ref="wsrf-sg:Content" />

```

```

1038         <xsd:element name="InitialTerminationTime"
1039             type="wsrf-
1040 sg:AbsoluteOrRelativeTimeType"
1041             minOccurs="0" maxOccurs="1" />
1042     </xsd:sequence>
1043 </xsd:complexType>
1044 </xsd:element>
1045
1046 <xsd:element name="AddResponse">
1047     <xsd:complexType>
1048         <xsd:sequence>
1049             <xsd:element name="ServiceGroupEntryReference"
1050                 type="wsa:EndpointReferenceType"
1051                 minOccurs="1" maxOccurs="1" />
1052             <xsd:element name="TerminationTime"
1053                 nillable="true"
1054                 type="xsd:dateTime"
1055                 minOccurs="1" maxOccurs="1" />
1056             <xsd:element name="CurrentTime"
1057                 type="xsd:dateTime"
1058                 minOccurs="1" maxOccurs="1" />
1059         </xsd:sequence>
1060     </xsd:complexType>
1061 </xsd:element>
1062
1063 <xsd:complexType name="ContentCreationFailedFaultType">
1064     <xsd:complexContent>
1065         <xsd:extension base="wsrf-bf:BaseFaultType" />
1066     </xsd:complexContent>
1067 </xsd:complexType>
1068 <xsd:element name="ContentCreationFailedFault"
1069     type="wsrf-
1070 sg:ContentCreationFailedFaultType" />
1071
1072 <xsd:complexType
1073 name="UnsupportedMemberInterfaceFaultType">
1074     <xsd:complexContent>
1075         <xsd:extension base="wsrf-bf:BaseFaultType" />
1076     </xsd:complexContent>
1077 </xsd:complexType>
1078 <xsd:element name="UnsupportedMemberInterfaceFault"
1079     type="wsrf-
1080 sg:UnsupportedMemberInterfaceFaultType" />
1081
1082 <xsd:complexType name="AddRefusedFaultType">
1083     <xsd:complexContent>
1084         <xsd:extension base="wsrf-bf:BaseFaultType" />
1085     </xsd:complexContent>
1086 </xsd:complexType>

```

1087
1088
1089
1090
1091
1092
1093
1094
1095
1096
1097
1098
1099
1100
1101
1102
1103
1104
1105
1106
1107
1108
1109
1110
1111
1112
1113
1114
1115
1116
1117
1118
1119
1120
1121
1122
1123
1124
1125
1126
1127
1128
1129

```
<xsd:element name="AddRefusedFault"
              type="wsrf-sg:AddRefusedFaultType"/>

<!-- = Messages Related to ServiceGroup Change Notification
===== -->
<xsd:complexType
name="ServiceGroupModificationNotificationType">
  <xsd:sequence>
    <xsd:element name="ServiceGroupEntryEPR"
                  type="wsa:EndpointReferenceType"
                  minOccurs="1" maxOccurs="1"
                  nillable="true"/>
    <xsd:element name="MemberServiceEPR"
                  type="wsa:EndpointReferenceType"
                  minOccurs="1" maxOccurs="1"/>
    <xsd:element ref="wsrf-sg:Content"
                  minOccurs="0" maxOccurs="1"/>
  </xsd:sequence>
</xsd:complexType>

<xsd:complexType name="ServiceGroupRemovalNotificationType">
  <xsd:complexContent>
    <xsd:extension
      base="wsrf-
sg:ServiceGroupModificationNotificationType">
      <xsd:sequence>
        <xsd:element name="Reason"
                      type="xsd:string"
                      minOccurs="0" maxOccurs="1"/>
      </xsd:sequence>
    </xsd:extension>
  </xsd:complexContent>
</xsd:complexType>

<xsd:element name="EntryAdditionNotification"
              type="wsrf-
sg:ServiceGroupModificationNotificationType" />

<xsd:element name="EntryRemovalNotification"
              type="wsrf-sg:ServiceGroupRemovalNotificationType"
/>

</xsd:schema>
```

1130 Appendix C. WSDL 1.1

1131 The WSDL 1.1 for the Web service methods described in this specification is compliant with **WS-**
1132 **Basic Profile 1.1** and is included here for convenience. The authoritative version of this WSDL is
1133 available at <http://docs.oasis-open.org/wsrf/sgw-1.wsdl>,

1134 The following illustrates the WSDL 1.1 for the Web service methods described in this specification:

```
1135 <?xml version="1.0" encoding="utf-8"?>
1136 <!--
1137
1138 OASIS takes no position regarding the validity or scope of any
1139 intellectual property or other rights that might be claimed to
1140 pertain to the implementation or use of the technology described
1141 in this document or the extent to which any license under such
1142 rights might or might not be available; neither does it represent
1143 that it has made any effort to identify any such rights.
1144 Information on OASIS's procedures with respect to rights in OASIS
1145 specifications can be found at the OASIS website. Copies of claims
1146 of rights made available for publication and any assurances of
1147 licenses to be made available, or the result of an attempt made to
1148 obtain a general license or permission for the use of such
1149 proprietary rights by implementors or users of this specification,
1150 can be obtained from the OASIS Executive Director.
1151
1152 OASIS invites any interested party to bring to its attention any
1153 copyrights, patents or patent applications, or other proprietary
1154 rights which may cover technology that may be required to
1155 implement this specification. Please address the information to
1156 the OASIS Executive Director.
1157
1158 Copyright (C) OASIS Open (2005). All Rights Reserved.
1159
1160 This document and translations of it may be copied and furnished
1161 to others, and derivative works that comment on or otherwise
1162 explain it or assist in its implementation may be prepared,
1163 copied, published and distributed, in whole or in part, without
1164 restriction of any kind, provided that the above copyright notice
1165 and this paragraph are included on all such copies and derivative
1166 works. However, this document itself may not be modified in any
1167 way, such as by removing the copyright notice or references to
1168 OASIS, except as needed for the purpose of developing OASIS
1169 specifications, in which case the procedures for copyrights
1170 defined in the OASIS Intellectual Property Rights document must be
1171 followed, or as required to translate it into languages other than
1172 English.
1173
1174 The limited permissions granted above are perpetual and will not
1175 be revoked by OASIS or its successors or assigns.
```

1176
1177
1178
1179
1180
1181
1182
1183
1184
1185
1186
1187
1188
1189
1190
1191
1192
1193
1194
1195
1196
1197
1198
1199
1200
1201
1202
1203
1204
1205
1206
1207
1208
1209
1210
1211
1212
1213
1214
1215
1216
1217
1218
1219
1220
1221
1222
1223
1224

```
This document and the information contained herein is provided on
an "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF
THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED
WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

-->

<wsdl:definitions name="ServiceGroup"
  xmlns="http://schemas.xmlsoap.org/wsdl/"
  xmlns:wsdl="http://schemas.xmlsoap.org/wsdl/"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:wsa="http://www.w3.org/2005/03/addressing"
  xmlns:wsrf-bf="http://docs.oasis-open.org/wsrf/bf-1"
  xmlns:wsrf-rp="http://docs.oasis-open.org/wsrf/rp-1"
  xmlns:wsrf-rpw="http://docs.oasis-open.org/wsrf/rpw-1"
  xmlns:wsrf-rw="http://docs.oasis-open.org/wsrf/rw-1"
  xmlns:wsrf-sg="http://docs.oasis-open.org/wsrf/sg-1"
  xmlns:wsrf-sgw="http://docs.oasis-open.org/wsrf/sgw-1"
  targetNamespace="http://docs.oasis-open.org/wsrf/sgw-1">

<!-- ===== Imports
===== -->
  <wsdl:import
    namespace="http://docs.oasis-open.org/wsrf/rpw-1"
    location="http://docs.oasis-open.org/wsrf/rpw-1" />

  <wsdl:import
    namespace="http://docs.oasis-open.org/wsrf/rw-1"
    location="http://docs.oasis-open.org/wsrf/rw-1" />

  <xsd:import
    namespace="http://www.w3.org/2005/03/addressing"
    schemaLocation="http://www.w3.org/2005/03/addressing/" />

<!-- ===== Types Definitions
===== -->
  <wsdl:types>
    <xsd:schema
      xmlns:xsd="http://www.w3.org/2001/XMLSchema"
      targetNamespace="http://docs.oasis-open.org/wsrf/sg-1"
      elementFormDefault="qualified"
      attributeFormDefault="unqualified">

      <xsd:import
        namespace="http://docs.oasis-open.org/wsrf/sg-1"
        schemaLocation="http://docs.oasis-open.org/wsrf/sg-1" />
```

1225
1226
1227
1228
1229
1230
1231
1232
1233
1234
1235
1236
1237
1238
1239
1240
1241
1242
1243
1244
1245
1246
1247
1248
1249
1250
1251
1252
1253
1254
1255
1256
1257
1258
1259
1260
1261
1262
1263
1264
1265
1266
1267
1268
1269
1270
1271
1272
1273

```
<xsd:import
  namespace="http://docs.oasis-open.org/wsrp-1"
  schemaLocation="http://docs.oasis-open.org/wsrp-1" />

<xsd:import
  namespace="http://docs.oasis-open.org/wsrp-1"
  schemaLocation="http://docs.oasis-open.org/wsrp-1" />

</xsd:schema>
</wsdl:types>

<!-- ===== Message Definitions
===== -->
<!-- ===== ServiceGroupRegistration::Add
=====
Add(MemberEPR, Content, [InitialTerminationTime])
returns: EPR to ServiceGroupEntry
-->
<wsdl:message name="AddRequest">
  <wsdl:part name="AddRequest" element="wsrf-sg:Add" />
</wsdl:message>

<wsdl:message name="AddResponse">
  <wsdl:part name="AddResponse" element="wsrf-sg:AddResponse" />
</wsdl:message>

<wsdl:message name="ContentCreationFailedFault">
  <wsdl:part name="ContentCreationFailedFault"
    element="wsrf-sg:ContentCreationFailedFault" />
</wsdl:message>

<wsdl:message name="UnsupportedMemberInterfaceFault">
  <wsdl:part name="UnsupportedMemberInterfaceFault"
    element="wsrf-sg:UnsupportedMemberInterfaceFault"
  />
</wsdl:message>

<wsdl:message name="AddRefusedFault">
  <wsdl:part name="AddRefusedFault"
    element="wsrf-sg:AddRefusedFault" />
</wsdl:message>

<!-- ===== PortType Definitions
===== -->
<wsdl:portType name="ServiceGroup"
  wsrf-rp:ResourceProperties="wsrf-sg:ServiceGroupRP">
  <wsdl:operation name="GetResourceProperty">
    <wsdl:input name="GetResourcePropertyRequest"
      message="wsrf-rpw:GetResourcePropertyRequest" />
```

```

1274     <wsdl:output name="GetResourcePropertyResponse"
1275         message="wsrf-rpw:GetResourcePropertyResponse" />
1276     <wsdl:fault name="InvalidResourcePropertyQNameFault"
1277         message="wsrf-rpw:InvalidResourcePropertyQNameFault"
1278 />
1279     <wsdl:fault name="ResourceUnknownFault"
1280         message="wsrf-rw:ResourceUnknownFault" />
1281
1282     </wsdl:operation>
1283 </wsdl:portType>
1284
1285     <wsdl:portType name="ServiceGroupEntry"
1286         wsrf-rp:ResourceProperties="wsrf-
1287 sg:ServiceGroupEntryRP">
1288         <wsdl:operation name="GetResourceProperty">
1289             <wsdl:input name="GetResourcePropertyRequest"
1290                 message="wsrf-rpw:GetResourcePropertyRequest" />
1291             <wsdl:output name="GetResourcePropertyResponse"
1292                 message="wsrf-rpw:GetResourcePropertyResponse"
1293 />
1294             <wsdl:fault name="InvalidResourcePropertyQNameFault"
1295                 message="wsrf-
1296 rpw:InvalidResourcePropertyQNameFault" />
1297             <wsdl:fault name="ResourceUnknownFault"
1298                 message="wsrf-rw:ResourceUnknownFault" />
1299         </wsdl:operation>
1300     </wsdl:portType>
1301
1302     <wsdl:portType name="ServiceGroupRegistration"
1303         wsrf-rp:ResourceProperties="wsrf-
1304 sg:ServiceGroupRP">
1305         <wsdl:operation name="GetResourceProperty">
1306             <wsdl:input name="GetResourcePropertyRequest"
1307                 message="wsrf-rpw:GetResourcePropertyRequest" />
1308             <wsdl:output name="GetResourcePropertyResponse"
1309                 message="wsrf-rpw:GetResourcePropertyResponse"
1310 />
1311             <wsdl:fault name="InvalidResourcePropertyQNameFault"
1312                 message="wsrf-
1313 rpw:InvalidResourcePropertyQNameFault" />
1314             <wsdl:fault name="ResourceUnknownFault"
1315                 message="wsrf-rw:ResourceUnknownFault" />
1316         </wsdl:operation>
1317     <wsdl:operation name="Add">
1318         <wsdl:input name="AddRequest"
1319             message="wsrf-sgw:AddRequest" />
1320         <wsdl:output name="AddResponse"
1321             message="wsrf-sgw:AddResponse" />
1322         <wsdl:fault name="ContentCreationFailedFault"

```

```
1323         message="wsrf-sgw:ContentCreationFailedFault"/>
1324     <wsdl:fault name="UnsupportedMemberInterfaceFault"
1325         message="wsrf-
1326 sgw:UnsupportedMemberInterfaceFault"/>
1327     <wsdl:fault name="AddRefusedFault"
1328         message="wsrf-sgw:AddRefusedFault"/>
1329     <wsdl:fault name="ResourceUnknownFault"
1330         message="wsrf-rw:ResourceUnknownFault" />
1331 </wsdl:operation>
1332 </wsdl:portType>
1333
1334 </wsdl:definitions>
```

Appendix D. Revision History

| Rev | Date | By Whom | What |
|-------|------------|--------------|---|
| wd-01 | 2004-06-05 | Tom Maguire | Initial version created from submission by contributing companies. Minor modifications made to reflect OASIS formatting. |
| wd-02 | 2004-06-07 | Tom Maguire | Updated to include elementFormDefault and attributeFormDefault. Changed URI from 2004/05 to 2004/06. Updated acknowledgements section. |
| wd-02 | 2004-06-11 | Ian Robinson | Consistency edit for status, acknowledgements and references sections. |
| wd-03 | 2004-11-10 | Tom Maguire | Issue resolutions from October F2F: <ul style="list-style-type: none"> ○ WSRF30, WSRF43, WSRF49, WSRF53, WSRF56 ○ Replaced refs to [State Paper] ○ Update to use "WS-Resource Access Pattern" ○ Changed doc identifier to "Summary Info Title" ○ Added missing wsdl:import for WS-Addressing in wsdl ○ Fixed selector for "UniqueInterfaces" in wsdl (WSRF60 & WSRF70) ○ Fixed namespace prefix errors in wsdl ○ Fixed namespace prefix errors in SOAP examples ○ Updated UML diagram ○ Removed erroneous wsa:to in AddResponse example |
| wd-04 | 2005-02-18 | Tom Maguire | Corrected concrete message element namespaces. Updated OASIS copyright to 2005. Issue resolutions from February F2F: <ul style="list-style-type: none"> ○ Updated namespace declarations to latest 2005/03 ○ WSRF62 Basic profile 1.1 statement |

| Rev | Date | By Whom | What |
|--------|------------|-------------|---|
| | | | <ul style="list-style-type: none"> ○ WSRF96 Statement specifying the authoritative versions of wsdl and xsd ○ WSRF63 add attribute extensibility ○ WSRF86 add ResourceUnknown fault to all operations ○ WSRF81 remove xsd:include in favor of xsd:import. Move all schema definitions to xsd. |
| wd-05 | 2005-05-16 | Tom Maguire | <p>Updated namespaces to CD levels</p> <p>Issue resolutions</p> <ul style="list-style-type: none"> ○ WSRF-44 change MembershipContentRule MemberInterface to be a list of QName. Changed name to MemberInterfaces and updated normative info set. ○ WSRF58 remove unnecessary imports to resource lifetime ○ WSRF59 inconsistencies ○ WSRF69 Content element of ServiceGroupEntry needs to be minOccurs=0 ○ WSRF87 InitialTerminationTime on Add request strengthened. ○ WSRF91 updates for Last call of WS-Addressing ○ WSRF92 update examples for Last call of WS-Addressing ○ WSRF99 use SOAP 1.1 instead of SOAP 1.2 ○ WSRF101 remove non-normative specifications without SDO standing ○ WSRF104 Content rule applies in two ways. Delete line 453 ○ WSRF103 wsa:action updates |
| wd-05a | 2005-05-17 | Tom Maguire | <p>Updates for Example SOAP headers</p> <p>Fixes to schema</p> |

| Rev | Date | By Whom | What |
|--------|------------|-------------|--|
| wd-05b | 2005-05-17 | Tom Maguire | <p>WSRF100 – Fix for faults must be BaseFaults</p> <p>WSRF109 – Artifact precedence for authoritativeness</p> <p>WSRF113 – namespace updates for separation</p> <p>WSRF114 – wsa:action for faults</p> <p>WSRF115 – RP Document in SGE/@Content</p> <p>Update acknowledgements</p> |

1336

1337 **Appendix E. Notices**

1338 OASIS takes no position regarding the validity or scope of any intellectual property or other rights
1339 that might be claimed to pertain to the implementation or use of the technology described in this
1340 document or the extent to which any license under such rights might or might not be available;
1341 neither does it represent that it has made any effort to identify any such rights. Information on
1342 OASIS's procedures with respect to rights in OASIS specifications can be found at the OASIS
1343 website. Copies of claims of rights made available for publication and any assurances of licenses to
1344 be made available, or the result of an attempt made to obtain a general license or permission for
1345 the use of such proprietary rights by implementors or users of this specification, can be obtained
1346 from the OASIS Executive Director.

1347

1348 OASIS invites any interested party to bring to its attention any copyrights, patents or patent
1349 applications, or other proprietary rights which may cover technology that may be required to
1350 implement this specification. Please address the information to the OASIS Executive Director.

1351

1352 Copyright (C) OASIS Open (2005). All Rights Reserved.

1353

1354 This document and translations of it may be copied and furnished to others, and derivative works
1355 that comment on or otherwise explain it or assist in its implementation may be prepared, copied,
1356 published and distributed, in whole or in part, without restriction of any kind, provided that the above
1357 copyright notice and this paragraph are included on all such copies and derivative works. However,
1358 this document itself may not be modified in any way, such as by removing the copyright notice or
1359 references to OASIS, except as needed for the purpose of developing OASIS specifications, in
1360 which case the procedures for copyrights defined in the OASIS Intellectual Property Rights
1361 document must be followed, or as required to translate it into languages other than English.

1362

1363 The limited permissions granted above are perpetual and will not be revoked by OASIS or its
1364 successors or assigns.

1365

1366 This document and the information contained herein is provided on an "AS IS" basis and OASIS
1367 DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO
1368 ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY
1369 RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A
1370 PARTICULAR PURPOSE.